

DAFTAR PUSTAKA

- Allwood, J.M. and Goodacre, R., 2010, An Introduction to Liquid Chromatography-Mass Spectrometry Instrumentation Applied in Plant Metabolomic Analyses, *Phytochem. Anal.*, 21(1), 33-47.
- Anonim, 2017, *Sponges and Their Role in the Marine Environment*, FAO, Roma.
- Ashour, M., Edrada-Ebel, R.A., Ebel, R., Wray, V., van Soeste, R.W.M., and Prokscha, P., 2008, New Purine Derivatives from the Marine Sponge *Petrosia nigricans*, *Nat. Prod. Commun.*, 3(11), 1889-1894.
- Balouiri, M., Sadiki, M., and Ibensouda, S.K., 2016, Methods for In Vitro Evaluating Antimicrobial Activity: A Review, *J. Pharm. Anal.*, 6(2), 71-79.
- Barton, L.L., 2005, *Structural and Functional Relationships in Prokaryotes*, Springer Science+Business Media, New York.
- Bérdy, J., 2005, Bioactive Microbial Metabolites, *J. Antibiot.*, 58(1), 1-26.
- Bibi, F., Naseer, M.I., Yasir, M., Al-Ghamdi, A.A.K., and Azhar, E.I., 2017, LC-MS Based Identification of Secondary Metabolites from Marine Antagonistic Endophytic Bacteria, *Genet. Mol. Res.*, 16(4) 1-14.
- Bisht, R., Katiyar, A., Singh, R., and Mittal, P., 2009, Antibiotic Resistance –a Global Issue of Concern, *Asian J. Pharm. Clin. Res.*, 2(2), 34-39.
- Campbell, N.A., Mitchell, L.G., and Reece, J.B., 1994, *Biology Concepts & Connection*, The Benjamin/Cummings Publishing Company, New York.
- Campbell, N.A., Mitchell, L.G., dan Reece, J.B., 2003, *Biologi Jilid 2*, Edisi kelima, Erlangga, Jakarta.
- Cita, Y.P., Suhermanto, A., Radjasa, O.K., and Sudharmono, P., 2017, Antibacterial Activity of Marine Bacteria Isolated from Sponge *Xestospongia testudinaria* from Sorong, Papua, *Asian. Pac. J. Trop. Biomed.*, 7(5), 450-454.
- Conte, J.E., 2002, *Manual of Antibiotics and Infectious Diseases: Treatment and Prevention*, Lippincott Williams & Wilkins, Philadelphia.
- Csuros, M. and Csuros, C., 1999, *Microbiological Examination of Water and Wastewater*, CRC Press LLC, Boca Raton.
- Devi, P., Wahidullah, S., Rodrigues, C., and Souza, L.D., 2010, The Sponge-associated Bacterium *Bacillus licheniformis* SAB1: A Source of Antimicrobial Compounds, *Mar. Drugs*, 8, 1203-1212.

- Djinni, I., Defant, A., Mouloud Kecha, M., and Mancini, I., 2013, Antibacterial Polyketides from the Marine Alga-Derived Endophytic *Streptomyces sundarbansensis*: A Study on Hydroxypyrrone Tautomerism, *Mar. Drugs*, 11(1), 124-135.
- Dworkin, M., Falkow, S., Rosenberg, E., Schleifer, K.H., and Stackebrandt, E., 2006, *The Prokaryotes*, 1, Third Edition, Springer Science + Business Media, New York.
- Evans, G., 2004, *A Handbook of Bioanalysis and Drug Metabolism*, CRC Press LCC., Boca Raton.
- Eloff, J.N., 1998, A Sensitive and Quick Microplate Method to Determine the Minimal Inhibitory Concentration of Plant Extracts for Bacteria, *Planta Med.*, 64, 711-713.
- Fratamico, P.M., Bhunia, A.K., and Smith, J.L., 2005, *Foodborne Pathogens Microbiology and Molecular Biology*, Caister Academic Press, Wymondham.
- Freeman-Cook, L. and Freeman-Cook, K., 2006, *Staphylococcus aureus Infections*, Chelsea House Publishers, New York.
- Fulcher, E.M., Fulcher, R.M., and Soto, C.D., 2012, *Pharmacology Principles and Applications*, Third Edition, Elsevier Saunders, Philadelphia.
- Hadi, U., Kuntaman, Qiptiyah, M., and Paraton, H., 2013, Problem of Antibiotic Use and Antimicrobial Resistance in Indonesia: Are We Really Making Progress?, *Indonesian Journal of Tropical and Infectious Disease*, 4(4), 5-8.
- Handayani, D., Murniati, M., and Rustini, R., 2016, In Vitro Inhibitory Activity of Ethyl Acetate Extract of Symbiotic Bacteria Isolated from the Marine Sponge *Haliclona fascigera* against Multidrug Resistant Organism (MDRO), *J. Appl. Pharm. Sci.*, 6(11), 218-222.
- Handayani, D., Orando, R., and Rustini, 2016, Antimicrobial Activity Screening of Symbiotic Fungi from Marine Sponge *Petrosia nigrans* Collected from South Coast of West Sumatera, Indonesia, *Int. J. Pharmacognosy and Phytochem. Res.*, 8(4), 623-626.
- Hanif, N., Murni, A., Tanaka, C., and Tanaka, J., 2019, Marine Natural Products from Indonesian Waters, *Mar. Drugs*, 17(6), 1-69.
- Hentschel, U., Hopke, J., Horn, M., Friedrich, A.B., Wagner, M., Hacker, J., and Moore, B.S., 2002, Molecular Evidence for a Uniform Microbial Community in Sponges from Different Oceans, *Appl. Environ. Microbiol.*, 68(9), 4431-4440.

- Hidayat, N., Meitiniarti, I., Setyahadi, S., Pato, U., Susanti, E., Padaga, M.C., Wardani, A.K., Purwandari, U., Srinta, I., dan Ristiarini, S., 2018, *Mikrobiologi Industri Pertanian*, UB Press, Malang.
- Ho, C.S., Lam, C.W.K., Chan, M.H.M., Cheung, R.C.K., Law, L.K., Lit, L.C.W., Ng, K.F., Suen, M.W.M., and Tai, H.L., 2003, Electrospray Ionisation Mass Spectrometry: Principles and Clinical Applications, *Clin. Biochem. Rev.*, 24, 3-12.
- Hogg, M.M., Tendal, O.S., Conway, K.W., Pomponi, S.A., van Soest, R.W.M., Gutt, J., Krautter, M., and Roberts, J.M., 2010, *Deep-sea sponge grounds Deep-sea Sponge Grounds: Reservoirs of Biodiversity*, UNEP-WCMC Biodiversity Series No. 32. UNEP-WCMC, Cambridge.
- Hutomo, M. and Moosa, M.K., 2005, Indonesian Marine and Coastal Biodiversity: Present Status, *Indian J. Mar. Sci.*, 34(1), 88-97.
- Ishiyama, H., Hashimoto, A., Fromont, J., Hoshino, Y., Mikamic, Y., and Kobayashi, J., 2005, Halichonadins A–D, new sesquiterpenoids from a sponge *Halichondria* sp., *Tetrahedron*, 61, 1101-1105.
- Ivanova, E.P. dan Crawford, R.J., 2015, *Antibacterial Surfaces*, Springer International Publishing Switzerland, Cham.
- Jorgensen, J.H. dan Ferraro, M.J., 2009, Antimicrobial Susceptibility Testing: A Review of General Principles and Contemporary Practices, *Medical Microbiology*, 49, 1749-1755.
- Lee, Y.M., Li, H., Hong, J., Cho, H.Y., Bae, K.S., Kim, M.A., Kim, D.K., and Jung, J.H., 2010, Bioactive Metabolites from the Sponge-Derived Fungus *Aspergillus versicolor*, *Arch. Pharm. Res.*, 33(2), 231-235.
- Li, D., Xu, Y., Shao, C.L., Yang, R.Y., Zheng, C.J., Chen, Y.Y., Fu, X.M., Qian, P.Y., She, Z.G., de Voogd, N.J., and Wang, C.Y., 2012, Antibacterial Bisabolane-Type Sesquiterpenoids from the Sponge-Derived Fungus *Aspergillus* sp., *Mar. Drugs*, 10, 234-241.
- Li, H., Matsunaga, S., and Fusetani, N., 1996, Halicylindramides D and E, Antifungal Peptides from the Marine Sponge *Halichondria cylindrata*, *J. Nat. Prod.*, 59, 163-166.
- Maia, M.R.G., Marques, S., Cabrita, A.R.J., Wallace, R.J., Thompson, G., Fonseca, A.J.M., and Oliveira, H.M., 2016, Simple and Versatile Turbidimetric Monitoring of Bacterial Growth in Liquid Cultures Using a Customized 3D Printed Culture Tube Holder and a Miniaturized Spectrophotometer: Application to Facultative and Strictly Anaerobic Bacteria, *Front. Microbiol.*, 7(1381), 1-7.

- Manivasagan, P., Venkatesan, J., Sivakumar, K., and Kim, S.K., 2014, Pharmaceutically Active Secondary Metabolites of Marine Actinobacteria, *Microbiol. Res.*, 169(2014), 262-278.
- McMaster, M.C., 2005, *LC/MS a Practical User's Guide*, John Wiley & Sons, Hoboken.
- Murniasih, T., Kosela, S., Kardono, L.B.S., Hanafi, M., and Priyono, W., 2014, An Antibacterial Compound Isolated from Sponge-Associated Bacteria *Rhodobacteraceae bacterium*, *J. Med. Sci.*, 14(2), 75-80.
- Myers, J.A., Curtis, B.S. and Curtis, W.R., 2013, Improving Accuracy of Cell and Chromophore Concentration Measurements Using Optical Density, *BMC Biophysics*, 6(4), 1-15.
- Nagai, K., Kamigiri, K., Arao, N., Suzumura, K., Kawano, Y., Yamaoka, M., Zhang, H., Watanabe, M., and Suzuki, K., 2003, YM-266183 and YM-266184, Novel Thiopeptide Antibiotics Produced by *Bacillus cereus* Isolated from a Marine Sponge. I. Taxonomy, Fermentation, Isolation, Physico-chemical Properties and Biological Properties, *J. Antibiot.*, 56(2), 123-128.
- Nankervis, H., Thomas, K.S., Delamere, F.M., Barbarot, S., Rogers, N.K., and Williams, H.C., 2016, Scoping Systematic Review of Treatments for Eczema, *Programme Grants for Applied Research*, 4(7).
- Penesyan, A., Gillings, M., and Paulsen, I.T., 2015, Antibiotic Discovery: Combatting Bacterial Resistance in Cells and in Biofilm Communities, *Molecules*, 20, 5286-5298.
- Purushottama, G.B., Venkateshvaran, K., Prasad K., P., and Nalini, P., 2009, Bioactivities of Extracts from the Marine Sponge *Halichondria panicea*, *J. Venom. Anim. Toxins incl. Trop. Dis.*, 15(3), 444-459.
- Putra, M.Y., Hadi, T.A., and Murniasih, T., 2016, In Vitro Antibacterial and Antifungal Activities of Twelve Sponges Collected from the Anambas Islands, Indonesia, *Asian Pac. J. Trop. Dis.*, 6(9), 732-735.
- Qaralleh, H., Idid, S., Saad, S., Susanti, D., Taher, M., and Khleifat, K., 2010, Antifungal and Antibacterial Activities of Four Malaysian Sponge Species (*Petrosiidae*), *J. Mycol. Med.*, 20(2010), 315-320.
- Regueiras, A., Alex, A., Costa, M.S., Pereira, S. and Vasconcelos, V., 2019, Diversity of Intertidal Marine Sponges from the Western Coast of Portugal (North-East Atlantic), *J. Mar. Biol. Assoc. U. K.*, 99(6), 1253-1265.
- Rinehart, K.L., Gallagher, N.L., and Warwick, R.A., 2005, *Spisulosine Compounds*, United States Reissued Patent, US RE38,793 E.

- Roughgarden, J., 1975, Evolution of Marine Symbiosis-A Simple Cost-Benefit Model, *Ecology*, 56(5), 1201-1208.
- Schneemann, I., Kajahn, I., Ohlendorf, B., Zinecker, H., Erhard, A., Nagel, K., Wiese, J., and Imhoff, J.F., 2010, Mayamycin, a Cytotoxic Polyketide from a *Streptomyces* Strain Isolated from the Marine Sponge *Halichondria panicea*, *J. Nat. Prod.*, 73, 1309–1312.
- Severin, J.A., Mertaniasih, N.M., Kuntaman, K., Lestari, E.S., Purwanta, M., Toom, N.L.D., Duerink, D.O., Hadi, U., van Belkum, A., Verbrugh, H.A., and Goessens, W.H., 2010, Molecular characterization of Extended-Spectrum β -Lactamases in Clinical *Escherichia coli* and *Klebsiella pneumoniae* Isolates from Surabaya, Indonesia, *J. Antimicrob. Chemother.*, 65, 465-469.
- Shaikh, S., Fatima, J., Shakil, S., Rizvi, S.M.D., and Kamal, M.A., 2015, Antibiotic Resistance and Extended Spectrum Beta-Lactamases: Types, Epidemiology and Treatment, *Saudi J. Biol. Sci.*, 22, 90-101.
- Shekar, B.R.C., Nagarajappa, R., Jain, R., Suma, S., Singh, R., and Thakur, R., 2016, Minimum Inhibitory Concentration of The Plant Extracts' Combinations Against Dental Caries and Plaque Microorganisms: An In Vitro Study, *J. Indian Assoc. Public Health Dent.*, 14(4), 456-462.
- Skariyachan, S., Rao, A.G., Patil, M.R., Saikia, B., Bharadwaj KN,V. and Rao GS, J., 2013, Antimicrobial Potential of Metabolites Extracted from Bacterial Symbionts Associated with Marine Sponges in Coastal Area of Gulf of Mannar Biosphere, India, *Lett. Appl. Microbiol.*, 58, 231-241.
- Solomon, E.P., Berg, L.R., Martin, D.W., and Villee, C., 1993, *Biology*, Third Edition, Harcourt Brace College Publishers, Orlando.
- Subramani, R., Kumar, R., Prasad, P., and Aalbersberg, W., 2013, Cytotoxic and antibacterial substances against multi-drug resistant pathogens from marine sponge symbiont: Citrinin, a secondary metabolite of *Penicillium* sp., *Asian Pac. J. Trop. Biomed.*, 3(4), 291-296.
- Suzumura, K., Yokoi, T., Funatsu, M., Nagai, K., Tanaka, K., Zhang, H., and Suzuki, K., 2003, YM-266183 and YM-266184, Novel Thiopeptide Antibiotics Produced by *Bacillus cereus* Isolated from a Marine Sponge II. Structure Elucidation, *J. Antibiot.*, 56(2), 129-134.
- Taylor, M.W., Radax, R., Steger, D., and Wagner, M., 2007, Sponge-Associated Microorganisms: Evolution, Ecology, and Biotechnological Potential, *Microbiol. Mol. Biol. Rev.*, 71(2), 295-347.

Tong, H., Bell, D., Tabei, K., and Siegel, M.M., 1999, Automated Data Massaging, Interpretation, and E-Mailing Modules for High Throughput Open Access Mass Spectrometry, *J. Am. Soc. Mass Spectrom.*, 10, 1174-1187.

Xu, L.Y., Quan, X.S., Wang, C., Sheng, H.F., Zhou, G.X., Lin, B.R., Jiang, R.W., and Yao, X.S., 2011, Antimycins A₁₉ and A₂₀, Two New Antimycins Produced by Marine *Actinomycete Streptomyces Antibioticus*, *J. Antibiot.*, 64, 661-665.