

DAFTAR PUSTAKA

- Abranches, P. A. S., Varejao, E. V. V., Da Silva, C. M., de Fatima, A., Magalhaes, T. F. F., da Silva, D. L., de Resende-Stoianoff, M. A., Reis, S., Nascimento Jr., C. S., de Almeida, W. B., Figueiredo, I. M. and Fernandes, S. A., 2012, Complexes of Fluconazole with Sodium p-Sulfonatocalix[n]arenes: Characterization, Solubility and Antifungal Activity, *J. Name*, 1-9.
- Almeida, C. G., Souza, I. F., Liberto, N. A., Da Silva, M. J., Fernandes, S. A. and Le Hyaric, M., 2015, p-Sulfonic Acid Calix[n]arenes as Organocatalysts for the Transesterification Reaction of Passiflora Seed Oil, *Monatsch Chem.*, 1-8.
- Arbain, N. H. and Salimon, J., 2011, The Effects of Various Acid Catalyst on the Esterification of Jatropha Curcas Oil based Trimethylolpropane Ester as Biolubricant Base Stock, *E-J. Chem.*, 8, 33-40.
- Aziz, I., 2005, Pembuatan Biodiesel dari Minyak Jelantah dalam Reaktor Alir Tangki Berpengaduk dan Uji Performance Bioiesel pada Mesin Diesel, *Tesis*, Sekolah Pasca Sarjana, Universitas Gadjah Mada, Yogyakarta.
- Baghbanian, S. M., Babajani, Y., Tashakkorian, H., Khaksar, S. and Farhang, M., 2013, p-Sulfonic Acid Calix[4]arene: An Efficient Reusable Organocatalyst for the Synthesis of Bis(indolyl)methanes Derivatives in Water and under Solvent-Free Conditions, *CR CHIM*, 16, 129-134.
- Baghbanian, S. M., Khanzad, G., Vahdat, S. M. and Tashakkorian, H., 2015, p-Sulfonic Acid Calix[4]arene as an Efficient and Reusable Catalyst for the Synthesis of Acridinrdiones and Xanthenes, *Res. Chem. Intermed.*, 1-16.
- Balci, M., 2005, ¹³⁻¹³C Chemical Shifts of Organic compounds, Elsevier, Amsterdam.
- Da Silva, D. L., Fernandes, S. A., Sabino, A. A. and De Fatima, A., 2011, p-Sulfonic Acid Calixarenes as efficient and Reusable Organocatalysts for the Synthesis of 3,4-Dihydropyrimidin-2(1H)-ones/-thiones, *Tetrahedron Lett.*, 6328-6330.
- Dang, T. and Chen, B., 2013, Optimization in Esterification of Palmitic Acid with Excess Methanol by Solid Acid Catalyst, *Fuel Process. Technol.*, 109, 7-12.
- De Assis, J. V., Abranches, P. A. S., Braga, I. B., Zuniga, O. M. P., Sathicq, A. G., Romanelli, G. P., Sato, A. G. and Fernandes, S. A., 2012a, p-Sulfonic Acid Calix[n]arene-Functionalized Alkyl-Bridged Organosilica in Esterification Reactions, *J. Name*, 1-5.
- De Assis, J. V., Teixeira, M. G., Soares, C.G.P., Lopes, J.F., Carvalho, G. S. L., Lourenco, M. C. S., de Almeida, M. V., De Lameida, W. B. and Fernandes, S. A., 2012b, Experimental and Theoretical NMR Determination of Isoniazid and Sodium p-Sulfonatocalix[n]arenes Inclusion Complexes, *Eur. J. Pharm. Sci.*, 47, 539-548.

- Durairaj, R. B., 2005, *Resorcinol: Chemistry, Technology and Applications*, Springer, Heidelberg.
- Fernandes, S. A., Natalino, R., da Silva, M. J. and Lima, C. F., 2012a, A Comparative Investigation of Palmitic Acid Esterification over p-Sulfonic Acid Calix[4]arene an Sulfuric Acid Catalyst via ¹H NMR Spectroscopy, *Catal. Commun.*, 26, 127-131.
- Fernandes, S. A., Natalino, R., Gazolla, P. A. R., da Silva, M. J. and Jham, G. N., 2012b, p-Sulfonic Acid Calix[n]arenes as Homogeneous and Recyclable Organocatalysts for Esterification Reactions, *Tetrahedron Lett.*, 53, 1630-1633.
- Fessenden, R. J., and Fessenden, J. S., 1997, *Dasar-Dasar Kimia Organik*, Binarupa Aksara, Jakarta.
- Gaeta, C., Caruso, T., Mincoelli, M., Troisi, F., Vasca, E. and Neri P., 2008, p-Sulfonatocalix[7]arene: Synthesis, Protolysis and Binding Ability, *Tetrahedron*, 64, 5370-5378.
- Galaverna, R. S., Bataghion, G. A., Heerdt, G., De Sa, G. F., Daroda, R., Cunha, V. S., Morgon, N. H. and Eberlin, M. N., 2015, Are Benzoic Acids Always More Acidic Than Phenols? The Case of ortho-, meta -and para-Hydroxybenzoic Acids, *Eur J. Org. Chem*, 2189-2196.
- Gandara, F., Gutierrez-Puble, E., Iglesias, M., Snejko, N. and Monge, M. A., 2010, Isolated Hexanuclear Hydroxo, Lanthanide Secondary Building Units in a Rare-Earth Polymeric Framework Based on p-Sulfonatocalix[4]arene, *Cryst. Growth Des.*, 10, 1, 128-134.
- Georgogianni, V. K. G., Kontiminas, M. G., Tegou, E., Avlonitis, D., and Gergis, V., 2007, Biodiesel Production: Reaction and Process Parameters of Alkali-Catalyzed Transesterification of waste Frying Oils, *Energ. & Fuel*, 21, 3023-3027.
- Groggins, P. H., 1958, *Unit Processes in Organic Synthesis*, McGraw-Hill International Book Company, New York.
- Gutsche, C.D., 2008, *Calixarenes An Introduction*, 2nd edition, University of Arizona, Tucson.
- Han, C., Zeng, L., Li, H. and Xie, G., 2009, Colorimetric Detection of Pollutant Aromatic Amines Isomers with p-Sulfonatocalix[6]arene-Modified Gold Nanoparticles, *Sens. Actuators B*, 137, 704-709.
- Handayani, D. S., Sholikh, R. A. dan Kusumaningsih, T., 2013, Sintesis dan Karakterisasi C-4-Hidroksi-3-Metoksifenilikaliks[4]resorsinarena Sulfonat, *ALCHEMY*, 9, 2, 13-21.
- Harizal, 2015, Sintesis C-4-alkoksifenilikaliks[4]pirogalolaril Benzoat-sinamat sebagai Senyawa Tabir Surya, *Disertasi*, Universitas Gadjah Mada, Yogyakarta.

- Helwani, Z., 2009, Solid Heterogenous Catalysts for Transesterification of Triglycerides With Methanol: A Review, *Appl. Catal. A*, 363, 1-10.
- Iwanek, W. and Wzorek, A., 2009, Introduction to The Chirality of Resorcinarenes, *Mini-Rev. Org. Chem.*, 6, 398-411.
- Jin, T., 2010, Near-Infrared Fluorescence Detection of acetylcholine in Aqueous Solution Using a Complex of Rhodamine 800 and p-Sulfonato-Calix[8]arene, *Sensors*, 10, 2438-2449.
- Jumina., Sardjono R. E., Siswanto D., Santosa S. J., and Ohto K., 2011, Adsorption Characteristics of Pb(II) and Cr(III) on to C-Methylcalix[4]resorcinarene, *J. Korean Chem. Soc.*, 55, 3, 454-462.
- Lakouraj, M. M., Tashakkorian, H. and Rouhi, M., 2013, One-Pot Synthesis of Xanthenes and Dixanthenes using Calix[4]arene Sulfonic Acid under Solvent Free Condition, *Chem. Sci. Trans.*, 2, 3, 739-748.
- Li, J., Zhang, S., Chen., Y., Du, X. and Yu, J., 2014, Coordination Polymeric Chain Formed *p*-Sulfonatocalix[4]arene and Organotin. Synthesis and Crystal Structure, *Inorg. Chem. Commun.*, 47, 93-95.
- Linane, P. and Shinkai, S., 1994, Calixarenes: Adaptable Hosts Par Excellence, *Chem & Ind.*, 811-814.
- Makha, M., 2001, Novel Sulfonated Extended Arm Calixarenes, *Thesis*, Monash University, Victoria.
- Mutlu, V. N. and Yilmaz, S., 2016, Esterification of Cetyl Alcohol with Palmitic Acid over WO₃/Zr-SBA-15 and Zr-SBA-15 Catalyst, *Appl. Catal. A*, 522, 194- 200.
- Natalino, R., Varejao, E. V. V., Da Silva, M. J., Cardoso, A. L. and Fernandes, A., 2014, *p*-Sulfonic Acid Calix[n]arene: The Most Active and Water Tolerant Organocatalyst in Esterfication Reactions, *Catal. Sci. Technol.*, 4, 1369-1376.
- Nofiyanti, S., 2018, Sintesis Turunan Kaliks[4]-2-Metilresorsinarena dan Uji Aktivitasnya sebagai Antioksidan, *Skripsi*, FMIPA, Universitas Gadjah Mada, Yogyakarta.
- Nugraha, M. W., Edy, S., dan Zuchra, H., 2017, Sintesis Biodiesel dari Minyak Biji Nyamplung (*Calophyllum inophyllum*) menggunakan Katalis Geopolimer dari Abu Sekam Padi dan Kaolin, *JoM*, 4, 2, 1-5.
- Peterson K.E., Smith, R.C., and Mohan, R.S, 2003, Bismuth Compound in Organic Chemistry: Synthesis of Resorcinarenes Using Bismuth Triflate, *Tetrahedron Letters*, 44, 7723-7725.
- Pfeiffer, C. R., FASTER, K. A., Dalgarno, S. J. and Atwood, J. L., 2015, Synthesis and Characterization of Aryl-substituted Pyrogallol[4]arenes and Resorcin[4]arenes, *Cryst. Eng. Comm*, 1-8.

- Pham, N.H, and Wenzel, T.J., 2011, A Sulfonated Calix[4]resorcinarene with L- Pipecolinic Acid Groups as a Water-Soluble Chiral NMR Solvating Agent, *Tetrahedron Asymmetry*, 22, 1574-1580.
- Poonjarernsilp, C., Sano, N. and Tamon, H., 2014, Hydrothermally Sulfonated Single-Walled Carbon Nanohorns for Use as Solid Catalyst in Biodiesel Production by Esterification of Palmitic Acid, *Appl. Catal. B*, 147, 726-732.
- Ramadani, Siswanta, D., and Jumina, 2006, Utilization of Tetrakis (Npropyldihydrooxazina)-C-methylcalix[4]resorcinarene as Membrane Components of Silver Ion Selective Electrode, *Sains dan Siberatika*, 19, 2, 243-256.
- Ramadhas, A. S., Mulareedharan, C., and Jayaraj, S., 2005, Performance and emissiom evaluation of diesel engine fueled with methylys esters of rubber seed oil, *Renew. Energ.*, 30, 1789-1800.
- Rego, Y, F., da Silva, C. M., da Silva, D. L., Da Silva, J. G., Ruiz, A. L. T. G., De Carvalho, J. E., Fernandes, S. A. and de Fatima, A., 2016, Phthalazine-triones: Calix[4]arene-assisted Synthesis using Green Solvents and Their Anticancer Activities Againts Human Cancer Cells, *Arabian J. Chem.*, 1-9.
- Saravanan, K., Tyargi, B., Shukla, R. and Bajaj, H. C., 2015, Esterification of Palmitic Acid with Methanol over Template-assisted Mesoporous Sulfated Zirconia Solid Acid Catalyst, *Appl. Catal. B*, 172-173, 108-115.
- Saravanan, K., Tyargi, B., Shukla, R. and Bajaj, H. C., 2016, Solvent Free Synthesis of Methyl Palmitate over Sulfated Zirconia Solid Acid Catalyst, *Fuel*, 165, 298- 305.
- Saravanan, C., Chitumalla, R. M., Ashwin, B. C. M. A., Senthilkumaran, M., Suresh, P., Jang, J. and Mareeswaran, P. M., 2018, Effectual Binding of Gallic Acid with *p*-Sulfonatocalix[4]arene: An Experimental and Theoretical Interpretation, *J. Lumin.*, 196, 392-398.
- Sardjono, R.E., 2007, *Sintesis dan Penggunaan Tetramer Siklis Seri Kaliksresorsinarena, Alkoksikaliksarena, dan Alkenikaliksarena Untuk Adsorpsi Kation Logam Berat*, Ringkasan Disertasi Lepas, Universitas Gadjah Mada, Yogyakarta.
- Sardjono, R.E., Jumina, Nurwahidin, A.W., Taufik, Sastrohamidjojo and Santosa, S.J., 2008, Adsorption Characteristics of Pb(II) onto C-4-Hydroxy-3-MethoxyPhenylCalix[4]Resorcinarene in Batch and Fixed Bed Column Systems, *Proc. ISoC Conf.*, Jatinangor, 419-425.
- Sathicq, A. G., Liberto, N. A., Fernandes, S. A. and Romanelli, G. P., 2015, Solvent-free Multicomponent Synthesis of 2-Arylpyridines using *p*-Sulfonic Acid Calix[6]arene as a Reusable Catalyst, *CR CHIM*, 18, 374-378.
- Sayin, S. and Yilmaz, M., 2014, Bronsted Acidic Magnetic Nano-Fe₃O₄-adorned Calix[n]arene Sulfonic Acids: Synthesis and Application in the Nucleophilic Substitution of Alcohols, *Tetrahedron*, 6669-6676.

- Sayin, S. and Yilmaz, M., 2016, Synthesis and Investigation of Catalytic Affinities of Water-soluble Amphiphilic Calix[n]arene Surfactants in the Coupling Reaction of some Heteroaromatic Compounds, *Tetrahedron*, 72, 6528-6535.
- Setiawan, H.R., 2018, Sintesis Asam C-Arilikaliks[4]Pirogalolarena Sulfonat dan Uji Aktivitasnya sebagai Organokatalis Pada Sintesis Biodiesel Berbahan Dasar Asam Palmitat, *Skripsi*, FMIPA Universitas Gadjah Mada, Yogyakarta.
- Shaikh, I. R., 2014, Organocatalyst: Key Trends in Green Synthetic Chemistry, Challenges, Scope towards Heterogenization and Importance from Research and Industrial Point of View, *J. Catal.*, 1-36.
- Sirvastava, A. and Prasad, R., 2000, Triglycerides Based Biodiesel Fuels, *Renew. Sust. Energ. Rev.*, 4, 111-113.
- Sliwa, W. and Deska, M., 2008, Calixarene Complexes with soft Metal Ions, *ARKIVOC*, 1, 87-89.
- Susilo, B., 2006, *Biodiesel sumber Energi Alternatif Pengganti Solar yang terbuat dari Ekstraksi Minyak Jarak Pagar*, Trubus Agrisarana, Surabaya.
- Utomo, S.B., Jumina, Siswanta, D., Mustofa, and Kumar, N., 2011, Synthesis of Thiomethylated Calix[4]resorcinarene Based on Fennel Oil Via Chloromethylation, *Indones. J. Chem.*, 11, 1, 1-8.
- Van Gerpen J., Shanks, dan R. Pruszko. 2004. *Biodiesel Production Technology National Renewable Energy Laboratory, NREL*, 3-11.