

DAFTAR PUSTAKA

- Ahmed, I., Yokota, A., Yamazoe, A., Fujiwara, T. 2007. Proposal of *Lysinibacillus boronitolerans* gen. nov. sp. nov., and transfer of *Bacillus fusiformis* to *Lysinibacillus fusiformis* comb. nov. and *Bacillus sphaericus* to *Lysinibacillus sphaericus* comb. nov', *International Journal of Systematic and Evolutionary Microbiology*, 57(5): 1117–1125. doi: 10.1099/ij.s.0.63867-0.
- Anonim¹, 2019. *Lysinibacillus sphaericus* (Meyer and Neide, 1904) Ahmed et al., 2007 https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=963051#null
- Anonim², 2019. *Culex quinquefasciatus* Say, 1823 https://www.itis.gov/servlet/SingleRpt/SingleRpt?search_topic=TSN&search_value=126490#null
- Badan Penelitian dan Pengembangan Kesehatan. Riset Kesehatan Dasar (RISKESDAS). 2007. *Lap Nas 2007*. 2008:1- 384.
- Baumann, P. B.M. Unterman., L. Baumann., A.H. Broadwell., S.J. Abbene., and R.D. Bowditch. 1985. *Purification of the Larvicidal Toxin of Bacillus sphaericus and Evidence for High-Molecular-Weight Precursors*, *JOURNAL OF BACTERIOLOGY*. Available at: <http://jb.asm.org/> (Accessed: 24 July 2019).
- Berry, C., and Crickmore N. 2017. Structural classification of insecticidal proteins – Towards an in silico characterisation of novel toxins, *Journal of Invertebrate Pathology*, 142 (2017): 16–22
- Berry, C. 2012. 'The bacterium, *Lysinibacillus sphaericus*, as an insect pathogen', *Journal of Invertebrate Pathology*. Academic Press, 109(1), pp. 1–10. doi: 10.1016/J.JIP.2011.11.008.
- Clements, A.N. 2000. *The Biology of Mosquitoes Volume 1 Development, Nutrition and Reproduction*. Kota tidak dikehui (US): CABI Publishing.
- Correa, M. and Yousten, A. A. 1995. 'Bacillus sphaericus Spore Germination and Recycling in Mosquito Larval Cadavers', *Journal of Invertebrate Pathology*. Academic Press, 66(1), pp. 76–81. doi: 10.1006/JIPA.1995.1064.
- De Maagd, R.A., A. Bravo, C. Berry, N. Crickmore and H.E. Schnepf. 2003. 'Structure, Diversity, and Evolution of Protein Toxins from

- Departemen Kesehatan. 2008. *Kunci Identifikasi Nyamuk Culex*. Jakarta (ID): Departemen Kesehatan Republik Indonesia.
- Elmer, A.N., and Glenn, A.N. 1989. *Parasitologi: Biologi Parasit Hewan*. Wardiarto, editor. Soeripto N, penerjemah. Yogyakarta (ID): Gadjah Mada University Pr.
- Foster, W.A., and Walker, E.D. 2002. *Medical and Veterinary Entomology*. Mullen G dan Durden L, editor. Kota tidak diketahui (US): Elsevier Science.
- Gama, Z.P., Suharjo, Ekowati, G. 1998. *Potensi Patogenisitas Bacillus thuringiensis var. israelensis Isolat Madura Terhadap Larva Nyamuk*. Laporan Penelitian Jurusan Biologi FMIPA, Universitas Brawijaya. Malang.
- Gilbert, L. I. (Lawrence I. and Gill, S. S. 2010. *Insect control : biological and synthetic agents*. Academic Press. Available at: <https://books.google.co.id/books?id=nd2euFHjQyQC&pg=PA308&dq=protein+mtx+4+bacillus+sphaericus&hl=en&sa=X&ved=0ahUKEwiLoIaAgtrjAhUgUI8KHTMjDLcQ6AEILzAB#v=onepage&q&f=false> (Accessed: 29 July 2019).
- Gill, S. S., Cowles, E. A. and Pietrantonio, P. V. 1992. 'The Mode of Action of Bacillus Thuringiensis Endotoxins', *Annual Review of Entomology*. Annual Reviews 4139 El Camino Way, P.O. Box 10139, Palo Alto, CA 94303-0139, USA , 37(1), pp. 615–634. doi: 10.1146/annurev.en.37.010192.003151.
- Golberg, L. S., and Margalit, J. 1977. A bacterial spore demonstrating rapid larvicidal activity against *Anopheles sergenti*, *Uranotaenia unguiculata*, *Culex univittatus*, *Aedes aegypti* and *Culex pipiens*. *Mosquito News*, 37(3): 355-8.
- Gubler, D. J., Suharyono, W., Lubis, I., Eram, S., and Gunarso, S. 1981. Epidemiologic dengue 3 in Central Java, associated with low viremia in man. *Am. J. Trop. Med. Hyg*, 30(5): 1094-9.
- Hadi, Kesumawati. 2011. *Penyakit Tular Vektor : Demam Berdarah Dengue*. Fakultas Kedokteran Hewan Institut Pertanian Bogor, Bogor.

- Hadi, U.K., and Koesharto, F.X. 2006. Nyamuk dalam *Hama Pemukiman Indonesia: Pengenalan, Identifikasi, Pengendalian*. Sigit HS, Hadi UK, editor. Bogor (ID): Unit Kajian Pengendalian Hama Permukiman.
- Humphreys, M.J. and C. Beqry. 1997. Variants of the *Bacillus sphaericus* Binary Toxins: Implications for Differential Toxicity of Strains. *Journal of Invertebrate Pathology*, 71(2): 184.
- Joesoef, A., and Cross, J. H. 1978. Human filariae in Indonesia. *SEA J. Trop. Med.publ. Hlih*, 9(1): 15-19.
- Jones, G.W., Nielsen-Leroux, C., Yang, Y., Yuan, Z., Dumas, V.F., Monnerat, R.G., Berry, C., 2007. A new Cry toxin with a unique two-component dependency from *Bacillus sphaericus*. *The FASEB Journal*, 21: 4112–4120
- Kementrian Kesehatan. 2010. *Rencana Nasional Program Akselerasi Eliminasi Filariasis di Indonesia*. Jakarta (ID): Kementrian Kesehatan Republik Indonesia.
- Kirnowardoyo, S. 1985. Vector malaria di Indonesia dan status kerentanannya terhadap insektisida, *dalam* Soenarto (ed.): *Kumpulan Naskah Lengkap Simposium dan Diskusi Panel Malaria*. Univ. Diponegoro, Semarang. pp. 119-48.
- Klein, D., I. Uspensky., and S. Braun. 2002. Tightly Bound Binary Toxin in the Cell Wall of *Bacillus sphaericus*. *Appl. Environ. Microbiol*, 68(7): 3300.
- Lacey,L.A.;Urbina, M. J.; and Heitzman, C. M. 1984. ‘Sustained Released Formulations of *Bacillus sphaericus* and *Bacillus thuringiensis* (H-14) for Control of Container-Breeding *Culex quinquefasciatus*’, *Mosquito News*, 44, pp. 26–31. Available at: https://www.biodiversitylibrary.org/content/part/JAMCA/MN_V4_4_N1_P026-032.pdf (Accessed: 21 July 2019).
- Lacey, L. A. and Orr, B. K. 1994. ‘The Role of Biological Control of Mosquitoes in Integrated Vector Control’, *The American Journal of Tropical Medicine and Hygiene*. The American Society of Tropical Medicine and Hygiene, 50(6_Suppl), pp. 97–115. doi: 10.4269/ajtmh.1994.50.97.

Larvonne D. A. 2018. *Culex quinquefasciatus* (southern house mosquito). [Internet]. <https://www.cabi.org/isc/datasheet/86848#B0D67C39-9CDB-4D7D-9BA8-2D84C7133E70> . Akses 28 Januari 2019 11.13

- Luna-Finkler, C. L. . and Leandro F. 2012. ‘Bacillus sphaericus and Bacillus thuringiensis to Insect Control: Process Development of Small Scale Production to Pilot-Plant-Fermenters’, *Insecticides - Advances in Integrated Pest Management, Dr. Farzana Perveen (Ed.), InTech*, (tourism), pp. 613–626.
- Manimegalai, K. and Sukanya, S. 2014. *Biology of the filarial vector, Culex quinquefasciatus (Diptera: Culicidae)*, *Int.J.Curr.Microbiol.App.Sci.* Available at: <http://www.ijcmas.com> (Accessed: 29 July 2019).
- Massie, J., Roberts, G. and White, P. J. 1985. ‘Selective isolation of Bacillus sphaericus from soil by use of acetate as the only major source of carbon’, *Applied and Environmental Microbiology*, 49(6), pp. 1478–1481.
- Monnerat, R. S.F. da Silva., D.S. Dias., E.S. Martins., L.B. Praca., G. W. Jones., C.M. Soares., J.M.C. de Souza Dias, and C. Berry. 2004. ‘Screening of Brazilian Bacillus sphaericus strains for high toxicity against Culex quinquefasciatus and Aedes aegypti’, *Journal of Applied Entomology*. John Wiley & Sons, Ltd (10.1111), 128(7), pp. 469–473. doi: 10.1111/j.1439-0418.2004.00874.x.
- Myers, P., Yousten, A. A. and Davidson, E. W. 1979. ‘Comparative studies of the mosquito-larval toxin of *Bacillus sphaericus* SSII-1 and 1593’, *Canadian Journal of Microbiology*, 25(11), pp. 1227–1231. doi: 10.1139/m79-193.
- Nielsen-LeRoux, C. Rao, D. R., Murphy, J. R., Carron, A., Mani, T. R., Hamon, S., and Mulla, Mir S. 2001. ‘Various Levels of Cross-Resistance to Bacillus sphaericus Strains in Culex pipiens (Diptera: Culicidae) Colonies Resistant to B. sphaericus Strain 2362’, *Applied and Environmental Microbiology*, 67(3–12), pp. 5049–5054. doi: 10.1128/AEM.67.11.5049.
- Nishiwaki, H., Nakashima, K., Ishida, C., Kawamura, T., and Matsuda, K. 2007. ‘Cloning, functional characterization, and mode of action of a novel insecticidal pore-forming toxin, sphaericolysin, produced by Bacillus sphaericus.’, *Applied and environmental microbiology*. American Society for Microbiology, 73(10), pp. 3404–11. doi: 10.1128/AEM.00021-07.

Nuryady, M. M. 2013. Identifikasi Morfologi Spesies yang Berpotensi sebagai Vektor Malaria di B2P2VRP Salatiga. *Laporan Kegiatan Kuliah Kerja Magang*. Jurusan Biologi, Fakultas MIPA Universitas Jember.

Oei, C., Hindley, J., and Berry, C. 1992. Binding of purified *Bacillus sphaericus* binary toxin and its deletion derivatives to *Culex quinquefasciatus* gut: elucidation of functional binding domains. *J. Gen. Microbiol*, 138: 1515–1526

Palumbo, E. 2008. Filariasis: diagnosis, treatment and prevention. *Acta Biomed*. 79:106–109.

Park, H.-W., Bideshi, D. K. and Federici, B. A. 2010. ‘Properties and applied use of the mosquitocidal bacterium, *Bacillus sphaericus*’, *Journal of Asia-Pacific Entomology*. Elsevier, 13(3), pp. 159–168. doi: 10.1016/J.ASPEN.2010.03.002.

Pei, G., C.M.F. Oliveira., Z. Yuan., C. Nielsen-LeRoux, M.H. Silva-Filha., J. Yan., and L. Regis. 2002. A Strain of *Bacillus sphaericus* Causes Slower Development of Resistance in *Culex quinquefasciatus*. *Appl. Environ. Microbiol*, 68: 3003-3008.

Poopathi, S. Thirugnanasambantham, K., Mani, C., Ragul, C., & Sundarapandian.. 2014. *Isolation of mosquitocidal bacteria (Bacillus thuringiensis, B.sphaericus and B.cereus) from excreta of arid birds, Indian Journal of Experimental Biology*. Available at: <http://nopr.niscair.res.in/bitstream/123456789/29047/1/IJEB52%287%29739-747.pdf> (Accessed: 22 July 2019).

Poopathi, S. and Abidha, S. 2010. ‘Mosquitocidal bacterial toxins (*Bacillus sphaericus* and *B. thuringiensis* serovar israelensis): Mode of action, cytopathological effects and mechanism of resistance’, *Journal of Physiology and Pathophysiology*, 1(3), pp. 22–38.

Portunasari, W. D., Kusmintarsih, E. D., and Riwidiharso, E. 2016. Survei Nyamuk *Culex* spp. sebagai Vektor Filariasis di Desa Cisayong, Kecamatan Cisayong, Kabupaten Tasikmalaya. *Biosfera*, 33(3): 142-148.

Program for Appropriate Technology in Health. 2006. *Japanese Encephalitis Surveillance in Indonesia: current status and activities*.

- Putri, L. K. 2019. Isolasi dan Uji Patogenisitas Bakteri *Lysinibacillus sphaericus* Neide Dari Tanah Sekitar Perakaran Terhadap Larva *Culex quinquefasciatus* Say. *Skripsi*. Fakultas Biologi Universitas Gadjah Mada.
- Russel, R.C. 1996. A colour photo atlas of mosquitoes of Southeastern Australia. *Medical Entomology*, Westmead Hospital.
- Siegel, J. P., Smith, A. R. and Novak, R. J. 1997. *Comparison of the Cellular Fatty Acid Composition of a Bacterium Isolated from a Human and Alleged To Be Bacillus sphaericus with That of Bacillus sphaericus Isolated from a Mosquito Larvicide*, *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*. Available at: <http://aem.asm.org/> (Accessed: 22 July 2019).
- Silva-Filha, M. H. N. L. K. D. de M. Chalegre, D. B. Anastacio, C. M. F. de Oliveira, S. B. da Silva, R. V. Acioli, S. Hibi, D. C. de Oliveira, E. S. M. Parodi, C. A. M. M. Filho, A. F. Furtado, L. Regis. 2008. 'Culex quinquefasciatus field populations subjected to treatment with Bacillus sphaericus did not display high resistance levels', *Biological Control*. Academic Press, 44(2), pp. 227–234. doi: 10.1016/J.BIOCONTROL.2007.10.002.
- Silva Filha, M.H.N.L., Peixoto, C. A. 2003. Immunocytochemical localization of the *Bacillus sphaericus* toxin components in *Culex quinquefasciatus* (Diptera: Culicidae) larvae midgut. *Pestic. Biochem. Physiol*, 77: 138-146.
- Singer, S. 1975. Isolation and development of bacterial pathogens of vectors, dalam J. D. Briggs (ed.): *Biological Regulation of Vectors - The Saprophytic and Aerobic Bacteria and Fungi. A Conference Report US DHEW Publ. Hlth Serv. NIH, Maryland, USA*. pp. 3-17.
- Soegijanto, S. 2006. Demam Berdarah Dengue edisi kedua. *Airlangga University Press*. Surabaya.
- Soetopo, D., Soetopo, D. and Indrayani, I. 2015. 'Status Teknologi dan Prospek Beauveria bassiana Untuk Pengendalian Serangga Hama Tanaman Perkebunan', *Perspektif*, 6(1), pp. 29–46. doi: 10.21082/p.v6n1.2007.%p.

- Taylor, M.A., Coop, R.L., Wall, R.L. 2007. *Veterinary Parasitology 3rd Edition*. Oxford (GB): Blackwell Publishing.
- Wardati, I., Dyah N., Cherry T. dan Usken F., 2013. Patogenisitas Bakteri, Jamur dan Nematoda Entomopatogen Terhadap Hama Penggerek Buah Kapas (*Gossypium Hirsutum* L.) , *Jurnal Ilmiah Inovasi*, 13 (1):71-78
- World Health Organization. 2005. ‘Guidelines for laboratory and field testing of mosquito larvicides’, *World Health Organization Communicable Disease Control, Prevention and Eradication Who Pesticide Evaluation Scheme*, pp. 1–41. doi: Ref: WHO/CDS/WHOPES/GCDPP/2005.11.
- World Health Organization. 1984. *Report of the seventh meeting of the scientific working group on biological control of the vectors*. WHO Communicable Disease Control. Prevention and Eradication. pp. 1-32. *TDR/BCV/SWG-7/84.10*.
- World Health Organization. 1979. Data sheet on the biological control agent *Bacillus thuringiensis* serotype H-14 (de Barjac, 1978). WHO Communicable Disease Control. Prevention And Eradication. *WHO/VBC/79.750*. W.H:0., Genève.
- Yousten, A. A., Fretz, S. B. and Jelley, S. A. 1985. ‘Selective Medium for Mosquito-Pathogenic Strains of *Bacillus sphaericus*.’, *Applied and environmental microbiology*. American Society for Microbiology, 49(6), pp. 1532–3.