

REFERENCES

- Asaduzzaman, K., & Mousumi, T. (2012). Nutritional and medicinal importance of *Pleurotus* mushrooms: An overview. *Food Reviews International*, 28, 313–329.
- Association of Official Analytical Chemists (AOAC), 1984. Official Methods of Analysis of the Association of Official Analytical Chemists. Arlington, VA, USA.
- Balogun, O.I., Epriliati, I., Otunola, E.T. and Agboola, H. A. 2017. *Rhizopus oryzae* FNCC 6010 , *Rhizopus oligosporus* FNCC 6011 , and their hybrid lowered antioxidant capacity in velvet beans compared to germination 24:1606–1613.
- Barbirato, F., D. Chedaille, and A. Bories. 1997. Propionic acid fermentation from glycerol: Comparison with conventional substrates. *Applied Microbiology and Biotechnology* 47:441–446.
- Bullerman, L.B., 2003. Fungi in Food- An Overview :5511-5521
- Riemenschneider, W., 2000. Carboxylic acids, aliphatic. *Ullmann's Encycl. Ind. Chem.*
- Batstone, D.J., J. Keller, I. Angelidaki, S.V. Kalyuzhnyi, S.G. Pavlostathis, A. R., and H. S. and V. A. V. W.T.M. Sanders. 2002. The IWA Anaerobic Digestion Model No 1 (ADM1). *Water science and technology : a journal of the International Association on Water Pollution Research* 45:65–73.
- Castellano-Hinojosa, A., Armato, C., Pozo, C., González-Martínez, A., González-López, J., 2018. New concepts in anaerobic digestion processes: Recent advances and biological aspects. *Appl. Microbiol. Biotechnol.* **102**(12) : 5065-5076.
- CHEBI, 2019. CHEBI:30772- butyric acid. <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:30772> . Accessed 1 August 2019.
- CHEBI, 2018. CHEBI:28484-Isovaleric acid. <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:28484>. Accessed 1 August 2019.
- CHEBI, 2019. CHEBI:30768-propionic acid. <http://www.ebi.ac.uk/chebi/searchId.do?chebiId=CHEBI:30768> . Accessed 1 August 2019.

- Cui, Y.Q., van der Lans, R.G.J.M., Luybem, K.Ch.A.M., 1998. Effects of dissolved oxygen tension and mechanical forces on fungal morphology in submerged fermentation. *Biotechnology and Bioengineering* 57: 409–419.
- Fei, Q., Rongzhan F., Longan S., Christoper J.B., Ho M.C., 2014. Lipid production by microalgae *Chlorella protothecoides* with volatile fatty acids (VFA) as carbon sources in heterotrophic cultivation and its economic assesment. *Bioprocess Biosyst Eng*
- Feng, L., and Y. Chen. 2009. Enhancement of Waste Activated Sludge Protein Conversion and Volatile Fatty Acids Accumulation during Waste Activated Sludge Anaerobic Fermentation by Carbohydrate Substrate Addition: The Effect of pH :4373–4380.
- Ferreira, J.A., Lennartsson, P.R., Edebo, L., Taherzadeh, M.J., 2013. Zygomycetesbased biorefinery: present status and future prospects. *Bioresour. Technol.* 135, 523–532.
- Ferreira, J.A., Mahboubi, A., Lennartsson, P.R., Taherzadeh, M.J., 2016. Waste biorefineries using filamentous ascomycetes fungi: present status and future prospects. *Bioresource Technol.* 215, 334–345.
- Garcia, O.P., Froylan M.E.E., Luz E. de- Bashan, and Yoav Bashan. 2010. Heterotrophic cultures of microalgae : Metabolism and potential product. *Water Research* 45 : 11-36.
- Garcia, N. H., G. Strazzera, N. Frison, and D. Bolzonella. 2018. Volatile Fatty Acids Production from Household Food Waste 64:103–108.
- Georgieva, T., m j Mikkelsen, and B. K. Ahring. 2008. Ethanol and glucose tolerance of *M. indicus* in aerobic and anaerobic conditions. *Central European Journal of Biology* 2:364–377.
- Grahama, D.C.W., Keith H.S., and L.R. Hackler.1976. Factors Affecting Production of Mold Mycelium and Protein in Synthetic Media. *Applied and Environmental Technology* 32(3) :381-287.
- HMDB, 2019. Showing metabocard for Isobutyric acid (HMDB0001873). <http://www.hmdb.ca/metabolites/HMDB0001873> . Accessed 1 August 2019.
- HMDB, 2019. Showing metabocard for Valeric acid. <http://www.hmdb.ca/metabolites/HMDB0000892>. Accessed 1 August 2019.
- DMCB, 2019. Showing metabocard for Caproic acid (HMDB0000535). <http://www.hmdb.ca/metabolites/HMDB0000535>. Accessed 6 August 2019.

- Huang, X-F., Jia-Nan, L., Li-Jun L., Kai-Ming, P., Gao-Xiang, Y., and Jia Liu. 2016. Culture strategies for lipid prodction using acetic acid as sole carbon source by *Rhodospiridium toruloides*. *Bioresoure Technology* 206 :141-149.
- Irizar, I., and E. Aymerich. 2018. From sewage sludge and agri-food waste to VFA : Individual acid production potential and up-scaling 77:203–212.
- Jansson, D. E., P.J. Lovejoy, M.T. Simpson, and L.D. Kennedy.1990. Technical problems in large-scale containment of rDNA organisms. *Fermentation Technologies : Industrial Applications* :388-393
- Jennessen, J., Nielsen, K.F., Houbraken, J., Lyhne, E.K., Schnürer, J., Frisvad, J.C., and Samson, R.A. 2005. Secondary metabolite and mycotoxin production by the *Rhizopus microsporus* group. *Journal of Agricultural and Food Chemistry* 53:1833-1840.
- Jiang, J., Y. Zhang, K. Li, Q. Wang, C. Gong, and M. Li. 2013. Bioresource Technology Volatile fatty acids production from food waste : Effects of pH , temperature , and organic loading rate. *Bioresource Technology* 143:525–530.
- Karimi, K. Zamani A., 2013. A mucor indicus biology and industrial application perspectives : A review. *Biotechnology Advanced* 31: 466-468.
- Kim, H. Yu-Ching C., Rae L. Bronte E., 2016. *Rhizopus microscopus* var. *oligosporus*.https://microbewiki.kenyon.edu/index.php/Rhizopus_microsporus_var._Oligosporus#References. Accesessed 5 August 2019.
- Liu YS, WuJY. 2012. Effects of tween 80 and pH on mycelial pellets and exopolysaccharide production in liquid culture of a medicinal fungus. *Microbial Technology* 39 (4) : 623-628.
- Mahboubi, A., M. Parchami, M. J. Taherzadeh, S. Wainaina, and I. S. Horváth. 2018. Food waste-derived volatile fatty acids platform using an immersed membrane bioreactor. *Bioresource Technology* 274:329–334.
- Maiorella, B., Blanch, H. W. and Wilke C. R. 1983. By- product inhibition effects on ethanolic fermentation by *Saccharomyces cerevisiae*. *Biothechnology Bioengng* 25 : 103-121.
- Mitchell, P., 1961. Coupling of phosphorylation to electron and hydrogen transfer by chemi-osmotic type of mechanism. *Nature* 191 : 144-148.
- Mohan, S.V., S. Pratima Devi, 2012. Fatty acid rich effluent from acidogenic biohydrogen reactor as substrate for lipid accumulation in heterothropic microalgae with simultaneous treatment. *Bioresource Technology* 123 : 627-

635.

- Moon, M., Chul W. K., Won-Kun P., Gursong Y., Yoon-E C., and Ji-Won Yang, 2013. Mixotrophic growth with acetate or volatile fatty acids maximizes growth and lipid production in *Chlamydomonas reinhardtii*. *Algal Research* 2 : 352-357.
- Nakamura, K. 2007. Chapter 3- future directions in photosynthetic organisms-catalyzed reactions. *Future Directions in Biocatalysis* : 51-58.
- Nair RB., Lennartsson PR. and MJ., Taherzadeh. 2016. mycelial pellet formation by edible ascomycete filamentous fungi, *Neurospora intermedia*, *AMB Express* 6 (1) : 31
- NCIT, 2019. *Acetic acid (Code C61623)*.
https://ncit.nci.nih.gov/ncitbrowser/ConceptReport.jsp?dictionary=NCI_Thesaurus&ns=NCI_Thesaurus&code=C61623. Accessed 1 August 2019.
- Nghiem, L.D., Koch, K., Bolzonella, D., Drewes, J.E., 2017. Full scale co-digestion of wastewater sludge and food waste: bottlenecks and possibilities. *Renew. Sustain. Energy Rev.* 72 : 354–362.
- Nitayavardhana, S., and S. K. Khanal. 2010. Innovative biorefinery concept for sugar-based ethanol industries: Production of protein-rich fungal biomass on vinasse as an aquaculture feed ingredient. *Bioresource Technology* 101:9078–9085.
- Papagianni M., 2007. advances in citric acid fermentation by *Aspergillus niger* : biochemical aspects, membrane transport and modeling. *Biotechnology advance* 25(3): 244-263.
- Parawira, W., M. Murto, J. S. Read, and B. Mattiasson. 2004. Volatile fatty acid production during anaerobic mesophilic digestion of solid potato waste 677:673–677.
- Pascual s., De Cal A., Magan N., Melgarejo P. 2000. Surface hydrophobicity, viability and efficacy in biological control of *Penicillium oxalicum* spores produced in aerial and submerged culture. *Applied Microbiology* 89(5) : 847-853.
- Pecar, D., and Andreja Gorsek. 2015. Saponification reaction system: a detailed mass transfer coefficient determination. *Acta Chim. Slov.* 62:237-241.
- Porcel EMR., Lopez JLC., Perez JAS., Sevilla JMF., Chisti Y. 2005. Effects of pellet morphology on broth rheology in fermentation of *Aspergillus terreus*. *Biochemistry Engineering* 26(2-3) : 139-144.
- Ramalingom, S., Podader, J., and S. Narayana Kalkura. 2001. Crystallization and

characterization of orthorhombic b-MgSO₄·7H₂O. *Crystal Research and Technology* 36 : 1357-1364.

Rasmussen, M., Kambam, Y., Khanal, S.K., Pometto, III A.L., van Leeuwen, J. (Hans), 2007. Thin stillage treatment from dry-grind ethanol plants with fungi. ASABE Annual International Meeting of American Society of Agricultural and Biological Engineers, June 17–20, Minneapolis, MN, USA.

Reis, F. S., Barros, L., Martins, A., & Ferreira, I. C. F. R. (2012). Chemical composition and nutritional value of the most widely appreciated cultivated mushrooms: An interspecies comparative study. *Food and Chemical Toxicology*, 50, 191–197.

Safaei, Z., Keikhosro K., and Akram Z., 2016. Impact of Phosphate, Potassium, Yeast Extract, and Trace Metals on Chitosan and Metabolite Production by *Mucor indicus*. *Molecular Science* 17 : 1429.

Serrano-Correon L., Galindo E., Rocha-Valadez JA., Holguin- Salas A., Corkidi G., 2015. Hydrodynamics, fungal physiology, and morphology. *Advanced Biochemistry Engineering Biotechnology* 149 : 55-90.

Solomons, G. L. (1969) *Materials and Methods in Fermentation*. Academic Press, London.

Stanbury, P.F., Whitaker, A., and S.J. Hall. 1995. *Principles of Fermentation Technology*, Second Edition. Butterworth - Heinemann, Burlington MA

Taherzadeh, M. J., Claes N., Gunnar L., 1997. Acetic acid- friend or foe in anaerobic batch conversion of glucose to ethanol by *Saccharomyces cerevisiae* ?. *Chemical Engineering Science* 52(15) :2653-2659.

Taherzadeh, M. J., M. Fox, H. Hjorth, and L. Edebo. 2003. Production of mycelium biomass and ethanol from paper pulp sulfite liquor by *Rhizopus oryzae*. *Bioresource Technology* 88:167–177.

Verduyn, C., Postma, E. Scheffers, W. A and van- Dijken, J. P., 1990. Physiology of *Saccharomyces cerevisiae* in anaerobic glucose-limited chemostat cultures. *J. Gen. Microbial* 136 : 405-412.

Wang, L., Ridgway, D., Gu, T., Moo-Young, M., 2005. Bioprocessing strategies to improve heterologous protein production in filamentous fungal fermentations. *Biotechnology Advances* 23, 115–129.

Wemmenhove, E., Hein J.F.van V, Marcel H.Z., Toon C.M.van H, Marjon H.J.W-B., 2016. Minimal inhibitory concentrations of undissociated lactic,

acetic, citric and propionic acid for *Listeria monocytogenes* under conditions relevant to cheese. *Food Microbiology* 58 : 63-67.

Xiao, K., Yan Z., Chenghong., G., Yogananda M., and Wun Jern Ng, 2015. Impact of undissociated volatile fatty acids on acidogenesis in two phase anaerobic system. *Environmental Science* :6

Xu, F., Li, Y., Ge, X., Yang, L., Li, Y., 2018. Anaerobic digestion of food waste challenges and opportunities. *Bioresour. Technol.* 247 : 1047-1058.

Yan, J.-K., Ding, Z.-C., Gao, X., Wang, Y.-Y., Yang, Y., Wu, D., et al. (2018). Comparative study of physicochemical properties and bioactivity of *Herichium erinaceus*, polysaccharides at different solvent extractions. *Carbohydrate Polymers*, 193, 373–382.

Yanai. K., Naoki T., Nobuko K., Hiroyuku H., Akinori O., and Masamichi T., 1992. Purification of Two Chitinases from *Rhizopus oligosporus* and Isolation and Sequencing of the Encoding Genes. *Bacteriology* 174 (22) : 7398-7406.

Yang, F.C., Huang, H.C., Yang, M.J., 2003. The influence of environmental conditions on the mycelial growth of *Antrodia cinnamomea* in submerged cultures. *Enzyme Microb. Technol.* 33 : 395–402.

Yin, J., X. Yu, K. Wang, and D. Shen. 2016. ScienceDirect Acidogenic fermentation of the main substrates of food waste to produce volatile fatty acids. *International Journal of Hydrogen Energy* 41:21713–21720.

Zacharof, M. P., and R. W. Lovitt. 2013. Complex effluent streams as a potential source of volatile fatty acids. *Waste and Biomass Valorization* 4:557–581.

Zhang, C., Su, H., Baeyens, J., Tan, T., 2014. Reviewing the anaerobic digestion of food waste for biogas production. *Renew. Sustain. Energy Rev.* 38 : 383-392.