

DAFTAR PUSTAKA

- Agustini, A. 2013. Pengaruh *plant growth promoting rhizobacteria* terhadap biologi dan statistic demografi *Aphis glycines* (Hemiptera: Aphididae) pada tanaman kedelai. Fakultas Pertanian, Institut Pertanian Bogor. Skripsi.
- Ambarningrum, T.B. 2001. Tabel hidup ulat grayak (*Spodoptera litura*) (Lepidoptera: noctuidae) dalam kondisi laboratorium. J. Sains Teknol. 7: 21 – 28.
- Andrewartha, H.G. & L. C. Birch. 1954. The Distribution and Abundance of Animals. University of Chicago Press, Chicago.
- Atkins, Jr. E.L. 1960. The beet armyworm, *Spodoptera exigua*, an economic pest of citrus in California. Journal of Economic Entomology 53 : 616–619.
- Atmaja, W.R. & D. Kilin. 1999. Beberapa aspek biologi ulat belang *Nyctemera coleta* Cramer (Lepidoptera: Noctuidae) pada daun dewa *Gynura procumbens* (Lour) Merr. di laboratorium. Di dalam: [PEI] Perhimpunan Entomologi Indonesia Cabang Bogor (ID), Perhimpunan Entomologi Indonesia, 495-500.
- Azidah, A. A. & M. S. Azirun. 2006. Life history of *Spodoptera exigua* (Lepidoptera: Noctuidae) on various host plants. Bulletin of Entomological Research 96 : 613-618.
- Badan Pusat Statistik. 2017. Statistik Tanaman Hias Indonesia. <<https://www.bps.go.id/publication/2018/10/05/d1f1f00e73b215b4118fa9e0/statistik-tanaman-hias-indonesia-2017.html>>. Diakses 9 Maret 2019.
- Basuki, R.S., N. Khaririyatun, & Luthfy. 2014. Evaluasi dan preferensi petani Brebes terhadap atribut kualitas varietas unggul bawang merah hasil penelitian balitsa. Jurnal Hortikultura. 24(3):276-282.
- Begon, M & M. Montimer. 1981. Population Ecology: a Unified Study of Animals and Plants. Sunderland Sinauer Associated, Massachussets.
- Begon, M., C.R. Townsend & J.L. Harper. 2006. Ecology: from individuals to ecosystems. 4th edition. Oxford (GB): Blackwell Puslising.
- Bellows Jr, T.S., R.G. Van Driesche & J.S. Elkinton. 1992. Life-table construction and analysis in the evaluation of natural enemies. Annual Review of Entomology, 37(1):587-612.
- Birch, L.C. 1948. The intrinsic rate of natural increase of an insect population. Journal Animal Ecology. 17(1):15-28.
- Brewer, M.J., & J.T. Tumble. 1989. Field monitoring for insecticide resistance in beet armyworm (Lepidoptera: Noctuidae). J. Econ. Entomol. 82, 1520-1526.

- Cadapan, E.P. 1988. Trichogramma mass production in the Philippines. Les Colloques de l'INRA 43:305-309.
- Capinera, J.L. 2008. Beet armyworm, *Spodoptera exigua* (Hübner)(Lepidoptera: Noctuidae). Encyclopedia of Entomology. pp.434-437.
- Carey, J.R. 1993. Applied Demography for Biologists with Special Emphasis on Insects. Oxford University Press, Oxford.
- DeBach, P. 1973. The scope biological control. In: DeBach P (Ed). Biological Control of Insect Pest and Weeds. pp. 3–20. Chapman and Hall Ltd., London.
- De Moed, G.H., W. Van der Werf & P. H. Smits, 1990. Modelling the epizootiology of *Spodoptera exigua* nuclear polyhedrosis virus in a spatially distributed population of *Spodoptera exigua* in greenhouse Chrysanthemums. IOBC/WPRS Bulletin, 13(5):135-141.
- Elawati. 2007. Pertumbuhan dan Perkembangan *Spodoptera exigua* pada Pakan Buatan. Fakultas Pertanian, Universitas Gadjah Mada. Skripsi.
- Elvira, S., N. Gorria, D. Munoz, T. Williams & P. Caballero. 2010. A simplified low-cost diet for rearing *Spodoptera exigua* (Lepidoptera: Noctuidae) and its effect on *S. exigua* nucleopolyhedrovirus production. J. Econ. Entomol. 103: 17–24.
- Farahani, S., A. A. Talebi & Y. Fathipour. 2011. Life cycle and fecundity of *Spodoptera exigua* (Lep.: Noctuidae) on five soybean varieties. Journal Entomol. Soc. Iran, 30: 1-12.
- Fatimah R. 2010. Hama Tanaman dan Teknik Pengendalian. Kanisius, Yogyakarta
- Firmansyah, I. & N. Sumarni. 2013. Pengaruh dosis pupuk N dan varietas terhadap pH tanah, N-total tanah, serapan N, dan hasil umbi bawang merah (*Allium ascalonicum* L.) pada tanah entisols-Brebes Jawa Tengah. Jurnal Hortikultura, 23(4) : 358-364.
- Guler, P., N. Ayhan, C. Kosukcu & B. S. Onder. 2015. The effects of larval diet restriction on developmental time, preadult survival, and wing length in *Drosophila melanogaster*. Turk J. Zool. 39: 395–403.
- Greenberg, S.M., Sappington, T.W., Legaspi, B.C.Jr., Liu, T.X. & Sétamou. 2001. Feeding and Life History of *Spodoptera exigua* (Lepidoptera: Noctuidae) on Different Host Plants. of the Entomological Society of America 94(4): 566-575.
- Hapsoh dan Hasanah, Y., 2011. Budidaya Tanaman Obat dan Rempah. USU Press, Medan.

- Hasbi, A. M. 2015. Biologi penggerek batang jagung *Ostrinia furnacalis* Gueneé yang diberi pakan buatan. Fakultas Matematika dan Ilmu Pengetahuan Alam. Institut Pertanian Bogor. Skripsi.
- Huffman, R., T. Fuchs, J. Benedict, R. Parker, S. Sparks, J. Norman, J. Leser, A. Knutson, R. Minzenmayer & R. Frisbie. 1996. Management Guidelines for the Beet Armyworm on Cotton. Texas Agricultural Extension Service. The Texas A&M University System.
- Hutasoit, R.T., H. Triwidodo & R. Anwar. 2018. Biologi dan statistik demografi *Thrips parvispinus* Karny (Thysanoptera: Thripidae) pada tanaman cabai (*Capsicum annum* Linnaeus). Jurnal Entomologi Indonesia, 14(3) : 107.
- Idris, A.B. & O. Emelia. 2001. Development and feeding behaviour of *Spodoptera exigua* L.(Lepidoptera: Noctuidae) on different food plants. Online Journal of Biological Sciences (Pakistan).
- Jakubowska, A., J.M. Vlak, & J. Ziemnicka. 2005. Characterization Of A Nucleopolyhedrovirus Isolated From The Laboratory Rearing Of The Beet Armyworm *Spodoptera exigua* (Hbn.) In Poland. Journal of Plant Protection Research 44 (4).
- Kalshoven, L.G.E. 1981. Pests of Crop in Indonesia. Revised and Translated by P. A. Van der Laan. PT. Ichtiar Baru-Van Hoeve. Jakarta. 701 h.
- Kozlowski, J. 1992. Optimal allocation of resources to growth and reproduction implications for age and size at maturity. Trends in Ecology & Evolution, 7(1):15-19.
- Kumarawati, N.P.N., I. W Supartha. & K.A Yuliadhi. Parameter Biologi dan Demografi Parasitoid *Diadegma semiclausum* Hellen (Hymenoptera: Ichneumonidae) pada *Plutella xylostella* L.(Lepidoptera: Plutellidae). Agrotrop: Journal on Agriculture Science 8(2) : 156-162.
- Kurniawan, H.A. 2007. Neraca Kehidupan Kutukebul *Bemisia tabaci* Gennadius (Hemiptera: Aleyrodidae) biotipe-B dan non-B pada Tanaman Mentimun (*Cucumis sativus* L.) dan cabai (*Capsicum annum* L.). Fakultas Pertanian. Institut Pertanian Bogor.Tesis.
- Lasa, R., P. Caballero & T. Williams. 2007.A Juvenile Hormone Analogs Greatly Increase The Production of A Nucleopolyhedrovirus. Journal of Bio. Control 4 (1): 389-396.
- Lestari, S., T.B. Ambarningrum & H. Pratiknyo. 2013. Tabel Hidup *Spodoptera litura* Fabr. dengan pemberian pakan buatan yang berbeda= A Life Table of *Spodoptera litura* Fabr. with Different Artificial Diets. Jurnal Sain Veteriner.

- Listihani. 2015. Dampak Aplikasi PGPR pada Kacang Panjang terhadap Biologi dan Statistik Demografi *Aphis craccivora* Koch (Hemiptera: Aphididae). Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.
- Maia, A De H.N., A.J.B. Luis & C. Campanhola. 2000. Statistical inference on associated fertility life table parameters using jackknife technique: computational aspects. *J Econ Entomol* 93(2):511-518.
- Maldonado, A., Helber & Ingeborg Z. de Polania. Evaluation of meredic diets suitable for efficient rearing of *Heliothis virescens* F. (Lepidoptera: Noctuidae). *Revista U.D. C.A. Actualidad & Divulgacion Cientifica* 13(2): 163-173.
- Mawan, A., & A. Herma. 2011. Statistik demografi *Riptortus linearis* pada tanaman kacang panjang. *Jurnal Entomologi Indonesia* 8(1): 8-16.
- M. Abdullah, O. Sarthoy, & S. Chaeychomsri. 2000. Comparative study of artificial diet and soybean leaves on growth, development and fecundity of beet armyworm, *Spodoptera exigua* (Hübner) (Lepidoptera: Noctuidae). *Kasetsart Journal* 34 : 339–344.
- Meidalima, D. 2014. Perkembangan populasi ulat grayak (*Spodoptera exigua*) pada kedelai di laboratorium. *Jurnal Ilmiah AgrIBA* (2) Edisi Maret Tahun 2014.
- Metcalf, C. L. & W. P. Flint. 1962. *Destructive and Usefull Insect*. Mc. Graw Hill Book Company Inc. New York. 1087 p.
- Metcalf, R. L. & W. H. Luckmann. 1982. *Introduction To Insect Pest Management*. John Willey and Sons, New York, USA.
- Meyer, J.S., C.G. Ingersoll, L.L. McDonald, & M.S. Boyce. 1986. Estimating uncertainty in population growth rates:jackknife vs. bootstrap techniques. *Ecology* 67:1156-1166.
- Moekasan, T.K. 1998. *Insektisida Mikroba Untuk Mengendalikan Hama Ulat Bawang, Spodoptera exigua*. Bandung: Balai Penelitian Tanaman Sayuran.
- Moekasan, T.K., R.S. Basuki, & L. Prabuningrum. 2012. Penerapan ambang pengendalian organisme pengganggu tumbuhan pada budidaya bawang merah dalam upaya mengurangi penggunaan pestisida. *J. Hortikultura* 22 (1) : 47-56.
- Naranjo, S.E. & P. C. Ellsworth. 2005. Mortality dynamics and population regulation in *Bemisia tabaci*. *Entomologia Experimentalis et Applicata* 116: 93–108. <https://doi.org/10.1111/j.1570_7458.2005.00297.x>. Diakses 15 September 2019.
- Oka, I.N. 1995. *Pengendalian Hama Terpadu dan Implementasinya di Indonesia*. Yogyakarta: Gadjah Mada University Press.

- Prakash, N.K.U., S. Bhuvaneswari, N. Sripriya, R. Arulmozhi, K. Kavitha, R. Aravitha & B. Bharathiraja. 2014. Studie On Phytochemistry, Antioxidant, Antibacterial, Larvicidal, and Pesticidal Activities Of Aromatic Plants From Yelagiri Hills. International Journal of Pharmacy and Pharmaceutical Sciences. 6(5):1-4.
- Price, P.W. 1984. Insect Ecology. 2nded. John Wiley & Sons, New York.
- Price, P.W. 1997. Insect Ecology. 3th ed. John Wiley & Sons, New York.
- Putrasamedja, S., W. Setiawati, L. Lukman & A. Hasyim. 2012. Penampilan beberapa klon bawang merah dan hubungannya dengan intensitas serangan organisme pengganggu tumbuhan J. Hort, 22(4) : 349-359.
- Rahayu, T. 2014. Pembiakan Massal dengan Pakan Buatan untuk Memperoleh *Ostrinia furnacalis* dengan Kebugaran Lebih Tinggi. Fakultas Pertanian. Universitas Gadjah Mada. Skripsi.
- Ratna, E.S. 2011. Efisiensi parasitisasi inang *Spodoptera litura* (F.) oleh endoparasitoid *Snellenius manilae* Ashmead di laboratorium. Jurnal Hama dan Penyakit Tumbuhan Tropika 8(1) : 8-16.
- Rauf, A. 1999. Dinamika populasi *Spodoptera exigua* Hubner (Lepidoptera : Noctuidae) pada pertanaman Bawang merah di dataran rendah. Buletin hama dan penyakit tumbuhan 11(2):39-47.
- Rukmana, R. & A.E. Mulyana. 1997. Krisan: Seri Bunga Potong. Kanisius. Yogyakarta.
- Sastrosiswojo, S. 1994. Development and Implementation of Integrated Pest Management in Some Vegetable Crops. Lembang Horticultural Research Institute.
- Schoonhoven, L.M., J.J.A. Van loon & M. Dicke. 2005. Insect Plant Biology. Oxford University Press, Oxford.
- Shepard, M. 1997. Prospect for IPM in Secondary Food Crops. Makalah disajikan pada Kongres V dan Simposium Entomology, Perhimpunan Entomologi Indonesia, Bandung, 22-26 Juni 1997. Bandung.
- Silitonga, M. F. 2017. Pengaruh Cara Budidaya Bawang Daun terhadap Serangan Ulat Grayak *Spodoptera exigua* dan Parasitoidnya. Fakultas Pertanian. Institut Pertanian Bogor. Skripsi.
- Singh, P. 1977. Artificial Diet for Insects, Mites and Spider. IFI/ Plenum. New York.
- Supyani, Noviyanti, P & Wijayanti, R. 2014. Insecticidal properties of *Spodoptera exigua* nuclear Polyhedrosis virus local isolate againsts *Spodoptera exigua* on shallot. J. Entomol Res., 2 (3) : 175 – 180.

- Sutarya, R. 1996. Hama ulat *Spodoptera exigua* Hubn. pada bawang merah dan strategi pengendaliannya. Jurnal Litbang Pertanian XV (2). 1996: 41 – 46.
- Smits, P.H., Van de Vrie, M. & Vlak, J.M., 1986. Oviposition of beet armyworm (Lepidoptera: Noctuidae) on greenhouse crops. Environmental Entomology, 15(6):1189-1191.
- Tarumingkeng, R.C. 1992. Dinamika Pertumbuhan Populasi Serangga. Institut Pertanian Bogor, Bogor.
- Thalib, F. & S. Lim. 2008. Pengembangan Sistem Pengairan Otomatis pada Tanaman Krisan di Rumah Kaca Berbasis Mikrokontroler. Prosiding, Seminar Ilmiah Nasional Komputer dan Sistem Intelijen (KOMMIT 2008). Universitas Gunadarma. Depok. Hal.8-15.
- Tjitrosoepomo G. 2010. Taksonomi Umum. Gajah Mada University Press. Yogyakarta.
- Udiarto, T.K., Moekasan & S. Rubini. 2005. Pengendalian hama Ulat Bawang, *S. exigua* pada Tanaman Bawang Merah di Brebes. Jurnal Hortikultura, 15 (3) : 178-187.
- Vanderzant, E.S., 1969. Physical aspects of artificial diets. Entomologia Experimentalis et Applicata, 12(5) : 642-650.
- Wang Ye Cheng, Shu Kun Zhang, Xiu Bei Ren & Jianya Su. 2014. Effects of dietary additives in artificial diets on survival and larval development of *Cnaphalocrocis medinalis* (Lepidoptera: Crambidae). Florida entomologist 97 (3): 1041 – 1048.
- Wedyanto, A., B. Marwoto, R.G. Rochalia, M. Syai, F. Nuraini, D. Gandasari, K. Lesmana, & S. Ernawati. 2007. Standart Operasional Prosedur Budidaya Krisan Potong. Jakarta : Departemen Pertanian.
- Yoshida, H.A. & M.P. Parrella. 1992. Development and use of selected chrysanthemum cultivars by *Spodoptera exigua* (Lepidoptera: Noctuidae). Journal of Economic Entomology 85: 2377–2382.
- Yuliana, D. Jasmi & E. Safitri. 2013. Kepadatan populasi *Spodoptera exigua* (Lepidoptera: Noctuidae) pada bawang merah di Kampung Batu Kecamatan Danau kembar Kabupaten Solok. <<http://ejournal-s1.stkip-pgri-sumber.ac.id/index.php/biologi/article/view/1086>>. Diakses 4 Maret 2019.
- Zhang, B., L.I.U. Huai, H. S. Helen & J. J. Wang. 2011. Effect of host plants on development, fecundity and enzyme activity of *Spodoptera exigua* (Hübner)(Lepidoptera: Noctuidae). Agricultural sciences in China, 10(8) : 1232-1240.