

DAFTAR PUSTAKA

- Afifi, A.F., Kamel, E.M., Khalil, A.A., Foaad, M.A., Fawzi, E.M., and Houseny, M.M., 2008, Purification and Characterization of α -Amylase from *Penicillium olsonii* Under the Effect of Some Antioxidant Vitamins, *J. Biotechnol. Biochem.*, 3(1), 14-21.
- Afiukwa, C. A., Ibiam, U. A., Edeogu, C. O., Nweke, F. N., and Chukwu, U. E., 2009, Determination of Amylase Activity of Crude Extract from Partially Germinated Mango Seeds (*Mangifera oraphila*), *Afr. J. Biotechnol.*, 8(14), 3294-3296.
- Alarcon-Aguilaria, F.J., Roman-Ramos, R., Perez-gutierrez, S., Aguilar-Contreras, A., Contreras-Weber, C.C., and Flores-Saenz, J.L., 1998, Study of The Anti-Hyperglycemic Effect of Plants Used as Antidiabetics, *J. Ethnopharmacol.*, 61(2), 101-110.
- Ali, H., Houghton, P.J., and Soumyanath, A., 2006, α -Amylase Inhibitory Activity of Some Malaysian Plants Used to Treat Diabetes; with Particular Reference to *Phyllanthus amarus*, *J. Ethnopharmacol.*, 107, 449–455.
- Anand, P., Kunnumakkara, A. B., Newman, R.A., and Aggarwal, B. B., 2007, Bioavailability of Curcumin: Problems and Promises, *Mol. Pharm.*, 4, 18-807.
- Anonim, 2015, *IDF Diabetes Atlas*, 7th Edition, International Diabetes Federation, Brussels.
- Bemiller, J. and Whistler, R., 2009, *Starch: Chemistry and Technology*, 3rd Edition, Elsevier Inc., New York.
- Bijinsdorp, I.V., Giovanetti, E., and Peters, G.J., 2011, Analysis of Drug Interactions Methods, *Mol. Biol.*, 731, 421-434.
- Bruice, P.Y., 2007, *Organic Chemistry*, 5th Ed, Prentice Hall, New York.
- Chen, G., Xiao, B., Chen, L., Bai, B., Zhang, Y., Xu, Z., Fu, L., Liu, Z., Li, X., Zhao, Y., and Liang, G., 2017, Discovery of New MD2-Targeted Anti-Inflammatory Compounds for The Treatment of Sepsis and Acute Lung Injury, *Eur. J. Med. Chem.*, 139, 726-740.
- Das, S.K., and Elbein, S.C., 2006, The Genetic Basis of Type 2 Diabetes, *Cell. Sci.*, 2, 100-131.

- De sousa, E., Zanatta, L., Seifriz, I., Creczynski-Pasa, T.B., Pizzolatti, M.G., Szpoganicz, B., and Silva, F.R., 2004, Hypoglycemic Effect and Antioxidant Potential of kaempferol-3,7-*o*-(alpha)-dirhamnoside from *Bauhinia forficata* Leaves, *J. Nat. Prod.*, 67(5), 829-832.
- Du, Z., Liu, R, Shao, W., Mao, X., Ma, L., Gu, L, Huang, Z., and Chan, A. S., 2006, α -Glukosidase Inhibition of Natural Curcuminoids and Curcumin Analogs, *Eur. J. Med. Chem.*, 41, 213-218.
- Fessenden, R.J., and Fessenden, J.S., 1986, *Kimia Organik*, Erlangga, Jakarta.
- Ghosh, S., Banerjee, S., and Sil, C.P., 2017, The Beneficial Role of Curcumin on Inflammation, Diabetes and Neurodegenerative Disease: A Recent Update, *Food Chem. Toxicol.*, 83, 111-124.
- Gong, Li, Goswami, S., Giacomini, K.M., Altman, R.B., and Klein, T.E., 2012, Metformin Pathways: Pharmacokinetics and Pharmacodynamics, *Pharmacogenet. Genomics.*, 22(11), 820-827.
- Horvathova, V., Janecek, S., and Sturdik, E., 2000, Amylolytic Enzymes: Their Specificities, Origins and Properties, *Biologia, Bratislava*, 55, 605-615.
- Inayah, S.C., 2018, Sintesis Senyawa Analog Kurkumin dengan Metode Sonikasi serta Efek Sinergisitasnya dengan Asam Ferulat dalam Menginhibisi Aktivitas Enzim α -Amilase, *Tesis*, FMIPA UGM, Yogyakarta.
- Jantarat, C., 2013, Bioavailability Enhancement Techniques of Herbal Medicine: A Case Example of Curcumin, *Int. J. Pharm. Sci.*, 5(1), 493-500.
- Judoamidjojo, Said, G., and Liesbetini, H., 1992, Teknologi Fermentasi. Departemen Pendidikan dan Kebudayaan Direktorat Jenderal Pendidikan Tinggi Pusat Antar Universitas Bioteknologi, IPB, Bogor.
- Jung, E.H., Kim, S.R., Hwang, I.K., and Ha, T.Y., 2007, Hypoglycemic Effects of a Phenolic Acid Fraction of Rice Bran and Ferulic Acid in C57BL/KsJ-db/db Mice, *J. Agric. Food Chem.*, 55, 9800-9804.
- Kahn, R., 1997, Report of The Expert Committee on The Diagnosis and Classification of Diabetes Mellitus, *Diabetes Care.*, 20(7), 1183-1197.
- Liang, G., Shao, L., Wang, Y., Zhao, C., Chu, Y., and Xiao, J., 2009, Exploration and Synthesis of Curcumin Analogues with Improved Structural Stability Both *in Vitro* and *in Vivo* as Cytotoxic Agents, *Bioorg. Med. Chem.*, 17, 2623-2631.

- Li, Q., Chen, J., Luo, S., Xu, J., Huang, Q., and Liu, T., 2015, Synthesis and Assessment of The Antioxidant and Antitumor Properties of Asymmetric Curcumin Analogues, *Eur. J. Med. Chem.*, 93, 461–469.
- Lin, Y., and Sun, Z., 2010, Current Views on Type II Diabetes, *J. Endocrinol.*, 204(1), 1-11.
- McMurry, J., 1992, *Organic Chemistry*, 9th Ed, Cengage learning, Canada.
- Meiyanto, E., 1999, Kurkumin Sebagai Obat Antikanker: Menelusuri Mekanisme Aksinya, *Indonesian J. Pharm.*, 10(4), 224-236.
- Menesses, M.J., Sousa, M., Alves, M.G., and Oliveira, P.F., 2015, The Antidiabetic Drug Metformin and Male Reproductive Function: An Overview, *Int. J. Diabetol.*, 2, 1-2.
- Meng, B., Li, J., and Cao, H., 2013, Antioxidant and Antiinflammatory Activities of Curcumin on Diabetes Melitus and Its Complications, *Curr. Pharm. Des.*, 19, 2101–2113.
- Nampoothiri, S.V., Prathapan, A., Cherian, L.O., Raghu, K.G., Venugovalan, V.V., dan Sundaresan, A., 2011, In Vitro Antioxidant and Inhibitory Potential of *Terminalia bellerica* and *Embalica officinalis* Fruits Against Oxidation and Enzymes Linked to Type 2 Diabetes, *Food Chem. Toxicol.*, 49, 125-131.
- Patil, C.B., Mahajan, S.K. and Katti, S.A., 2009, Chalcone: A Versatile Molecule, *J. Pharm. Sci. Res.*, 1(3), 11-22.
- Pore, D., Alli, R., Prabhakar, A.S.C., Alavala, R.R., Kulandaivelu, U., and Boyapati, S., 2012, Solid-Phase Microwave Assisted Synthesis of Curcumin Analogs, *Org. Chem. Lett.*, 9, 447-450.
- Prabhakar, P.K., and Doble, M., 2009, Synergistic Effect of Phytochemicals in Combination with Hypoglycemic Drugs on Glucose Uptake in Myotubes, *Phytomedicine.*, 16(12), 1119-1126.
- Prabhakar, P.K., Prasad, R., Ali, S., and Doble, M., 2013, Synergistic Interaction of Ferulic Acid with Commercial Hypoglycemic Drugs in Streptozotocin Induced Diabetic Rats, *Phytomedicine.*, 20, 488–494.
- Pranowo, D., Affandi, M.Y., Candraningrum, W., and Muchalal, M., 2010, Mempelajari Sintesis 4-(hidroksifenil)-3-buten-2-on, *Makalah Kimia*, 93-94.

- Putri, I.K., 2016, Sintesis Senyawa Analog Kurkumin Dari Bahan Dasar Veratraldehida dan Bromoveratraldehida, Dan Uji Inhibisinya Terhadap Enzim α -Glukosidase, *Tesis*, FMIPA UGM, Yogyakarta.
- Samson, S. L., and Garber, A. J., 2016, Prevention of Type 2 Diabetes Mellitus: Potential of Pharmacological Agents, *Clin. Endocrinol. Meta.*, 30, 1-15.
- Schatz, P.F., 1996, Bromination of Acetanilide, *J. Chem. Educ.*, 73, 267.
- Sedyasthi, T.Q., 2002, Pengaruh Gugus Metoksi Pada Reaksi Kondensasi Aldol Veratraldehida dan Anisaldehida Menggunakan Aseton, *Skripsi*, FMIPA UGM, Yogyakarta.
- Shaw, J.E., Sicree, R. A., and Zimmet, P. Z., 2010, Global Estimates of The Prevalence of Diabetes for 2010 and 2030, *Diabetes Clin. Prac.*, 87, 4-14.
- Sobreira A.G., Nascimento R.S., Taborda M.L., CunhaMorales A.A., Pepe deMoraes L., Araripe F.G.T., SoniaMaria and Jos é C.U., 2011, Biochemical And Structural Characterization Of Amy1: An Alpha-Amylase From *Cryptococcus Flavus* Expressed In *Saccharomyces Cerevisiae*, *Enzyme Res.*, 2-5.
- Sreenivasan, S., and Krishnakumar, S., 2014, Synergistic Effect of Curcumin in Combination with Anticancer Agents in Human Retinoblastoma Cancer Cells Lines, *Curr. Eye. Res.*, 1-13.
- Surya, S., Salam, A.D., Tomy, D.V., Carla, B., Kumar, R.A., and Sunil, C., 2014, Diabetes Mellitus and Medical Plants—A Review, *Asian Pac. J. Trop. Dis.*, 4(5), 337-347.
- Tallarida, R. J., 2001, Drug Synergism: Its Detection and Applications, *J. Pharmacol. Exp. Therapeut.*, 298 (3), 865-872.
- Tonnesen, H.H., and Karlsen, J., 1987, Studies on Curcumin and Curcuminoids: V. Alkaline Degradation of Curcumin, *Z. Lebens. Unters Forsch.*, 180, 132-134.
- Wagner, H., and Ulrich-Merzenich, G., 2009, Synergy Research: Approaching A New Generation of Phytopharmaceuticals, *Phytomedicine.*, 16(2-3), 97-110.
- Wang, Z. Sen, Chen, L.Z., Liu, X.H., and Chen, F.H., 2017, Diarylpentadienone Derivatives (Curcumin Analogues): Synthesis and Anti-Inflammatory Activity, *Bioorg. Med. Chem. Lett.*, 27, 1803–1807.

- Wulandari, R.P., 2018, Sintesis Analog Kurkumin Monoketon Berbahan Dasar 4-Benziloksibenzaldehida Dan Uji Aktivitasnya Sebagai Inhibitor Enzim α -Amilase, *Skripsi*, FMIPA UGM, Yogyakarta.
- Xiao, Z., Stroms, R., and Tsang, A., 2006, A Quantitative Strach-Iodine Method for Measuring Alpha Amylase and Glucoamylase Activity, *Anal. Biochem.*, 351, 146-148.
- Yao, E.C. and Xue, L., 2014, Therapeutic Effects of Curcumin on Alzheimer's Disease, *Adv. In Alzheimer's Disease*, 3, 145-159.
- Yin, S., Zheng, X., Yao, X., Wang, Y., and Liao, D., 2013, Synthesis and Anticancer Activity of Mono-carbonyl Analogues of Curcumin. *J. Cancer Ther.*, 2013, 113-123.
- Yuan, X., Li, H., Bai, H., Su, Z., Xiang, Q., and Wang, C., 2014, Synthesis of Novel Curcumin Analogues for Inhibition of Properties, *Eur. J. Med. Chem.*, 77, 223-230.
- Zhao, Z., and Moghadasian, M.H., 2008, Chemistry, Natural Sources, Dietary Intake and Pharmacokinetic Properties of Ferulic Acid: A review, *Food Chem.*, 109, 691-702.