

- Aishah, B., Nursabrina, M., Noriham, A., Norizzah, A.R. dan Mohamad Shahrini, H. (2013). Anthocyanins from *Hibiscus sabdariffa*, *Melastoma malabathricum* and *Ipomoea batatas* and its color properties. *International Food Research Journal*, 20(2): 827-834.
- Ali, B.H., Wabel, N.A. dan Blunden, G. (2005). Phytochemical, pharmacological and toxicological aspects of *Hibiscus sabdariffa* L.: a review. *Phytotherapy Research*. 19: 369–375.
- Ali, D.Y., Darmadji, P. dan Pranoto, Y. (2013). Optimasi Nanoenkapsulasi Asap Cair Tempurung Kelapa Dengan Response Surface Methodology dan Karakterisasi Nanokapsul. *Jurnal Teknologi dan Industri Pangan*. PATPI-IPB. Volume 25 No.1.
- Altemimi, A., Watson, D. G., Choudhary, R., & Dasari, M. R. (2016). Ultrasound Assisted Extraction of Phenolic Compounds from Peaches and Pumpkins. *PLoS ONE*. 17, 1–20.
- Alvim, I.D., dan Grosso, C.R.F. (2010). Microparticles obtained by complex coacervation: influence of the type of reticulation and the drying process on the release of the core material. *Ciência e Tecnologia de Alimentos*. 30(4), 1069-1076.
- Andersen, Ø. M., Fecent, T., Torskangerpoll, K., Forcen, A. dan Hauge, U. (2004). Anthocyanin from Strawberry (*Frangaria ananassa*) with the Novel Aglycone, 5-carboxypyranopelargonidin, *Phytochemical*. 65: 405-410.
- Anonim¹. Laboratory Gea Niro Research (2005). *Analitical Methods Dry Milk Products*. September: 14–16.
- Arroyo-Maya, I. J. dan McClements, D.J. (2015). Biopolymer nanoparticles as potential delivery systems for anthocyanins: Fabrication and properties. *Food Research International*. 69 : 1–8.
- Aziz, Zorah; Wong, S.Y. dan Chong, N.J. (2013). Effects of *Hibiscus sabdariffa* L. On serum lipids : Asystematic review and meta-analysis. *Journal of Ethnopharmacology*. 150. 442–450.
- Brouillard R. (1982). Chemical structure of anthocyanins. In: *Anthocyanins as Food Colors*. Pericles Markakis (ed.), Academic Press Inc., New York. p.1-38.
- Buffo, R. dan Reineccius, G. A. (2000). Optimization of gum acacia/modified starches/maltodextrin blends for the spray drying of flavours. *Perfumer and Flavorist*. 25: 45–53.
- Cabrita L., Fossen T. dan Andersen, O.M. (1999). Colours of pure anthocyanidin-3-glucosides in aqueous solutions during storage. In *Proceedings of First International Congress on Pigments in Food Technology*. pp. 217-221. Sevilla, Spain.
- Carareto, N.D.D., Filho, E.S.M., Filho P.A.P. dan Meirelles, A.J.A. (2010). Water activity of aqueous solutions of ethylene oxide-propylene oxide block copolymers and maltodextrins. *Brazilian Journal of Chemical Engineering*. 27 (1): 173 – 181.
- Castaneda-Ovando, A., Pacheco-Hernández, Ma. de Lourdes., Pérez-Hernández, Ma. Elena.,

- Rodríguez, José A. dan Galán-Vidal, C.A. (2009). Chemical studies of anthocyanins : A review. *Food Chemistry*. 113 (4): 859-871.
- Cavalcanti, R.N., Diego, T.S. dan Maria, A.A.M. (2011). Non-thermal stabilization mechanisms of anthocyanins in model and food systems - An overview. *Food Research International*. 44: 499-509.
- Cisilya, T., Lestario, L.N., dan Cahyanti, M.N. (2017). Kinetika Degradasi Serbuk Antosianin Daun Miana (*Coleous scutellarioides* L. Benth) Var. Crispa Hasil Mikroenkapsulasi. *Chimica et Natura Acta*. 5(3): 146-152.
- Contreras-Lopez, E., Castañeda-Ovando, A., González-Olivares, L.G., Añorve-Morga, J., dan Judith Jaimez-Ordaz. (2014). Effect of Light on Stability of Anthocyanins in Ethanolic Extracts of *Rubus fruticosus*. *Food and Nutrition Sciences*. 5, 488-494.
- Da-Costa-Rocha, I., Bonnlaender, B., Sievers, H., Pischel, I. dan Heinrich, M. (2014). *Hibiscus sabdariffa* L.–A phytochemical and pharmacological review. *Food Chemistry*. 165: 424–443.
- Danaei, M., Dehghankhold, M., Ataei, S., Davarani, F.H., Javanmard, R., Dokhani, A., Khorasani, S dan Mozafari, M.R. (2018). Impact of Particle Size and Polydispersity Index on the Clinical Applications of Lipidic Nanocarrier Systems-Review. *Pharmaceutics*. 10, 57, 1-17. doi:10.3390/pharmaceutics10020057.
- Dauqan, E. dan Abdullah, A. (2013). Utilization of gum arabic for industries and human health. *American Journal of Applied Sciences*. 10(10): 1270-1279.
- Darmadji, P., Saloko, S., Setiaji, B. dan Pranoto, Y. (2013). Inovasi prototype produk nanoenkapsulasi biopreservatif asap cair sebagai pengawet pangan alami,. Prosiding InSINas.
- Delgado-Vargas, F., Jiménez, A.R. dan López, O.P. (2000). Natural pigments : carotenoids, anthocyanins, and betalains_ characteristics, biosyntesys, processing and stability. *Critical review in food science and nutrition* 40: 173-289.
- Delgado-Vargas, Francisco dan Paredes-López, O. (2003). Natural colorants for food and nutraceutical uses. CRC Press. United State of America.
- Demam, J.M. (1997). *Kimia Makanan*. Edisi Kedua. K. Padmawinata, Penerjemah. Bandung: ITB Press.
- Doyle, M.P. (1980). *Experimental Organic Chemistry*. John Willey and Sons. Inc., New York.
- Donsì, F., Senatore, B., Huang, Q., Ferrari, G. (2010). Development of novel pea protein-based nanoemulsions for delivery of nutraceuticals. *Journal of Agricultural and Food Chemistry*. 58: 10653–10660.
- Donsì, F., Annunziata, M., Sessa, M., dan Ferrari, G. (2011). Nanoencapsulation of essential oils to enhance their antimicrobial activity in foods. *LWT - Food Science and Technology*. 44: 1908–1914.
- Draget, K. I., Smidsrød, O., Skjåk-Braek. (2005). *Polysaccharides and polyamides in the food industry, properties, production and patent*. Edited by A. Steinbüchel and S. K. Rhee., Wiley-VCH Verlag-GmbH & Co KGaA, Weinheim.
- Elbe, J.H.V dan Schwartz, T.J. Colorants. *Di dalam: Fennema, Owen. R. (1996). Food*

- Elham, G., Rezo, H., Jabar, K., Parissa, S., dan Rashid, J. (2006). Isolasi and Structure Characterisation of Anthocyanis Pigments in Black Carrot (*Daucus corata* L). *Journal of Biological Sciences*. 9(15): 2905-2908.
- Ezhilarasi, P. N., Karthik, P., Chhanwal, N., dan Anandharamakrishnan, C. (2013). Nanoencapsulation Techniques for Food Bioactive Components: A Review. *Food Bioprocess Technology*, 6:628–647.
- Fang, Z. dan Bhandaria, B. (2010). Encapsulation of polyphenols - a review. *Trends in Food Science & Technology*, 21: 510-523.
- Fathi, M., Martín, Á., dan McClements, D.J. (2014). Nanoencapsulation of food ingredients using carbohydrate based delivery systems. *Trends in Food Science & Technology*. 39: 18-39.
- Fernandes, I., Faria, A., Calhau, C.a~o., de Freitas, V., Mateus, N. (2014). Bioavailability of anthocyanins and derivatives. *Journal of Functiona Foods*. 7: 54-66.
- Francis, F. (1989). Characterization of Anthocyanin Containing Colorant and Fruit Juices by Photodiode Array Detection. *Journal of Agricultural and Food Chemistry*. 38: 398-708.
- Gabor, D. N. dan Tita, O. (2012). *Biopolymers used in food packaging : A Review*. Acta Universitatis Cibiniensis Series E: *Food Technology*, Vol. XVI, no.2.
- Gardjito, M., Agnes-Murdiati. dan Aini, N. (2006). Mikroenkapsulasi β -Karoten Buah Labu Kuning Dengan Enkapsulan Whey dan Karbohidrat. *Jurnal Teknologi Pertanian*. 2(1): 13-18: 1858-2419.
- Geisman, T.A. dan Crout, D.H.G. (1969). *Organic Chemistry of Secondary Plant Metabolism*. Freeman Cooper & Co., California.
- Gholivand, M. B. dan Piryaee, M. (2014). Total phenols, flavonoids, anthocyanins, ascorbic acid contents and antioxidant activity of *Rhamnus kurdica* Boiss for flower and leaves in flowering and pre-flowering stages. *African Journal of Biotechnology*. 13(10): 1131-1135.
- Glicksman, M. (1992). *Gum Technology in Food Industry*. Academic Press, New York.
- Gouin, S. (2004). Microencapsulation: industrial appraisal of existing technologies and trends. *Trends in Food Science and Technology*. 15(7–8): 330–347.
- Gradinaru, G., Biliaderis, C. G., Kallithraka, S., Kefalas, P., dan Garcia-Viguera, C. (2003). Thermal stability of *Hibiscus sabdariffa* L. anthocyanins in solution and in solid sate: Effects of copigmentation and glass transition. *Food Chemistry*. 83(3): 423–436.
- Gruenwald, J., Brendler, T., Jaenicke, C., *Hibiscus*. In: Gruenwald J, Brendler T, Jaenicke C, editors. (2000). PDR for Herbal Medicines. 4th ed. Montvale, N.J.: Thomson Health Care Inc. : 394-395.
- Gurrola-Diaz, C.M., Garcia-Lopez, P.M., Sanchez-Enriquez, S., Troyo-Sanroman, R., Andrade-Gonzalez, I. dan Gomez-Leyva, J.F. (2010). Effects of *Hibiscus sabdariffa* extract powder and preventive treatment (diet) on the lipid profiles of patients with metabolic syndrome (MeSy). *Phytomedicine*. 17: 500–5.

- Hepsag, F. (2016). Phenolic Composition, Colour and Anthocyanin Stability of Black Mulberry and White Mulberry Jam as Affected by Cultivar and Storage Temperature. *Hacettepe Journal of Biology & Chemistry*. 44(4): 395–399.
- Herrera-Arellano, A., Miranda-Sanchez, J., Avila-Castro, P., Herrera-Alvarez, S., Jimenez-Ferrer, J.E., Zamilpa, A. (2007). Clinical effects produced by a standardized herbal medicinal product of *Hibiscus sabdariffa* on patients with hypertension. A randomized, double-blind, lisinoprilcontrolled clinical trial. *Planta Medica*. 73:6–12.
- Hussein, R.M., Yasser, E.S., Hakim, A.E.E. dan Awad, H.M. (2010). Biochemical and molecular characterization of three colored types of roselle (*Hibiscus sabdariffa* L.). *Journal of American Science*. 6 (11): 726-733.
- Hongmei, Z., dan Meng, Z. (2015). Microenkapsulation of anthocyanins from red cabbage. *International Food Research Journal*. 22(6) : 2327-2332.
- Ingrid, H.M, Jaka dan H Santoso. (2017). Natural red dyes extraction on roselle petals. 2017. Second International Conference on Chemical Engineering (ICCE) UNPAR. IOP Conference. Series: *Materials Science and Engineering*. 162: 1-7. DOI: 10.1088/1757-899X/162/1/012029.
- Ioannou, I., Hafsa, I., Hamdi, S., Charbonnel, C. dan Ghoul, M. (2012). Review of the effects of food processing and formulation on flavonol and anthocyanin behavior. *Journal of Food Engineering*. 111: 208–217.
- Jackman, R.L., Yada, R.Y., Tung, M.A. dan Speers, R.A. (1987). Anthocyanin as Food Colorants-a Review. *Journal of Food Biochemistry*. 11: 201-247.
- Jafari, S.M., Assadpoor, E., He, Y. dan Bhandari, B. (2008). Encapsulation efficiency of food flavours and oils during spray drying. *Drying Technology*. 26 (7): 816–835.
- Janna, O., A. Khairul., M. Maizah, M dan Y. Mohd. (2006). Flower Pigment Analysis of *Melastoma malabatricum*. *African Journal of Biotechnology*. 5 (2): 170-174.
- Joye, I.J., Davidov-Pardo, G., dan McClements, D.J. (2014). Nanotechnology for increased micronutrient bioavailability. *Food Science and Technology*. 40: 168-182.
- Khazaei, K. Mahdavee; S.M. Jafari; M. Ghorbania; A. Hemmati Kakhki. (2014). Application of maltodextrin and gum Arabic in microenkapsulation of saffron petal's anthocyanins and evaluating their storage stability and color. *Carbohydrate Polymers*. 105: 57–62.
- Khopkar. (1990). *Konsep Dasar Kimia Analitik*. UI Press. Jakarta.
- Konan, Y. N., Gurny, R. dan Allémann, E. (2002). Preparation and characterization of sterile and freeze-dried sub-200 nm nanopar-ticles. *International Journal of Pharmaceutics*. 233: 239–252.
- Kouakou, T.H., Konkon, N.G., Ayolié, K., Obouayeba, A.P., Abeda, Z.H., Koné, M. 2015. Anthocyanin production in calyx and callus of Roselle (*Hibiscus sabdariffa* L.) and its impact on antioxidant activity. *Journal of Pharmacognosy and Phytochemistry*. 4(3): 09-15.
- Krishnan, S., Krishirsagar, A. C., dan Singhal, S. (2005). The use of gum arabic and modified starch in the microenkapsulation of food flavor agent. *Carbohydrate Polymers*. 62: 309–315.

- Kumar, B., Chandiran, I.S., Bhavya, B., Sindhuri, M. (2011). Microparticulate drug delivery system: A review. *Indian Journal of Pharmaceutical Science & Research*. 1(1):19-37.
- Lelon, J.K., I.O. Jumba, J.K. Keter, C. Wekesa dan F.D.O. Oduor. (2010). Assessment of physical properties of gum Arabic from *Acacia senegal* varieties in Baringo District, Kenya. *African Journal of Plant Science*. 4: 95-98.
- Lelon, J. K., I. O. Jumba., J. K. Keter dan F. D. O. Oduor. (2013). Influence of *Acacia Senegal* varieties on quality of gum arabic in Baringo District, Kenya. *African Journal of Plant Science*. 7(6): 190-200.
- Lopez, A., Gavara, R. dan Lagaron, J. (2006). Bioactive packaging: turning foods into healthier foods through biomaterials. *Trends in Food Science and Technology*. 17(10): 567–575.
- Maganha, E.G., Halmenschlager, R.D., Rosa, R.M., Henriques, J.A.P., Ramos, A., dan Saffi, J. (2010). Pharmacological evidences for the extracts and secondary metabolites from plants of the genus *Hibiscus*. *Food Chemistry*. 118(1): 1–10.
- Mardiah., Arifah, R., Reki, W.A., dan Sawarni. (2009). *Budidaya dan Pengolahan Rosela Si Merah Segudang Manfaat*. PT. Agromedia Pustaka. Jakarta Selatan.
- Markakis, P. (1982). *Anthocyanin as Food Colors*. Academica Press. New York : 214-266.
- Mazza, G.J. (2007). *Anthocyanins and heart health*. Ann. Ist. Super. Sanità. 43: 369-374.
- McKay, D.L., Chen, C.Y.O., Saltzman, E., Blumberg, J.B. (2010). *Hibiscus Sabdariffa* L. Tea (Tisane) lowers blood pressure in prehypertensive and mildly hypertensive adults. *The Journal of Nutrition*. 140: 298–303.
- Meena, K. S., Bairwa, N. K. dan Parashar, B. (2011). Formulation and in vitro evaluation of verapamil hydrochloride loaded microcapsule using different polymer. *Asian Journal of Biochemical and Pharmaceutical Research*. 1(3): 528–538.
- Miguel, M. G.. (2011). Anthocyanins: Antioxidant and/or anti-inflammatory Activities. *Journal of Applied Pharmaceutical Science*. 01 (06): 07-15.
- Mishra, M.K. (2016). *Handbook of Encapsulation and Controlled Release*. CRC Press Taylor & Francis Group 6000 Broken Sound Parkway NW, Suite 300 Boca Raton, FL, 33487-2742.
- Monica, J., Nils, H.G. dan Qyvind, M.A. (2007). Anthocyanin in Caprifoliaceae. *Journal of Biochemistry*. 35: 153-159.
- Montenegro, M.A. dan Boiero, M.L. (2012). Gum Arabic: More Than an Edible Emulsifier. *Products and applications of biopolymers Book*. Edited by Casparus Johannes Reinhard Verbeek. Published by InTech Janeza Trdine 9, 51000 Rijeka, Croatia.
- Moraes, K.S., Fagundes, C., Melo, M.C., Andreani, P., Monteiro, A.R. (2012). *Ciência e Tecnologia de Alimentos*. 32(4): 679-684.
- Mozafari, M. R., Flanagan, J., Matia-Merino, L., Awati, A., Omri, A., Suntres, Z.E. dan Singh, H. (2006). Recent trends in the lipid-based nanoencapsulation of antioxidants and their role in foods. *Journal of the Science of Food and Agriculture*. 86(13): 2038–2045.

Moss, B.W. (2002). *The Chemistry of Food Colour*. Di dalam: D.B. MacDougall, Editor., *Colour in Food: Improving Quality*. Washington: CRC Press.

Narayanan, R.P., Melman, G., Letourneau, N.J., Mendelson, N.L. dan Melman, A. (2012). Photodegradable iron(III) cross-linked alginate gels. *Biomacromolecules*. 13: 2465–2471.

Nazzaro, F., Fratianni, F., dan Coppola. (2012). Microtechnology and nanotechnology in food science. *Green Technologies in Food Production and Processing, Food Engineering Series*. 17: 471-494. DOI 10.1007/978-1-4614-1587-9.

Ngamjarus, C., Pattanittum, P. dan Somboonporn, C. (2010). Roselle for hypertension in adults. *Cochrane Database of Systematic Reviews*. Article ID CD007894.

Nihant, N., Grandfils, C., Jerome, R. dan Teyssie P. (1995). Microencapsulation by coacervation of poly [lactide-co-glycolide] IV. Effect of the processing parameters on coacervation and encapsulation. *Journal of Controlled Release*. 35(2-3):117-125.

Nugroho, B.A. (2005). Strategi jitu memilih metode statistik penelitian dengan SPSS. Penerbit Andi. Yogyakarta.

Okereke, C.N., Iroka, F.C., dan Chukwuma, M.O. (2015). Phytochemical analysis and medicinal uses of *Hibiscus sabdariffa*. *International Journal of Herbal Medicine*. 2 (6): 16-19.

Özkan, G. dan Bilek, S.E. (2014). Microencapsulation of natural food colourants. *International Journal of Nutrition and Food Sciences*. 3(3): 145-156.

Pacôme¹, O.A., Bernard, D.N., Sékou, D., Joseph, D.A, David, N.J., Mongomaké, K., and Hilaire, K.T. (2014). Phytochemical and Antioxidant Activity of Roselle (*Hibiscus Sabdariffa* L.) Petal Extracts. *Research Journal of Pharmaceutical, Biological and Chemical Sciences*. 5(2) Page. 1453.

Patras, A., Brunton, N.P., O'donnell, C. dan Tiwari, B.K. (2010). Effect of Therma Processing on Anthocyanin Stability in Foods; Mechanisms and Kinetics of Degradation a Review, *J. Food Sci & Tech.*, 21 3-11.

Rakkimuthu, R., S. Palmurugan, S., dan Shanmugapriya, A. (2016). Effect of temperature, light, pH on the stability of anthocyanin pigments in *coccolus hirsutus* fruits. *International Journal of Multidisciplinary Research and Modern Education*. Volume II, Issue II : 2454 – 6119.

Rein, Maarit. (2005). Copigmentation reactions and color stability of berry anthocyanin. Academic Dissertation. University of Helsinki, Departement of Applied Chemistry and Microbiology. Food Chemistry Division.

Reis, C.P., Neufeld, R.J., Ribeiro, A.J. dan Veiga, F. (2006). Nanoencapsulation I. Methods for preparation of drug-loaded polymeric nanoparticles. *Nanomedicine: Nanotechnology, Biology, and Medicine* 2: 8–21.

Robinson, T. (1963). *Kandungan Organik Tumbuhan Tinggi*. Diterjemahkan oleh Padmawinata, K., 1995. Penerbit ITB. Bandung.

- Saloko, S., Darmadji, P., Setiaji, B., Pranoto, Y., dan Anal, A.K. (2013). Encapsulation of coconut shell liquid smoke in chitosan-maltodextrin based nanoparticle. *International Food Research Journal*. Vol. 20 issue 3: 1269-1276.
- Santoso, U. (2016). *Antioksidan Pangan*. Gadjah Mada University Press. Yogyakarta.
- Sayago-Ayerdi SG., Arranz, S., Serrano, J. dan Goni, I. (2007). Dietary fiber content and associated antioxidant compounds in roselle flower (*Hibiscus sabdariffa* L.) beverage. *Journal of Agricultural and Food Chemistry*. 55:7886–90.
- Segura-Carretero, A., Puertas-Mejia, M.A., Cortacero-Ramirez, S., Beltran, R., Alonso-Villaverde, C. dan Joven, J. (2008). Selective extraction, separation, and identification of anthocyanins from *Hibiscus sabdariffa* L. using solid phase extraction capillary electrophoresis mass spectrometry (time-offlight ion trap). *Electrophoresis*. 29:2852–61.
- Selim, K. A. Khalil, K. E., Abdel-Bary, M. S., and Abdel -Azeim, N. A. (2015). Extraction, Encapsulation and Utilization of Red Pigments from Roselle (*Hibiscussabdariffa*L.) as Natural Food Colourants.
Sumber : www.fayoum.edu.eg/Agriculture/FoodSciences/pdf/DrKhaled01.pdf.
Diakses pada tanggal 20 Oktober 2015.
- Sessa, M., Tsao, R., Liu, R.H., Ferrari, G. dan Donsi, F. (2011). Evaluation of the stability and antioxidant activity of nanoencapsulated resveratrol during in vitro digestion. *Journal of Agricultural and Food Chemistry*. 59: 12352–12360.
- Shekhar, K., Madhu, M., Pradeep, B. dan Banji, D. (2010). A review on microencapsulation. *International Journal of Pharmaceutical Sciences and Research*. 5(2):5862.
- Sindi, H. A., Marshall, L. J. dan Morgan, M. R. A. (2014). Comparative chemical and biochemical analysis of extracts of *Hibiscus sabdariffa*. *Food Chemistry*, 164: 23–29.
- Souza, A.C.P., Gurak, P.D., dan Marczak, L.D.F. (2017). Maltodekstrin, pectin dan soy protein isolate as carrier agents in the encapsulation of anthocyanins-rich extract from jaboticaba pomace. *Food and Bioproducts Processing*, 102: 186–194.
- Sui, X., Bary, S., dan Zhou, W. (2016). Changes in the color, chemical stability and antioxidant capacity of thermally treated anthocyanin aqueous solution over storage. *Food Chemistry*. 192: 516–524.
- Sun, Jinchun dan Tan, Huaping. (2013). Alginate-Based Biomaterials for Regenerative Medicine Applications. *Materials*, 6: 1285-1309.
- Utomo, E.P. (1992). Isolasi dan Identifikasi Pigmen Antosianin dari Kulit Buah Anggur (*Vitis venivera* var. *Alphonso lavelle*). Tesis. Universitas Gadjah Mada Yogyakarta. 7-16.
- Wang, Guo-ying., Chen, J., dan Shi, Yan-ping. (2013). Preparation of microencapsulated xanthophyll for improving solubility and stability by nanoencapsulation. *Journal of Food Engineering*. 117: 82–88.
- Wilson, N dan Shah, N. (2007). Microencapsulation of vitamins. *ASEAN Food Journal*, 14:1-14.
- Won, J., M.-H. Oh, J.-M. Oh, M.-S. Kang, J.-H. Choy, and S. Oh. (2008). Stability Analysis

of Zinc Oxide-Nanoencapsulated Conjugated Linoleic Acid and Gamma-Linolenic Acid. *Journal of Food Science*. 73(8): 39-43. DOI: 10.1111/j.1750-3841.2008.00924.x.

- Wrolstad, R.E., Terry, E. A., Eric, A.Decker., Michael, H.P., David, S.R., Steven, J.S., Charles, F.S., Denise, M.S., dan Peter, S. (2005). Handbook of Food Analytical Chemistry. Wiley Interscience., Publication. New Jersey.
- Xiang, F., Min, Z., Lin, X.W. dan Jing-Calsun. (2006). Identifikasi of Anthocyanin in Bayberry (*Myrica rubra Sieb et Zucc.*) by HPLC-DAD-ESIMS and GC, *Journal of Food and Drug Analysis*. 14: 368-372.
- Yadav, S.C., Kumari, A. dan Yadav, R. (2011). Development of peptide and protein nanotherapeutics by nanoencapsulation and nanobioconjugation. *Peptides*. 32: 173–187.
- Yeo, Y., Baek, N., dan Park, K. (2001). Microencapsulation methods for delivery of protein drugs. *Biotechnology and Bioprocess Engineering*. 6: 213-230.
- Zaidel, D.N.A., Sahat, N. S., Jusoh, Y. M. M. dan Muhamad, I. I. (2014). Encapsulation of Anthocyanin from Roselle and Red Cabbage for Stabilization of Water-in-Oil Emulsion. *Agriculture and Agricultural Science Procedia* 2: 82 – 89.
- Zaidel, D. N. A., Makhtar, N. A., Jusoh, Y. M. M., Muhamad, I. I. (2015). Efficiency and Thermal Stability of Encapsulated Anthocyanins from Red Dragon Fruit (*Hylocereus polyrhizus* (Weber) Britton & Rose) using Microwave-assisted Technique. *Chemical Engineering Transactions*. 43.
- Zuidam, N.J. dan Shimoni, E. (2010). Overview of Microencapsulates for Use in Food Products or Processes and Methods to Make Them (In : *Encapsulation Technology For Active Food Ingredients and Food Processing* : DOI 10.1007/ 978-1-4419-1008-0_2). Springer New York Dordrecht Heidelberg London.