

DAFTAR PUSTAKA

- Afrasiabi, N. *et al.* (2014) 'The effect of high risk pregnancy on duration of neonatal stay in neonatal intensive care unit', *Iranian Journal of Pediatrics*, 24(4), pp. 423–428.
- Al-Shaikh, G. K. *et al.* (2017) 'Grand multiparity and the possible risk of adverse maternal and neonatal outcomes: A dilemma to be deciphered', *BMC Pregnancy and Childbirth*. *BMC Pregnancy and Childbirth*, 17(1), pp. 1–7. doi: 10.1186/s12884-017-1508-0.
- Arikunto, S. 2010. *Metodologi Kesehatan*. Jakarta: Rineka Cipta.
- Arinta Kusuma Wandira dan Rachmah Indawati (2012) 'Faktor Penyebab Kematian Bayi Di Kabupaten Sidoharjo', *Jurnal Biometrika dan Kependudukan*, 1(1), pp. 1–10.
- BKKBN. 2009. *Gender dalam Kesehatan Reproduksi*.
- Caughey, A. B. (2012) 'Post-Term Pregnancy', *Dewhurst's Textbook of Obstetrics & Gynaecology: Eighth Edition*, 4(3), pp. 269–286. doi: 10.1002/9781119979449.ch23.
- Cavazos-rehg, P. A. *et al.* (2016) 'Resource for Trustees', 19(6), pp. 1202–1211. doi: 10.1007/s10995-014-1624-7.Maternal.
- Cunningham, F.Gary, et al. 2006. *Obstetri Williams*. Jakarta: EGC.
- Dewi, Vivian Nanny Lia. (2010). *Asuhan Neonatus bayi dan Anak Balita*. Jakarta: Salemba Medika.
- Depkes RI (2012), *Profil Kesehatan Indonesia 2011. Pusat Data dan Informasi*. Jakarta: Departemen Kesehatan RI 2012.
- Eliza, Nuryani, dan Rosmiyati. (2017) 'Determinan Persalinan Prematur di RSUD Dr. Abdul Moeloek', *Jurnal Kesehatan*.
- Fan, D. *et al.* (2017) 'Prevalence of antepartum hemorrhage in women with placenta previa: A systematic review and meta-analysis', *Scientific Reports*. Nature Publishing Group, 7(January), pp. 1–9. doi: 10.1038/srep40320.

- Fourianalistyawati, E. (2017) 'Kualitas Hidup pada Ibu dengan Kehamilan Risiko Tinggi', (June 2014).
- Gebremedhin, A. T. *et al.* (2018) 'Effects of interpregnancy interval on pregnancy complications: Protocol for systematic review and meta-analysis', *BMJ Open*, 8(8), pp. 8–11. doi: 10.1136/bmjopen-2018-025008.
- Gupte, S. and Wagh, G. (2014) 'Preeclampsia–Eclampsia', *The Journal of Obstetrics and Gynecology of India*, 64(1), pp. 4–13. doi: 10.1007/s13224-014-0502-y.
- Halimi Asl, A. A., Safari, S. and Parvareshi Hamrah, M. (2017) 'Epidemiology and Related Risk Factors of Preterm Labor as an obstetrics emergency.', *Emergency (Tehran, Iran)*, 5(1), p. e3.
- Inoue, S. *et al.* (2016) 'Association between short maternal height and low birth weight: A hospital-based study in Japan', *Journal of Korean Medical Science*, 31(3), pp. 353–359. doi: 10.3346/jkms.2016.31.3.353.
- Manuaba. 2007. Pengantar Kuliah Obstetri. Jakarta: EGC.
- Maryam Khoshnood Shariati, Zohreh Karimi, Mahroo Rezaienejad, Azita Basiri, Farahnaze Torkestani, S. S. G. (2005) 'Perinatal complications associated with preterm deliveries at 24 to 33 weeks and 6 days gestation (2011- 2012): A hospital-based retrospective study', *Society*, 31(December 2004), pp. 219–224. doi: 10.5144/0256-4947.2015.203.
- Mitanchez, D. (2015) 'What neonatal complications should the pediatrician be aware of in case of maternal gestational diabetes?', *World Journal of Diabetes*, 6(5), p. 734. doi: 10.4239/wjd.v6.i5.734.
- Muhihi A. (2016), 'Risk Factors for Small for Gestational Age an Preterm Births Among 19.269 Tanzania Newborns.', *BMC Pregnancy and Childbirth*
- Múnera-Echeverri, A. G. (2018) 'Heart disease and pregnancy', *Revista Colombiana de Cardiologia*. Springer Healthcare, 25(2), pp. 49–58. doi: 10.1016/j.rccar.2017.11.028.
- Nakimuli, A. *et al.* (2015) 'Still births, neonatal deaths and neonatal near miss cases attributable to severe obstetric complications: A prospective cohort study in

- two referral hospitals in Uganda’, *BMC Pediatrics*. ???, 15(1), pp. 1–8. doi: 10.1186/s12887-015-0362-3.
- Notoatmodjo, S. 2012. *Metodologi Penelitian Kesehatan*. Jakarta: Rineka Cipta.
- Noriani, N.K., Putra, I.W.G.A.E., Karmaya, I.N.M. (2015) ‘Paparasi Asap Rokok dalam Rumah terhadap Risiko Peningkatan Kelahiran Prematur di Kota Denpasar’, *Public Health and Preventive Medicine Archieve* 3(1):55-59.
- Nuraisya, W. (2015) ‘Artikel Penelitian Deteksi Risiko Tinggi Kehamilan Pada Pelayanan ANC Terpadu di Puskesmas Bendo Kabupaten Kediri’, 7(2), pp. 240–245.
- Obstetri, D. *et al.* (2008) ‘Muara P Lubis : Dampak Penundaan Pengkleman Tali Pusat Terhadap Peningkatan Hemoglobin Dan...’, 2008 USU e-Repository © 2008’, (November).
- Prawirohardjo, S. 2014. *Ilmu Kebidanan*. Jakarta: Bina Pustaka
- Prihandini, S. R., Pujiastuti, W. and Hastuti, T. P. (2016) ‘Usia Reproduksi Tidak Sehat Dan Jarak Kehamilan Yang Terlalu Dekat Meningkatkan Kejadian Abortus Di Rumah Sakit Tentara Dokter Soedjono Magelang’, *Jurnal Kebidanan*, 5(10), pp. 47–57.
- Rahmati, S. *et al.* (2017) ‘Maternal Anemia during pregnancy and infant low birth weight: A systematic review and Meta-analysis.’, *International journal of reproductive biomedicine (Yazd, Iran)*, 15(3), pp. 125–134.
- Rahmawati, D. (2013) ‘Faktor-faktor yang mempengaruhi terjadinya persalinan prematur di RSUD DR. Moewardi Surakarta’, *Fakultas Ilmu Kesehatan Universitas Muhammadiyah Surakarta*
- Rakorpop Kementrian Kesehatan Republik Indonesia. Kesehatan Dalam Kerangka Sustainable Development Goals (SDGs). 2015;(97)
- Rochjati, P. 2003. *Skrining Antenatal pada Ibu Hamil*. Surabaya: Pusat safemotherhood.
- Saputra, M. I. (2015), ‘Angka Kejadian Persalinan Preterm, Berat Badan Lahir, dan Kematian Perinatal di Rumah Sakit Prikasih Tahun 2010 - 2014’.

- Sastroasmoro, Sudigdo (2014). Dasar-Dasar Metodologi Penelitian Klinis. Jakarta: Sagung Seto.
- Simarmata, Oster Suriani, *et al* .(2014) ‘Determinan Kejadian Komplikasi Persalinan di Indonesia: Analisis Data Sekunder Riset Kesehatan Dasar 2010 Depok’, *Teknologi Intervensi Kesehatan Masyarakat. Jurnal Kesehatan Reproduksi* Volume 5 No. 3.
- Sinha, B. *et al*. (2018) ‘Low-birthweight infants born to short-stature mothers are at additional risk of stunting and poor growth velocity: Evidence from secondary data analyses’, *Maternal and Child Nutrition*, 14(1), pp. 1–9. doi: 10.1111/mcn.12504
- Sulistiari, D. and Berliana, M. (2016) ‘Faktor-Faktor Yang Memengaruhi Kelahiran Prematur di Indonesia : Analisis Data Riskesdas 2013’, 1.
- Sugiyono. (2016). Metode Penelitian Kuantitatif Kualitatif dan Kombinasi (Mixed Methods). Bandung: Alfabeta
- Sulistiyawati, Ari. 2009. Asuhan Kebidanan pada Masa Kehamilan. Jakarta: Salemba Medika.
- Susanto, N. 2010. *Besar Sampel dalam Penelitian Kesehatan*. Yogyakarta : bookS.
- Swarjana 2016 Swarjana, I.K. (2016). *Metodologi Penelitian Kesehatan (Edisi Revisi)*. Yogyakarta: ANDI
- Syarif, A. B., Santoso, S. and Widiasih, H. (2017) ‘Usia ibu dan kejadian persalinan preterm’, 62, pp. 20–24.
- Tashfeen, K. and Hamdi, I. M. (2013) ‘Polyhydramnios as a predictor of adverse pregnancy outcomes.’, *Sultan Qaboos University medical journal*, 13(1), pp. 57–62.
- Walsh, Linda V. 2007. *Buku Ajar Kebidanan Komunitas*. Jakarta: EGC
- WHO, (2012) ‘Born Too Soon: The Global Action Report On Preterm Birth.’, *WHO Library Cataloguing-in-PublicationData*

- WHO, (2018) 'Newborns : reducing mortality', available from:
<https://www.who.int/news-room/fact-sheets/detail/newborns-reducing-mortality>
- Widiastuti T, Kartasurya MI, Dharminto. (2014) 'Manajemen deteksi dini ibu hamil risiko tinggi pada pelayanan antenatal di tingkat Puskesmas Kabupaten Jepara.', *Jurnal Manajemen Kesehatan Indonesia*;2(3):261-7
- Wulandari. 2016. *Metodologi Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: CV Alfabeta
- Zadeh, S. H. *et al.* (2015) 'Assessment of the Relationship between Recurrent High-risk Pregnancy and Mothers ' Previous Experience of Having an Infant Admitted to a Neonatal Intensive Care Unit', (Md), pp. 1–5.