UNIVERSITAS
GADJAH MADA
**Pengaruh Karakteristik Pasien terhadap Kualitas Hidup yang Diukur dengan EQ-5D-5L pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta**
HANIFA KHAIRUNISA, Dr. Tri Murti Andayani, Sp.FRS., Apt.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Adikusuma, W., Perwitasari, D.A., dan Supadmi, W., 2014, Evaluasi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 Rumah Sakit Umum PKU Muhammadiyah Bantul, *Jurnal Prosiding "Simposium Nasional Peluang dan Tantangan Obat Tradisional dalam Pelayanan Kesehatan Formal"*. Universitas Ahmad Dahlan, Indonesia.

Aklima, S., Charuwan Kritpracha, R.N., dan Ploenpit Thaniwattanon, R.N., 2013, Dietary Behaviors among Patients with Type 2 Diabetes Mellitus in Indonesia, *Nurse Media Journal of Nursing*, 3(1): 499-509.

American Diabetes Association (ADA), 2018, Standards of Medical Care in Diabetes-2018, *Diabetes Care, The Journal of Clinical and Applied Research and Education Volume 41 Supplement 1*, American Diabetes Association.

Bellido, V., Suarez, L., Rodriguez, M.G., Sanchez, C., Dieguez, M., Riestra, M., dkk, 2015, Comparision of Basal-Bolus and Premixed Insulin Regimens in Hospitalized Patients with Type 2 Diabetes, *Diabetes Care*, American Diabetes Association, 38: 2211-2216,.

Charlson, M.E., Ales, K.L., Pompei, P., MacKenzie, C.R., 1987, A New Method of Classification of Prognostic Comorbidity for Longitudinal Studies: Development and Validation, *J. Chron Disease*, 40(5): 373-383.

Charlson, M., Charlson, R.E., Briggs, W., dan Hollenberg, J., 2007, Can Disease Management Target Patients Most Likely to Generate High Costs? The Impact of Comorbidity, *Society of General Internal Medicine 2007*, 22: 464–469.

EuroQol Research Foundation, 2017, *EQ-5D Instruments: About EQ-5D*, https://euroqol.org/eq-5d-instruments.html, 20 Januari 2019.

UNIVERSITAS
GADJAH MADA
**Pengaruh Karakteristik Pasien terhadap Kualitas Hidup yang Diukur dengan EQ-5D-5L pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta**
HANIFA KHAIRUNISA, Dr. Tri Murti Andayani, Sp.FRS., Apt.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Gray, N., Picone, G., Sloan, F., dan Yashkin, A., 2015, The Relationship between BMI and Onset of Diabetes Mellitus and its Complications, *South Med. J*, HHS Public Access, 108(1): 29-36.

Halanych, J.H., Safford, M.M, Keys, W.C., Person, S.D., Shikany, J.M., Kim, Y.I., dkk, 2007, Burden of Comorbid Medical Condition and Quality of Diabetes Care, *Diabetes Care*, American Diabetes Association, 30: 2999-3004.

Han, K.T., Park, E.C., Kim, J.H., Kim, S.J., dan Park, S., 2014, Is Marital Status Associated with Quality of Life?, *Health and Quality of Life Outcomes 2014*, BioMed Central Ltd, 12: 109.

Horsman, J., Furlong, W., Feeny, D., dan Torrance, G., 2003, The Health Utilities Index (HUI®): concepts, measurement properties and applications, *Health and Quality of Life Outcomes 2003*, BioMed Central Ltd, 1:54.

Idris, H., Hasyim, H., dan Utama, F., 2017, Analysis of Diabetes Mellitus Determinants in Indonesia: A Study from the Indonesia Basic Health Research 2013, *Acta Med Indones – Indones J Intern Med*, 49(4).

Irawan, D., 2010, Prevalensi dan Faktor Risiko Kejadian Diabetes Melitus Tipe 2 di Daerah Urban Indonesia (Analisis Data Sekunder RISKESDAS 2007), *Tesis*, Fakultas Kesehatan Masyarakat, Universitas Indonesia.

Kamran, J.S., Jafroudi, S., Leili, E.K.N., Chafjiri, A.S., dan Paryad, E., 2017, Quality of Life in Patients with Diabetic Retinopathy, *Journal of Holistic Nursing and Midwifery*, Spring 2017, 27(1).

Kemenkes RI, 2005, *Pharmaceutical Care untuk Penyakit Diabetes Melitus*, Direktorat Bina Farmasi Komunitas dan Klinik, Direktorat Jendral Bina Kefarmasian dan Alat Kesehatan, Departemen Kesehatan RI, 22-48.

Kemenkes RI, 2009, *Tahun 2030 Prevalensi Diabetes Melitus di Indonesia Mencapai 21,3 Juta Orang*, Kementrian Kesehatan Republik Indonesia, http://www.depkes.go.id/article/view/414/tahun-2030-prevalensi-diabetes-melitus-di-indonesia-mencapai-213-juta-orang.html, 4 Desember 2018.

UNIVERSITAS
GADJAH MADA
**Pengaruh Karakteristik Pasien terhadap Kualitas Hidup yang Diukur dengan EQ-5D-5L pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta**
HANIFA KHAIRUNISA, Dr. Tri Murti Andayani, Sp.FRS., Apt.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Kemenkes RI, 2013, *Riset Kesehatan Dasar (RISKESDAS 2013)*, Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI.

Kemenkes RI, 2014, *Situasi dan Analisis Diabetes*, Infodatin, Pusat Data dan Informasi Kementerian Kesehatan RI.

Lemeshow, S., Hosmer Jr., D.W., Klar, J., dan Lwanga, S.K., 1997, *Besar Sampel dalam Penelitian Kesehatan*, diterjemahkan oleh Dibyo Pramono, Gadjah Mada University Press, Yogyakarta.

Mihardja, L., Soetrisno, U., dan Soegondo, S., 2014, Prevalence and Clinical Profile of Diabetes Mellitus in Productive Aged Urban Indonesia, *Journal of Diabetes Investigation*, Asia Association of the Study of Diabetes (AASD) and Wiley Publishing Asia Pty Ltd, 5: 507-512.

Mordarska, K., dan Godziejewska-Zawada, M., 2017, Diabetes in The Elderly, *Menopause Review*, 16(2): 38-43.

Mulhern, B., dan Meadows, K., 2014, The Construct Validity and Responsiveness of The EQ-5D, SF-6D and Diabetes Health Profile-18 in Type 2 Diabetes, *Health and Quality of Life Outcomes 2014*, 12(1): 42-51.

Nurchayati, S., 2011, Analisis Faktor-faktor yang Berhubungan dengan Kualitas Hidup Pasien Penyakit Ginjal Kronik yang Menjalani Hemodialisis di Rumah Sakit Islam Fatimah Cilacap dan Rumah Sakit Umum Daerah Banyumas, *Tesis*, Fakultas Ilmu Keperawatan, Program Pasca Sarjana Kekhususan Keperawatan Medikal Bedah, Universitas Indonesia.

PERKENI, 2015, *Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, PB. PERKENI.

Prasestiyo, H., 2017, Analisis Hubungan Faktor Lama Menderita dan Komplikasi Penyakit dengan Kualitas Hidup Pasien Diabetes Melitus di Rumah Sakit PKU Muhammadiyah Bantul, *Skripsi*, Fakultas Ilmu Kesehatan Universitas ‘Aisyiyah Yogyakarta.

UNIVERSITAS
GADJAH MADA
**Pengaruh Karakteristik Pasien terhadap Kualitas Hidup yang Diukur dengan EQ-5D-5L pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta**
HANIFA KHAIRUNISA, Dr. Tri Murti Andayani, Sp.FRS., Apt.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Purba, F.D., Hunfeld, J.A.M, Iskandarsyah, A., Fitriana, T.S., Sadarjeon, S.S., Ramos-Gon˜i, J.M., dkk, 2017, The Indonesian EQ-5D-5L Value Set, *PharmacoEconomics* (2017), 35: 1153–1165.

Purba, F.D., Hunfeld, J.A.M, Iskandarsyah, A., Fitriana, T.S., Sadarjeon, S.S., Passchier, J., dkk, 2018, Quality of Life of The Indonesian General Population: Test-Retest Reliability and Population Norms of The EQ-5D-5L and WHOQOL-BREF, PLoS ONE, 13(5): e0197098.

Purwaningsih, N., 2018, Analisis Faktor-faktor yang Mempengaruhi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 di Instalasi Rawat Jalan RSUD Dr. Moewardi Periode Februari - April 2018, *Skripsi*, Fakultas Farmasi, Universitas Muhammadiyah Surakarta.

Rhee, E.J., 2015, Diabetes in Asians, *Endocrinology and Metabolism*, Korean Endocrine Society, 30: 263-269.

Saraswati, D.A., 2018, Hubungan Karakteristik Pasien dan Kepatuhan Berobat terhadap Kualitas Hidup Pasien Diabetes Melitus Tipe 2 di RSUD Kota Yogyakarta, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.

Sari, R.M., Thobari, J.A., dan Andayani, T.M., 2011, Evaluasi Kualitas Hidup Pasien Diabetes Melitus Tipe 2 yang Diterapi Rawat Jalan dengan Anti Diabetik Oral di RSUP Dr. Sardjito, *Jurnal Manajemen dan Pelayanan Farmasi*, Universitas Gadjah Mada, Yogyakarta, 1(1).

Setiawan, D., Dusafitri, A., Galistiani, G.F., vanAsselt, A.D.I., Postma, M., 2018, Health-Related Quality of Life of Patients with HPV-Related Cancers in Indonesia, *Value in Health The Regional Issues*, International Society for Pharmacoeconomics and Outcomes Research (ISPOR), Elsevier Inc., 15C: 63-69.

Spanakis, E.K. dan Golden S.H., 2014, Race/Ethnic Difference in Diabetes and Diabetic Complications**,** *Curr Diab Rep*, NIH Public Access Author Manuscript.

UNIVERSITAS
GADJAH MADA
**Pengaruh Karakteristik Pasien terhadap Kualitas Hidup yang Diukur dengan EQ-5D-5L pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta**
HANIFA KHAIRUNISA, Dr. Tri Murti Andayani, Sp.FRS., Apt.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Stahl, E., Jansson, S., Jonsson, A., Svensson, K., Lundback, B., dan Andersson, F., 2003, Health-Related Quality of Life, Utility, and Prductivity Outcomes Instruments: Ease of Completion by Subjects with COPD, *Health and Quality of Life Outcomes*, 1: 18.

Suwannaphant, K., Laohasiriwong, W., Puttanapong, N., Saengsuwan, J., dan Phajan, T., 2017, Association between Socioeconomic Status and Diabetes Mellitus: The National Socioeconomics Survey, 2010 and 2012, *Journal of Clinical and Diagnostic Research 2017*, 11(7): LC18-LC22.

Theofilou, P., 2013, Quality of Life: Definition and Measurement, *Europe's Journal of Psychology*, Psych Open, Publishing Psychology, 9(1): 150–162.

Tinartayu, S. dan Riyanto, B.U.D., 2015, SF-36 Sebagai Instrumen Penilai Kualitas Hidup Penderita Tuberkulosis (TB) Paru, *Artikel Penelitian*, 15(1): 7-14, Mutiara Medika.

Trikkalinou, A., Papazafiropoulou, A.K., dan Melidonis, A., 2017, Type 2 diabetes and quality of life, *World J Diabetes*, Baishideng Publishing, 8(4): 120-129.

Triplitt, C.L., Reasner, C.A., dan Isley, W.L., dalam Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., dan Posey, L.M., 2008, *Pharmacotherapy: A Pathophysiologic Approach*, *Section 8: Endocrinologic Disorders*, *Chapter 77: Diabetes Mellitus*, The McGraw-Hill Companies, USA, 1205-1241.

Ulinur, M., 2018, Kualitas Hidup dan Faktor yang Mempengaruhi pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Daerah Sleman, *Skripsi*, Universitas Gadjah Mada, Yogyakarta.

Van Reenen, M. dan Janssen, B., 2015, *EQ-5D-5L User Guide: Basic information on how to use the EQ-5D-5L instrument*, EuroQol Research Foundation, Rotterdam, Belanda.

World Health Organization (WHO), 2016, *Global Report on Diabetes*, WHO Press, World Health Organization, Switzerland.

UNIVERSITAS
GADJAH MADA
**Pengaruh Karakteristik Pasien terhadap Kualitas Hidup yang Diukur dengan EQ-5D-5L pada Pasien Diabetes Melitus Tipe 2 di Rumah Sakit Umum Pusat Dr. Sardjito Yogyakarta**
HANIFA KHAIRUNISA, Dr. Tri Murti Andayani, Sp.FRS., Apt.
**Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/**

Wu, Y., Ding, Y., Tanaka, Y., dan Zhang, W., 2014, Risk Factors Contributing to Type 2 Diabetes and Recent Advances in the Treatment and Prevention, *International Journal of Medical Sciences 2014*, Ivyspring International Publisher, 11(11): 1185-1200.

Younossi, Z., Stepanova, M., Omata, M., Mizokami, M., Walters, M., dan Hunt, S., 2017, Health Utilities Using Sf-6d Scores in Japanese Patients with Chronic Hepatitis C Treated with Sofosbuvir-Based Regimens in Clinical Trials, *Health and Quality of Life Outcomes 2017*, BioMed Central Ltd, 15: 25.

Zhang, P., Brown, M.B., Bilik, D., Ackermann, R.T., Li, R., dan Herman, W.H., 2012, Health Utility Score for People with Type 2 Diabetis in U.S. Managed Care Health Plans, Epidemiology / Health Services Research, *Diabetes Care*, 35.