

DAFTAR PUSTAKA

- Brull, S.J., Kopman, A.F., 2017. Current Status of Neuromuskular Reversal and Monitoring Challenges and Opportunities. *Anesthesiol. J. Am. Soc. Anesthesiol.* 126, 173–190.
- Butterworth, JF., Mackey, DC., Wasnick, JD., 2013. *Morgan & Mikhail's Clinical anesthesiology*. 5th ed. New york: McGraw Hill.
- Chu CC, Hsing CH, Shieh JP, Chien CC, Ho CM, Wang JJ, 2014. The cellular mechanism of the antiemetic action deksametason and related glucocorticoids against vomiting. *Eur. J.* 48-54
- Chu, Danny, Weilian MD, Nie Yuyan, Huang, Shaoqiang, 2017. effects of methylprednisolone on the duration of rokuronium-induced neuromuskular block:A Randomized double-blind trial. *Medicine* volume 96 pe7947
- Cittanova M-L, Lelongt B, Verpont M-C: Fluoride ion toxicity in human kidney collecting duct cells. *Anesthesiology* 1996;84:428.
- Clive P, 2002. Chapter 15:Drug and the endocrine and metabolic system
- Dal Belo, Gildo, Marcos Dias, Alexandre Pinto, Ana, Carmen Silvia, Antonio Carlos, 2002. New evidence for a presynaptic action of prednisolone at neuromuskular junctions. department of pharmacology medical sciences, Campinas.
- De Hert S, Preckel B, Schlack W: Update on inhalational anaesthetics. *Curr Opin Anaesthesiol* 2009;22:491.
- Donati, F., 2000. Neuromuskular blocking drugs for the new millennium: current practice, future trends—comparative pharmacology of neuromuskular blocking drugs. *Anesth. Analg.* 90, S2–S6.
- Dorland, W.A.N, 2002. Kamus kedokteran Dorland (Penerjemah: Setiawan, A, Banni, Widjaja, dkk). Jakarta: EGC
- Ebert TJ: Myocardial ischemia and adverse cardiac outcomes in cardiac patients undergoing noncardiac surgery with sevoflurane and isoflurane. *Anesth Analg* 1997;85:993.

- Eger EI 2nd, Bowland T, Ionescu P, et al: Recovery and kinetic characteristics of desflurane and sevoflurane in volunteers after 8-h exposure, including kinetics of degradation products. *Anesthesiology* 1997;87:517.
- Eger EI 2nd, Raines DE, Shafer SL, Hemmings HC Jr, Sonner JM: Is a new paradigm needed to explain how inhaled anesthetics produce immobility? *Anesth Analg* 2008;107: 832.
- Flucher, B. E., and Daniels, M. P. (1989). Distribution of Na⁺ channels and ankyrin in neuromuscular junctions is complementary to that of acetylcholine receptors and the 43 kd protein. *Neuron* 3, 163–175. doi: 10.1016/0896-6273(89)90029-9
- Gan TJ, Diemunsch P, Habib AS, Kovac A, Kranke P, Meyer TA, et al. Consensus guidelines for the management of postoperative nausea and vomiting. *Anesth Analg*. 2014;118:85–113 Grosse-Sundrup, M., Henneman, J.P., Sandberg, W.S., Bateman, B.T., Uribe, J.V., Nguyen, N.T., Ehrenfeld, J.M., Martinez, E.A., Kurth, T., Eikermann, M., 2012. Intermediate acting non-depolarizing neuromuskular blocking agents and risk of postoperative respiratory complications: prospective propensity score matched cohort study. *BMJ* 345, e6329–e6329.
- Gildasio S. De Oliveira Jr., MD, MSCI, Lucas J. Santana Castro-Alves, MD, Shireen Ahmad, MD, Mark C. Kendall, MD, and Robert J. McCarthy, PharmD. Dexamethasone to Prevent Postoperative Nausea and Vomiting: An Updated Meta-Analysis of Randomized Controlled Trials. Department of Anesthesiology, Northwestern University, Chicago, Illinois, 2012
- Goodman and Gilman, 2006. *The Pharmacological Basis of Therapeutic* 11th edition. Mc Graw Hill
- Ho C, Wu H, Ho S, Wang J. Dexamethasone prevents postoperative nausea and vomiting: Benefit versus risk. *Acta Anaesthesiol Taiwanica*. 2011;49(3):100–4.
- Keum Young So, Sang Hun Kim, Ki Tae Jung, and Dong Woo Kim. Effect of dexamethasone on the onset time and recovery profiles of cisatracurium. Department of Anesthesiology and Pain Medicine, Chosun University Hospital, Gwangju, Korea, 2016

- Ishizawa Y: General anesthetic gases and the global environment. *Anesth Analg* 2011; 112:213.
- Jeevendra Martyn, JA., 2015. Neuromuscular Physiology and Pharmacology. In: Miller, R.D. ed., *Miller's Anesthesia*. 8th ed. Philadelphia, PA: Elsevier/Saunders. h. 423-443.
- Leeuwijn RS, Veldsema-Currie RD, van Wilgenburg H and Ottenhof M: Effects of corticosteroids on neuromuskular blocking actions of d-tubocurarine. *Eur J Pharmacol* 69: 165-173, 1981
- Morgan and Mikhail's clinical anesthesiology, 2013. post anesthesia care. chapter 56, p;1263-1264
- Murphy GS, Szokol JW, Greenberg SB, Avram MJ, Vender JS, Nisman M, et al. Preoperative deksametason enhances quality of recovery after laparoscopic cholecystectomy: effect on in-hospital and postdischarge recovery outcomes. *Anesthesiology*. 2011;114:882–890.
- Murphy, G.S., Szokol, JW., Franklin, M., Marymont, JH., Avram, MJ., Vender, JS., 2004. Postanesthesia care unit recovery times and neuromuskular blocking drugs: A prospective study of orthopedic surgical patients randomized to receive pancuronium or rocuronium. *Anesth. Analg.* 98, 193–200.
- Murphy, G.S., Szokolm JW., Avram, MJ., Greenberg, SB., Marymont, JH., Vender, JS., Gray, J., Landry, E., Gupta, DK., 2011. Intraoperative acceleromyography monitoring reduces symptoms of muscle weakness and improves quality of recovery in the early postoperative period. *Anesthesiology*. 115, 946–54.
- Naguib, M., Kopman, A.F., Lien, C.A., Hunter, J.M., Lopez, A., Brull, S.J., 2010. A survey of current management of neuromuskular block in the United States and Europe. *Anesth. Analg.* 111, 110–119.
- Naguib, M., Lien, CA., Meistelman, C., 2015. Pharmacology of Neuromuskular Blocking Drugs. In: Miller, R.D. ed., *Miller's Anesthesia*. 8th ed. Philadelphia, PA: Elsevier/Saunders. h. 958-994. Shaikh, Himanshu Verma, Nirmal Yadav, Mirinda, Jyothi, 2012. Application of steroid in clinical practice. Karnataka institute, India. Oliveira, A.C Costa, Noronha Matos, Silva, Cavalcante, Timoteo, Corrado, Dal belo, Ambiel, Alves-Do-Prado, Correia, 2015. Amplification of neuromuskular transmission by methylprednisolone involves activation of presynaptic facilitatory adenosine A_{2A} Receptors and redistribution of synaptic vesicles. Elsevier

- Njoku D, Laster MJ, Gong DH: Biotransformation of halothane, enflurane, isoflurane, and desflurane to trifluoroacetylated liver proteins: association between protein acylation and hepatic injury. *Anesth Analg* 1997;84:173.
- Oliveira , A.C. Costa, J.B. Noronha-Matos, I. Silva, W.L.G. Cavalcante , M.A. Timo_teo, A.P. Corrado, C.A. Dal Belo, C.R. Ambiel, W. Alves-do-Prado, P. Correia-de-Sa. Amplification of neuromuscular transmission by methylprednisolone involves activation of presynaptic facilitatory adenosine A_{2A} receptors and redistribution of synaptic vesicles. *Neuropharmacology*. Portugal,Brazil, 2014.
- Ong SLH, Zhang Y et al. Whitworth, “ Mechanisms of Dexamethasone-Induced Hypertension”, *Current Hypertension Reviews* (2009) 5: 61. <https://doi.org/10.2174/157340209787314315>
- Pierre S, Whelan R. Nausea and vomiting after surgery. *Contin Educ Anaesthesia, Crit Care Pain*. 2013;13(1):28–32.
- Shaikh S, Verma H, Yadav N, Jauhari M, Bullangowda J. Applications of Steroid in Clinical Practice : A Review. *ISRN Anesthesiol*. 2012;2012.
- Soltész S, Mencke T, Stunz M, Diefenbach C, Ziegeler S, Molter GP. Attenuation of a rocuronium- induced neuromuskular block in patients receiving prednisolone. *Acta Anaesthesiol Scand*. 2009;53:443–448. [PubMed]
- Soltész S, Fraisl P, Noé KG, Hinkelbein J, Mellinghoff H, Mencke T. Deksametason decreases the duration of rocuronium-induced neuromuskular block: a randomised controlled study. *Eur J Anaesthesiol*. 2014;31:417–422
- Soltész S, Mencke T, Mey C, Röhrig S, Diefenbach C, Molter GP. Influence of a continuous prednisolone medication on the time course of neuromuskular block of atracurium in patients with chronic inflammatory bowel disease. *Br J Anaesth*. 2008;100:798–802. [PubMed]
- Stoelting RK, Flood P, Rathmell JP, Shafer SF., 2015. *Stoelting’s Handbook of Pharmacology and Physiology in Anesthetic Practice*. 3rd ed. Philadelphia, PA: Wolters Kluwer Health. h. 232-248.
- Srivastava A, Hunter JM, Reversal of neuromuscular block, *BJA: British Journal of Anaesthesia*, Volume 103, Issue 1, July 2009, Pages 115–129, <https://doi.org/10.1093/bja/aep093>

- Sturgill, E.L., and Campbell, NF., 2015. Neuromuskular Blocking and Reversal Agents. In: Barash, P.G., Cullen, B.F., Stoelting, R.K. ed. *Basic Clinical Anesthesia*. 5th ed. New York: Springer. h. 151-158.
- Summors AC, Gupta AK, Matta BF: Dynamic cerebral autoregulation during sevoflurane anesthesia: a comparison with isoflurane. *Anesth Analg* 1999;88:341.
- Thilen, SR., Hansen, BE., Ramaiah, R., Kent, CD., Treggiari, MM., Bhananker, SM., 2012. Intraoperative neuromuskular monitoring site and residual paralysis. *Anesthesiology*. 117, 964–72.
- Urbaniak, Geoffrey C. Scott Plous (2013). *Research randomizer* (Version 4.0) [Computer software]. <http://www.randomizer.org/>
- Viby-Mogensen, J., dan Claudius, C., 2015. Neuromuskular Monitoring. In: Miller, R.D. ed., *Miller's Anesthesia*. 8th ed. Philadelphia, PA: Elsevier/Saunders. h. 1604-1621.