UNIVERSITAS
GADJAH MADA
**Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran
Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler**
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abouelkassem, S., A.B. Abdelrazeik, and O.M. Rakha. 2015. Nanoemulsion of jojoba oil, preparation, characterization and insecticidal activity against *Sitophilus oryzae* (Coleoptera: Curculionidae) on wheat. International Journal of Agriculture Innovations and Research. 4: 72-75.

Adaszyńska-Skwirzyńska, M. and D. Szczerbińska. 2017. Use of essential oils in broiler chicken production – a review. Annals of Animal Science. 17: 317-335.

Adil, S., T. Banday, G.A. Bhat, M.S. Mir, and M. Rehman. 2010. Effect of dietary supplementation of organic acids on performance, intestinal histomorphology, and serum biochemistry of broiler chicken. Veterinary Medicine International. 2010: 1-7.

Aho, M., L. Nuotio, E. Nurmi, and T. Kisskinen. 1992. Competitive-exclusion of Campylobacters from poultry with K-bacteria and Broilact (R). International Journal of Food Microbiology. 15: 265-275.

Ahossi, P.K., J.T. Dougnon, P.S. Kiki, and J.M. Houessionon. 2016. Effects of *Tridax procumbens* powder on zootechnical, biochemical parameters and carcass characteristics of Hubbard broiler chicken. Journal of Animal Health and Production. 4: 15-21.

Ahsan, U., E. Kuter, I. Raza, B.H. Köksal, Ö. Cengiz, M. Yildiz, P.K. Kizanlik, M. Kaya, O. Tatli, and Ö. Sevim. 2018. Dietary supplementation of different levels of phytogenic feed additive in broiler diets: the dynamics of growth performance, caecal microbiota, and intestinal morphometry. Brazilian Journal of Poultry Science. 20: 737-746.

Akhtar, M.S., B. Degaga, and T. Azam. 2013. Antimicrobial activity of minyak atsiris extracted from medicinal plants against the pathogenic microorganism: a review. Biological Sciences and Pharmaceutical Research. 2: 001-007.

Alarcon-Rojo, A.D., E. Peña-Gonzalez, H. Janacua-Vidales, V. Santana, and A. Ortega. 2013. Meat quality and lipid oxidation of pork after dietary supplementation with oregano essential oil. World Applied Sciences Journal. 21: 665-673.

Alfaig, E., M. Angelovicova, M. Kral, V. Vietoris, and R. Zidek. 2013. Effect of probiotics and thyme essential oil on the texture of cooked chicken breast meat. Journal of ACTA Scientiarum Polonorum Technologia Alimentaria. 12: 379-384.

Ali, H.H. and A.A. Hussein. 2017. Oral solid self-nanoemulsifying drug delivery systems of candesartan citexetil: formulation, characterization and *in vitro* drug release studies. American Association of Pharmaceutical Scientists Open. 3: 1-17.

UNIVERSITAS
GADJAH MADA
**Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran
Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler**
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Aligiannis, N., E. Kalpoutzakis, S. Mitaku, and I.B. Chinou. 2001. Composition and antimicrobial activity of the minyak atsiris of two *Origanum* species. Journal of Agricultural and Food Chemistry. 49: 4168-4170.

Al-Kassie, G.A.M. 2010. The effect of thyme and cinnamon on the microbial balance in gastro intestinal tract on broiler chicks. International Journal of Poultry Science. 9: 495-498.

Alleman, F. and B. Leclercq. 1997. Effect of dietary protein and environmental temperature on growth performance and water consumption of male broiler chickens. British Poultry Science. 38: 607-610.

Al-Yasiry, A.R.M., B. Kiczorowska, and W. Samolińska. 2017. Effects of *Boswellia serrata* resin supplementation on basic chemical and mineral element composition in the muscles and liver of broiler chickens. Biological Trace Element Research. 179: 294-303.

Alzawqari, M.H., A.A. Al-Baddany, H.H. Al-Baadani, I.A. Alhidary, R.U. Khan, G.M. Aqil, and A. Abdurab. 2016. Effect of feeding dried sweet orange (*Citrus sinensis*) peel and lemon grass (*Cymbopogon citratus*) leaves on growth performance, carcass traits, serum metabolites and antioxidant status in broiler during the finisher phase. Environmental Science and Pollution Research. 23: 17077-17082.

Alçiçek, A., M. Bozkurt, and M. Çabuk. 2003. The effect of an essential oil combination derived from selected herbs growing wild in Turkey on broiler performance. South African Journal of Animal Science. 33: 89-94.

Amrullah, I.K. 2004. Nutrisi Ayam Broiler. Lembaga Satu Gunungbudi, Bogor.

Anderson, D., V.J. McCracken, R.I. Aminov, J.M. Simpson, R.I. Mackie, M.W.A. Verstegen, and H.R. Gaskins. 1999. Gut microbiology and growth-promoting antibiotics in swine. Pig News and Information. 20: 115N-122N.

Anggorodi, H.R. 1995. Aneka Ternak Unggas. Gramedia Pustaka Utama, Jakarta.

Appleby, M.C., J.A. Mench, and B.O. Hughes. 2004. Poultry Behaviour and Welfare. CABI Publishing, Cambridge, MA.

Ariyadi, B. and S. Harimurti. 2010. The effects of single lactic bacteria probiotic supplementation on intestinal mucosa profile and immune response in broilers. The 5th International Seminar on Tropical Animal Production. October 19-22, 2010, Faculty of Animal Science, Universitas Gadjah Mada, Yogyakarta. 314-319.

Ashour, E.A., M. Alagawany, F.M. Reda, and M.E.A. El-Hack. 2014. Effect of supplementation of *Yucca schidigera* extract to growing rabbit diets on growth performance, carcass characteristics, serum biochemistry and liver oxidative status. Asian Journal of Animal and Veterinary Advances. 9: 732-742.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Association of Analytical Chemist Publisher (AOAC). 1995. Official Methods of Analysis. AOAC Publisher. Washington D.C.

Astuti, M. 1981. Rancangan Percobaan dan Analisa Statistik. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Aviagen. 2007. Lohmann Meat Broiler Stock Performance Objectives. http://www.incubatricipadovan.it/allegati/LOHMANN. (Diakses pada tanggal 7 Agustus, 2016).

Avoseh, O., O. Oyedeji, P. Rungqu, B. Nkeh-Chungag, and A. Oyedeji. 2015. *Cymbopogon* spesies; ethnopharmacology, phytochemistry and pharmacological importance. Molecules. 20: 7438-7453.

Awad, W.A., A. Molnár, J.R. Aschenbach, K. Ghareeb, B. Khayal, C. Hess, D. Liebhart, K. Dublecz, and M. Hess. 2015. *Campylobacter* infection in chickens modulates the intestinal epithelial barrier function. Innate Immunity. 21: 151-160.

Azevedo, I.L., E.R. Martins, A.C. Almeida, W.C.L. Nogueira, D.E.F. Filho, V.K.R. Santos, and L.J.C. Lara. 2017. Use of *Lippia rotundifolia* and *Cymbopogon flexuosus* essential oils, individually or combination, in broiler diets. Revista Brasileira de Zootecnia. 46:13-19.

Bacha, W.J. and L.M. Bacha. 1990. Color Atlas of Veterinary Histology. Second Edition. Library of Congress Cataloging-in-Publication Data. United States, Amerika.

Badran, M.M., E.I. Taha, M.M. Tayel,and S.A. Al-Suwayeh. 2014. Ultra-fine self nanoemulsifying drug delivery system for transdermal delivery of meloxicam: dependency on the type of surfactants. Journal of Molecular Liquids. 190: 16-22.

Bagamboula, C.F., M. Uyttendaele, and J. Debevere. 2004. Inhibitory effect of thyme and basil essential oils, carvacrol, thymol, estragol, linalool and *p*-cymene towards *Shigella sonnei* and *S. flexneri*. Food Microbiology. 21: 33-42.

Bahloul, B., M.A. Lassoued, J. Seguin, R. Lai-Kuen. H. Dhotel, S. Sfar, N. Mignet. 2015. Self-emulsifying drud delivery system developed by the HLB-RSM approach: Characterization by transmission electron microscopy and pharmacokinetic study. International Journal of Pharmaceutics. 487: 56-63.

Balakumar, K., C.V. Raghavan, N. Tamil, R. Hari, and S. Abdu. 2013. Self nanoemulsifying drug delivery system (SNEDDS) of rosuvastatin calcium: design, formulation, bioavailability and pharmacokinetic evaluation. Colloids and Surfaces B: Biointerfaces. 112: 337-343.

Balata, G.F., E.A. Essa, H.A. Shamardl, S.H. Zaidan, and M.A.S. Abourehab. 2016. Self-emulsifying drug delivery systems as a tool to improve solubility of resveratrol. Drug, Design, Development, and Therapy. 10: 117-128.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Bandivadekar, M., S. Pancholi, R. Kaul-Ghanekar, A. Choudhari, and S. Koppikar. 2013. Single non-ionic surfactant based self-nanoemulsifying drug delivery systems: Formulation, characterization, cytotoxicity and permeability enhancement study. Drug Development and Industrial Pharmacy. 39: 696-703.

Bandyopadhyay, S., O.P. Katare, and B. Singh. 2012. Optimized self nano-emulsifying systems of ezetimibe with enhanced bioavailability potential using long chain and medium chain triglycerides. Colloids and Surfaces B: Biointerfaces. 100: 50-61.

Banerjee, S., S.K. Mukhopadhayay, S. Haldar, S. Gangguly, S. Pradhan, N.C. Patra, D. Niyogi, and D.P. Isore. 2013. Effect of phytogenic growth promoter on broiler birds. Journal of Pharmacognosy and Phytochemistry. 1: 183-188.

Banks, W.J. 1993. Applied Veterinary Histology. Third Edition. Library of Congress Cataloging in Publication Data. United States, Amerika.

Barbosa, L.C.A., U.A. Pereira, A.P. Martinazzo, C.R.A. Maltha, R.R. Teixeira, and E.C. Melo. 2008. Evaluation of chemical composition of Brazilian commercial *Cymbopogon citratus* (D.C.) Stapf Samples. Molecules. 13: 1864-1874.

Basalious, E.B., N. Shawky, and S.M. Badr-Eldin. 2010. SNEDDS containing bioenhancers for improvement of dissolution and oral absorption of lacidipine. I: development and optimization. International Journal of Pharmaceutics. 391: 203-211.

Basmacioğlu-Malayoğlu, P. Ozdemir, and H.A. Bağriyanik. 2016. Influence of an organic acid blend and essential oil blend, individually or in combination, on growth performance, carcass parameters, apparent digestibility, intestinal microflora and intestinal morphology of broilers. British Poultry Science. 57: 227-234.

Baurhoo, B., F. Goldfluds, and X. Zhao. 2009. Purified cell wall of *Saccharomyces cerevisiae* increases protection against intestinal pathogens in broiler chickens. International Journal of Poultry Science. 8: 133-137.

Beg, S., S. Swain, H.P. Singh, C.N. Patra, and M.E.B. Rao. 2012. Development, optimization, and characterization of solid self-nanoemulsifying drug delivery systems of valsartan using porous carriers. Journal of The American Association of Pharmaceutical Scientists PharmSciTech. 13:1416-1427.

Benjamin, M.M. 1978. Outline of Veterinary Clinical Pathology. 3rd edition. Iowa State University Press, Ames.

Bento, M.H.L., A.C. Ouwehand, K. Tiihonen, S. Lahtinen, P. Nurminen, M.T. Saarinen, H. Schulze, T. Mygind, and J. Fischer. 2013. Minyak atsiris and their use in animal feeds for monogastric animals – effects on feed quality, gut microbiota, growth performance and food safety: a review. Veterinarni Medicina. 58 : 449-458.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Bihan-Duval, E.L., M. Debut, C.M. Berri, N. Sellier, V. Santé-Lhoutellier, Y. Jégo, and C. Beaumont. 2008. Chicken meat quality: genetic variability and relationship with growth and muscle characteristics. BMC Genetics. 9: 1-6.

Biricik, H., D. Yesilbag, S.S. Gezen, T. Bulbul. 2012. Effects of dietary myrtle oil (*Myrtus communis* L.) supplementation on growth performance, meat oxidative stability, meat quality and erythrocyte parameters in quails. Revue de Médicine Vétérinaire. 163: 131-138.

Bjerrum, L., R.M. Engberg, T.D. Leser, B.B. Jensen, K. Finster, and K. Pedersen. 2006. Microbial community composition of the ileum and cecum of broiler chickens as revealed by molecular and culture-based techniques. Poultry Science. 85: 1151-1164.

Blair, R. 2008. Nutrition and Feeding of Organic Poultry. CAB International. Oxfordshire, UK.

Blok, M.C., H.A. Vahl, A.E. de Lange, G. van de Braak, M. Hemke, and M. Hessing. 2002. Nutrition and Health of Gastrointestinal Tract. Wageningen Academic Publishers. Netherlands.

Budiarta, D.H., E. Sudjarwo, dan N. Cholis. 2014. Pengaruh kepadatan kandang terhadap konsumsi pakan, pertambahan bobot badan dan konversi pakan pada ayam pedaging. Jurnal Ternak Tropika. 15: 31-35.

Burt, S. 2004. Minyak atsiris: their antibacterial properties and potential applications in foods – a review. International Journal of Food Microbiology. 94: 223-253.

Caly, D.L., R. D'Inca, E. Auclair, and Djamel Drider. 2015. Alternatives to antibiotics to prevent necrotic enteritis in broiler chickens: A microbiologist's perspective. Frontiers in Microbiology. 6: 1-12.

Castanon, J.I.R. 2007. History of the use of antibiotic as growth promoters in European poultry feeds. Poultry Science. 86: 2466-2471.

Čerpnjak, K., A. Zvonar, M. Gašperlin, and F. Vrečer. 2013. Lipid-based systems as a promising approach for enhancing the bioavailability of poorly water-soluble drugs. Acta Pharmaceutica. 63: 427-445.

Cervantes, H.M. 2012. The future of antibiotic growth promoters in poultry production. In: World's Poultry Congress XXIV, Salvador, Brazil. 1-16.

Chabib, L., Z Ikawati, R. Martien, H. Ismail. 2016. Formulasi self-nano emulsifying drug delivery system (SNEDDs) turunan kurkumin gamavuton sebagai kandidat obat rheumatoid arthritis: Karakterisasi surfaktan. Proceeding Seminar Nasional Obat Herbal Indonesia 2016. Yogyakarta.

Chemaly, M., M.T. Toquin, Y. Le Notre, and P. Fravalo. 2008. Prevalence of *Listeria monocytogenes* in poultry production in France. Journal of Food Protection. 71: 1996-2000.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Chemat, F. and C. Boutekedjiret. 2015. Extraction//Steam Distillation. Reference Module in Chemistry Molecular Sciences and Chemical Engineering. 1-11.

Chen, H.C. and N.J. Stern. 2001. Competitive exclusion of heterologous *Campylobacter spp*. in chicks. Applied and Environmental Microbiology. 67: 848-851.

Cherian, G., A. Orr, I.C. Burke, and W. Pan. 2013. Feeding *Artemisia anua* alters digesta pH and muscle lipid oxidation products in broiler chickens. Poultry Science. 92: 1085-1090.

Cherian, G., F.W. Wolfe, and J.S. Sim. 1996. Dietary oils with added tocopherols: effects on egg or tissue tocopherols, fatty acids and oxidative stability. Poultry Science. 75: 423-431.

Cho, J.H., H.J. Kim, and I.H. Kim. 2014. Effects phytogenic feed additive on growth performance, digestibility, blood metabolites, intestinal microbiota, meat color and relative organ weight after oral challenge with *Clostridium perfringens* in broilers. Livestock Science. 160: 82-88.

Choct, M. 2009. Managing gut health through nutrition. British Poultry Science. 1: 9-15.

Chowdhury, S., G.P. Mandal, A.K. Patra, P. Kumar, I. Samanta, S. Pradhan, and A.K. Samanta. 2018. Different essential oils in diets of broiler chickens: 2. Gut microbes and morphology, immune response, and some blood profile and antioxidant enzymes. Animal Feed Science and Technology. 236: 39-47.

Ciftci, M., U.G. Simsek, A. Yuce, O.Yilmaz, and B. Dalkilic. 2010. Effect of dietary antibiotic and cinnamon oil supplementation on antioxidant enzyme activities, cholesterol levels and fatty acid composition of serum and meat in broiler chickens. Acta Veterinaria Brno. 79: 33-40.

Claeson, P., P.Rådström, O. Sköld, Å. Nilsson, and S. Höglund. 1992. Bactericidal effect of the sesquiterpene t-cadinol on Staphylococcus aureus. Phytotherapy research. 6: 94-98.

Cowan, M.M. 1999. Plant products as antimicrobial agents. Clinical Microbiology Reviews. 12: 564-582.

Cross, D.E., R.M. McDevitt, and T. Acamovic. 2011. Herbs, thyme essential oil and condensed tannin extracts as dietary supplements for broilers, and their effects on performance, digestibility, volatile fatty acids, and organoleptic properties. British Poultry Science. 52: 227-237.

Dai, S.F., L.K. Wang, A.Y. Wen, L.X. Wang, and G.M. Jin. 2009. Dietary glutamine supplementation improves growth performance, meat quality and colour stability of broilers under heat stress. British Poultry Science. 50: 333-340.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Dalleau, S., E. Cateu, T. Berges, J. Berjeaud, and C. Imbert. 2008. *In vitro* activity of terpenes against *Candida* biofilms. International Journal of Antimicrobial Agents. 31: 572-576.

Dani, M. 2019. Pengaruh pemberian nano enkapsulasi ekstrak buah senduduk (*Melastoma malabathricum* L.) terhadap kinerja pertumbuhan dan profil lipid ayam broiler. Tesis, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

Darabighane, B., A. Zarei, A.Z. Shahneh, and A. Mahdavi. 2011. Effects of different levels of *Aloe vera* gel as an alternative to antibiotic on performance and ileum morphology in broilers. Italian Journal of Animal Science. 10: 189-194.

Date, A.A. and M.S. Nagarsenker. 2007. Design and evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for cefpodoxime proxetil. International Journal of Pharmaceutics. 329: 166-172.

Deeb, N. and A. Cahaner. 2002. Genotype-by-environment interaction with broiler genotypes differing in growth rate. 3. Growth rate and water consumption of broiler progeny from weight-selected versus nonselected parents under normall and high ambient temperatures. Poultry Science. 81: 293-301.

Dibner, J.J. and J.D. Richards. 2005. Antibiotic growth promoters in agriculture: history and mode of action. Poultry Science. 84: 634-643.

Dibner, J.J., C. Knight, G.F. Yi, and D. Richards. 2007. Gut development and health in the absence of antibiotic growth promoters. Asian-Australasian Journal of Animal Science. 20: 1007-1014.

Dono, N.D. 2012. Nutritional strategies to improve enteric health and growth performance of poultry in the post antibiotic era. Ph.D. Thesis, The College of Medical, Veterinary and Life Sciences, University of Glasgow, Glasgow.

Donsi, F. and G. Ferrari. 2016. Minyak atsiri nanoemulsions as antimicrobial agents in food. Journal of Biotechnology. 233: 106-120.

Dorman, H.J.D. and S.G. Deans. 2000. Antimicrobial agents from plants: antibacterial activity of plant volatile oils. Journal of Applied Microbiology. 88: 308-316.

Dou, T.C., S.R. Shi, H.J. Sun, and K.H. Wang. 2009. Growth rate, carcass traits and meat quality of slow-growing chicken grown according to three raising systems. Animal Science Paper and Reports. 27: 361-369.

Du, E., W. Wang, L. Gan, Z. Li, S. Guo, and Y. Guo. 2016. Effects of thymol and carvacrol supplementation on intestinal integrity and immune responses of broiler chickens challenged with *Clostridium perfringens*. Journal of Animal Science and Biotechnology. 7: 1-10.

Duclos, M.J., C. Berri, and E.L. Bihan-Duval. 2007. Muscle growth and meat quality. Journal of Applied Poultry Research. 16: 107-112.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Eid, A.M.M., N.A. Elmarzugi, H.A. El-Enshasy, and O.M. Arafat. 2013. A novel Swietenia macrophylla oil self-nanoemulsifying system: development and evaluation. International Journal of Pharmacy and Pharmaceutical Sciences. 5: 639-644.

Erawati, T., E. Hendradi, and W. Soeratri. 2014. Praformulation study of *p*-methoxycinnamic acid (PMCA) nanoemulsion using vegetable oils (soybean oil, corn oil, VCO). International Journal of Pharmacy and Pharmaceutical Sciences. 6: 99-101.

Ertas, O.N., T. Güler, M. Çiftçi, B. Dalkılıc, and Ü.G. Simsek. 2005. The effect of an essential oil mix derived from oregano, clove and anise on broiler performance. International Journal of Poultry Science. 4: 879-884.

Falcão, D.Q., S.C. Mourão, J.L. de Araujo, P.K. Pereira, A.C.A. Cardoso, K.B. de Almeida, F.M. Zibetti, and B.G. Lima. 2015. Challenges in development of minyak atsiri nanodelivery systems and future prospects. Minyak atsiri nanodelivery systems. Department of Pharmaceutical Technology, Faculty of Pharmacy, Universidade Federal Fluminense, Rio de Janeiro, Brazil.

Fallah, R., A. Klanl, and A. Azarfar. 2013. A review of the role of five kinds of alternatives to in feed antibiotics in broiler production. Journal of Veterinary Medicine and Animal Health. 5: 317-321.

Feng, Y.N., J. Gong, H. Yu, Y.P. Jin, J. Zhu, and Y.M. Han. 2010. Identification of changes in the composition of ileal bacterial microbiota of broiler chickens infected with *Clostridium perfringens*. Veterinary Microbiology. 140: 116-121.

Ferry, I.G.P.A., M. Manurung, dan N.M. Puspawati. 2015. Efektifitas antosianin kulit buah jamblang (*Syzygium cumini*) sebagai penurun *low density lipoprotein* darah tikus wistar yang mengalami hiperkolesterolemia. Cakra Kimia (Indonesian E-journal of Applied Chemistry). 3: 9-22.

Fletcher, D.L. 1999. Broiler breast meat color variation, pH, and texture. Poultry Science. 78: 1323-1327.

Fletcher, D.L. 2002. Poultry meat quality. World's Poultry Science Journal. 58: 131-145.

Friedman, M., P.R. Henika, and R.E. Mandrell. 2002. Bactericidal activities of plant minyak atsiris and some of their isolated constituents against *Campylobacter jejuni*, *Escherichia coli*, *Listeria monocytogenes*, and *Salmonella enterica*. Journal of Food Protection. 65: 1545-1560.

Gakuubi, M.M. 2016. Steam distillation extraction and chemical composition of essential oils of *Toddalia asiatica* L. and *Eucalyptus camaldulensis* Dehnh. Journal of Pharmacognosy and Phytochemistry. 5: 99-104.

Gaskins, H.R., C.T. Collier, and D.B. Anderson. 2002. Antibiotics as growth promotants: mode of action. Animal Biotechnology. 13: 29-42.

UNIVERSITAS
GADJAH MADA
**Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran
Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler**
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Ghasemi, H.A., N. Kasani, and K. Taherpour. 2014. Effects of black cumin seed (*Nigella sativa* L.), a probiotic, a prebiotic and a symbiotic on growth performance, immune response and blood characteristics of male broilers. Livestock Science. 164: 128-134.

Ghazalah, A.A. and A.M. Ali. 2008. Rosemary leaves as a dietary supplement for growth in broiler chickens. International Journal of Poultry Science. 7: 234-239.

Ghazanfari, S., M.A. Moradi, and M.M. Bardzardi. 2013. Intestinal morphology and microbiology of broiler chicken fed diets containing myrtle (*Myrtus communis*) essential oil supplementation. 4: 549-554.

Gheisar, M.M., P. Zhao, and I.H. Kim. 2018. Addition of phytogenic blend in different nutrient density diets of meat-type ducks. Journal of Applied Animal Research. 46: 854-859.

Giannenas, I., A. Tzora, I. Sarakatsianos, A. Karamoutsios, S. Skoufos, N. Papaioannou, I. Anastasiou, and I. Skoufos. 2016. The effectiveness of the use of oregano and laurel essential oils in chicken feeding. Annals of Animal Science. 16: 779-796.

Göksoy, E.Ö., M. Akşit, and Ş. Kirkan. 2010. The effects of organic acid and *Origanum onites* supplementations on some physical and microbial characteristics of broiler meat obtained from broilers kept under seasonal heat stress. Karkas Üniversitisi Veteriner Fakultesi Dergisi. 16: 41-46.

Gopi, M., K. Karthik, H.V. Manjunathachar, P. Tamilmahan, M. Kesavan, M. Dashprakash, B.L. Balaraju, and M.R. Purushothaman. 2013. Minyak atsiris as a feed additive in poultry nutrition. Review Article. Advances in Animal and Veterinary Sciences. 2: 1-7.

Grashorn, M.A. 2010. Use of phytobiotics in broiler nutrition – an alternative to infeed antibiotics. Journal of Animal and Feed Sciences. 19: 338-347.

Hartadi, H., S. Reksohadiprodjo, and A.D. Tillman. 2005. Tabel Komposisi Pakan untuk Indonesia. Cetakan ke-5. Gadjah Mada University Press, Yogyakarta.

Hashemi, S.R. and H. Davoodi. 2010. Phytogenic as new class of feed additive in poultry industry. Jurnal of Animal and Veterinary Advances. 9: 2295-2304.

Hashemi, S.R. and H. Davoodi. 2011. Herbal plants and their derivatives as growth and health promoters in animal nutrition. Veterinary Research Communications. 35: 169-180.

Hassan, H.M.A., M.A. Mohamed, A.W. Youssef, and E.R. Hassan. 2010. Effect of using organic acids to substitute antibiotic growth promoters on performance and intestinal micloflora of broilers. Asian-Australasian Journal of Animal Sciences. 23: 1348-1353.

UNIVERSITAS
GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Hernández, F., J. Madrid, V. Garcia, J. Orengo, and M.D. Megías. 2004. Influence of two plant extracts on broiler performance, digestibility, and digestive organ size. Poultry Science. 83: 169-174.

Hidayat, M., Zuprizal, Sundari, A. Kurniawati, A.K. Wati, and A. Kusmayadi. 2017. The effect of liquid turmeric extract supplementation on carcass production and chemical quality of broiler meat. Journal of the Indonesian Tropical Animal Agriculture. 42: 6-13.

Holm, R. and I.H.M. Jensen. 2006. Optimization of self-microemulsifying drug delivery systems (SMEDDS) using a D-optimal design and the desirability function. Drug Development and Industrial Pharmacy. 32:1025-1032.

Hong, J., T. Steiner, A. Aufy, and T. Lien. 2012. Effect of supplemental essential oil on growth performance, lipid metabolites and immunity, intestinal characteristics, microbiota and carcass traits in broilers. Livestock Science. 144: 253-262.

Houshmand, M., M.N. Shahraki, M.R.B. Behzadi. 2018. Evaluation of miswak (*Salvadora persica*) as a herbal additive in broiler chickens. Poultry Science Journal. 6: 89-97.

Huang, Y., J. Fang, C. Hung, P. Wu, and Y. Tsai. 1999. Cyclic monoterpene extract from cardamom oil as a skin permeation enhancer for indomethacin: *in vitro* and *in vivo* studies. Biological and Pharmaceutical Bulletin. 22: 642-646.

Hudzicki, J. 2009. Kirby-Bauer disc diffusion susceptibility test protocol. American Society for Microbiology.

Huff, G.R., W.E Huff, V. Dutta, M.G. Johnson, and R. Nannapaneni. 2008. Pathogenicity of *Listeria monocytogenes* Scott A after oral and oculonasal chalenges of day-old turkey poults. Avian Diseases. 52: 444-450.

Hume, D.A., C.B.A. Whitelaw, and A.L. Archibald. 2011. The future of animal production: improving productivity and sustainability. Journal of Agricultural Science. 149: 9-16.

Ibrahim, H.M. and F.M.A. Salem. 2013. Effects of adding lemongrass and lime peel extracts on chicken patties quality. Journal of Applied Sciences Research. 9: 5035-5047.

Jain, N.C. 1986. Scalm's Veterinary Hematology. 4th edition. Lea and Febiger. Philadelphia.

Jamil, B., R. Abbasi, M. Imran, S.U. Khan, A. Ihsan, S. Javed, H. Bokhari, and M. Imran. 2016. Encapsulation of cardamom minyak atsiri in chitosan nano-composites: *in vitro* efficacy on antibiotic-resistant bacterial pathogens and cytotoxicity studies. Microbiology. 7: 1-10.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Jang, I.S., Y.H. Ko, H.Y. Yang, J.S. Ha, J.Y. Kim, S.Y. Kang, D.H. Yoo, D.S. Nam, D.H. Kim, and C.Y. Lee. 2004. Influence of essential oil components on growth performance and the functional activity of the pancreas and small intestine in broiler chickens. Asian-Australasian Journal of Animal Science. 17: 394-400.

Jeevana, J.B. and K. Sreelakhmi. 2011. Design and evaluation of self-nanoemulsifying drug delivery system of flutamide. Journal of Young Pharmacists. 3:4-8.

Jeong, M., P.B. Park, D. Kim, Y. Jang, H.S. Jeong, and S. Choi. 2009. Minyak atsiri prepared from *Cymbopogon citrates* exerted an antimicrobial activity against plant pathogenic and medical microorganisms. Mycobiology. 37: 48-52.

Johny, A.K., M.J. Darre, T.A. Hoagland, D.T Schreiber, A.M. Donoghue, D.J. Donoghue, and K. Venkitanarayanan. 2008. Antibacterial effect of trans-cinnamaldehyde on *Salmonella enteridis* and *Campylobacter jejuni* in chicken drinking water. Journal of Applied Poultry Reseach. 17: 490-497.

Józefiak, D., S. Kaczmarek, and A. Rutkowski. 2008. A note on the effects of selescted prebiotics on the performance and ileal microbiota of broiler chickens. Journal of Animal and Feed Sciences. 17: 392-397.

Jung, S., J.H. Choe, B. Kim, H. Yun, Z.A. Kruk, and C. Jo. 2010. Effect of dietary mixture of galiic acid and linoleic acid on antioxidative potential and quality of breast meat from broilers. Meat Science. 86: 520-526.

Karioti, A., D. Hadjipavlou-Litina, M.L.K. Mensah, T.C. Fleischer, and H. Skaltsa. 2004. Composition and antioxidant activity of the minyak atsiris of *Xylopia aethiopica* (dun) a rich (*Annonaceae*) leaves, stem bark, root bark, and fresh and dried fruits, growing in Ghana. Journal of Agricultural and Food Chemistry. 52: 8094-8098.

Karunamoorthi, K. and K. Ilango. 2010. Larvicidal activity of *Cymbopogon citratus* (DC) Stapf. and *Croton macrostachyus* Del. against *Anopheles arabiensis* Patton, a potent malaria vector. European Review for Medical and Pharmacological Sciences. 14: 57 – 62.

Khaksar, V., M. Krimpen, H. Hashemipor, and M. Pilevar. 2012. Effects of thyme essential oil on performance, some blood parameters and ileal microflora of Japanese quail. Journal of Poultry Science. 49: 106-110.

Khalaji, S., M. Zaghari, K.H. Hatami, S. Hedari-Dastjerdi, L. Lotfi, and Nazarian. 2011. Black cumin seeds, *Artemisia* leaves (*Artemisia sieberi*), and *Camellia* L. plant extract as phytogenic products in broiler diets and their effects on performance, blood constituents, immunity, and cecal microbial population. Poultry Science. 90: 2500-2510.

Kiczorowska, B., W. Samolińska, A.R.M. Al-Yasiry, and Kowalczyk-Peeka. 2016. Effect of Boswellia serrate dietary supplementation on growth performance, gastrointestinal performance, gastrointestinal microflora, and morphology of broilers. Annals of Animal Science. 16: 835-849.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Kirkpinar, F., H.B. Ūnlū, M. Serdaroğlu, and G.Y. Turp. 2014. Effects of dietary oregano and garlic essential oils on carcass characteristics, meat composition, colour, pH, and sensory quality of broiler meat. British Poultry Science. 55: 157-166.

Kogut, M.H. and R.J. Arsenault. 2016. Editorial: Gut health: The new paradigm in food animal production. Frontiers in Veterinary Science. 3: 1-4.

Konjufca, V.H., G.M. Pesti, and R.I. Bakalli. 1997. Modulation of cholesterol levels in broiler meat by dietary garlic and copper. Poultry Science. 76: 1264-1271.

Krishan, G. and A. Narang. 2014. Use of minyak atsiris in poultry nutrition: a new approach. Journal of Advanced Veterinary and Animal Research. 1: 156-162.

Kroliczewska, B., W. Zawadzki, T. Skiba, W. Kopec, and J. Kroliczewki. 2008. The influence of baical skullcap root (*Scutellaria baicalensis radix*) in the diet of broiler chickens on the chemical composition of the muscles, selected performance traits of the animals and the sensory characteristics of the meat. Veterinarni Medicina. 53: 373-380.

Kulkarni, N.S., N.S. Ranpise, and G. Mohan. 2015. Development and evaluation of solid self nano-emulsifying formulation of rosuvastatin calcium for improved bioavailability. Tropical Journal of Pharmaceutical Research. 14: 575-582.

Kumar, M., V. Kumar, D. Roy, R. Kushaha, and S. Vaiswani. 2014. Application of herbal feed additives in animal nutrition. A review. International Journal of Livestock Research. 4: 1-8.

Kumari, K.S., I.S. Babu, and G.H. Rao. 2008. Process optimization for citric acid production from raw glycerol using response surface methodology. Indian Journal of Biotechnology. 7: 496-501.

Lee, K.W., H. Everts, and A.C. Beynen. 2004. Minyak atsiris in broiler nutrition. International Journal of Poultry Science. 3: 738-752.

Lee, K.W., H. Everts, H.J. Kappert, M. Frehner, R. Losa, and A.C. Beynen. 2003. Effects of dietary essential oil components on growth performance, digestive enzymes and lipid metabolism in female broiler chickens. British Poultry Science. 44: 450-457.

Leeson, S., L. Caston, and J.D. Summers. 1996. Broiler response to diet energy. Poultry Science. 75: 529-535.

Li, S. 2011. Enhancement of the antimicrobial activity of eugenol and carvacrol against *Escherichia coli*. 157:H7 by lecithin in microbiological media and food. Master Thesis. University of Tennessee. Knoxville. Tennessee.

Lis-Balchin, M. and S.G. Deans. 1997. Bioactivity of selected plant minyak atsiris against *Listeria monocytogenes*. Journal of Applied Microbiology. 82: 759-762.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Lopez-Bote, C.J., J.I. Gray, E.A. Gomaa, and C.J. Flegal. 1998. Effect of dietary administration of oil extracts from rosemary and sage on lipid oxidation in broiler meat. British Poultry Science. 39: 235-240.

Lukanov, H., A. Genchev, and S. Ribarski. 2015. Effect of seed supplementation with garlic power on meat productivity and meat quality traits of classic Ross 308 male hybrid chickens. Trakia Journal of Science. 13: 66-76.

Madan, J.R., B. Sudarshan, V.S. Kadam, and D. Kamal. 2014. Formulation and development of self-microemulsifying drug delivery system of pioglitazone hydrochloride. Asian Journal of Pharmaceutics. 8:27-35.

Malayoğlu, H.B., Ş. Baysal, Z. Misirlioğglu, M. Polat, H. Yilmaz, and N. Turan. 2010. Effects of oregano essential oil with or without feed enzymes on growth performance, digestive enzyme, nutrient digestibility, lipid metabolism and immune response of broilers fed on wheat-soybean meal diets. British Poultry Science. 51: 67-80.

Manaf, M.A., Y.B.C. Man, N.S.A. Hamid, A. Ismail, and S.Z. Abidin. 2006. Analysis of adulteration of virgin coconut oil by palm kernel olein using Fourier transform infrared spectroscopy. Journal of Food Lipids. 14: 111-121.

Marcinĉák, S., P. Popelka, N. Zdolec, M. Mártonová, J. Šimková, and D. Marcinčáková. 2011. Effect of supplementation of phytogenic feed additives on performance parameters and meat quality of broiler chickens. Slovenian Veterinary Research. 48: 27-34.

Maryam, I., U. Huzaifa, H. Hindatu, and S. Zubaida. 2015. Nanoencapsulation of minyak atsiris with enhanced antimicrobial activity: A new way of combating antimicrobial resistance. Journal of Pharmacognosy and Phytochemistry. 4: 165-170.

Mason, T., J. Wilking, K. Meleson, C.B. Chang, and S.M. Graves. 2006. Nanoemulsion: formation, structure, and physical properties. Journal of Physics: Condensed Matter. 18: 635-666.

Maswal, M. and A.A. Dar. 2014. Formulation challenges in encapsulation and delivery of citral for improved food quality. Food Hydrocolloids. 37: 182-195.

Mathialagan, R., A.H. Nour, Z.A. Sulaiman, A.H. Nour, and T. Raj. S. 2014. A comparative study of lemongrass (*Cymbopogon citratus*) minyak atsiri extracted by microwave-assisted hydrodistillation (MAHD) and conventional hydrodistillation (HD) method. International Journal of Chemical Engineering and Applications. 5: 104-108.

May, J.D. and B.D. Lott. 1991. Feed and water consumption patterns of broilers at high environmental temperatures. Poultry Science. 71: 331-336.

UNIVERSITAS
GADJAH MADA
**Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran
Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler**
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

McGympsey, J.A., M.H. Douglas, J.W. Van Klink, D.A. Beauregard, and N.B. Perry. 1994. Seasonal variation in minyak atsiri yield and composition from naturalized *Thymus vulgaris* L. in New Zealand. Flavour and Fragrance Journal. 9: 347-352.

Mead, G.C. 2000. Prospects for 'competitive exclusion' treatment to control *Salmonella* and other foodborne pathogens in poultry. Veterinary Journal. 159: 111-123.

Mehdipour, Z., M. Afsharmanesh, and M. Sami. 2013. Effects of dietary symbiotic and cinnamon (*Cinnamomum verum*) supplementation on growth performance and meat quality in Japanese quail. Livestock Science. 154: 152-157.

Mehdipour, Z., M. Afsharmanesh, and M. Sami. 2014. Effects of supplemental thyme extract (*Thymus vulgaris* L.) on growth performance, intestinal microbial populations, and meat quality in Japanese quails. Comparative Clinical Pathology. 23: 1503-1508.

Miladinović, D.L., B.S. Ilic, B.D. Kocić, V.M. Ćirić, and D.M. Nikolić. 2015. Antibacterial investigation of thyme minyak atsiri and its main constituents in combination with Tetracycline. Journal of Medicinal Food. 18: 935–937.

Mmereole, F.U.C. 2010. Effects of lemon grass (*Cymbopogon citratus*) leaf meal feed supplement on growth performance of broiler chicks. International Journal of Poultry Science. 9: 1107-1111.

Modi, C.M., S.K Mody, H.B. Patel, G.B. Dudhatra, A. Kumar, and T.J. Sheikh. 2011. Growth promoting use of antimicrobial agents in animals. Journal of Applied Pharmaceutical Science. 1: 33-36.

Mohamed, A.B., M.A.M. Al-Rubaee, and A.Q. Jalil. 2012. Effect of ginger (*Zingiber officinale*) on performance and blood serum parameters of broiler. International Journal of Poultry Science. 11: 143-146.

Mohammadi, Z., S. Ghazanfari, and M.A. Moradi. 2014. Effects of supplementing clove essential oil to the diet on microflora population, intestinal morphology, blood parameters and performance of broilers. European Poultry Science. 78: 1-11.

Mohammed, N.A. and N.Y. Habil. 2015. Evaluation of antimicrobial activity of curcumin against two oral bacteria. Utomation, Control and Intelligent Systems. 3: 18-21.

Mohiti-Asli, M. and M Ghanaatparast-Rashti. 2018. Comparing the effects of a combined phytogenic feed additive with an individual essential oil of oregano on intestinal morphology and microflora in broilers. Journal of Applied Animal Research. 46: 184-189.

UNIVERSITAS
GADJAH MADA
**Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran
Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler**
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Mokodongan, A.R., F. Mokodongan, F. Nangoy, J.R. Leke, dan Z. Poli. Penampilan pertumbuhan ayam Bangkok starter yang diberi pakan dengan level protein berbeda. Jurnal Zootek. 37: 426-435.

Mulyaningsih, S., F. Sporer, S. Zimmermann, J. Reichling, and M. Wink. 2010. Sinergistic properties of the terpenoids aromadendrene and 1,8-cineole from the minyak atsiri of *Eucalyptus globulus* against antibiotic-susceptible and antibiotic-resistant pathogens. Phytomedicine.17: 1061-1066.

Muthusamy, N. and V. Sankar. 2015. Phytogenic compounds used as a feed additives in poultry production. International Journal of Science, Environment and Technology. 4: 167-171.

Nakazato G., T.A. de Campos, E.G. Stehling, M. Brocchi, and W.D. da Silveira. 2009. Virulence factors of avian pathogenic *Escherichia coli* (APEC). Pesquisa Veterinaria Brasileira. 29: 479-486.

Nameghi, A.H., O. Edalatian, and R. Bakhshalinejad. 2019. Effects of a blend of thyme, peppermint and eucalyptus essential oils on growth performance, serum lipid and hepatic enzyme indices, immune response and ileal morphology and micloflora in broilers. Journal of Animal Physiology and Animal Nutrition. 00: 1-11.

Nanasombat, S. and P. Lohasupthawee. 2005. Antibacterial activity of crude ethanolic and minyak atsiris of spices against Salmonellae and other enterobacteria. KMITL Science and Technology Journal. 5: 527-538.

Narkhede, R.S., Gujar K.N., and Gambhire V.M. 2014. Design and evaluation of self-nanoemulsifying drug delivery systems for nebivolol hydrochloride. Asian Journal of Pharmaceutics. 8:200-209.

National Research Council. 1994. Nutrient Requirements of Poultry. Ninth Revised Edition. National Academy Press, Washington, D.C.

Natrajan, D., S. Srinivasan, K. Sundar, and A. Ravindran. 2015. Formulation of minyak atsiri-loaded chitosan-alginate nanocapsules. Journal of Food and Drug Analysis. 23: 560-568.

Nazzaro, F., F. Fratianni, and R. Coppola. 2012. Microtechnology and nanotechnology in food science. Green Technologies in Food Production and Processing. Food Engineering Series. Series Editor: Gustavo V. Barbosa-Cánovas, Washington State University, USA.

Negrelle, R.R.B. and E.C. Gomes. 2007. *Cymbopogon citratus* (DC.) Stapf: chemical composition and biological activities. Reviesta Brasileira de Plantas Medicinais. 9: 80-92.

Nekkanti, V., V. Venkateswarlu, K.A. Ansari, R. Pillai. 2011. Development and pharmacological evaluation of a PEG based nanoparticulate camptothecin analog for oral administration. Current Drug Delivery. 8: 661-666.

UNIVERSITAS
GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Niewold, T.A. 2007. The nonantibiotic anti-inflammatory effect of antimicrobial growth promoters, the real mode of action? A hypothesis. Poultry Science. 86: 605-609.

Nikaido, H. 1994. Prevention of drug acces to bacterial targets: permeability barriers and active efflux. Science. 264: 382-388.

Ningsih, N. 2018. Penggunaan Nanoenkapsulasi ekstrak mahkota dewa dalam air minum dan pengaruhnya terhadap kinerja pertumbuhan, mikroba dan histomorfologi usus halus ayam broiler. Tesis, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

Nollet, L., J.D. van der Klis, M. Lensing, and P. Spring. 2007. The effect of replacing inorganic with organic trace minerals in broiler diets on productive performance and mineral excretion. Journal of Applied Poultry Research. 16: 592-597.

Norouzi, B., A.A.A. Qotbi, A. Seidavi, A.Schiavone, and A.L.M. Marín. 2015. Effect of different dietary levels of rosemary (*Rosmarinus officinalis*) and yarrow (*Achillea millefolium*) on the growth performance, carcass traits and ileal micro-biota of broilers. Italian Journal of Animal Science. 14: 448-453.

Northcutt, J.K., E.A. Foegeding, and F.W. Edens. 1994. Water-Holding properties of thermally preconditioned chicken breast and leg meat. Poultry Science. 73: 308-316.

Omidi, M., K. Taherpour, J. Cheraghi, and H.A. Ghasemi. 2015. Influence of cardamom minyak atsiris and seeds on growth performance, blood characteristics and immunity of broilers. Animal Production Science. 55: 573-579.

Omojola, A.B., S.S. Fagbuaro, and A.A. Ayeni. 2009. Cholesterol content, physical and sensory properties of pork from pigs fed varying levels of dietary garlic (*Allium sativum*). World Applied Sciences Journal. 6: 971-975.

Onawunmi, G.O. 1989. Evaluation of the antimicrobial activity of citral. Letters in Applied Microbiology. 9: 105-108.

Onawunmi, G.O., W. Yisak, and E.O. Ogunlana. 1984. Antibacterial constituents in the minyak atsiri of *Cymbopogon citratus* (DC.) Stapf. Journal of Ethnopharmacology. 12: 279-286.

Ozaki, H. and T. Murase. 2009. Multiple routes of entry for *Escherichia coli* causing colibacillosis in commercial layer chickens. Journal of Veterinary Medical Science. 71: 1685-1689.

Pan, D. and Z. Yu. 2014. Intestinal microbiome of poultry and its interaction with host and diet. Gut Microbes. 5: 108-119.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Parihar, L., L. Sharma, P. Kapoor, and P. Parihar. 2012. Detection of antioxidant, immunodulatory and antimicrobial activity of *Amomum aromaticum* agains *Klebsiella pneumoniae*. Journal of Pharmacy Research. 5: 901-905.

Parmar, N., N. Singla, S. Amin, and K. Kohli. 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self nanoemulsifying drug delivery system. Colloids and Surfaces B: Biointerfaces. 86: 327-338.

Patel, H.K., P.V. Patel, C.K. Misan, D.S. Mehta, and M.B. Patel. 2012. Development and characterization of liquid and solid self-microemulsifying drug delivery system of Tacrolimus. Asian Journal of Pharmaceutics. 6:204-211.

Patterson, J.A. and K.M. Burkholder. 2003. Application of prebiotics on probiotics in poultry production. Poultry Science. 82: 627-631.

Pedro, A.S., I.E. Santo, C.V. Silva, C. Detoni, and E. Albuquerque. 2013. The use of nanotechnology as an approach for minyak atsiri-based formulations with antimicrobial activity. Formatex. 1364-1373.

Pelicano, E.R.L., P.A. Souza, H.B.A. Souza, D.F. Figueiredo, M.M. Boiago, S.R. Carvalho, and V.F. Bordon. 2005. Intestinal mucosa development in broiler chickens fed natural growth promoters. Brazilian Journal of Poultry Science. 7: 221-229.

Permentan. 2017. Peraturan Menteri Pertanian Republik Indonesia Nomor 14/Permentan/PK.350/5/2017 tentang Klasifikasi Obat Hewan. Kementerian Kesehatan. Jakarta.

Petracci, M. and C. Cavani. 2012. Muscle growth and poultry meat quality issues. Nutrients. 4: 1-12.

Pisulewski, P.M. 2005. Nutritional potential for improving meat quality in poultry. Animal Science Papers and Reports. 23: 303-315.

Ponte, P.I.P., I. Mendes, M. Quaresma, M.N.M. Aguiar, J.P. Lemos, L.M.A. Ferreira, M.A.C. Soares, C.M. Alfaia, J.A.M. Prates, and C.M.G.A. Fontes. 2004. Cholesterol levels and sensory characteristics of meat from broilers consuming moderate to high levels of alfafa. Poultry Science. 83: 810-814.

Pouton, C.W. 1997. Formulation of self-emulsifying drug delivery systems. Advanced Drug Delivery Systems. 25: 47-58.

Prashant, P., K. Vaishali, and P. Santosh. 2015. Potential investigation of peceol for formulation of ezetimibe self nano emulsifying drug delivery systems. Asian Journal of Biomedical and Pharmaceutical Sciences. 6: 21-32.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Pratiwi, L., A. Fudholi, R. Martien, S. Pramono. 2016. Design and optimization of self-nanoemulsifying drug delivery systems (SNEDDS) of ethyl acetate fraction from mangosteen peel (*Garcinia mangostana*, L.). International Journal of PharmTech Research. 9: 380-387.

Purwanti, S. 2015. Efektivitas pemanfaatan fitobiotik ekstrak air kunyit dan bawang putih sebagai *feed additive* untuk meningkatkan kualitas gastrointestinal, kinerja produksi, dan kualitas daging ayam broiler. Disertasi, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

Quave, C.L., L.R.W. Plano, T. Pantuso, and B.C. Bennett. 2008. Effects of extracts from Italian medicinal plants on planktonic growth, biofilm formation and adherence of methicillin-resistant *Staphylococcus aureus*. Journal Ethnopharmacology. 118: 418-428.

Qureshi, A.A., Z.Z. Din, N. Abuirmeileh, W.C. Burger, Y. Ahmad, and C.E. Elson. 1983. Suppression of avian hepatic lipid metabolism by solvent extracts of garlic: impact on serum lipids. The Journal of Nutrition. 113: 1746–1755.

Qureshi, S., M. T. Banday, I. Shakeel, S. Adil, M.S. Mir, Y.A. Beigh, and U. Amin. 2016. Histomorphological studies of broiler chicken fed diets supplemented with either raw or enzyme treated dandelion leaves and fenugreek seeds. Veterinary World. 9: 269-275.

Rahman, M. and S. Kim. 2016. Effects of dietary Nigella sativa seed supplementation on broiler productive performance, oxidative status and qualitative characteristics of thighs meat. Italian Journal of Animal Science. 15: 241-247.

Rahmi, E., D. Agustina, dan F. Jamin. 2014. Isolasi dan identifikasi genus *Salmonella* dan *Shigella* dari feses orangutan Sumatera (*Pongo abelii*) di Pusat Reintroduksi Orangutan, Jantho. Jurnal Medika Veterinaria. 8: 5-8.

Raji, A.O., J.U. Igwebuike, and M.T. Usman. 2009. Zoometrical body measurements and their relation with live weight in matured local Muscovy ducks in Borno State Nigeria. ARPN Journal of Agricultural and Biological Science. 3: 58-62.

Ramachandraiah, K., Han S.G., and K.B. Chin. 2015. Nanotechnology in meat processing and packaging: potential applications – a review. Asian-Australasian Journal of Animal Sciences. 28: 290-302.

Rasyaf. 1994. Makanan Ayam Broiler. Kanisius, Yogyakarta.

Ravindran, V. 2013. Poultry feed availability and nutrition in developing countries. Food and Agriculture Organization of the United Nations Poultry Development Review. Pp. 60-63. Rome, Italy.

Rehman, H.U., W. Vahjen, W.A. Awad, and J. Zentek. 2007. Indigenous bacterial metabolic products in the gastrointestinal tract of broiler chickens. Archives of Animal Nutrition. 61: 319-335.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Rhyu, H.Y. 1979. Gas chromatographic characterization of sages of various geographic origins. Journal of Food Science. 44: 758-762.

Roofchaee, A., M.Irani, M.A. Ebrahimzadeh, and M.R. Akbari. 2011. Effect of dietary oregano (*Origanum vulgare* L.) essential oil on growth performance, cecal microflora and serum antioxidant activity of broiler chickens. African Journal of Biotechnology. 10: 6177-6183.

Roura, E., J. Homedes, and K.C. Klasing. 1992. Prevention of immunologic stress contributes to the growth-permitting ability of dietary antibiotics in chicks. Journal of Nutrition. 122: 2383-2390.

Rowe, R.C., P.J. Sheskey, and M.E. Quinn. 2009. Handbook of Pharmaceutical Excipients. Sixth Edition. Pharmaceutical Press, London.

Sahoo, S.K., P. Suresh, and U. Acharya. 2018. Design and development of self-microemulsifying drug devilery systems (SMEDDS) of telmisartan for enhancement of *in vitro* dissolution and oral bioavailability in rabbit. International Journal of Applied Pharmaceutics. 10: 117-126.

Salehi, T.Z., M. Mahzounieh, and A. Saeedzadeh. 2005. The isolation of antibiotic-resistant *Salmonella* from intestine and liver of poultry in Shiraz Province of Iran. International Journal of Poultry Science. 4: 320-322.

Sams, A.R. 1999. Meat quality during processing. Poultry Science. 78: 798-803.

Sams, A.R. 2001. Poultry Meat Processing. CRC Press, Boca Raton, FL.

Samuelson, D.A. 2007. Textbook of Veterinary Histology. Saunders Elsevier. Westline Industrial Drive, St. Louis, Missouri.

Sanka, K., D. Suda, and V. Bakshi. 2016. Optimization of solid-self nanoemulsifying drug delivery system for solubility and release profile of clonazepam using simplex lattice design. Journal of Drug Delivery Science and Technology. 33: 114-124.

Santin, E., A. Maiorka, and M. Macari. 2001. Performance and intestinal mucosa development of broiler chickens fed diets containing *Saccharomyces cerevisiae* cell wall. Journal of Applied Poultry Research. 10: 236-244.

Saritha, D., P.S.C. Bose, and R. Nagaraju. 2014. Formulation and evaluation of self emulsifying drug delivery system (SEEDS) of ibuprofen. International Journal of Pharmaceutical Sciences and Research. 5:3511-3519.

Sasmita, Y., I.G.K. Suarjana, dan M.D. Rudyanto. 2014. Cemaran *Escherichia coli* pada daging broiler yang disimpan di showcase di swalayan di Denpasar. Indonesia Medicus Veterinus. 3: 68-72.

Satyal, P., B.L. Murray, R.L. McFeeters, and W.N. Setzer. 2016. Essential oil characterization of *Thymus vulgaris* from various geographical locations. Foods. 5: 1-12.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Schneitz, C. 2005. Competitive exclusion in poultry – 30 years of research. Food Control. 16: 657-667.

Setya, S., S. Talegaonkar, and B. Razdan. 2014. Nanoemulsions: formulation methods and stability aspects. World Journal of Pharmacy and Pharmaceutical Sciences. 3: 2214-2228.

Shafiq, S., F. Shakeel, S. Talegaonkar, F.J. Ahmad, R.K. Khar, and M. Ali. 2007. Development and bioavailability assessment of ramipril nanoemulsion formulation. European Journal of Pharmaceutics and Biopharmaceutics. 66: 227-243.

Shah, G., R. Shri, V. Panchal, N. Sharma, B. Singh and A.S. Mann. 2016. Scientific basis for the therapeutic use of *Cymbopogon citratus*, Stapf (lemon grass). Journal of Advanced Technology and Research. 2: 3–8.

Shakeel, F., N. Haq, F.K. Alanazi, and I.A. Alsarra. 2013. Impact of various nonionic surfactants on self-nanoemulsification efficiency of two grades of Capryol (Capryol-90 and Capryol-PGMC). Journal of Molecular Liquids. 182: 57-63.

Shamala, T.R., Y.S. Jyothi, and P. Saibaba. 2000. Stimulatory effect of honey on multiplication of lactic acid bacteria under *in vitro* and *in vivo* conditions. Letters in Applied Microbiology. 30: 453-456.

Shamoto, K. and K. Yamauchi. 2000. Recovery responses of chick intestinal villus morphology to different refeeding procedures. Poultry Science. 79: 718-723.

Shanmugam, S., R. Baskaran, P. Balakrishnan, P. Thapa, C.S. Yong, and B.K. Yoo. 2011. Solid self-nanoemulsiffying drug delivery system (S-SNEDDS) containing phosphatidylcholine for enhanced bioavailability of highly lipophilic bioactive carotenoid lutein. European Journal of Pharmaceutics and Biopharmaceutics. 79: 250-257.

Shin, Seungwon. 2005. Anti-*Salmonella* activity of lemongrass oil alone and in combination with antibiotics. Natural Product Sciences. 11: 160-164.

Sillankorva S., E. Pleteneva, O. Shaburova, S. Santos, C. Carvalho, J. Azeredo, and V. Krylov. 2010. *Salmonella enteritidis* bacteriophage candidates for phage therapy of poultry. Journal of Applied Microbiology. 108: 1175-1186.

Simitzis, P.E., S.G. Deligeorgis, J.A. Bizelis, A. Dardamani, I. Theodosiou, and K. Fegeros. 2008. Effect of dietary oregano oil supplementation on lamb meat characteristics. Meat Science. 79: 217-223.

Singh, B., L. Khurana, S. Bandyopadhyay, R. Kapil, and O.O.P. Katare. 2011. Development of optimized self-nano-emulsifying drug delivery systems (SNEDDS) of carvedilol with enhanced bioavailability potential. Drug Delivery. 18: 599-612.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Singh, P.K. 2015. An overview of feed additives. Animal Feed Additives. New India Publishing Agency. New Delhi, India.

Singh, P.K., G. Jairath, and S.S. Ahlawat. 2016. Nanotechnology: A future tool to improve quality and safety in meat industry. Journal of Food Science and Technology. 53: 1739-1749.

Skogman, M.E. 2012. A platform for anti-biofilm assays. Pharmaceutical Sciences. Departement of Biosciences. Abo Akademi University. Abo, Finland.

Skřivan, M., V. Skřivanová, M. Marounek, E. Tůmová, and J. Wolf. 2000. Influence of dietary fat source and copper supplementation on broiler performance, fatty acid profile of meat and depot fat, and on cholesterol content in meat. British Poultry Science. 41: 608-614.

Soeparno. 2009. Ilmu dan Teknologi Daging. Gadjah Mada University Press, Yogyakarta.

Soeparno. 2011. Ilmu Nutrisi dan Gizi Daging. Gadjah Mada University Press, Yogyakarta.

Song, J., K. Xiao, Y.L. Ke, L.F. Jiao, C.H. Hu, Q.Y. Diao, B. Shi, and X.T. Zou. 2014. Effect of probiotic mixture on intestinal microflora, morphology, and barrier integrity of broilers subjected to heat stress. Poultry Science. 93: 581-588.

Sorsano, J.M., L.L. Lucas, L.T. Lucas, A.C. Farin, C.C. Garcia, D.E. Abugho, J.C. Asinas, and N.S. Sorsano. 2013. Performance of free range chicken through feed and drink supplementation using tuber crops, fruits, crops'leaves and herbal extracts. In: Inclussive and sustainable development: Issue and challenges for agriculture, fisheries, and natural resources. Biennial Convention of Philippine Agricultural Economics and Development Association. Pp. 1-36. Ramon Magsaysay Technological University**,** Botolan Campus, Zambales. The Philippines.

Spring, P., C. Wenk, K.A. Dawson, and K.E. Newman. 2000. The effects of dietary mannanoligosaccharides on cecal parameters and the concentrations of enteric bacteria in the ceca of Salmonella-challenged broiler chicks. Poultry Science. 79: 205-211.

Stanley, D., R.J. Hughes, and R.J. Moore. 2014. Microbiota of the chicken gastrointestinal tract: influence on health, productivity and disease. Applied Microbiology and Biotechnology. 98: 4301-4310.

Starcevic, K., L. Krstulovic, D. Brozic, M. Mauric, Z. Stojevic, Z. Mikulec, M. Bajic, and T. Masek. 2014. Production performance, meat composition and oxidative susceptibility in broiler chicken fed with different phenolic compounds. Journal of the Science of Food and Agriculture. 95: 1172-1178.

UNIVERSITAS
GADJAH MADA
**Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran
Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler**
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Stone, S.C., F.A. Vasconcellos, E.J. Lenardão, R.C. do Amaral, R.G. Jacob, and L.F.P. Leivas. 2013. Evaluation of potential use of *Cymbopogon* sp. essential oils, (R)–citronellal dan N-citronellylamine in cancer chemotherapy. International Journal of Applied Research in Natural Products. 6: 11-15.

Subramanian, P. and R. Siddalingam. 2017. Self-nanoemulsifying drug delivery systems of poorly soluble drug dutasteride: Formulation and *in-vitro* characterization. Journal of Applied Pharmaceutical Science. 7:11-22.

Suciati, T., A. Aliyandi, and Satrialdi. 2014. Development of transdermal nanoemulsion formulation for simultaneous delivery of protein vaccine and artin-m adjuvant. International Journal of Pharmacy and Pharmaceutical Sciences. 6: 536-541.

Suganya, T., S. Senthilkumar, K. Deepa, J. Muralidharan, G. Gomathi, and S. Gobiraju. 2016. Herbal feed additives in poultry. International Journal of Science, Environment and Technology. 5: 1137-1145.

Sukandar, D., S. Hermanto, E.R. Amelia, dan M. Zaenudin. 2015. Aktivitas antibakteri ekstrak biji kapulaga (*Amomum compactum* Sol. Ex Maton). Jurnal Kimia Terapan Indonesia. 17: 119-129.

Sulistyoningsih, M. 2014. Optimalisasi produksi broiler melalui suplementasi herbal terhadap persentase karkas dan kadar trigliserida darah. Bioma. 3: 78-93.

Sunarsih, E.S., D.H.S. Palupi, dan I. Hapsari. 2011. Pengaruh praperlakuan jus kubis bunga (*Brassica oleracea* L. var *botrytis* L.) terhadap aktivitas diklofenak dalam terapi inflamasi. Majalah Obat Tradisional. 16: 7-13.

Supadmo. 1997. Pengaruh sumber khitin dan prekursor karnitin serta minyak ikan lemuru terhadap kadar lemak dan kolesterol serta asam lemak omega-3 ayam broiler. Disertasi, Program Pascasarjana, Institut Pertanian Bogor, Bogor.

Tiihonen, K., H. Kettunen, M.H.L. Bento, M. Saarinen, S. Lahtinen, A.C. Ouwehand, H. Schulze, and N. Rautonen. 2010. The effect of feeding essential oils on broiler performance and gut microbiota. British Poultry Science. 51: 381-392.

Timbermont, L., A. Lanckriet, A.R. Gholamiandehkord, F. Pasmans, A. Martel, F. Haesebrouck, R. Ducatelle, and F. Van Immerseel. 2009. Origin of *Clostridium perferingens* isolates determines the ability to induce necrotic enteritis in broilers. Comparative Immunology Microbiology and Infectious Diseases. 32: 503-512.

Thanh, N.T., T.C. Loh, H.L. Foo, M. Hair-bejo, and B.K. Azhar. 2009. Effects of feeding metabolite combinations produced by *Lactobacillus plantarum* on growth performance, faecal microbial population, small intestine villus height and faecal volatile fatty acids in broilers. British Poultry Science. 50: 298-306.

UNIVERSITAS
GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Toghyani, M., M Toghyani, A. Gheisari, G. Ghalamkari, and S. Eghbalsaied. 2011. Evaluation of cinnamon and garlic as antibiotic growth promoter substitutions on performance, immune responses, serum biochemical, and haematological parameters in broiler chicks. Livestock Science. 138: 167-173.

Toghyani, M., M. Toghyani, A. Gheisari, G. Ghalamkari, and M. Mohammadrezaei. 2010. Growth performance, serum biochemistry, and blood hematology of broiler chicks fed different levels of black seed (*Nigella sativa*) and peppermint (*Mentha piperita*). Livestock Science. 129: 173-178.

Traesel, C.K., P. Wolkmer, C. Schmidt, C.B. Silva, F.C. Paim, A.P. Rosa, S.H. Alves, J.M. Santurio, S.T.A. Lopes. 2011. Serum biochemical profile and performance of broiler chickens fed diets containing essential oils and pepper. Comparative Clinical Pathology. 20: 453-460.

Triwahyudi, S., B. Raharjo, L.O. Nelwan, dan D. Wulandari. 2015. Mathematical modeling of equilibrium moisture content of local cardamom (*Amomum cardamomum* Wild). International Journal of Scientific Engineering and Technology. 4: 40-44.

Tullio, V., A. Nostro, N. Mandras, P. Dugo, G. Banche, M.A. Cannatelli, A.M. Cuffini, V. Alonzo, and N.A. Carlone. 2007. Antifungal activity of minyak atsiris against filamentous fungi determined by broth microdilution and vapour contact methods. Journal of Applied Microbiology. 102: 1544-1550.

Udo, I.U., U. Etukudo, and U.U. Anwana. 2018. Effects of chitosan and chitosan nanoparticles on water quality, growth performance, survival rate and meat quality of the African catfish, *Clarias gariepinus*. International Technology and Science Publication. 1: 12-25.

Ulupi, N., H. Nuraini, J. Parulian, dan Q. Kusuma. 2018. Karakteristik karkas dan non karkas ayam broiler jantan dan betina pada umur pemotongan 30 hari. Jurnal Ilmu Produksi dan Teknologi Hasil Peternakan. 6: 1-5.

Umam, M.K., H.S. Prayogi, and V.M.A. Nurgiartiningsih. The performance of broiler rearing in system stage floor and double floor. Jurnal Ilmu-Ilmu Peternakan. 24: 79-87.

Vázquez R.S., L.A.D. Meléndez, E.S. Estrada, C.R. Muela, G.V. Villalobos, G.M. Zamora, M.E. Hume. 2015. Performance of broiler chickens supplemented with Mexican oregano oil (*Lippia berlandieri* Schauer). Revista Brasileira de Zootecnia.44: 283-289.

Verstegen, M.W.A. and B.A. Williams. Alternatives to the use of antibiotics as growth promoters for monogastric animals. Animal Biotechnology. 13: 113-127.

Vilas, P.C., G. Nayan, R. Bhushan, and P. Sunil. 2014. Preparation and *in vitro* evaluation of self-nanoemulsifying drug delivery system (SNEDDS) containing clopidogrel. International Journal of Pharmaceutical Sciences Review and Research. 2: 10-15.

UNIVERSITAS GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Villar, A.M.S., B.C. Naveros, A.C.C. Campmany, M.A. Trenchs, C.B. Rocabert, and L.H. Bellowa. 2012. Design and optimization of self-nanoemulsifying drug delivery systems (SNEDDS) for enhanced dissolution of gemfibrozil. International Journal of Pharmaceutics. 431: 161-175.

Visek, W.J. 1978. The mode of growth promotion by antibiotics. Journal of Animal Science. 46: 1447-1469.

Vyshali, P., M. Suchetha, and K.J. Saraswathi. 2016. Evaluation of antioxidant and antimicrobial properties in *Cymbopogon citratus* (DC) Stapf. International Journal of Botany Studies. 1: 35-41.

Wahju, J. 2015. Ilmu Nutrisi Unggas. Gadjah Mada University Press, Yogyakarta.

Wannissorn, B., S. Jarikasem, T. Siriwangchai, and S. Thubthimthed. 2005. Antibacterial properties of minyak atsiris from Thai medicinal plants. Fitoterapia. 76: 233-236.

Wattanachant, S. 2008. Factors affecting the quality characteristics of Thai indigenous chicken meat. Suranaree Journal of Science and Technology. 15: 317-322.

Wenk, C. 2003. Herbs and botanicals as feed additives in monogastric animals. Asian-Australasian Journal of Animal Sciences. 16: 282-289.

Winarti, L., L. Ameliana, and D. Nurahmanto. 2017. Formula optimization of orally disintegrating tablet containing meloxicam nanoparticles. Research Article, Indonesian Journal of Pharmacy. 28: 53-64.

Windisch, W., K. Schedle, C. Plitzner, and A. Kroismayr. 2008. Use of phytogenic products as feed additives for swine and poultry. Journal of Animal Science. 86: 140-148.

Wiwiek, I.A., S. Martodihardjo, Soenardi, Jumina, I.G.M.N. Budiana, and Mustofa. 2017. Preparation and *in-vitro* characterization of self-nano emulsifying system of C-Phenylcalix-[4]-Resorcynaryl Octacinnamate and C-Methylcalix-[4]-Resorcinaryl Octabenzoate as ultraviolet absorbers. Bali Medical Journal. 6: 569-577.

Wulandari, E., A.C. Alverina, and R. Martien. 2016. SNEDDS (Self-nanoemulsifying drug delivery system) formulation of β-carotene in olive oil (*Olea europaea*). International Journal of Advanced Research. 4: 1031-1043.

Xu, Z.R., C.H. Hu, M.S. Xia, X.A. Zhan, and M.Q. Wang. 2003. Effects of dietary fructooligosaccharide on digestive enzyme activities, intestinal microflora and morphology of male broilers. Poultry Science. 82: 1030-1036.

Yadav, S.A., D. Singh, and S. Poddar. 2012. Influence of components of nanoemulsion system for transdermal drug delivery on nimopidine. Asian Journal of Pharmaceutical and Clinical Research. 5: 209-214.

UNIVERSITAS
GADJAH MADA
Pengaruh Nanoemulsi Minyak Atsiri Serai dan Kapulaga dalam Air Minum terhadap Kesehatan Saluran Pencernaan, Kinerja Pertumbuhan, dan Kualitas Daging Ayam Broiler
TRI UJILESTARI, Prof. Dr. Ir. Zuprizal, DEA., IPU.; Ir. Nanung Danar Dono, S.Pt., M.P., Ph.D., IPM; drh. Bambang A
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Yakhkeshi, S., S. Rahimi, and H.R.H. Matin. 2012. Effects of yarrow (*Achillea millefolium* L.), antibiotic and probiotic on performance, immune response, serum lipids and microbial population of broilers. Journal of Agricultural Science and Technology. 14: 799-810.

Yang, S.C. and S. Benita. 2000. Enhanced absorption and drug targeting by positively charged submicron emulsion. Drug Development Research. 50: 476-486.

Yeagle, P.L. 1985. Cholesterol and the cell membrane. Biochimica et Biophysica Acta. 822: 267-287.

Yegani, M. and D.R. Korver. 2008. Factors affecting intestinal health in poultry. Poultry Science. 87: 2052-2063.

Yesilbag, D, M. Eren, H. Agel, A. Kovanlikaya, and F. Balci. 2011. Effects of dietary rosemary, rosemary volatile oil and vitamin E on broiler performance, meat quality and serum SOD activity. British Poultry Science. 52: 472-482.

Zamora, G.M., L.A.D. Meléndez, M.E. Hume, and R.S. Vázquez. 2017. Performance, blood parameters, and carcass yield of broiler chickens supplemented with Mexican oregano oil. Revista Brasileira de Zootecnia. 46: 515-520.

Zdunczyk, Z., R. Gruzauskas, J. Juskiewiezaz, A. Semaskaite, J. Jankowski, I. Godycka-Klos, V. Jarule, A. Miezeliene, and G. Alencikiene. 2010. Growth performance, gastrointestinal tract responses, and meat characteristics of broiler chickens fed a diet containing the natural alkaloid sanguinarine from *Macleaya cordata*. Journal of Applied Poultry Research. 19: 393-400.

Zengin, H. and A.H. Baysal. 2014. Antibacterial and antioxidant activity of minyak atsiri terpenes against pathogenic and spoilage-forming bacteria and cell structure-activity relationships evaluated by SEM microscopy. Molecules. 19: 17773-17798.

Zulfa, Z., C.T. Chia, and Y. Rukayadi. 2016. *In vitro* antimicrobial activity of *Cymbopogon citratus* (lemongrass) extracts against selected foodborne pathogens. International Food Research Journal. 23: 1262-1267.

Zuprizal. 2004. Antibiotik, probiotik dan fitobiotik dalam pakan unggas. Majalah Poultry Indonesia. Edisi Januari 2004: 52-54.