

DAFTAR PUSTAKA

- Aikaterini T., Athanasia K., Andreas Melidonis. 2017. Type 2 Diabetes and Quality of Life. *World J Diabetes* 2017 April 15; 8(4): 120-171.
- American College of Sports Medicine. 2013. ACSM Resource Manual for Guideline for Exercise Testing and Prescription. Wolters Kluwer. Lippincott Williams & Wilkins. 575 - 599.
- Archer S.L., Michelakis E.D. 2009. Phosphodiesterase type 5 inhibitors for pulmonary arterial hypertension. *N Engl J Med*;361:1864–1871.
- Blok I.M., van Riel .C.M.J., Schuurung M.J., Duffels M.G., Vis J.C., van Dijk A.P.J., Hoendermis E.S., Mulder B.J.M., Bouma B.J. 2015. Decrease in quality of life predicts mortality in adult patients with pulmonary arterial hypertension due to congenital heart disease. *Neth Heart J*;23:278-284.
- Chan, L. Chin L, Kennedy M., Nathan SD. 2013. Benefits of Intensive Treadmill Exercise Training on Cardiorespiratory Function and Quality of Life in Patients With Pulmonary Hypertension. *CHEST* 2013 1;143(2):333-343
- Chen H., Taichman D.B. Doyle R.L. 2008. Health-related Quality of Life and Patient-reported Outcomes in Pulmonary Arterial Hypertension. *Proc Am Thorac Soc*:Vol 5. pp 623–630.
- Chia, K.S.W., Wong, P.K.K., Faux, S.G., McLachlan, C.S. & Kotlyar, E. 2017, 'The benefit of exercise training in pulmonary hypertension: a clinical review', *Internal Medicine Journal*, vol. 47, no. 4, pp. 361–9.
- D'Alto M. and Mahadevan V.S. 2012. Pulmonary arterial hypertension associated with congenital heart disease. *Eur Respir Rev*;21:126, 328-337..
- Dahlan, M.S. 2010. Menentukan rumus besar sampel. In: M.S. Dahlan (Ed): *Besar Sampel dan Cara Pengambilan Sampel*, pp:19-24. Penerbit Salemba Medika, Jakarta.
- Delcroix M. and Howard, L. 2015. Pulmonary arterial hypertension : the burden of disease and impact on quality of life. *Eur Respir Rev*;24:621-629.
- Demir, R. & Küçüköğlü, M.S. 2015, 'Six-minute walk test in pulmonary arterial hypertension', *Anadolu Kardiyoloji Dergisi*.
- Dinarti L. K., Hartopo A.B., Anggrahini D.W., Sadewa A.H., Wahab A.S., Setianto B.Y. 2016. Clinical characteristics of adult uncorrected secundum atrial septal defect: a pilot study. *J Med Sci*. 48(2), 89-97.
- Dimopoulos K., Wort S.J., Gatzoulis M.A. 2014. Pulmonary hypertension related to congenital heart disease : a call for action. *European Heart Journal*;35:691-700.
- Dumitrescu, D., Sitbon, O., Weatherald, J. & Howard, L.S. 2017, Exertional dyspnoea in pulmonary arterial hypertension Number 6 in the Series "Exertional dyspnoea. *European Respiration Journal*
- Dyer MT., Goldsmith KA., Sharples LS., Buxton MJ. 2010. A review of health utilities using the EQ-5D in studies of cardiovascular disease. *Health Qual Life Outcomes* Jan 28;8:13.
- Ehlken, N., Verduyn, C., Tiede,H. 2014. Economic evaluation of exercise training in patients with pulmonary hypertension. *Lung*, 192, 359-66.

- Ehlken N., Fischer C., Lichtblau M., Klose H. 2015. Exercise training improves peak oxygen consumption and haemodynamics in patients with severe pulmonary arterial hypertension and inoperable chronic thrombo-embolic pulmonary hypertension: a prospective, randomized, controlled trial, *Eur Heart Journal* 37,35–44
- Endarti D., Riewpaiboon A., Thavorncharoensap M., Praditsitthikorn N., Hutubessy R., Kristina S.A. 2016. A Comparison of EQ-5D-3L Index Scores Using Foreign Value Sets for Indonesian Sample with Cervical Cancer. *Value in Health*; 19: A807– A918.
- Engelfriet P.M., Duffels M.G.J., Mo'ller T., Boersma E., Tijssen J.G.P., Thaulow E., Gatzoulis M.G., Mulder B.J.M. 2007. Pulmonary arterial hypertension in adults born with a heart septal defect: the Euro Heart Survey on adult congenital heart disease. *Heart*;93:682–687.
- Farina, S., Correale, M., Bruno, N., Paolillo, S., Salvioni, E., Badagliacca, R., Agostoni, P. & “Right and Left Heart Failure Study Group” of the Italian Society of Cardiology 2018, ‘The role of cardiopulmonary exercise tests in pulmonary arterial hypertension.’, *European respiratory review: an official journal of the European Respiratory Society*, vol. 27, no. 148, p. 170134,
- Ganderton, L., Jenkins, S., Gain, K., Fowler, R., Winship, P. & Lunt, D. 2011, Short term effects of exercise training on exercise capacity and quality of life in patients with pulmonary arterial hypertension: protocol for a randomised controlled trial, *BMC Pulmonary Medicine* pp. 1–7.
- Galiè N., Hooper M.M., Humbert M., Torbicki A., Vachiery J.-L., Barbera J.A., Beghetti M., Corris P., Gaine S., Gibbs J.S., Gomez-Sanchez M.A., Jondeau G., Klepetko W., Opitz C., Peacock A., Rubin L., Zellweger M., Simonneau G. 2009. Guidelines for the diagnosis and treatment of pulmonary hypertension. *European Heart Journal*. 30: 2493–2537.
- Galiè, N. & Simonneau, G. 2013, ‘The Fifth World Symposium on Pulmonary Hypertension’, *Journal of the American College of Cardiology*, vol. 62, no. 25, pp. D1–3.
- Galiè, N., Hooper, M.M., Humbert, M., Vachiery, J.L., Gibbs, S., Lang, I., Torbicki, A., Simonneau, G., Peacock, A., Noordegraaf, A.V., Beghetti, M., Ghofrani, A., Sanchez, M.A.G., Hansmann, G., Klepetko, W., Lancellotti, P., Matucci, M., McDonagh, T., Pierard, L.A., Trindade, P.T., Zompatori, A., Hooper, M. 2015. Guidelines for the diagnosis and treatment of pulmonary hypertension: the Task Force for the Diagnosis and Treatment of Pulmonary Hypertension of the European Society of Cardiology (ESC) and the European Respiratory Society (ERS), endorsed by the International Society of Heart and Lung Transplantation (ISHLT). *European Heart Journal*: 5-47.
- Ghofrani, H.A., Richter, M.J., Grimminger, J., Kru, B., Mooren, F.C., Gall, H., Pilat, C. & Kru, K. 2017, Effects of exercise training on pulmonary hemodynamics, functional capacity and inflammation in pulmonary hypertension. *Sagepub*
- Geva T., Martins J.D., Wald R.M. 2014. Atrial septal defects. *The Lancet*. 383: 1921-1932.

- Girithari , S Miguel , O Santos, G Araujo , M Ramalhinho , D Morais , N Lousada. 2019. A pilot observational study of the impact of rehabilitation in patients with pulmonary hypertension the first centre in our country. *Europrevent 2019*.
- Greyson, C.R. 2010, The Right Ventricle and Pulmonary Circulation: Basic Concepts, *Rev Esp Cardiol*.
- Grunig E., Frank R.,Mona L., Ehlken N., Ghofrani H. 2012. Safety and efficacy of exercise training in various forms of pulmonary hypertension. *Eur Respir J* 2012; 40: 84–92
- Gu S., Hu H., Dong H. 2016. Systematic Review of Health-Related Quality of Life in Patients with Pulmonary Arterial Hypertension. *Pharmacoeconomics*. Springer International Publishing, Switzerland.
- Harbaum, L., Renk, E., Yousef, S., Glatzel, A., Lüneburg, N., Hennigs, J.K., Oqueka, T., Baumann, H.J., Atanackovic, D., Grünig, E., Böger, R.H., Bokemeyer, C. & Klose, H. 2016, ‘Acute effects of exercise on the inflammatory state in patients with idiopathic pulmonary arterial hypertension’, *BMC Pulmonary Medicine*, pp. 1–11.
- Haque S., Khan L.R., Mahmud R.S., Faruq, Chowdury A.W., Ali M.S. 2016. Pulmonary Artery Pressure Profile in Atrial Septal Defect Patients. *Bangladesh Heart Journal*;30(1):27-28.
- Hellsten, Y. & Nyberg, M. 2016, ‘Cardiovascular adaptations to exercise training’, *Comprehensive Physiology*, vol. 6, no. 1, pp. 1–32.
- Hidayati, F., Dinarti, L.K., Gharini, P. P., Hartopo, AB. 2018. Pengaruh terapi sildenafil terhadap *Health-related quality of life* Pasien hipertensi arteri pulmonal dengan defek septum atrium sekundum dewasa yang belum dikoreksi. *European Heart Journal Supplements* 20 (D), D29-D29
- Hoeper, M.M., Humbert, M., Souza, R., Idrees, M., Kawut, S.M., Sliwa-Hahnle, K., Jing, Z.C. & Gibbs, J.S.R. 2016, ‘A global view of pulmonary hypertension’, *The Lancet Respiratory Medicine*, vol. 4, no. 4, pp. 306–22.
- Howard, L.S., Ferrari, P. & Mehta, S. 2014, ‘Physicians’ and patients’ expectations of therapies for pulmonary arterial hypertension: where do they meet?’, *European Respiratory Review*, vol. 23, no. 134, pp. 458–68.
- Itoh, T., Nagaya, N., Fujii, T., Iwase, T., Nakanishi, N., Hamada, K., Kangawa, K. & Kimura, H. 2004. A Combination of Oral Sildenafil and Beraprost Ameliorates Pulmonary Hypertension in Rats, *American Journal of Respiratory and Critical Care Medicine*, vol. 169, no. 1, pp. 34–8.
- Ivarsson, B., Hesselstrand, R., Rådegran, G. & Kjellström, B. 2019, ‘Health-related quality of life, treatment adherence and psychosocial support in patients with pulmonary arterial hypertension or chronic thromboembolic pulmonary hypertension.’, *Chronic respiratory disease*, vol. 16
- Keusch, S., Turk, A., Saxer, S., Ehlken, N., Grunig, E. & Ulrich, S. 2017, ‘Rehabilitation in patients with pulmonary arterial hypertension’, *Swiss Medical Weekly*, vol. 147, no. July, pp. 1–5.
- Kulik T., Mullen M., Adatia I. 2009. Pulmonary arterial hypertension associated with congenital heart disease. *Progress in Pediatric Cardiology*; 27:25-33

- Kularatna S., Senanayake S., Gunawardena N., Graves N. 2019. Comparison of the EQ-5D 3L and the SF-6D (SF-36) contemporaneous utility scores in patients with chronic kidney disease in Sri Lanka: a cross-sectional survey. *BMJ Open* 15;9(2)
- Ley, S., Fink, C., Risse, F., Ehlken, N., Fischer, C., Ley-Zaporozhan, J., Kauczor, H.U., Klose, H. & Gruenig, E. 2013, 'Magnetic resonance imaging to assess the effect of exercise training on pulmonary perfusion and blood flow in patients with pulmonary hypertension', *European Radiology*, vol. 23, no. 2, pp. 324–31.
- Li W., Henein M., Gatzoulis M.A. 2007. *Echocardiography in Adult Congenital Heart Disease*, London, Springer-Verlag.
- Lilly, S.L. 2011. *Pathophysiology of Heart Disease*, 5th Ed. Lippincott Williams.
- Liu, H. long, Chen, X. yan, Li, J. ru, Su, S. wen, Ding, T., Shi, C. xia, Jiang, Y. fa & Zhu, Z. ning 2016, 'Efficacy and Safety of Pulmonary Arterial Hypertension-specific Therapy in Pulmonary Arterial Hypertension: A Meta-analysis of Randomized Controlled Trials', *Chest*, vol. 150, no. 2, pp. 353–66.
- Lowe B.S., Therrien J., Ionescu-Ittu R., Pilote L., Martucci G., Marelli A.J. 2011. Diagnosis of Pulmonary Hypertension in the Congenital Heart Disease Adult Population. *Journal of the American College of Cardiology*;Vol 58,No 5.
- Lukito, A, Harmeiwaty, E, Hustrini, N. 2019, *Konsensus Penatalaksanaan hipertensi 2019*. Indonesian society of hypertension
- Mychaskiw, M., Berger, A., Mardekian, J., Hwang, L. & Oster, G. 2011, 'Pcv108 Methods for Estimating Health-State Utilities in Pulmonary Arterial Hypertension', *Value in Health*, vol. 13, no. 7, p. A361.
- Marra, A.M., Arcopinto, M., Bossone, E., Ehlken, N., Cittadini, A. & Grünig, E. 2015, 'Pulmonary arterial hypertension-related myopathy: An overview of current data and future perspectives', *Nutrition, Metabolism and Cardiovascular Diseases*, vol. 25, no. 2, pp. 131–9.
- Matthews, J.C. & McLaughlin, V. 2008, 'Acute right ventricular failure in the setting of acute pulmonary embolism or chronic pulmonary hypertension: a detailed review of the pathophysiology, diagnosis, and management.', *Current cardiology reviews*, vol. 4, no. 1, pp. 49–59
- Mathai S.C., Suber T., Khair R.M., Kolb T.M., Damico R.L., Hassoun P.M., 2015. Health-Related Quality of Life and Survival in Pulmonary Arterial Hypertension. *AnnalsATS Articles n Press*:1-31.
- Matura L.A., McDonough A., Carroll D.L. 2012. Cluster analysis of symptoms in pulmonary arterial hypertension: a pilot study. *European Journal of Cardiovascular Nursing*; 11(1):51–61.
- McLaughlin V.V., McGoon M.D. 2006. Pulmonary Arterial Hypertension. *Circulation*; 114(13):1417–31.
- Mereles, D., Ehlken, N., Kreuzer, S., Ghofrani, S., Hoeper, M.M., Halank, M., Meyer, F.J., Karger, G., Buss, J., Juenger, J., Holzappel, N., Opitz, C., Winkler, J., Herth, F.F.J., Wilkens, H., Katus, H.A., Olschewski, H. & Grünig, E. 2006, Exercise and Respiratory Training Improve Exercise Capacity and Quality of

- Life in Patients With Severe Chronic Pulmonary Hypertension, *Circulation* pp. 1482–9.
- Miyamoto, s., nagaya, n., satoh, t., kyotani, s., sakamaki, f., fujita, m., nakanishi, n. & miyatake, k. 2000, ‘Clinical Correlates and Prognostic Significance of Six-minute Walk Test in Patients with Primary Pulmonary Hypertension’, *American Journal of Respiratory and Critical Care Medicine*, vol. 161, no. 2, pp. 487–92,
- Nagel, C., Prange, F., Guth, S., Herb, J., Ehlken, N., Fischer, C., Reichenberger, F., Rosenkranz, S., Seyfarth, H.-J., Mayer, E., Halank, M. & Grünig, E. 2012, ‘Exercise Training Improves Exercise Capacity and Quality of Life in Patients with Inoperable or Residual Chronic Thromboembolic Pulmonary Hypertension’, M. Lipinski (ed.), *PLoS ONE*, vol. 7, no. 7, p. e41603
- Payakachat, N., Ali, M.M. & Tilford, J.M. 2015, ‘Can The EQ-5D Detect Meaningful Change? A Systematic Review.’, *PharmacoEconomics*, vol. 33, no. 11, pp. 1137–54
- Nashat, H., Montanaro, C., Li, W., Kempny, A., Wort, S.J., Dimopoulos, K., Gatzoulis, M.A. & Babu-Narayan, S. V.2018. ‘Atrial septal defects and pulmonary arterial hypertension.’, *Journal of thoracic disease*, vol. 10, no. Suppl 24, pp. S2953–65.
- Nilsson E. 2012. Aspects of Health-Related Quality of Life. Associations with psychosocial and biological factors, and use as patient-reported outcome in routine health care. Sweden : Linköping University Medical Dissertations No. 1295.
- Pandey, A., Garg, S., Khunger, M., Garg, S., Kumbhani, D.J., Chin, K.M. & Berry, J.D. 2015, Efficacy and Safety of Exercise Training in Chronic Pulmonary Hypertension Systematic Review and Meta-Analysis, *Circulation* pp. 1032–43.
- PDPI, 2003, Pedoman diagnosis dan penatalaksanaan Penyakit Paru Obstruktif Kronis di Indonesia 1973 - 2003, PDPI. pp. 1973–2003.
- Pepke-Zaba J., Gilbert C., Collings L., Brown M.C.J. 2008. Sildenafil Improves Health-Related Quality of Life in Patients With Pulmonary Arterial Hypertension. *CHEST*; 133:183–189.
- Pickard AS, Neary MP, Cella D. Estimation of minimally important differences in EQ-5D utility and VAS scores in cancer. *Health Qual Life Outcomes* 2007; 5: 70
- Post. 2013. Association between pulmonary hypertension and an atrial septal defect. *Net Heart J* ;21:331–332.
- Purba, F.D., Hunfeld, J.A.M., Iskandarsyah, A., Passchier, J. & Busschbach, J.J. V 2017, *The Indonesian EQ-5D-5L Value Set*, pp. 1153–65.
- Ramos, R.P., Arakaki, J.S.O., Barbosa, P., Treptow, E., Valois, F.M., Ferreira, E.V.M., Nery, L.E., Neder, J.A. & Paulo, S. n.d., ‘Congestive Heart Failure Heart rate recovery in pulmonary arterial hypertension : Relationship with exercise capacity and prognosis’, *American Heart Journal*, vol. 163, no. 4, pp. 580–8.
- Reis, A., Santos, M., Vicente, M., Furtado, I., Cruz, C., Melo, A., Carvalho, L., Gonçalves, F., Sa-Couto, P. & Almeida, L. 2018, ‘Health-related quality of

- life in pulmonary hypertension and its clinical correlates: A cross-sectional study', *BioMed Research International*, vol. 2018.
- Revicki D.A., Osoba D., Fairclough D., Barofsky I., Berzon R., Leidy N.K., Rothman M. 2000. Recommendations on health-related quality of life research to support labeling and promotional claims in the United States. *Quality of Life Research*;9: 887-900.
- Rich, J.D. & Rich, S. 2014, 'Clinical diagnosis of pulmonary hypertension', *Circulation*, vol. 130, no. 20, pp. 1820–30.
- Sahni, S., Capozzi, B., Iftikhar, A., Sgouras, V., Ojrzanowski, M. & Talwar, A. 2015, 'Pulmonary rehabilitation and exercise in pulmonary arterial hypertension: An underutilized intervention', *Journal of Exercise Rehabilitation*, vol. 11, no. 2, pp. 74–9.
- Sari A., Lestari N.D., Perwitasari D.A. 2015. Validasi St *European Quality of Life-5 Dimensions* (EQ-5D) Versi Indonesia pada Pasien Hipertensi di Puskesmas Kotagede II Yogyakarta. *Pharmaciana*;Volume 5 Nomor 2:131-138.
- Setiati, S., Harimurti, K., Dewiasty, E. & Istanti, R. 2011, 'Predictors and scoring system for health-related quality of life in an Indonesian community-dwelling elderly population.', *Acta medica Indonesiana*, vol. 43, no. 4, pp. 237–42.
- Shafazand S, Goldstein MK, Doyle RL, *et al.*, Health-related quality of life in patients with pulmonary arterial hypertension. *Chest* 2004; 126:1452–1459.
- Simonneau, G., Montani, D., Celermajer, D.S., Denton, C.P., Gatzoulis, M.A., Krowka, M., Williams, P.G. & Souza, R. 2019. Haemodynamic definitions and updated clinical classification of pulmonary hypertension. *Eur Respir J*
- Soelistijo, A, Novida, H, Rudijanto, A, Soewondo, P. 2015, Konsensus Pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015. PERKENI
- Sommer R.J., Hijazi Z.M., Rhodes J.F. 2008. Pathophysiology of Congenital Heart Disease in the Adult Part I: Shunt Lesions. *Circulation*;117:1090-1099.
- Thompson S., Fichte K., Miltenburger C., Nikkho S., Higenbottam T., Olschewski H., Seeger W. 2001. Measuring Health-Related Quality of Life with The Euroqol EQ-5D Instrument in Clinical Trials of New Treatments for Pulmonary Hypertension. In: *17th Plenary Meeting of the EuroQoL Group, Pampiona, 28-29 September 2000. Discussion Paper*, pp 239-248. Universad Publica de Navarra, Spain.
- Thrall, G., Lane, D., Carroll, D. & Lip, G.Y.H. 2006, *Quality of Life in Patients with Atrial Fibrillation : A Systematic Review*.
- Tran, D.L., Lau, E.M.T., Celermajer, D.S., Davis, G.M. & Cordina, R. 2018, 'Pathophysiology of exercise intolerance in pulmonary arterial hypertension', *Respirology*, vol. 23, no. 2, pp. 148–59.
- Tsuboi, Y., Tanaka, H., Nishio, R., Sawa, T., Terashita, D., Nakayama, K., Satomi-Kobayashi, S., Sakai, Y., Emoto, N. & Hirata, K.I. 2017, 'Associations of Exercise Tolerance with Hemodynamic Parameters for Pulmonary Arterial Hypertension and for Chronic Thromboembolic Pulmonary Hypertension',

- Journal of Cardiopulmonary Rehabilitation and Prevention*, vol. 37, no. 5, pp. 341–6.
- Tyrka A., Sarnecka A., Jonas K., Waligora M., Kopec G., Podolec P., 2014. Health-related quality of life in pulmonary arterial hypertension (RCD code: II). *Journal of Rare Cardiovascular Diseases*:2(1):5-8.
- Ursula Paula Renó Soci, Stephano Freitas Soares Melo, João Lucas Penteadó Gomes, André Casanova Silveira, Clara Nóbrega, and E.M. de O. 2017, *Advances in Experimental Medicine and Biology - Exercise Training and Epigenetic Regulation: Multilevel Modification and Regulation of Gene Expression*, pp. 281–322.
- Usman. 2008. Kelainan Kardiovaskular. *Dalam: Buku Ajar Neonatologi*. 1st ed jakarta: Badan Penerbit IDAI.p 31-9
- Van Reenen, M. & Oppe, M. 2015, 'EQ-5D-3L user guide: basic information on how to use the EQ-5D-3L instrument', *EuroQol Research Foundation*, p. 22.
- Vecchia, L.A.D., Bussotti, M. 2018. Exercise training in pulmonary arterial hypertension. *Journal of Thoracic Disease*, 388-45.
- Voelkel, N.F. 2018, How Does the Pressure- Overloaded Right Ventricle Adapt and Why Does It Fail? Macro-and Micro- Molecular Perspectives. *Springer International*
- Walters SJ, Brazier JE. 2005. Comparison of the minimally important difference for two health state utility measures: EQ-5D and SF-6D. *Qual Life Res* 2005; 14: 1523–1532.
- Waxman, A.B. 2012, 'Exercise physiology and pulmonary arterial hypertension', *Progress in Cardiovascular Diseases*, vol. 55, no. 2, pp. 172–9.
- Wong R.C.C., Koh G.M., Choong P.H., Yip W.L.J. 2007. Oral sildenafil therapy improves health-related quality of life and functional status in pulmonary arterial hypertension. *International Journal of Cardiology*;119: 400–402.
- Yorke, J., Corris, P., Gaine, S., Gibbs, J.S.R., Kiely, D.G., Harries, C., Pollock, V. & Armstrong, I. 2014, 'EmPHasis-10: Development of a health-related quality of life measure in pulmonary hypertension', *European Respiratory Journal*, vol. 43, no. 4, pp. 1106–13.
- Yusof F.A., Goh A., Azmi S. 2012. Estimating an EQ-5D Value Set for Malaysia Using Time Trade-Off and Visual Analogue Scale Methods. *Value in Health*;15: S85–S90.
- Zlupko, M., Harhay, M.O., Gallop, R., Shin, J., Archer-Chicko, C., Patel, R., Palevsky, H.I. & Taichman, D.B. 2008, 'Evaluation of disease-specific health-related quality of life in patients with pulmonary arterial hypertension', *Respiratory Medicine*, vol. 102, no. 10, pp. 1431–8.