

DAFTAR PUSTAKA

- Abbas, M., Rao, B.P., Reddy, V., and Kim, C., 2014, Fe₃O₄/TiO₂ Core/Shell Nanocubes: Single-Batch Surfactantless Synthesis, Characterization and Efficient Catalysts for Methylene Blue Degradation, *Ceram. Int.*, 40, 11177–11186.
- Al-Hashemi, Z.S.S. and Hossain, M.A., 2016, Biological Activities of Different Neem Leaf Crude Extracts Used Locally in Ayurvedic Medicine, *Pacific Sci. Rev. A Nat. Sci. Eng.*, 18, 128–131.
- Bagheri, S. and Julkapli, N.M., 2015, Magnetite Hybrid Photocatalysis: Advance Environmental Remediation, *Rev. Inorg. Chem.*, 36, 135–151.
- Bankole, P.O., Adekunle, A.A., and Govindwar, S.P., 2019, Demethylation and Desulfonation of Textile Industry Dye, Thiazole Yellow G by *Aspergillus Niger* LAG, *Biotechnol. Reports*, 23, e00327.
- Banisharif, A., Elahi, S.H., Firooz, A.A., Khodadadi, A.A., and Mortazavi, Y., 2013, TiO₂/Fe₃O₄ Nanocomposite Photocatalysts for Enhanced Photo-Decolorization of Congo Red Dye, *Int. J. Nanosci. Nanotechnol.*, 9, 193–202.
- Beydoun, D., Amal, R., Low, G., and McEvoy, S., 2002, Occurrence and Prevention of Photodissolution at The Phase Junction of Magnetite and Titanium Dioxide, *J. Mol. Catal. A Chem.*, 180, 193–200.
- Bhagwat, U.O., Wu, J.J., Asiri, A.M., and Anandan, S., 2017, Sonochemical Synthesis of Mg-TiO₂ Nanoparticles for Persistent Congo Red Dye Degradation, *J. Photochem. Photobiol. A Chem.*, 346, 559–569.
- Chen, X., Shen, S., Guo, L., and Mao, S.S., 2010, Semiconductor-Based Photocatalytic Hydrogen Generation, *Chem. Rev.*, 110, 6503–6570.
- Cheng, J.P., Yu, J., Shi, D., Wang, D.S., Liu, Y.F., Liu, F., et al., 2012, Controllable One-Step Synthesis of Magnetite/Carbon Nanotubes Composite and Its Electrochemical Properties, *Appl. Phys. A Mater. Sci. Process.*, 106, 837–842.
- Choi, J., Park, H., and Hoffmann, M.R., 2010, Effects of Single Metal-Ion Doping on the Visible-Light Photo-Reactivity of TiO₂, *J. Phys. Chem. C*, 114, 788.
- Daghrir, R., Drogui, P., and Robert, D., 2013, Modified TiO₂ for Environmental Photocatalytic Applications: A Review, *Ind. Eng. Chem. Res.*, 52, 3581–3599.
- Duran, J.D.G., Arias, J.L., Gallardo, V., and Delgado, A. V., 2008, Magnetic Colloids as Drug Vehicles, *J. Pharm. Sci.*, 97, 2948–2983.

- Farimani, M.H.R., Shahtahmasebi, N., Roknabadi, M.R., Ghows, N., and Kazemi, A., 2013, Study of Structural and Magnetic Properties of Superparamagnetic Fe₃O₄/SiO₂ Core-Shell Nanocomposites Synthesized with Hydrophilic Citrate-Modified Fe₃O₄ Seeds via a Sol-Gel Approach, *Phys. E Low-Dimensional Syst. Nanostructures*, 53, 207–216.
- Ganesh, I., Gupta, A.K., Kumar, P.P., Sekhar, P.S.C., Radha, K., Padmanabham, G., and Sundararajan, G., 2012, Preparation and Characterization of Ni-Doped TiO₂ Materials for Photocurrent and Photocatalytic Applications, *Sci. World J.*, 2012, 13–20.
- Ghaemi, M., Absalan, G., and Sheikhian, L., 2014, Adsorption Characteristics of Titan Yellow and Congo Red on CoFe₂O₄ Magnetic Nanoparticles, *J. Iran. Chem. Soc.*, 11, 1759–1766.
- Haque, M.M., Khan, A., Umar, K., Mir, N.A., Muneer, M., Harada, T., and Matsumura, M., 2013, Synthesis, Characterization and Photocatalytic Activity of Visible Light Induced Ni-Doped TiO₂, *Energy Environ. Focus*, 2, 73–78.
- Hariani, P.L., Faizal, M., Ridwan, R., Marsi, M., and Setiabudidaya, D., 2013, Synthesis and Properties of Fe₃O₄ Nanoparticles by Co-Precipitation Method to Removal Procion Dye, *Int. J. Environ. Sci. Dev.*, 4, 336–340.
- Hashimoto, K., Irie, H., and Fujishima, A., 2005, TiO₂ Photocatalysis: A Historical Overview and Future Prospects, *Japanese J. Appl. Physics, Part 1 Regul. Pap. Short Notes Rev. Pap.*, 44, 8269–8285.
- Hiremath, S., Antony Raj, M.A.L., Chandra Prabha, M.N., and Vidya, C., 2018, Tamarindus Indica Mediated Biosynthesis of Nano TiO₂ and Its Application in Photocatalytic Degradation of Titan Yellow, *J. Environ. Chem. Eng.*, 6, 7338–7346.
- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Applications of Semiconductor Photocatalysis, *Chem. Rev.*, 95, 69–96.
- Houas, A., Lachheb, H., Ksibi, M., Elaloui, E., Guillard, C., and Herrmann, J.M., 2001, Photocatalytic Degradation Pathway of Methylene Blue in Water, *Appl. Catal. B Environ.*, 31, 145–157.
- Hu, C., Gao, Z., and Yang, X., 2006, Fabrication and Magnetic Properties of Fe₃O₄ Octahedra, *Chem. Phys. Lett.*, 429, 513–517.
- Iida, H., Takayanagi, K., Nakanishi, T., and Osaka, T., 2007, Synthesis of Fe₃O₄ Nanoparticles with Various Sizes and Magnetic Properties by Controlled Hydrolysis, *J. Colloid Interface Sci.*, 314, 274–280.

- Kim, D.H., Park, H.S., Kim, S.J., and Lee, K.S., 2005, Characteristics of Ni 8 wt%-Doped Titanium Dioxide Photocatalyst Synthesized by Mechanical Alloying, *Catal. Letters*, 100, 49–52.
- Kormann, C., Hoffmann, M.R., and Bahnemann, D.W., 1991, Photolysis of Chloroform and Other Organic Molecules in Aqueous TiO₂ Suspensions, *Environ. Sci. Technol.*, 25, 494–500.
- Kumar, A. and Pandey, G., 2018, Different Methods Used for the Synthesis of TiO₂ Based Nanomaterials: A Review, *Am. J. Nano Res. Appl.*, 6, 1.
- Kumar, S.G. and Devi, L.G., 2011, Review on Modified TiO₂ Photocatalysis under UV/Visible Light: Selected Results and Related Mechanisms on Interfacial Charge Carrier Transfer Dynamics, *J. Phys. Chem. A*, 115, 13211–13241.
- Li, J., Zeng, H., Sun, S., Liu, J.P., and Wang, Z.L., 2004, Analyzing The Structure of CoFe-Fe₃O₄ Core-Shell Nanoparticles by Electron Imaging and Diffraction, *J. Phys. Chem. B*, 108, 14005–14008.
- Li, M., Xing, Z., Jiang, J., Li, Z., Kuang, J., Yin, J., et al., 2018, In-Situ Ti³⁺/S Doped high Thermostable Anatase TiO₂ Nanorods as Efficient Visible-Light-Driven Photocatalysts, *Mater. Chem. Phys.*, 219, 303–310.
- Li, W. and Wu, H., 2017, Sodium Citrate Functionalized Reusable Fe₃O₄@TiO₂ Photocatalyst for Water Purification, *Chem. Phys. Lett.*, 686, 178–182.
- Li, Y., Zhang, M., Guo, M., and Wang, X., 2009, Preparation and Properties of A Nano TiO₂/Fe₃O₄ Composite Superparamagnetic Photocatalyst, *Rare Met.*, 28, 423–427.
- Mital, G.S. and Manoj, T., 2011, A Review of TiO₂ nanoparticles, *Chinese Sci. Bull.*, 56, 1639–1657.
- Na, Y., Yang, S., and Lee, S., 2014, Evaluation of Citrate-Coated Magnetic Nanoparticles as Draw Solute for Forward Osmosis, *Desalination*, 347, 34–42.
- Nakaoka, K., Ueyama, J., and Ogura, K., 2004, Semiconductor and Electrochromic Properties of Electrochemically Deposited Nickel Oxide Films, *J. Electroanal. Chem.*, 571, 93–99.
- Okube, M., Yasue, T., and Sasaki, S., 2012, Residual-Density Mapping and Site-Selective Determination of Anomalous Scattering Factors to Examine The Origin of The Fe K Pre-Edge Peak of Magnetite, *J. Synchrotron Radiat.*, 19, 759–767.

- Peng, H., Li, J., Li, S.S., and Xia, J.B., 2008, First-Principles Study of The Electronic Structures and Magnetic Properties of 3d Transition Metal-Doped Anatase TiO₂, *J. Phys. Condens. Matter*, 20.
- Pozzo, R.L., Baltanás, M.A., and Cassano, A.E., 1997, Supported Titanium Oxide as Photocatalyst in Water Decontamination: State of The Art, *Catal. Today*, 39, 219–231.
- Prawitasari, R.R., 2018, Studi Pengaruh Konsentrasi Ni²⁺ terhadap Energi Celah Pita Nanokomposit Fe₃O₄/SiO₂/Ni-TiO₂, *Skripsi*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Raguram, T. and Rajni, K.S., 2019, Synthesis and Analysing The Structural, Optical, Morphological, Photocatalytic and Magnetic Properties of TiO₂ and Doped (Ni and Cu) TiO₂ Nanoparticles by Sol–Gel Technique, *Appl. Phys. A Mater. Sci. Process.*, 125, 1–11.
- Rahman, T., Fadhlulloh, M. a, Nandiyanto, A.B.D., and Mudzakir, A., 2014, Review: Sintesis Titanium Dioksida Nanopartikel, *J. Integr. Proses*, 5, 30–45.
- Sartika, D., 2014, Investigasi Pengaruh Ukuran Partikel, Konsentrasi, dan Sifat Magnetik Adsorben Nanopartikel Fe₃O₄ Terhadap Adsorpsi Logam Co, Fe Dalam Larutan, *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Shokrollahi, A., Hemmatidoust, K., and Zarghampour, F., 2016, Determination of Magnesium by The Solution Scanometric Method in A Coloured Titan Yellow Magnesium Hydroxide Complex Form, *J. Taibah Univ. Sci.*, 10, 161–167.
- Suraini, H., 2012, Pengaruh Suhu Kalsinasi pada Preparasi TiO₂-Lignin Terhadap Karakter dan Aktivasinya dalam Proses Fotoreduksi Ag(I), *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Susanti, A.D., 2014, Sintesis Nanopartikel Core Shell Fe₃O₄/SiO₂/TiO₂ sebagai Fotokatalis pada Degradasi Brilliant Blue, *Tesis*, Fakultas Matematika dan Ilmu Pengetahuan Alam Universitas Gadjah Mada, Yogyakarta.
- Sutanto, H. and Wibowo, S., 2015, *Semikonduktor Fotokatalis Seng Oksida dan Titania : Sintesis , Deposisi dan Aplikasi*, Telescope, Semarang.
- Tayade, R.J., Surolia, P.K., Kulkarni, R.G., and Jasra, R. V., 2007, Photocatalytic Degradation of Dyes and Organic Contaminants in Water Using Nanocrystalline Anatase and Rutile TiO₂, *Sci. Technol. Adv. Mater.*, 8, 455–462.

- Teimouri, M., Husain, S.W., Tehrani, M.S., and Azar, P.A., 2019, Preparation of Novel Ni/Co Co-Doping Fe₃O₄/TiO₂ Core-Shell Nanocomposites and Their Use in Effective Photocatalytic Degradation of Amlodipine Drug., *Sep. Sci. Technol.*, 54, 634–641.
- Wang, W., Gu, B., Liang, L., Hamilton, W. a, and Wesolowski, D.J., 2004, Synthesis of Rutile (@-TiO₂) Nanocrystals with Controlled Size and Shape by Low-Temperature Hydrolysis: Effects of Solvent Composition Wei, *Society*, 108, 2–5.
- Wang, Z., Shen, L., and Zhu, S., 2012, Synthesis of Core-Shell Fe₃O₄@SiO₂@TiO₂ Microspheres and Their Application as Recyclable Photocatalysts, *Int. J. Photoenergy*, 2012, .
- Xuan, S., Jiang, W., Gong, X., Hu, Y., and Chen, Z., 2009, Magnetically Separable Fe₃O₄/TiO₂ Hollow Spheres: Fabrication and Photocatalytic Activity, *J. Phys. Chem. C*, 113, 553–558.
- Zaleska, A., 2008, Doped-TiO₂ : A Review, *Recent Patents Eng.*, 2, 157–164.