

## DAFTAR PUSTAKA

- Alomari, M.H., Samaha, A., AlKamha, K., 2013. Automated Classification of L/R Hand Movement EEG Signals using Advanced Feature Extraction and Machine Learning. *Int. J. Adv. Comput. Sci. Appl.* 4, 6. <https://doi.org/10.14569/IJACSA.2013.040628>
- Boulet, B., 2006. *Fundamentals of Signal and System*. Charles River Media, Massachusetts.
- Brunner, C., Leeb, R., M'uller-Putz, G.R., Schl'ogel, A., Pfurtscheller, G., 2008. BCI Competition 2008 – Graz data set A [WWW Document]. <https://doi.org/10.1109/TBME.2004.827081>
- Cardoso, J.F., 1998. Blind signal separation: Statistical principles. *Proc. IEEE* 86, 2009–2025. <https://doi.org/10.1109/5.720250>
- Chakravorty, P., 2018. What Is a Signal? *IEEE Signal Process. Mag.* 35, 175–177. <https://doi.org/10.1109/MSP.2018.2832195>
- Dharmapranjani, D., Nguyen, H.K., Lewis, T.W., Delosangeles, D., Willoughby, J.O., Pope, K.J., 2016. A comparison of independent component analysis algorithms and measures to discriminate between EEG and artifact components. *Proc. Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. EMBS 2016–Octob*, 825–828. <https://doi.org/10.1109/EMBC.2016.7590828>
- Dosenbiologi, 2015. 4 Bagian bagian Otak Manusia Beserta Fungsinya [WWW Document]. URL <https://dosenbiologi.com/manusia/bagian-bagian-otak-manusia> (accessed 10.18.18).
- Fleming, G., 2018. bagian otak manusia [WWW Document]. URL <https://slideplayer.com/slide/13333078/> (accessed 8.14.19).
- Hugo, G., Jarmo, H., Jaakko, S., Aapo, H., 2005. *FastICA*.
- Hyvarinen, A., Karhunen, J., Oja, E., 2001. *Independent Component Analysis*. JOHN WILEY & SONS, INC., New York.
- Islam, K.A., Tcheslavski, G. V., 2015. Independent Component Analysis for EOG artifacts minimization of EEG signals using kurtosis as a threshold. *2nd Int. Conf. Electr. Inf. Commun. Technol. EICT 2015* 137–142. <https://doi.org/10.1109/EICT.2015.7391935>
- Jindal, K., Upadhyay, R., 2017. Epileptic Seizure Detection from EEG Signal using Flexible Analytical Wavelet Transform. *Int. Conf. Comput. Commun. Electron.* 67–72.
- Jinshe, M., 2017. cap elektroda eeg [WWW Document]. URL <http://mini.eastday.com/a/170706135710849.html> (accessed 8.14.19).
- Khosrowabadi, R., Quek, H.C., Wahab, A., Ang, K.K., 2010. EEG-based Emotion Recognition Using Self-Organizing Map for Boundary Detection. *2010 20th Int. Conf. Pattern Recognit.* 4242–4245. <https://doi.org/10.1109/ICPR.2010.1031>
- Kowalczyk, A., 2017. *Support Vector Machines Succinctly*. Syncfusion, Morrisville.
- Lawhern, V., Slayback, D., Wu, D., Lance, B.J., 2015. Efficient Labeling of EEG

- Signal Artifacts Using Active Learning. Proc. - 2015 IEEE Int. Conf. Syst. Man, Cybern. SMC 2015 3217–3222. <https://doi.org/10.1109/SMC.2015.558>
- Li, P., Chen, Z., Hu, Y., 2017. A method for automatic removal of EOG artifacts from EEG based on ICA-EMD 1860–1863.
- Liu, Y.H., Wu, C. Te, Kao, Y.H., Chen, Y.T., 2013. Single-trial EEG-based emotion recognition using kernel Eigen-emotion pattern and adaptive support vector machine. Conf. Proc. ... Annu. Int. Conf. IEEE Eng. Med. Biol. Soc. IEEE Eng. Med. Biol. Soc. Annu. Conf. 2013, 4306–4309. <https://doi.org/10.1109/EMBC.2013.6610498>
- López-Larraz, E., Bibián, C., Birbaumer, N., Ramos-Murguialday, A., 2017. Influence of artifacts on movement intention decoding from EEG activity in severely paralyzed stroke patients. IEEE Int. Conf. Rehabil. Robot. 901–906. <https://doi.org/10.1109/ICORR.2017.8009363>
- Ma, G., Agerkvist, F.T., Luther, J.B., 2007. Monaural separation of dependent audio sources based on a generalized Wiener filter. ISSPIT 2007 - 2007 IEEE Int. Symp. Signal Process. Inf. Technol. 578–583. <https://doi.org/10.1109/ISSPIT.2007.4458074>
- Maddirala, A., Shaik, R.A., 2016. Removal of EOG Artifacts from Single Channel EEG Signals using Combined Singular Spectrum Analysis and Adaptive Noise Canceler. IEEE Sens. J. 16, 1–1. <https://doi.org/10.1109/JSEN.2016.2560219>
- Malmivuo, J., Plonsey, R., 1995. Bioelectromagnetism - Principles and Applications of Bioelectric and Biomagnetic Fields. Oxford University Press, New York.
- Medithe, J.W.C., Nelakuditi, U.R., 2016. Removal of Ocular Artifacts in EEG 3, 2–5.
- Merinov, P., Belyaev, M., Krivov, E., 2015. The comparison of automatic artifact removal methods with robust classification strategies in terms of EEG classification accuracy. Proc. intern. conf. Biomed. Eng. Comput. Technol. 221–224.
- Mohammadpour, M., Rahmani, V., 2017. A Hidden Markov Model-Based Approach to Removing EEG Artifact. Iran. Jt. Congr. Fuzzy Intell. Syst. 46–49.
- Paul, S., Mazumder, A., Ghosh, P., Tibarewala, D.N., Vimalarani, G., 2015. EEG based emotion recognition system using MFDDFA as feature extractor. Proc. 2015 Int. Conf. Robot. Autom. Control Embed. Syst. RACE 2015 18–22. <https://doi.org/10.1109/RACE.2015.7097247>
- Philips, H., 2006. Brain [WWW Document]. URL <https://www.newscientist.com/article/dn9969-introduction-the-human-brain/> (accessed 10.18.18).
- Prasetyo, E., 2014. Data Mining Mengolah Data Menjadi Informasi Menggunakan Matlab. Penerbit Andi, Yogyakarta.
- Putra, A.E., Atmaji, C., 2010. Analisis Data EEG pada Beberapa Kondisi menggunakan Metode Dekomposisi dan Korelasi berbasis Wavelet ( Dekorlet ). Conf. Inf. Technol. Electr. Eng. 163–167.
- Putra, A.E., Hendra, P., Adiaty, N., 2012. Analisis EEG Menggunakan Transformasi Fourier Waktu-singkat dan Wavelet Kontinu: Studi Kasus

- Pengaruh Bacaan al Quran. CITEE 201–210.
- QuantStart, 2019. Ilustrasi Hyperplane [WWW Document]. URL <https://www.quantstart.com/articles/Support-Vector-Machines-A-Guide-for-Beginners> (accessed 8.14.19).
- Ray, S., 2017. Support Vector Machine [WWW Document]. URL <https://www.analyticsvidhya.com/blog/2017/09/understaing-support-vector-machine-example-code/> (accessed 8.14.19).
- Sanei, S., Chambers, J.A., 2007. EEG Signal Processing, Chemistry & biodiversity. <https://doi.org/10.1002/9780470511923>
- Schlögl, A., Keinrath, C., Zimmermann, D., Scherer, R., Leeb, R., Pfurtscheller, G., 2006. A fully automated correction method of EOG artifacts in EEG recordings. *Clin. Neurophysiol.* 118, 98–104. <https://doi.org/10.1016/j.clinph.2006.09.003>
- Shaw, L., Routray, A., 2016. A critical comparison between SVM and k-SVM in the classification of Kriya Yoga meditation state-allied EEG. WIECON-ECE 2016 - 2016 IEEE Int. WIE Conf. Electr. Comput. Eng. 134–138. <https://doi.org/10.1109/WIECON-ECE.2016.8009103>
- Song, W., Wu, J., Zhang, J., 2008. BCI Competition IV: Results [WWW Document]. URL <http://bbci.de/competition/iv/results/#dataset2a> (accessed 10.23.19).
- Splettstoesser, T., 2015. Schematic of a synapse [WWW Document]. URL [https://commons.wikimedia.org/wiki/File:SynapseSchematic\\_en.svg](https://commons.wikimedia.org/wiki/File:SynapseSchematic_en.svg) (accessed 10.23.19).
- Sreeja, S.R., Sahay, R.R., Samanta, D., Mitra, P., 2017. Removal of Eye Blink Artifacts from EEG Signals using Sparsity. *IEEE J. Biomed. Heal. Informatics* 2194, 1–11. <https://doi.org/10.1109/JBHI.2017.2771783>
- Systembus, 2007. Signal Analog dan Signal Digital [WWW Document]. URL [http://systembus.com/AVR/asm-lib/works/asg/report\\_e.html](http://systembus.com/AVR/asm-lib/works/asg/report_e.html) (accessed 8.14.19).
- Tharwat, A., 2018. Applied Computing and Informatics Independent component analysis: An introduction. *Appl. Comput. Informatics* 1–15. <https://doi.org/10.1016/j.aci.2018.08.006>
- Torres-Valencia, C. a, Garcia-Arias, H.F., Alvarez Lopez, M. a, Orozco-Gutierrez, a a, 2014. Comparative analysis of physiological signals and electroencephalogram (EEG) for multimodal emotion recognition using generative models. *Image, Signal Process. Artif. Vis. (STSIVA), 2014 XIX Symp.* 1–5. <https://doi.org/10.1109/STSIVA.2014.7010181>
- Upadhyay, R., Padhy, P.K., Kankar, P.K., 2015. Ocular artifact removal from EEG signals using discrete orthonormal stockwell transform. *12th IEEE Int. Conf. Electron. Energy, Environ. Commun. Comput. Control (E3-C3), INDICON 2015* 1–5. <https://doi.org/10.1109/INDICON.2015.7443617>
- Vocal, 2017. Blind Signal Separation (BSS) [WWW Document]. URL <https://www.vocal.com/blind-signal-separation/> (accessed 10.22.18).
- Wang, Kun, Wang, Z., Guo, Y., He, F., Qi, H., Xu, M., Ming, D., 2017. An EEG study on hand force imagery for brain-computer interfaces. *Int. IEEE/EMBS Conf. Neural Eng. NER* 668–671. <https://doi.org/10.1109/NER.2017.8008439>

- Wang, Ker-jiun, Zhang, L., Luan, B., Tung, H., Liu, Q., Wei, J., Sun, M., Mao, Z.-H., 2017. Brain-computer interface combining eye saccade two-electrode EEG signals and voice cues to improve the maneuverability of wheelchair. 2017 Int. Conf. Rehabil. Robot. 1073–1078. <https://doi.org/10.1109/ICORR.2017.8009392>
- Weisstein, E.W., 2018. Eigenvalue [WWW Document]. Mathworld. URL <http://mathworld.wolfram.com/Eigenvalue.html> (accessed 10.22.18).
- Wu, J., Chen, G., Song, W.S., Zhang, J., 2008. BCI Competition IV: Results [WWW Document]. URL <http://bbci.de/competition/iv/results/#dataset2a> (accessed 10.23.19).
- Zhu, G., Li, R., Zhang, T., Lou, D., Wang, R., Zhang, Y., 2017. A Simplified Hybrid EEG-fNIRS Brain-Computer Interface for Motor Task Classification 134–137.