

Daftar Pustaka

- Alves, V.A.F., Bacchi, C.E., Vassallo, J., (1999). *Manual De Imuno-Histoquímica*. São Paulo: Sociedade Brasileira de Patologia..
- Atkinson, A.J., Colburn, W.A., DeGruttola, V.G., et al. (2001), “Biomarkers and surrogate endpoints: Preferred definitions and conceptual framework”, *Clinical Pharmacology and Therapeutics*, Vol. 69 No. 3, pp. 89–95.
- Aya, K. L., & Stern, R. (2014). Hyaluronan in wound healing: rediscovering a major player. *Wound repair and regeneration*, 22(5), 579-593.
- Berniyanti, T., Suwarno. (2007). “Karakterisasi Protein Lendir *A. fulica* (Ahasin) Isolat Lokal sebagai Faktor Antibakteri”. *Media Kedokteran Hewan*.
- Brandtzaeg, P.(1998). The Increasing Power Of Immunohistochemistry And Immunocytochemistry. *J Immunol Methods*; 216:49–67.
- Carr, A. C., & Maggini, S. (2017). Vitamin C and immune function. *Nutrients*, 9(11), 1211.
- Cilia, G., & Fratini, F. (2018). Antimicrobial properties of terrestrial snail and slug mucus. *Journal of Complementary and Integrative Medicine*.
- Cole, N., Krockenberger, M., Bao, S., et al., (2001). Effects of exogenous interleukin-6 during *Pseudomonas aeruginosa* corneal infection. *Infect. Immun.* 69, 4116–4119.
- Charan, J., Kantharina, N.,D., (2013). How to Calculate Sample Size in Animal Studies ?. *Journal of Pharmacology and Pharmacotherapeutics*,4.
- Coon, A.H., Creech, H.J., Jones, R.N.,(1941). Immunological Properties Of An Antibody Containing A Fluorescence Group. *Proc Soc Exp Biol Med*;47:200–2.

- Dalmedico, M. M., Meier, M. J., Felix, J. V. C., et al., (2016). Hyaluronic acid covers in burn treatment: a systematic review. *Revista da Escola de Enfermagem da USP*, 50(3), 522-528.
- Darma, S., Manjas, M., Saputra, D. et al., (2013), “Artikel Penelitian Efek Pemberian Suntikan Subkutan Vitamin C Terhadap Luka Insisi Dermal”, *Jurnal Kesehatan Andalas*, Vol. 2 No. 3, pp. 168–169.
- Dipietro, L.A., Burns, A.L. (Eds). (2003). “Wound Healing:Methods and Protocols. Methods in Molecular Medicine”. *Totowa, N.J. Humana Press*. Electronic book.
- Dreher, F., Thiele, J., (2010). “Antioxidants”. dalam: Baran, R., Maibach, H.I.,: “Textbook of Cosmetic Dermatology 4th” ed, pp: 118, London :Informa Healthcare,
- Dreyfuss, J. L., Gesteira, T. F., Cunha, G. L. A., et al., (2010). “Acharan Sulfate: A Heparin-Like Compound With Anti-Angiogenic Effect. A Potential Drug to Treat Eye Neovascular Diseases”. *Ophthalmology & Visual Science*.
- Duncan, M. R., Berman, B. (1991) “Stimulation of collagen and glycosaminoglycan production in cultured human adult dermal fibroblasts by recombinant human interleukin 6”. *J. Invest. Dermatol.* 97, 686–692.
- El Ghalbzouri A., Lamme E., Ponc M., (2002) .Crucial role of fibroblasts in regulating epidermal morphogenesis. *Cell Tissue Res.*;310:189–199
- Estadual, E., Vianna, J. and Silva, R.G.M. (2009), “Ascorbic acid for the healing of skin wounds in rats”, Vol. 69 No. 3, pp. 1195–1201.
- Fahey, T.J., Sadaty, A., Jones 2nd, W. G., et al., (1991) “Diabetes impairs the late inflammatory response to wound healing.” *J. Surg. Res.* 50, 308–313.
- Falanga, V., (2003), “Mechanisms of Cutaneous Wound Repair”, Dalam: Freedberg, I.M., Wolff, K., Eisen, A.Z., et al, “Fitzpatrick’s Dermatology In General Medicine”. Edisi ke-6. New York: Graw-Hill

- Falanga., (2003) Wound repair: mechanisms and practical considerations. Dermatology in general medicine. Seventh edition. New York. h. 2342-49.
- Fenton, R. R., Molesworth-Kenyon, S., Oakes, J. E., et al., (2002) “Linkage of IL-6 with neutrophil chemoattractant expression in virus-induced ocular inflammation”. *Invest. Ophthalmol. Vis. Sci.* 43, 737–743.
- Ferguson., (2004), A Flavonoid Fraction from Cranberry Extract Inhibits Proliferation of Human Tumor Cell Lines, *J. Nutr.* 134:1529-1535.
- Gallucci, R.M., Simeonova, P.P., Matheson, J.M., et al., (2000), “Impaired cutaneous wound healing in interleukin-6-deficient and immunosuppressed mice.”, *FASEB Journal : Official Publication of the Federation of American Societies for Experimental Biology, United States*, Vol. 14 No. 15, pp. 2525–2531.
- Gallucci, R.M., Sugawara, T., Yucesoy, B., et al., (2001), “Interleukin-6 Treatment Augments Cutaneous Wound Healing in Immunosuppressed Mice”, *Journal of Interferon & Cytokine Research, Mary Ann Liebert, Inc. , Vol. 21 No. 8*, pp. 603–609.
- Gariboldi, S., Palazzo, M., Zanobbio, L., et al., (2008), “Low Molecular Weight Hyaluronic Acid Increase the Self Devence of Skin Epithelium by Induction of β - defensin 2 via TLR2 and TLR4”. *The Journal of Immunology*;181;2103- 2110
- Greenwel, P., Rubin, J., Schwartz, M., et al., (1993) “Liver fat-storing cell clones obtained from a CCl4-cirrhotic rat are heterogeneous with regard to proliferation, expression of extracellular matrix components, interleukin-6, and connexin 43”. *Lab. Invest.* 69, 210–216.
- GS, L., DM, C., DR, K. and Al, E. (1994), “Definitions and guidelines for assessment of wounds and evaluation of healing”, *Archives of Dermatology*, Vol. 130 No. 4, pp. 489–493.

Gurtner, G.C., Werner, S., Barrandon, Y et al., (2008), “Wound repair and regeneration”, *Nature*, Vol. 453 No. 7193, pp. 314–321.

Haragannavar, K.S.N., Augustine, V. C., Sowmya, D., et al., (2016). *Immunohistochemistry: A Brief Review*; 12: 25–29.

Harti, A.S., Sulisetyawati, S.D., Murharyati, A., et al., (2016), “The Effectiveness of Snail Slime and Chitosan in Wound Healing”, *International Journal of Pharma Medicini and Biological Sciences*, Vol. 5 No. 1, pp. 76–80.

Hartner, A., Goppelt-Struebe, M., Hocke, G. M., et al., (1997) “Differential regulation of chemokines by leukemia inhibitory factor, interleukin- 6 and oncostatin” *M. Kidney Int.* 51, 1754–1760.

Hübner, G., Brauchle, M., Smola, H., et al., (1996), “Differential regulation of pro-inflammatory cytokines during wound healing in normal and glucocorticoid-treated mice”, *Cytokine*, Vol. 8 No. 7, pp. 548–556.

Jeong, J., Toida, T., Muneta, Y., et al. (2001), “Localization and characterization of acharan sulfate in the body of the giant African snail *Achatina fulica*”, *Comparative Biochemistry and Physiology Part B: Biochemistry and Molecular Biology*, Pergamon, Vol. 130 No. 4, pp. 513–519.

Kasuya, A., & Tokura, Y. (2014). Attempts to accelerate wound healing. *Journal of dermatological science*, 76(3), 169-172.

Klein, M.B., (2008). Thermal, chemical, and electrical injuries. Dalam: Thorne C.H., penyunting. *Grabb & Smith’s plastic surgery*. Edisi ke-6. Philadelphia: Lippincott Williams & Wilkins.

Kondo, T. and Ohshima, T. (1996), “The dynamics of inflammatory cytokines in the healing process of mouse skin wound: a preliminary study for possible wound age determination.”, *International Journal of Legal Medicine*, Germany, Vol. 108 No. 5, pp. 231–236.

- Kondo, T., Ohshima, T. (1996) "The dynamics of inflammatory cytokines in the healing process of mouse skin wound: a preliminary study for possible wound age determination." *Int. J. Legal Med.* 108, 231–236
- Lemay, S., Rabb, H., Postler, G., et al., (2000) " Prominent and sustained up-regulation of gp130-signaling cytokines and the chemokine MIP-2 in murine renal ischemia-reperfusion injury." *Transplantation* 69, 959–963.
- Lin, Z.-Q. (2003), "Essential involvement of IL-6 in the skin wound-healing process as evidenced by delayed wound healing in IL-6-deficient mice", *Journal of Leukocyte Biology*, Vol. 73 No. 6, pp. 713–721.
- Lin, Z.Q., Kondo, T., Ishida, Y., et al., (2003), " Essential Involvement of IL-6 in the skin wound-healing process as evidenced by delayed wound healing in IL-6 –deficient mice". *Journal of Leukocyte Biology*:73
- Lindley, L.E., Stojadinovic, O., Pastar, I. et al., (2016), "Biology and Biomarkers for Wound Healing", *Plastic and Reconstructive Surgery*, Vol. 138 No. 3, p. 18S–28S.
- Lipman, N.S., Jackson, L.R., Trudel, L.J., (2005). Monoclonal Versus Polyclonal Antibodies: Distinguishing Characteristics, Applications, And Information Resources. *Ilar J.*; 46:258–68.
- Lyons, B.L., Schwarz, R. I., (1984), "Ascorbate Stimulation of PAT Cells Causes an Increase in Transcription Rates and A Decrease in Degradation Rates of Procollagen Mrna". *Nucleic Acids Res*; 12: 2569–2579.
- Moore, K. L., Dalley, A. F., & Agur, A. M. (2010). Clinically oriented anatomy 6th ed. Lippincott Williams & Wilkins.
- Moore, J. (2013), "Vitamin C: a wound healing perspective.", *British Journal of Community Nursing*, Vol. Suppl, pp. S6, S8-11.

Nadji, M.,(1986), Immunoperoxidase Techniques. I. Facts And Artifacts. Am J Dermatopathol; 8:32–6

Natsume, M., Tsuji, H., Harada, A., et al (1999) “Attenuated liver fibrosis and depressed serum albumin levels in carbon tetrachloridetreated IL-6-deficient mice” . *J. Leukoc. Biol.* 66, 601–608.

Neuman, M. G., Oruña, L., Coto, G., et al., (2010). Hyaluronic acid signals for repair in ethanol-induced apoptosis in skin cells in vitro. *Clinical biochemistry*, 43(10-11), 822-826

Neuman, M.G., Nanau, R.M., Oruña-Sanchez, L. et al., (2015), “Hyaluronic acid and wound healing.”, *Journal of Pharmacy & Pharmaceutical Sciences : A Publication of the Canadian Society for Pharmaceutical Sciences, Société Canadienne Des Sciences Pharmaceutiques*, Vol. 18 No. 1, pp. 53–60.

Onogawa T., (2005). “Local delivery of soluble interleukin-6 receptors to improve the outcome of alpha toxin producing staphylococcus aureus infection in mice”. *Immunobiology*. 209.651-660.

Park, J.H., Park, E.J. and Yi, H.S. (2017), “Wound Healing and Anti-inflammatory Effects of Topical Hyaluronic Acid Injection in Surgical-Site Infection Caused by Staphylococcus aureus”, *The International Journal of Lower Extremity Wounds*, Vol. 16 No. 3, pp. 202–207.

Peterkofsky, B.,(1991), “Ascorbate Requirement for Hydroxylation and Secretion of Procollagen: Relationship to Inhibition of Collagen Synthesis in Scurvy”. *Am J Clin Nutr.*54:1135

Phillips, R., (2001), “Wound Healing”. dalam: “Sabiston, Textbook of Surgery. The Biological Basis of Modern Surgical Practice”. *Ed.16th*. Philadelphia: W.B.Saunders Inc,

Pober, J. S., Cotran, R. S. (1990) “Cytokines and endothelial cell biology”. *Physiol. Rev.* 70, 427–451.

- Popa, F. and Georgescu, A. V (2017) “Abdominal Wall Reconstruction after Flap Surgery and the Effect on the Immune System”, *Hindawi*, 2017, pp. 1–10.
- Preedy, K.F., Schofield, P.G., Liu, S., et al., (2010), “Modelling Contact Spread of Infection in Host-Parasitoid Systems: Vertical Transmission of Pathogens can cause Chaos”. *J Theor Biol*; 262:441–51.
- Pullar, J.M., Carr, A.C. and Vissers, M.C.M. (2017), “The Roles of Vitamin C in Skin Health.”, *Nutrients*, Multidisciplinary Digital Publishing Institute (MDPI), Vol. 9 No. 8, available at: <http://doi.org/10.3390/nu9080866>.
- Ridwan, F.R., (2013), “Pengaruh Lendir Bekicot (*Achatina Fulica*) terhadap fase inflamasi proses penyembuhan luka eksisi kulit tikus diabetic”.
- Romano, M., Sironi, M., Toniatti, C., et al., (1997) “Role of IL-6 and its soluble receptor in induction of chemokines and leukocyte recruitment”. *Immunity* 6, 315–325.
- Saba, A. A., Kaidi, A. A., Godziachvili, V., et al., (1996) “Effects of interleukin-6 and its neutralizing antibodies on peritoneal adhesion formation and wound healing”. *Am. Surg.* 62, 569–572.
- Sanders M., Heymann C V., (2006). “Increased interleukin-6 after cardiac surgery predicts infection”. *Cardiovascular Surgery*. 1623-1629.
- Santana, W.A., Melo, C.M. de, Cardoso, J.C., et al (2012), “Assessment of Antimicrobial Activity and Healing Potential of Mucous Secretion of *Achatina fulica*”, *International Journal of Morphology*, Vol. 30 No. 2, pp. 365–373.
- Sato, Y., Ohshima, T. (2000) “The expression of mRNA of proinflammatory cytokines during skin wound healing in mice: a preliminary study for forensic wound age estimation (II)”. *Int. J. Legal Med.* 113, 140 –145.

- Scheller, J., Chalaris, A., Schmidt-Arras, D., et al., (2011). The pro-and anti-inflammatory properties of the cytokine interleukin-6. *Biochimica et Biophysica Acta (BBA)-Molecular Cell Research*, 1813(5), 878-888.
- Shim, J. Y., Lee, Y. S., Jung, S. H., et al., (2002). "Pharmacological activities of a new glycosaminoglycan, acharan sulfate isolated from the giant african snail *A. Fulica*". *Pharmaceutical Research*
- Singh, S., Young, A. and McNaught, C.E. (2017), "The physiology of wound healing", *Surgery (United Kingdom)*, Elsevier Ltd, Vol. 35 No. 9, pp. 473–477.
- Smith, R. E., Strieter, R. M., Phan, S. H., et al., (1998) "TNF and IL-6 mediate MIP-1alpha expression in bleomycin-induced lung injury". *J. Leukoc. Biol.* 64, 528–536.
- Tanaka, T., Narazaki, M. and Kishimoto, T. (2014), "IL-6 in Inflammation, Immunity, and Disease", *Cold Spring Harbor Perspectives in Biology*, Cold Spring Harbor Laboratory Press, Vol. 6 No. 10, p. a016295.
- Watt, F. M. (2014). *Mammalian skin cell biology: at the interface between laboratory and clinic*. Science, 346(6212), 937-940
- Wells, C., Power, L., (2008). *Skin and Wound Care Manual*. Newfoundland Labrador. July.
- Williamson & Harding., (2001). Wound healing. *Medicine International* 2001;1: 3-6.
- Zanaboni, G., Rossi, A., Onana, A. M., et al., (2000). "Stability and networks of hydrogen bonds of the collagen triple helical structure: influence of pH and chaotropic nature of three anions", *Matrix Biol.* 19: 511.
- Zielins, E. R., Atashroo, D. A., Maan, Z. N., et al., (2014). Wound healing: an update. *Regenerative medicine*, 9(6), 817-830.

Zubaidi, A.M., Hussain, T. and Alzoghaibi, M.A. (2015), “The Time Course of Cytokine Expressions Plays a Determining Role in Faster Healing of Intestinal and Colonic Anastomatic Wounds”, Saudi Journal of Gastroenterology : Official Journal of the Saudi Gastroenterology Association, India.