Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

1. Alves, V.A.F., Bacchi, C.E., Vassallo, J., 1999, Manual De Imuno-Histoquímica. São Paulo: Sociedade Brasileira de Patologia.
2. Aya, K.L., Stern R., 2014. *Hyaluronan in wound healing: Rediscovering a major player*. Wound Repair Regen. 22(5):579–93.
3. Balaji S., Moles C.M., Bhattacharya, S.S., *et al.* 2014 *Comparison of interleukin 10 homologs on dermal wound healing using a novel human skin ex vivo organ culture model.* J Surg Res [Internet]. 190(1):358–66. Available from: http://dx.doi.org/10.1016/j.jss.2014.02.027
4. Balaji, S., King, A., Marsh, E., et al .2015. *The Role of Interleukin-10 and Hyaluronan in Murine Fetal Fibroblast Function In Vitro: Implications for Recapitulating Fetal Regenerative Wound Healing*. PLOS ONE. BMJ.
5. Balaka, R.A., 2017. Efektivitas Mukus Siput (*Achatina Fulica*) terhadap Penyembuhan Luka Insisi pada Punggung Mencit. Fakultas Kedokteran Gigi: Universitas Hasanuddin.
6. Berniyanti, T., Suwarno.2007. *Karakterisasi Protein Lendir A. fulica (Achasin) Isolat Lokal sebagai Faktor Antibakteri. Media Kedokteran Hewan*.
7. Berniyanti, T., Waskito, E.B., Suwarno, 2007. *Biochemival Characterization of an Antibacterial Glycoprotein from A. fulica ferussac Snail Mucus Local Isolate and Their Implication on Bacterial Dental Infection*, Indonesian Journal of Biotechnology. 12: 943-951
8. Bhattacharyya, B., Das, M., Mishra, H., Nath, D.J., 2014. *Bioecology and management of giant African snail* , Achatina fulica (Bowdich). Int J Plant Prot. 7(2):476–81.
9. Bhusan. 2002. *Tumour Necrosis Factor-α-Induced Migration of Human Langerhans Cells: The Influence of Ageing.* British Journal of Dermatology
10. Brandtzaeg, P.,1998. The Increasing Power Of Immunohistochemistry And Immu- Nocytochemistry. J Immunol Methods. 216:49–67.
11. Byeon, S., Pelley, R., Ullrich, S.E, *et al*. 2003. *Aloe Barbadensis ExtractsReduce the Production of Interleukin-10*, Journal of Investigative Dermatology,Vol. 110, pp. 811-817.

Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

12. Byeon, S.W., Pelley, R.P., Ullrich, S.E., *et al.* 1998. *Aloe barbadensis extracts reduce the production of interleukin-10 after exposure to ultraviolet radiation.* J Invest Dermatol. 110(5):811-7.

13. Carr, A. C., Maggini, S. 2017. *Vitamin C and immune function.* Nutrients, 9(11), 1211.
14. Charan J, Kantharia ND. 2013. How to calculate sample size in animal studies?. Journal of Pharmacology and Pharmacotherapeutics; Vol 4/4: 303-6

15. Cowie, R. H. 2010. Issg Database: Etiology of Achatina fulica. www.issg.org/database/species/, diakses 30 September 2018 pukul 21.30.
16. Dorsett-Martin, W. A.,2004, *Rat models of skin wound healing: A review*. Wound Repair and Regeneration, 12: 591–599. 2004
17. Dreher, F., Thiele, J., 2010. *Antioxidants.* dalam: Baran, R., Maibach, H.I.,*: Textbook of Cosmetic Dermatology 4th* ed, pp: 118, London :Informa Healthcare,

18. Dreyfuss, J. L., Gesteira, T. F., Cunha, G. L. A., *et al.*. 2010. *Acharan Sulfate: A Heparin-Like Compound With Anti-Angiogenic Effect. A Potential Drug to Treat Eye Neovascular Diseases*. *Ophtamlmology & Visual Science*

19. Ehara, T. Kitajima,S., Kanzawa, N., *et al*., 2002. Antimicrobial action of achacin is mediated by L-amino acid oxidase activity. FEBS Letters. 531(2) :509-512
20. El Ghalbzouri, A., Lamme, E., Ponec, M., 2002. *Crucial role of fibroblasts in regulating epidermal morphogenesis.* Cell Tissue Res.;310:189–199
21. Eming, S.A., Werner, S., Bugnon, P.,*et al* .2007. *Accelerated Wound Closure in Mice Deficient for Interleukin-10.* The American Journal of Pathology, 170(1):188–202..
22. Engmann, F.N., Afoakwah, N.A., Darko, P.O., *et al*. 2013. Proximate and mineral composition of snail (Achatina achatina) meat; Any nutritional justification fpr acclaimed health benefits? J Basic Appl Sci Res. 3(4):8–15.
23. Falanga, V., 2003. *Mechanisms of Cutaneous Wound Repair*, Dalam: Freedberg, I.M,, Wolff, K,, Eisen, A.Z., et al, *Fizpatrick's Dermatology In General Medicine*. Edisi ke-6. New York: Graw-Hill

Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

24. Febriyanty, L., 2013. Pengaruh Lendir Bekicot (*Achatina Fulica*) terhadap Proses Angiogenesis Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran : Universitas Gadjah Mada
25. Gal, P., Toporcer, T., Vidinsky, B., *et al*. 2006. Early Changes in the Tensile Strength and Morphology of Primary Sutured Skin Wounds in Rats. Folia Biologica (Praha). 52, 109-115.
26. Gao, F., Yang, C.X., Mo, W., *et al*. *Hyaluronan Oligosaccharides are Potential Stimulators to Angiogenesis via RHAMM Mediated Signal Pathway in Wound Healing*. Clinical and Investigative Medicine. 31:106–116.
27. Gariboldi, S., Palazzo, M., Zanobbio, L., *et al*., 2008. *Low Molecular Weight Hyaluronic Acid Increase the Self Devence of Skin Epithelium by Induction of β- defensin 2 via TLR2 and TLR4.* The Journal of.Immunology. 181;2103-2110.
28. Gaspard, K.J., 2004. Disorder of hemostasis, dalam mattson porth, carol.2004. *Pathofisiology of altered health states, seventh edition*. Lippincott Williams and wilkins. Philadelphia. United states of America.
29. Gerber, H.P., Condorelli, F., Park, J., *et al*., 1997. *Differential Transcriptional Regulation of The Two Vascular Endothelial Growth Factor Receptor Genes. Flt-1, but not Flk-1/KDR, is up-regulated by hypoxia.* J Biol Chem. 272:23659–67.
30. Ghosh, A.K., Hirasawa, N., Lee, Y.S., *et al*. 2002. Inhibition by acharan sulphate of angiogenesis in experimental inflammation models. British Journal of Pharmacology. 137(4):441-8.
31. Gonzalez, A.C de O., Costa, T.F., Andrade, Z de A., *et al*, 2016. Wound healing - A literature review. An Bras Dermatol [Internet]. 91(5):614–20.
32. Gudbjornsson, B., Christofferson, R., Larsson, A., 2004, *Synovial concentra- tions of the angiogenic peptides bFGF and VEGF do not discriminate rheumatoid arthritis from other forms of inflammatory arthritis*. Scand J Clin Lab Invest. 64:9–15
33. Hachisevki, A., 2009. An Overview of Ascorbic Acid Biochemistry. J. Fac. Pharm., Ankara; 38 (3) 233-255.
34. Harding, K.G., Morris, H.L., Patel, G.K., 2002. *Healing Chronic Wounds*. BMJ. 321:160-3.
35. Harper, D., Young, A., McNaught, C., 2014. The physiology of wound healing. Surgery. 32 (9): 445-50.

Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

36. Harti, A.S., Sulisetyawati, S.D., Murharyati, A., *et al*., 2016, *The Effectiveness of Snail Slime and Chitosan in Wound Healing*, International Journal of Pharma Medicini and Biological Sciences, Vol. 5 No. 1, pp. 76–80.

37. Heldayana, C.R., 2013. Pengaruh Lendir Bekicot (achatina Fulica) terhadap Pembentukan Jaringan Granulasi pada Proses Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran Univesitas Gadjah Mada.
38. Hoffbrand, A.V., Pettit, J.E., Moss, P.A. H., 2005. Kapita Selekta Hematologi edisi 4, Jakarta: EGC.
39. Hu, M., Sabelman, E. E., Cao, Y., *et al*., 2003. T*hree-Dimensional Hyaluronic Acid Grafts Promote Healing and Reduce Scar Formation in Skin Incision Wounds. 1*, 586–592.
40. Humbert, P.G., Haftek, M., Creidi, P., *et al*., 2003. **Topical ascorbic acid on photoaged skin. Clinical, topographical and ultrastructural evaluation: double-blind study vs. placebo.** *Experimental Dermatology*. **12**(3):237–44. 10.1034/j.1600-0625.2003.00008.x
41. Hunt, K.T., 2003. *Wound Healing*, dalam: *Doherty MG. Current Surgical Diagnosis and Treatment 12th Ed*, p75-87, New York.: McGraw-Hill.
42. Hyman, L.H. 1974. The Invertebrates. Volume VI, Molusca I. Mc. Graw-Hill Book Company, New York.
43. Indrawan, 2016, *Perbandingan pengaruh Aplikasi Aloe vera, madu, saliva dan putih telur terhadap ekspresi interleukin 6 pada proses penyembuhan luka insisi kulit tikus.* Program pasca sarjana Universitas Gadjah Mada
44. Jeong, Y., Toida, T., Muneta, Y., *et al*. 2001. Localization and Characterization of Acharan Sulfate in the Body of The Giant African Snail Achatina fulica. Comparative Biochemistry and Physiology. 130: 513- 519.
45. Junqueira, L.C., Jose, C., Robert, O.K., 1998. Histologi Dasar Edisi 8, Jakarta: EGC.
46. Kamer, E., Unalp. H.R., Gundogan, O., *et al*. 2010. Effect of ascorbic acid on incisional wound healing in streptozotocin-induced diabetic rats. Wounds. 22(2): 27-31.
47. Kanazawa S, Tsunoda T, Onuma E, *et al*., 2001, *VEGF, basic-FGF, and TGF-beta in Crohn's disease and ulcerative colitis: a novel mechanism of chronic intestinal inflammation.* Am J Gastroenterol, 96:822–828
48. Kieran, I., Knock, A., Bush, J., *et al*., 2013. *Interleukin-10 reduces scar formation in both animal and human cutaneous wounds: results of two*

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10 pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

preclinical and phase II randomized control studies, Wound Repair Regen, 21(3):428-36

49. Kieran, I., Taylor, C., 2014. *Effects of interleukin-10 on cutaneous wounds and scars in humans of African continental ancestral origin. Wound Repair and Regeneration*, 22: 326–333. 2014
50. Kieran, I., Taylor, C.,2014. *Effects of interleukin-10 on cutaneous wounds and scars in humans of African continental ancestral origin*. Wound Repair and Regeneration, 22: 326–333.
51. Kim, Y.S., Jo, Y.Y., Chang, I.M., Toida, T., *et al*, 1996. *A New Glycosaminoglycan from The Giant African Snail Achatina fulica*. The Journal of Biological Chemistry. 271:11750-55.
52. Kimura, T., Sugaya, M., Blauvelt, A., *et al*., 2013. Delayed wound healing due to increased interleukin-10 expression in mice with lymphatic dysfunction. J Laukoc Biol. 94(1)137-45.
53. King, A., Balaji, A., Le, L.D., Marsh, E., *et al*. 2013. *Interleukin-10 regulates fetal extracellular matrix hyaluronan production*. J Pediatr Surg. 48(6): 1211–1217.2013
54. King, A., Balaji, L.D., Crombleholme, T.M., *et al*., 2013. *Regenerative Wound Healing: The Role of Interleukin-10*. Wound Healing Society : Advance in Wound Care, Volume 3, Number 4.
55. King, A., Balaji, S., Marsh, E., Le, L.D., *et al*.,2013 *Interleukin-10 Regulates the Fetal Hyaluronan-Rich Extracellular Matrix via a STAT3 Dependent Mechanism.* J Surg Res. 184(1): 671–677. 2013
56. King, A., Balaji, S.L., Crombleholme, L.D., *et al*, 2013, *Regenerative Wound Healing: The Role of Interleukin-10*. Wound Healing Society : Advance in Wound Care, Volume 3, Number 4.2013
57. Kogan, G., Soltes, L., Stern, R., *et al*., 2007, *Hyaluronic Acid: A Natural Biopolymer with a Broad Range of Biomedical and Industrial Applications*. Biotechnol Lett; 29:17–25
58. Kondo, T., Ishida, Y., 2010, *Molecular Pathology of Wound Healing*. Forensic Science International; 203:93–98.
59. Konerding, M.A., Ziebart, T., Wolloscheck, T., *et al*., 2012. *Impact of single dose application of TGF B copper peptide, stanozololand ascorbic in hydrogel on midline laparotomy wound healing in a diabetic mouse model.* International journal of molecular medicine. 30: 271-276

UNIVERSITAS GADJAH MADA
Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10 pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

60. Kong, E.H., Ma, S. Y., Jeong, J.Y., *et al*., 2014. *Effect of L-ascorbic acid on the production of proinflamatory and antiinflamatory cytokines in C57BL/6 mouse splenocytes*. Kosin Medical Journal,30:40-49

61. Kumar, P., Kumar, S., Udupa, E.P., *et al*., 2015. *Role of Angiogenesis and Angiogenic Factors in Acute and Chronic Wound Healing,* Plastic and Aesthetic Research. *2*: 243.
62. Leung A., Balaji S., Le, L., et al.2013. *Interleukin-10 and hyaluronan are essential to the fetal fibroblast functional phenotype.* J Surg Res; 179: 257.
63. Liechty, K.W., Kim, H.B., Adzick, N.S., et al., 2000. *Fetal wound repair results in scar formation in interleukin-10-deficient mice in a syngeneic murine model of scarless fetal wound repair*. J Pediatr Surg p 35:866.
64. Linangkung, A., 2017, *Perbandingan pengaruh Aplikasi Aloe vera, madu, saliva dan putih telur terhadap ekspresi interleukin 10 pada proses penyembuhan luka insisi kulit tikus*. Program pasca sarjana Universitas Gadjah Mada.
65. Lipman, N.S., Jackson, L.R., Trudel, L.J., 2005 *Monoclonal Versus Polyclonal Antibodies: Distinguishing Characteristics, Applications, And Information Resources.* Ilar J. 46:258–68.
66. Litwiniuk, M., Krejner, A., Speyrer, M.S., *et al*., 2016. *Hyaluronic Acid in Inflammation and Tissue Regeneration*.Wounds. 28(3):78-88.
67. MacKay, D., Miller, A.L, 2003. *Nutritional support for wound healing*. Altern Med Rev [Internet]. 8(4):359–77. Available from: http://www.ncbi.nlm.nih.gov/pubmed/14653765
68. Marks, J.R., James, G., 2006. *Principle of Dermatology Fourth Ed,* Philadelphia: Saunders Elsevie
69. Mosser, D.M., Zhang. 2009. *Interleukin-10: new perspectives on an old cytokine*. Immunol Rev.
70. Nagashima, M., Yoshino, S., Ishiwata, T., *et al*., 1995, *Role of vascular endothelial growth factor in angiogenesis of rheumatoid arthritis*. J Rheumatol, 22:1624–1630
71. Oroh, C.G., Pangemanan, D.H.C., Mintjelungan, C.N., 2015. Efektivitas lendir bekicot (*Achatina fulica*) terhadap jumlah sel fibroblas pada luka pasca pencabutan gigi tikus wistar. Jurnal e-GiGi. 3(2):515-520.
72. Orsted, H.L., Keast, D., Forest-Lalade, L., *et al*., 2004. *The basic principles of wound care*. Wound Care Canada; 9 (2): 4-12.

Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

73. Park, Y., Zhang, Z., Tatiana, N., *et al*. 2008 Variation of acharan sulfate and monosaccharide composition and analysis of neutral N-glycans in African giant snail (*A. fulica*). National Institute of Health Glycocon journal 25(9): 863–877
74. Peranteau, W.H., Zhang, L., 2008. *IL-10 overexpression decreases inflammatory mediators and promotes regenerative healing.* J Invest D. p128(7):1852-60. 2008
75. Perez, W.P., Dina, F., Iwang, Y..2012. *Effect of mucus snail (Achatina fulica) against total cells fibroblasts on incision wound healing skin of mice (Mus musculus).* J Vet Med Sci Health;4:195-203
76. Peterkofsky, B.,1991. *Ascorbate Requirement for Hydroxylation and Secretion of Procollagen: Relationship to Inhibition of Collagen Synthesis in Scurvy*. Am J Clin Nutr.54:1135.
77. Phillips, R., 2001. *Wound Healing*. dalam: *Sabiston, Textbook of Surgery. The Biological Basis of Modern Surgical Practice. Ed.16th*. Philadelphia: W.B.Saunders Inc,
78. Preedy, K.F., Schofield, P.G., Liu, S., M. *et al*, 2010. *Modelling Contact Spread of Infection in Host-Parasitoid Systems: Vertical Transmission of Pathogens can cause Chaos.* J Theor Biol. 262:441–51.
79. Prihatman, K., 2000, Budidaya Bekicot. Proyek Pengembangan Ekonomi Pedesaan, Bappena, Jakarta. Hal. 23-26.
80. Priyambodo, B., 2010. Efek Asam Hialuronat pada Penyembuhan Luka Pasca Seksiosesarea di RSUP Dr Sardjito. Fakultas Kedokteran Universitas Gadjah Mada.
81. Purba, T., 2010. Efek Kombinasi Vitamin C dan Lisat Trombosit pada Proliferasi Fibroblast dan Aktivitas Matriks Metalloproteinase pada Proses Penyembuhan Luka. Fakultas Kedokteran Univesitas Gadjah Mada.
82. Purnasari, P.W., Fatmawati, D., Yusuf, I., 2012. Pengaruh lendir bekicot (achatina fulica) terhadap jumlah sel fibroblast pada penyembuhan luka sayat. Fakultas kedokteran: Universitas Sultan Agung Semarang.
83. Qing, C., 2017, *The Molecular Biology in Wound Healing & Non-healing Wound*. Chinese Journal of Traumatology*;* 20:189–193.
84. Radiopoetra. 1983. Zoologi. Cetakan kedua. Penerbit Sapdadi N.V. Erlangga, Surabaya.
85. Rahmawati, F., Mayasari, D.A., Adhitioso, S., 2014. *The Utilization of Achatina Fulica Mucus in Alginate Membrane as Wound Healing*

Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Accelerator and Antiinfection Material. Indonesian Journal of Tropical and infectious Disease; 5:1.

86. Redington, A.E., Roche, W.R., Madden, J., *et al.* 2001, *Basic fibroblast growth factor in asthma: measure- ment in bronchoalveolar lavage fluid basally and following allergen challenge.* J Allergy Clin Immunol, 107:384–387
87. Ridwan, F.R., 2013. Pengaruh Lendir Bekicot (*Achatina Fulica*) terhadap Fase Inflamasi proses Penyembuhan Luka Eksisi Kulit Tikus Diabetic. Fakultas Kedokteran Univesitas Gadjah Mada.
88. Sarpooshi, H.R., Haddadi, M., Siavoshi, M., 2017. *Wound Healing with Vitamin C*. iMedPub, 8:139.
89. Sato, Y., Oshima, T., Kondo, T., 1999. *Regulatory role of endogenous Interleukin-10 in cutaneous inflamatory response of murine wound healing*. Biochem Biophys Res Commun.Nov;265(1):194-9.
90. Seifert, M., Gruenberg, B.H., Sabat, R., 2003. *Keratinocyte unresponsiveness towards interleukin- 10: lack of specific binding due to deficient IL-10 receptor 1 expression*. Exp Dermatol 2003; 12: 137.
91. Shai, A., Maibach, A.I., 2005. *Wound Healing and Ulcer of the Skin.* New York: Springer.
92. Sherwood. L., 2001, Fisiologi Manusia dari Sel ke Sistem Ed *2 .EGC. Jakarta.*
93. Shim, J. Y., Lee, Y.S., Jung, S.H., *et al*., 2002. *Pharmacological activities of a new glycosaminoglycan, acharan sulfate isolated from the giant african snailA. fulica*. *Pharmacal Research*
94. Singer, A.J., Clark, R.A.F., 1999. *Cutaneus Wound Healing*. NEnglJMed;341:738-46.
95. Slavkovsky, R., Kohlerova, R., Jiroutova, A., *et al*., 2010, *Effects of Hyaluronan and Iodine on Wound Contraction and Granulation Tissue Formation in Rat Skin Wounds: Clinical Dermatology*, Clinical and Experimental Dermatology. 35:373–379.
96. Suarni, E., Badri, P.R.A., 2016. Uji Efektivitas Lendir Bekicot (*Achatina Fulica*) Dibandingkan dengan Povidone Iodine 10% terhadap Penyembuhan Luka Sayat (*Vulnus Scissum*) pada mencit (*Mus Musculus*). Fakultas Kedokteran: Universitas Muhammadiyah Palembang.

Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

97. Sulistyowati, S.D., Oktariani, M., 2015. Perbandingan Efektivitas Lendir Bekicot (*Achatina Fulica*) dengan Kitosan terhadap Penyembuhan Luka. Jurnal KesMaDaSka .
98. Sutawijaya, R. B., 2009. Gawat Darurat, Yogyakarta : Aulia Publising.
99. Suyatna, F.D, Syamsudin, U., 1995. Serotonin dan Antiserotonin, dalam Sulistia G. Ganiswara. Farmakologi dan Terapi. Edisi 4. Bagian Farmakologi, Universitas Indonesia, Jakarta.
100. Tang, Y.H., Lian, T. 2017. INterleukin-10 (IL-10) Enhances Wound Healing of Cutaneous Flaps Following Ischemia Reperfusion Injury (IRI). FASEB Journal; 31, supp. 1.
101. Thiruvoth F, Mohapatra D, Sivakumar D, Chittoria R, Nandhagopal V. Current concepts in the physiology of adult wound healing. Plast Aesthetic Res [Internet]. 2(5):250. Available from: http://parjournal.net/article/view/1211/665
102. Torre, J., Sholar, A., 2006. *Wound Healing, Chronic Wounds.* eMedicine Web MD. http://www.emedicine/woundhealinwg/chronicwound.html.
103. Usman, R.A., Salikunna, N.A. 2015. Pengaruh Lendir Bekicot (*Achatina Fulica*) terhadap Waktu Penutupan Luka Sayat (*Vulnus Scissum*) pada Mencit (*Musmusculus*). Medika tadulako 2:1.
104. Velnar T, Bailey T, Smrkolj V., 2009. *The wound healing process: an overview of the cellular and molecular mechanisms*. J Int Med Res. 37(5):1528–42.
105. Vieira, T.C.R.G., Filho, Adilson. C., *et al*., 2004. *Acharan sulfate, the new glycosaminoglycan from A. fulica Bowdich 1822 Structural heterogeneity, metabolic labeling and localization in the body, mucus and the organic shell matrix.* European Journal Biochemistry. 271(1): 845–854
106. Wells, C., Power, L., 2008. *Skin and Wound Care Manual*. New found land Labrador.
107. Werner, S., Grose, R., 2002. *Regulation of Wound Healing by Growth Factors and Cytokines.* Physiological Reviews. 83:835-70.
108. Williamson, D., Harding, K.. 2001. *Wound healing*. Medicine International;1: 3-6.
109. Wood, 2008, *Scar management 2008: The turning point*, A report from the 2nd SCAR Meeting, Faculty of Medicine, Montpellier, France.
110. Yamashita, A., Yonemitsu, Y., Okano, S., *et al*., 2002, *Fibroblast growth factor-2 determines severity of joint disease in adjuvant-in- duced arthritis in rats*. J Immunol, 168:450–457

UNIVERSITAS
GADJAH MADA
**Pengaruh Aplikasi Asam Hialuronat, Asam Askorbat, dan Gel Lendir Bekicot Terhadap Ekspresi IL-10
pada Proses Penyembuhan Luka Insisi Kulit Tikus Albino Galur Wistar (Rattus norvegicus)**
SUYITNO, Dr. dr. Ishandono Dachlan, MSc, SpB, SpBP-RE(K).; Dra. Dewajani Purnomosari, M.Si, PhD
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

111. Yousef, H., Sharma, S., 2017. *Anatomy, Skin (Integument), Epidermis*. StatPearls [Internet]. Diakses 9 Oktober 2018. https://www.ncbi.nlm.nih.gov/books/NBK470464/
112. Zhang, H., Issekutz, A.C.,2001. *Growth factor regulation of neutrophil-endo- thelial cell interactions*. J Leukoc Biol, 70:225–232
113. Zhang, H., Issekutz, A.C.,2002. *Down-modulation of monocyte transendothe- lial migration and endothelial adhesion molecule expression by fibro- blast growth factor: reversal by the anti-angiogenic agent SU6668.* Am J Pathol 2002, 160:2219–2230
114. Zhong, J., Wang, W., Yang, X., *et al*. 2013. *A novel cysteine-rich antimicrobial peptide from the mucus of the snail of Achatina fulica*. Peptides. 39:1-5.
115. Zittermann, S. I., & Issekutz, A. C., 2006. *Basic Fibroblast Growth Factor (bFGF , FGF-2) Potentiates Leukocyte Recruitment to Inflammation by Enhancing Endothelial Adhesion Molecule Expression*, *168*(3), 835–846.
116.