

## DAFTAR PUSTAKA

- Abdalla, A.S., Osman, I.B., Abdoon, H.I., Elsheikh, A.H. 2015. Quality of life assesment: A comparative study between haemodialysis and peritoneal dialysis. *Saudi J Health Sci. Vol. 4. No. 1:* 28-31.
- Agarwal, D.K., Sharma, A., Gupta, A., 2000. Peritoneal equilibration test in Indian patients on continuous ambulatory peritoneal dialysis: Does it affect patiento utcome? *Adv Perit Dial* 16 : 148-151.
- Agustin S. 2016. Hubungan antara Dukungan Sosial dengan Kecemasan pada Pasien Penderita Kista Ovarium. Fakultas Psikologi Universitas Gadjah Mada.
- Anggraeni, K.N., Sarwono, B., Sunarni., 2017. Hubungan dukungan keluarga dengan tingkat depresi pada pasien yang menjalani terapi hemodialisa di Unit Hemodialisa Rumah Sakit Tentara Dr. Soedjono Magelang. *Jurnal Keperawatan Soedirman (The Soedirman Journal of Nursing)*, Volume 12, No.2 Juli 2017:109-17.
- Anwar, K., 2018. *PERBEDAAN KUALITAS HIDUP BERDASARKAN KEGAGALAN ULTRAFILTRASI PADA PASIEN PENYAKIT GINJAL KRONIS YANG MENJALANI CONTINUOUS AMBULATORY PERITONEAL DIALYSIS DI RUMAH SAKIT UMUM PUSAT SARDJITO YOGYAKARTA.* Universitas Gajah Mada, Yogyakarta.
- Bautovich, A., Katz, I., Smith, M., Loo, C.K., Harvey, S.B. 2014. Depression and chronic kidney disease: A review for clinicians. *Australian and New Zealand Journal of Psyciatry:* 1-12.
- Beck, A.T., Epstein, N., Brown, G, Steer, R.A., 1988. An inventory for measuring clinical anxiety: psychometric properties. *Journal Consulting and Clinical Psychology*, 56, 893-897.  
<http://www.ncbi.nlm.nih.gov/pubmed/3204199>.
- Bishop, S.J. 2007. *Neurocognitive mechanism of Anxiety : an Integrative Account.* Trends Cogn Sci, doi : 10.1016/j.tics.2007.05.008.
- Blake, P.G., Abraham, G., Sombolos, .,K. 1989.Changes in peritoneal membrane transport rates in patients on long term CAPD. *Adv Perit Dial;* 5: 3–7.
- Brown, E.A., Davies, S.J., Rutherford, P., 2003. Survival of functionally anuric patients on automated peritoneal dialysis: the European APD Outcome Study. *J Am Soc Nephrol* 14: 294S-S7.
- Bossola, M., Ciciarelli, C., Di Stasio, E., Conte, G.L., Vulpio, C., Luciani, G., et al., 2010. Correlates of symptoms of depression and anxiety in chronic hemodialysis patients. *Gen Hosp Psychiatry*, 32, 125-131.

- Bussing dan Koenig, 2010. Spiritual Needs of Patients with Chronic Diseases. *Religions* 1: 18-27.
- Chaudhary, K., 2011. Peritoneal Dialysis Drop-out: Causes and Prevention Strategies. *Int J Nephrol*. 11: 434-608.
- Che, H.H., Lu, M.L., Chen, H.C., Chang, S.W., Lee, Y.J., 2006. Validation of the Chinese version of the Beck Anxiety Inventory. *Formosan Journal of Medicine*. 10:447-54.
- Cohen, S.C., Cukor, D., Kimmel, P.L. 2016. Anxiety in Patients Treated with Hemodialysis. *Clin J Am Soc Nephrol*. 11: 2250-2255
- Conley, Terry. 2006. Breaking free from the anxiety trap. <http://www.wshg.org.uk>
- Davies, S.J., Phillip, L., Russell, G., Griffiths, M.A., 2000. Analysis of the effects of increasing delivered dialysis treatment to malnourished peritoneal dialysis patients. *Kidney Int*. 1743-1754.
- Davies, S.J., Mushahar, L., Yu, Z., Lambie, M. 2011. determinant of peritoneal membrane function over time. *Semin Nephrol*. 31(2): 172-82.
- Decker, B., Muller, O., Brahler, S., Schellberg, E., Herzog, D. 2008. "Validation and standardization of the Generalized Anxiety Disorder Screener (GAD-7) in the general population" . *Medical Care* . 46 (3): 266-74.
- Demirci, M.S. 2011. Relation between malnutrition inflammation atherosclerosis and volume status: the usefulness of bioimpedance in peritoneal dialysis patients. *Nephrol Dial Transplant*. 26:1708-1716.
- ElHafeez, A., Sallam, S.A., Gad, Z.M., Zoccali, C., Torino, C., Tripepi, G., et al., 2012. Cultural adaptation and Validation of the Kidney Disease and Quality of Life- Short Form (KDQOL-SF) version 1.3 questionnaire in Egypt. *BMC Nephrol*. 13: 170.
- Fydrich T, Dowdall D, Chambless DL., 1992. *Reliability and Validity of the Beck Anxiety Inventory*. *Journal of Anxiety Disorders*, Vol. 6, pp. 55-61.
- Gatta, A., Verardo, A., Bolognesi, M., 2012. Hypoalbuminemia. *Intern Emerg Med* . 7 Suppl 3:S193-9.
- Gail Stuart W. 2002. *Buku Saku Keperawatan Jiwa*. Jakarta : EGC, p : 144.
- Goh, S.Z., Griva, K., 2018. Anxiety and depression in patients with end-stage renal disease: impact and management challenges. *Int J Nephrol Renovasc Dis*. 11:93-102.

- Griva, K., Kang, A.W., Yu, Z.L. 2016. Predicting technique and patient survival over 12 months in peritoneal dialysis: the role of anxiety and depression. *Int Urol Nephrol* 48:791–6.
- Han, E., Shiraz, F., Haldane, V., Jafar, H.T., Finkelstein, A., *et al.* 2019. Biopsychosocial experiences and coping strategies of elderly ESRD patients: a qualitative study to inform the development of more holistic and person-centred health services in Singapore. *BMC Public Health*. 19:1107.
- Hargyowati, Y.E. 2016. Tingkat Kecemasan Pasien yang Dilakukan Tindakan Hemodialisis Di Ruang Hemodialisis RSUD DR. Soehardi Prijonegoro Sragen. TESIS. Surakarta.
- Hays, R.D., Kallich, J.D., Mapes, D.L., Coons, S.J., Amin, N., Carter, W.B., *et al.*, 1997. Kidney disease quality of life short form (KDQOL-SF) version 1.3: a manual for use and scoring. RAND, Washington.
- Heimbürger, O., Wang, T., Lindholm, B., 1999. Alterations in water and solute transport with time on peritoneal dialysis. *Perit Dial Int*. 19 Suppl 2:583-590.
- Hen, S., Chang, J., Hwang, S., Chen, J.H., 2009. Comparison of ankle-brachial index and brachial-ankle pulse wave velocity between patients with chronic kidney disease and hemodialysis. *Am J Nephrol* 29: 374-380.
- Ho-dac-Pannekeet, M.M., 1997. Analysis of ultrafiltration failure in peritoneal dialysis patients by means of standard peritoneal permeability analysis. *Perit Dial Int* 17(2):144-150.
- Hsiao,L.C., Der,C.T., Lian,H.H. 2019. Risk factors associated with outcomes of peritoneal dialysis in Taiwan. *Medicine* 98:6-14385.
- Jangkup, J.Y.K., Elim, C., & Kandou, L.F.J. 2015. Tingkat Kecemasan pada Pasien Penyakit Ginjal Kronik (PGK) yang Menjalani Hemodialisis di BLU RSUP PROF. DR. R. D. Kandou Manado. *Jurnal e-Clinic* 3:1.
- Jhoni,Y. K., Jangkup., Christofel Elim. ,Lisbeth, F. J. Kandou,. 2015. Tingkat kecemasan pada penyakit gagal ginjal kronik (PGK) yang menjalani hemodialisa di BLU RSUP PROF.DR.R.DKandau Manado. *Jurnal e-Clinic (eCl)*, Vol. 3. No 1. 598-605.
- Joshi, V.D., Mooppil, N., Lim, J.F., 2010. Validation of the kidney disease quality of life-short form: a cross-sectional study of a dialysis-targeted health measure in Singapore. *BMC Nephrol* 11: 36.
- Juergen, E., Wuerth, D., Finkelstein, S.H., *et al.* 2006. Hemodialysis and peritoneal dialysis: patients' assessment of their satisfaction with therapy

- and the impact of the therapy on their lives. *Clin J Am Soc Nephrol.* 1(6):1191-6.
- Julian, L.J. 2011. *Measures of anxiety: State-Trait Anxiety Inventory (STAI), Beck Anxiety Inventory (BAI) and Hospital Anxiety and Depression Scale-Anxiety (HADS-A)*. Diakses dari: <https://www.ncbi.nlm.nih.gov/pubmed/22588767>
- Kaplan, H.I and Saddock, B.J. 2005. *Sinopsis Psikiatri*. 8<sup>th</sup> ed. Jakarta : Bina Rupa Aksara, pp : 1-8.
- Kessler, R.C., Chiu, W.T., Demler, O., Merikangas, K.R. & Walters, E.E. 2005. Prevalence, severity, and comorbidity of 12-month DSM-IV disorders in the National Comorbidity Survey Replication. *Arch Gen Psychiatry*, 62, 617-627.
- Kidney Disease Improving Global Outcomes (KDIGO) Team, 2012. KDIGO 2012 clinical practice guideline for the evaluation and management of chronic kidney disease. *Kid. Internat. Suppl* 3: 5-14.
- Lai, K.Y., Chan, H.S., Leung, V.K., Szeto C.C., Law, M.C., et al. 2005. Prevalence of Psychological Problem in Chinese Peritoneal Dialysis Patients. *Hongkong J Nephrol* 2:82-9.
- Leyfer, O.T., Ruberg, J.L., Woodruff-Borden, J., 2005. *Examination of the utility of the Beck Anxiety Inventory and its factors as a screener for anxiety disorders. Journal of Anxiety Disorders.* 20 (2006) 444-458.
- Luana, N.A. Panggabean, S. Lengkong, J. Christie, I. 2012. Kecemasan pada Penderita Penyakit Ginjal Kronik yang Menjalani Hemodialisis di RS Unveristas Kristen Indonesia. Volume 46:No 6.
- Liakopoulos, V. Stefanidis, I. Eleftheriadis, T. Musso, C.G. Ioannidis, I. Oreopoulos, D.G., 2006. Age and underdialysis as predictors of sleep disorders in peritoneal dialysis patients. *Int Urol Nephrol* 2006;38:359-60.
- Liu, K.D., Chertow, G.M., 2013. Dialysis in the treatment of renal failure. In: Jameson, J.L., Loscalzo, J. (Ed): *Harrison's Nephrology and Acid-base Disorders*, pp: 141-47. Mc Graw Hill, New York.
- Lo, W.K., Bargman, J.M., Burkart, J., 2006. Guideline on targets for solute and fluid removal in adult patients on chronic peritoneal dialysis. *Perit Dial* 26: 520-522.
- Maramis, W.F ., 2010. *Catatan Ilmu Kedokteran Jiwa*. Surabaya: Airlangga University Press.

- Mehrota R., Duong, U., Jiwakanon, S., Moran, J., et al. 2011. Serum Albumin as a Predictor of Mortality in Peritoneal Dialysis Comparisons With Hemodialysis. *Am J Kidney Dis*. 58:418-428.
- Mudjadid, E. 2014. Pemahaman dan Penanganan Psikosomatik Gangguan Ansietas dan Depresi di Bidang Ilmu Penyakit Dalam. Dalam : Sudoyo, AW., Setiyohadi, B., Alwi, I., Simadibrata, M., Setiati, S., ed. Buku Ajar Penyakit Dalam Jilid III. Jakarta : FKUI. 3581-84.
- Mujais, S., Nolph, K., Gokal, R., Blake, P., Burkart, J., Coles, G., et al., 2010. Evaluation and management of ultrafiltration problems in peritoneal dialysis. International Society for Peritoneal Dialysis Ad Hoc Committee on Ultrafiltration Management in Peritoneal Dialysis. *Perit Dial Int*. 20 Suppl 4:55-521.
- Munib, S. 2006. Continuous Ambulatory Peritoneal Dialysis. *Gomal Journal of Medical Science*. Volume: 4, No:2. 82-85.
- Nowak, Z., Laudanski, K. 2014. The perception of the Illness with Subsequent Outcome Measure in More Favorable in Continuos Peritoneal Dialysis vs Hemodialysis in the Framework of Appraisal Model of Stress. *Int J Med Sci*. 11 (3): 291-7.
- Ozkurt, S.Yazla, C. Musmul, A., 2017. Dream Anxiety in Hemodialysis and Peritoneal Dialysis Patients. *Eskisehir Osmangazi University, Haydarpasa Numune Med J* ;57(3):135-140.
- Padmi, B., 2019. *Perbedaan Skor Depresi Pasien Gagal Ultrafiltrasi Dibandingkan Yang Tidak Gagal Pada Pasien CAPD di RSUP dr. Sardjito Yogyakarta*. Universitas Gajah Mada, Yogyakarta.
- Patrick, D.L., Erickson, P., 1993. Health status and health policy: quality of life in health care evaluation and resource allocation. Oxford University Press, New York.
- Panagopoulou, A., Hardalias, A., Berati, S., Fourtounas, C., 2009. Psychosocial and quality life in patients on renal replacement therapy. 20:(2)212-218.
- Perhimpunan Nefrologi Indonesia (PERNEFRI), 2011. 4th report of indonesian renal registry. PERNEFRI, Jakarta.
- Perhimpunan Nefrologi Indonesia (PERNEFRI), 2011. Konsensus peritoneal dialisis pada penyakit ginjal kronik. PERNEFRI, Jakarta.
- Perlman, R.L., Finkelstein, F.O., Liu, L., Roys, E., Kiser, M., Eisele, G., et al., 2005. Quality of life in chronic kidney disease (CKD): a cross-sectional analysis in the Renal Research Institute-CKD study. *Am J Kidney Dis*. 45(4): 658-66.

- Peso, D.G., Reyes, F.J., Hevia, C., Cirugede, A. 2005. Factors influencing peritoneal transport parameters during the first year on peritoneal dialysis: peritonitis is the main factor. *Nephrology Dialysis Transplantation*, Vol: 20, Issue 6, 1201–1206,
- Puspitasari, C.E., 2016. Penilaian kelelahan dan kualitas hidup pasien hemodialisis rutin dengan anemia menggunakan FACIT-fatigue scale dan KDQoL-SF36 di Rumah Sakit UGM dan RSUP Dr. Sardjito Yogyakarta. Fakultas Farmasi Universitas Gadjah Mada, Yogyakarta.
- Ratnawati. 2011. Tingkat Kecemasan Pasien dengan tindakan Hemodialisa di RSUD Dr M.M Dunda Kabupaten Gorontalo. *Jurnal Health and Sport*. Vol.3, No.2: 258-362.
- Ricardo, A.C., Hacker, E., Lora, C.M., Ackerson, L., DeSalvo, K.B., Go, A., et al., 2013. Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36) US Spanish and English versions in a cohort of Hispanics with chronic kidney disease. *Ethn Dis*. 23(2): 202-9.
- Rusell, M., Gomez, L., Dominguez, R., Santiago, R., Cervantes, M., 2011. Work climate in mexican hemodialysis Units: A Cross-Sectional Study; *Lancet* 45: 76-83.
- Safaruddin, S., 2012. Hubungan pola terapi, nilai ureum kreatinin plasma dan hemoglobin dengan kualitas hidup pasien hemodialisis di RSUD Dr. Soedarso Pontanak (Thesis). Universitas Indonesia, Jakarta.
- Setiyowati, A., Hastuti, W. 2014. Hubungan Tingkat Pengetahuan dengan Kecemasan Pasien Hemodialisa Di Rumah Sakit PKU Muhammadiyah Surakarta. *PROFESI*, Vol. 11 : 20-23.
- Schipper, H., Clinch, J.J., Olweny, C.L.M., 1996. Quality of life studies: definitions and conceptual issues. In: Spilker, B. (ed). *Quality of Life and Pharmacoeconomics in Clinical trials*, 2nd ed. Philadelphia: Lippincott-Raven Publishers, pp: 11-24.
- Schleifer, C., 1987. Migration of peritoneal catheters: personal experience and survey of 72 other units. *Perit Dial Bull* 1987: 189-193.
- Scott, D.C., Daniel, C., Paul, L., Kimmel., 2016. Anxiety in Patients Treated with Hemodialysis. *Clin J Am Soc Nephrol* 11: 2250–2255.
- Smit, W., 2003. Peritoneal function and assessment of reference values using a 3.86% glucose solution. *Perit Dial Int* 23(5):440-449.
- Smit, W., 2004. Analysis of the prevalence and causes of ultrafiltration failure during long-term peritoneal dialysis: a cross-sectional study. *Perit Dial Int* 24(6):562-570.

- Stasiak, C., Bazan, K., Schuinski, A., 2014. Prevalence of anxiety and depression and its comorbidities in patients with chronic kidney disease on hemodialysis and peritoneal dialysis. State university of Ponta Grossa. 325-331.
- Stuart, G.W., Sundeen S.J., 1998. Keperawatan Jiwa. 3th ed. Dalam : A. Yani., Hamid (Editor). Penerbit Buku Kedokteran EGC. Jakarta.
- Spintzer, K., Kroenke., Williams, R.L., Monahan, B.W.J., Löwe, O.P., Bernd. 2007. "Anxiety disorders in primary care: prevalence, impairment, comorbidity, and detection" . *Annals of Internal Medicine* . **146** (5): 317–25.
- Suwitra, K., 2014. Penyakit ginjal kronik. In: Setiati, S., Alwi, I., Sudoyo, A.W., Simadibrata, M., Setiyohadi, B., Syam, A.F. (Ed): Buku Ajar Ilmu Penyakit Dalam, pp: 2159-65. Interna Publishing, Jakarta.
- Sorayah. 2014. Uji validitas konstruk Beck Depression Inventory- II (BDI-II). JP31 Vol. IV: 29-46.
- The European Best Practice Guideline Working Group on Peritoneal Dialysis. 2011. Adequacy of peritoneal dialysis. *Nephrol Dial Transp* 23: 224-227.
- Tagay, S. Kribben, A. Hohenstein, A. Mewes, R. Senf, W. 2007. Posttraumatic stress in hemodialysis patient. *Am J Kidney Dis*. 50(4):594-601.
- Theofilou, P. 2011. Depression and anxiety in patients with chronic renal failure: the effect of sociodemographic characteristics. *Int J Nephrol*;2011:514070.
- Theofilou P. 2011. Quality of life in patients undergoing hemodialysis or peritoneal dialysis treatment
- Twardowski, Z.J. 1989. Clinical value of standard equilibrium test in CAPD patients. *Blood Purif* . *J Clin Med Res* ;3(3):132–138.
- Unruh, M.L., Weisbord, S.D., Kimmel, P.L., 2005. Health-related quality of life in nephrology research and clinical practice. *Semin Dial* 18:82-90.
- Van Dij, C.M., Ledesma, S.G., Teitelbaum, I., 2005. Patient characteristics associated with defects of the peritoneal cavity boundary. *Perit Dial Int* 25(4):367-373.
- Vijay, K. 2002. End stage renal disease in developing countries. *Kidney Int*. 62: 350-62.
- Watnick, S., Hansson, J.H. 2016. Update On Peritoneal Dialysis : core Curriculum 2016. *Am J Kidney Dis*. 1-14.
- Williams, J.D., 2002. Morphologic changes in the peritoneal membrane of patients with renal disease. *J Am Soc Nephrol* 13(2):470-479.

- Wilson, I.B., Cleary, P.D., 1995. Linking clinical variables with health-related quality of life: a conceptual model of patient outcomes. *JAMA* 273: 59-65.
- Woodrow, G. 2011. Volume status in peritoneal dialysis patients. *Perit Dial Int.* 31 (suppl 2):S77–S82.
- Yanes, P.T, Mulyadi., Rivwino, S., Hamel. 2014. Hubungan Tingkat kecemasan dengan mekanisme koping pada Penderita Diabetes Melitus Tipe 2 di poliklinik dalam Rumah Sakit Umum Daerah Tobeli Kabupaten Halmahera Utara. *eJournal Keperawatan* Vol.2 No 1.