

DAFTAR PUSTAKA

1. UNAIDS. The Gap Report. UNAIDS. 2014.
2. UNAIDS. Regional Fact Sheet Asia and The Pacific. 2012.
3. World Health Organization Regional Office for South-East Asia. HIV/AIDS in the South-East Asia Region: Progress Report 2011. 2012. 1–137 p.
4. RI PD dan IK. Infodata AIDS Indonesia 2014. Ditjen PP PL. 2014;1–8.
5. Dinas Kesehatan Provinsi Daerah Istimewa Yogyakarta. Profil dinkes provinsi di Yogyakarta tahun 2017. Yogyakarta; 2018.
6. UNAIDS. The Gap Report. Geneva. UNAIDS. 2014.
7. Soedarmo S, Garna H, Hadinegoro S SH. Buku ajar infeksi dan pediatri tropis. Edisi 2. Jakarta: Ikatan Dokter Anak Indonesia; 2008. 243–256 p.
8. Sauvageot D, Schaefer M, Olson D, Pujades-Rodriguez M, O'Brien DP. Antiretroviral therapy outcomes in resource limited settings for HIV-Infected children <5 years of age. *Pediatrics*. 2010;125(5):e1039–47.
9. Filiz OS, William TS. Impact of human immunodeficiency virus and acquired immunodeficiency syndrome. In: Ralph DF, James DC, Gail JDH SL, editor. Textbook of pediatric infectious disease. 6th ed. USA: Elsevier; 2009. p. 2618–41.
10. Cavarelli M, Scarlatti G. Human immunodeficiency virus type 1 mother-to-child transmission and prevention: successes and controversies. *J Intern Med*. 2011 ;270(6):561–79.
11. Goetghebuer T, Chenadec J Le, Haelterman E, Galli L, Dollfus C, Thorne C, *et al*. Short and long term immunological and virological outcome in HIV-infected infants according to the age at antiretroviral treatment initiation. *Clin Infect Dis*. 2012;54(6):878–81.
12. Chavez R, Reid L, Res C. HIV-1 in trophoblastic and villous Hofbauer cells, and haematological precursors in eight-week fetuses. *Lancet*. 1987;335:565–8.
13. World Health Organization. Consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection, 2nd edition. Second Ed. Switzerland: WHO Library Cataloguing-in-Publication Data; 2016. 1–480 p.
14. Read JS, Newell ML. Efficacy and safety of cesarean delivery for prevention of mother-to-child transmission of HIV-1. In: Cochrane Database of Systematic Reviews. 2005.
15. Thorne C, Boer K, England K, Godfried MH, Newell ML, Mahdavi S, *et al*. Mode of delivery in HIV-infected pregnant women and prevention of mother-to-child transmission: Changing practices in Western Europe. *HIV Med*. 2010 ;11(6):368–78.
16. Krasinski K, Borkowsky W, Holzman RS. Prognosis of human immunodeficiency virus infection in children and adolescents. *Pediatr Infect Dis J*. 1989 ;8(4):216–20.
17. Kementerian Kesehatan Republik Indonesia. Pedoman Penerapan Terapi HIV pada Anak. Kurniati N, editor. Jakarta; 2014. 96 p.

18. Mukherjee A, Singla M, Velpandian P, Sirohiwal A, Vajpayee M, Singh R,

- et al.* Pharmacokinetics of nevirapine, stavudine and lamivudine in Indian HIV-infected children receiving generic fixed dose combinations. *Indian Pediatr.* 2014;51(3):191–7.
19. Mwiru RS, Spiegelman D, Duggan C, Seage GR, Semu H, Chalamilla G, *et al.* Nutritional status and other baseline predictors of mortality among HIV-infected children initiating antiretroviral therapy in Tanzania. *J Int Assoc Provid AIDS Care.* 2015;14(2):172–9.
 20. Mukherjee A, Singla M, Velpandian P, Sirohiwal A, Vajpayee M, Singh R, *et al.* Pharmacokinetics of nevirapine, stavudine and lamivudine in Indian HIV-infected children receiving generic fixed dose combinations. *Indian Pediatr.* 2014;51(3):191–7.
 19. Mwiru RS, Spiegelman D, Duggan C, Seage GR, Semu H, Chalamilla G, *et al.* Nutritional status and other baseline predictors of mortality among HIV-infected children initiating antiretroviral therapy in Tanzania. *J Int Assoc Provid AIDS Care.* 2015;14(2):172–9.
 28. World Health Organization. Guidelines on post-exposure prophylaxis for HIV and the use of co-trimoxazole prophylaxis for HIV-related infections among adults, adolescents and children: recommendations for a public health approach : 2014 supplement to the 2013 consolid. 2013 WHO consolidated guidelines on the use of antiretroviral drugs for treating and preventing HIV infection. 2014. 28–34 p.
 29. Newell ML, Coovadia H, Cortina-Borja M, Rollins N, Gaillard P, Dabis F, *et al.* Mortality of infected and uninfected infants born to HIV-infected mothers in Africa: a pooled analysis. *Lancet.* 2004 ;364(9441):1236–43.
 30. Argresti AF. Guidance for national tuberculosis programmes on the management of tuberculosis in children. Second ed. World Health Organization. Geneva: WHO Library Cataloguing-in-Publication Data; 2014. 125 p.
 31. Phongsamart W, Hansudewechakul R, Bunupuradah T, Klinbuayaem V, Teeraananchai S, Prasithsirikul W, *et al.* Long-term outcomes of HIV-infected children in Thailand: The Thailand pediatric HIV observational database. *Int J Infect Dis.* 2014;22:19–24.
 32. Kabue MM, Buck WC, Wanless SR, Cox CM, McCollum ED, Caviness AC, *et al.* Mortality and clinical outcomes in HIV-infected children on antiretroviral therapy in Malawi, Lesotho, and Swaziland. *Pediatrics.* 2012;130(3):e591–9.
 33. Collins IJ, Jourdain G, Hansudewechakul R, Kanjanavanit S, Hongsiriwon S, Ngampiyasakul C, *et al.* Long-term survival of HIV-infected children receiving antiretroviral therapy in Thailand: A 5-year observational cohort study. *Clin Infect Dis.* 2010;51(12):1449–57.
 34. Barennes H, Tat S, Reinharz D, Vibol U. Perceived stigma by children on antiretroviral treatment in Cambodia. *BMC Pediatr.* 2014;14(1):1–9.
 35. Van Tam V, Larsson M, Pharris A, Diedrichs B, Nguyen HP, Nguyen CTK, *et al.* Peer support and improved quality of life among persons living with HIV on antiretroviral treatment: A randomised controlled trial from north-eastern Vietnam. *Health Qual Life Outcomes.* 2012;10:53.

36. Nesheim SR, Kapogiannis BG, Soe MM, Sullivan KM, Abrams E, Farley J, *et al.* Trends in opportunistic infections in the pre and post highly active antiretroviral therapy eras among HIV-infected children in the perinatal AIDS collaborative transmission study 1986-2004. *Pediatrics*. 2007;120(1):100–9.
37. Katz BZ, Berkman AB, Shapiro ED. Serologic evidence of active Epstein-barr virus infection in epstein-barr virus-associated lymphoproliferative disorders of children with acquired immunodeficiency syndrome. *J Pediatr*. 1992;120(2):228–32.
38. Sharland M, Gibb, Holland M. Respiratory morbidity from lymphocytic interstitial pneumonitis. *Arch Dis Child*. 1997;76:4.
39. Pitcher RD, Beningfield SJ, Zar HJ. Chest radiographic features of lymphocytic interstitial pneumonitis in HIV-infected children. *Clin Radiol*. 2010;65(2):150–4.
40. WHO. Manual on paediatric HIV care and treatment for district hospitals. 2011;142.
41. Graham S, Gibb D. HIV disease and respiratory infection in children. *Br Med Bull*. 2002;61:133–50.
42. Direktorat Jenderal Pengendalian Penyakit dan Penyehatan Lingkungan. Petunjuk teknis manajemen dan tatalaksana tuberkulosis pada anak. Jakarta: Kementerian Kesehatan Republik Indonesia; 2016.
43. Kourtis AP, Paramsothy P, Posner SF, Meikle SF, Jamieson DJ. National estimates of hospital use by children with HIV infection in the United States: Analysis of data from the 2000 KIDS inpatient database. *Pediatrics*. 2006;118(1):e167–73.
44. Kimani-Murage EW, Norris SA, Pettifor JM, Tollman SM, Klipstein-Grobusch K, Gómez-Olivé XF, *et al.* Nutritional status and HIV in rural South African children. *BMC Pediatr*. 2011;11(1):23.
45. World Health Organization. Guideline for an integrated approach to the nutritional care of HIV-infected children (6 months-14 years). World Health Organization. Geneva: WHO Library Cataloguing-in-Publication Data; 2009.
46. DEPKES RI Dirjen Pengendalian Penyakit dan Penyehatan Lingkungan. Pedoman tatalaksana infeksi HIV dan terapi antiretroviral pada anak di Indonesia. Indonesia; 2008. 121 p.
47. Rezeki S. Pedoman Imunisasi di Indonesia Satgas Imunisasi. In: Ranuh I. G, Hadinegoro SRS, Kartasasmita CB, Ismoedijanto, Soedjatmiko, Gunardi H, *et al.*, editors. Pedoman imunisasi di Indonesia. 6th ed. Jakarta: Badan Penerbit Ikatan Dokter Anak Indonesia; 2011. p. 456.
48. Williams PL, Storm D, Montepiedra G, Nichols S, Kammerer B, Sirois PA, *et al.* Predictors of adherence to antiretroviral medications in children and adolescents with HIV infection. *Pediatrics*. 2006;118(6):e1745–57.
49. Mills EJ, Bakanda C, Birungi J, Yaya S, Ford N. The prognostic value of baseline CD4+ cell count beyond 6 months of antiretroviral therapy in HIV-positive patients in a resource-limited setting. *AIDS*. 2012;26(11):1425–9.

50. Poorolajal J, Molaeipoor L, Mohraz M, Mahjub H, Ardekani MT, Mirzapour P, *et al.* Predictors of progression to AIDS and mortality post-HIV infection: A long-term retrospective cohort study. *AIDS Care Psychol Socio Medical Asp AIDS/HIV*. 2015;27(10):1205–12.
51. Araújo CA, Pinto JA, Sanchez CTM, Carvalho IR, Dantas AG, Andrade GEM. Assessment of the prognostic value of the world health organization clinical staging system for HIV/AIDS in HIV infected children and adolescents in a cohort in Belo Horizonte, Brazil. *J Trop Pediatr*. 2012;58(5):353–9.
52. Ezeonwu B, Ikefuna A, Oguonu T, Okafor H. Prevalence of hematological abnormalities and malnutrition in HIV infected under five children in Enugu. *Niger J Clin Pract*. 2014;17(3):303–8.
53. Shet A, Mehta S, Rajagopalan N, Dinakar C, Ramesh E, Samuel NM, *et al.* Anemia and growth failure among HIV infected children in India: A retrospective analysis. *BMC Pediatr*. 2009;9:1–9.
54. Fang X, Li X, Stanton B, Hong Y, Zhang L, Zhao G, *et al.* Parental HIV/AIDS and psychosocial adjustment among rural Chinese children. *J Pediatr Psychol*. 2009;34(10):1053–62.
55. Boyle KE, Monaco H, Ditmarsch D, Deforet M, Xavier JB. Integration of metabolic and quorum sensing signals governing the decision to cooperate in a bacterial social Trait. *PLoS Comput Biol*. 2015;11(6):1501–8.
56. Soetjningsih. Konsep dasar tumbuh kembang anak. In: Soetjningsih, Ranuh IG, editors. *Tumbuh kembang anak*. 2nd ed. Jakarta: EGC; 2013. p. 2–3.
57. Golucci APBS, Marson FAL, Valente MFF, Branco MM, Prado CC, Nogueira RJN. Influence of AIDS antiretroviral therapy on the growth pattern. *J Pediatr*. 2019;95(1):7–17.
58. Feucht UD, Van Bruwaene L, Becker PJ, Kruger M. Growth in HIV-infected children on long-term antiretroviral therapy. *Trop Med Int Heal*. 2016;21(5):619–29.
59. Allard JP, Aghdassi E, Chau J, Tam C, Kovacs CM, Salit IE, *et al.* Effects of vitamin E and C supplementation on oxidative stress and viral load in HIV-infected subjects. *AIDS*. 1998;12(13):1653–9.
60. Kruger HS, Balk LJ, Viljoen M, Meyers TM. Positive association between dietary iron intake and iron status in HIV-infected children in Johannesburg, South Africa. *Nutr Res*. 2013;33(1):50–8.
61. Sunguya BF, Mlunde LB, Urassa DP, Poudel KC, Ubuguyu OS, Mkopi NP, *et al.* Improving feeding and growth of HIV-positive children through nutrition training of frontline health workers in Tanga, Tanzania. *BMC Pediatr*. 2017;17(1):94.
62. Mofenson LM, Brady MT, Danner SP, Dominguez KL, Hazra R, Handelsman E, *et al.* Guidelines for the prevention and treatment of opportunistic infections among HIV-exposed and HIV-infected children: recommendations from CDC, the National Institutes of Health, the HIV Medicine Association of the Infectious Diseases Society of America, *MMWR Recomm reports Morb Mortal Wkly report Recomm reports*.

- 2009;58(11):1–166.
63. Jesson J, Leroy V. Challenges of malnutrition care among HIV-infected children on antiretroviral treatment in Africa . *Medecine et Maladies Infectieuses*. Elsevier Masson; 2015. p. 149–56.
 64. Pavlinac PB, Tickell KD, Walson JL. Management of diarrhea in HIV-affected infants and children. *Expert Rev Anti Infect Ther*. 2015;13(1):5–8.
 65. Bao S, Shao S. Otorhinolaryngological profile and surgical intervention in patients with HIV/AIDS. *Sci Rep*. 2018 ;8(1):12045.
 66. Wislez M, Dufour V, Mayaud C, Bergot E, Cadranel J. Improvement of symptomatic human immunodeficiency virus–related lymphoid interstitial pneumonia in patients receiving highly active antiretroviral therapy. *Clin Infect Dis*. 2003;36(10):e127–30.
 67. Zunza M, Gray DM, Young T, Cotton M, Zar HJ. Isoniazid for preventing tuberculosis in HIV-infected children. *Cochrane Database Syst Rev*. 2017;2017(8).
 68. Taipale A, Pelkonen T, Taipale M, Bernardino L, Peltola H, Pitkäranta A. Chronic suppurative otitis media in children of Luanda, Angola. *Acta Paediatr Int J Paediatr*. 2011;100(8):84–8.
 69. Hrapcak S, Kuper H, Bartlett P, Devendra A, Makawa A, Kim M, *et al*. Hearing loss in HIV-Infected children in Lilongwe, Malawi. *PLoS One*. 2016;11(8):e0161421.
 70. Pangarungan M. Faktor prognostik gagal terapi virologi pada pasien HIV anak dalam terapi antiretroviral lini pertama di Yogyakarta. Universitas Gadjah Mada Yogyakarta; 2017.
 71. Makadzange AT, Higgins-Biddle M, Chimukangara B, Birri R, Gordon M, Mahlanza T, *et al*. Clinical, virologic, immunologic outcomes and emerging HIV drug resistance patterns in children and adolescents in public ART Care in Zimbabwe. *PLoS One*. 2015;10(12):e0144057.
 72. Ebonyi AO, Oguche S, Meloni ST, Sagay SA, Kyriacou DN, Achenbach CJ, *et al*. Predictors of mortality in a clinic cohort of HIV-1 infected children initiated on antiretroviral therapy in Jos, Nigeria. *J AIDS Clin Res*. 2014;5(12).
 73. Dow DE, Shayo AM, Cunningham CK, Reddy EA. Durability of antiretroviral therapy and predictors of virologic failure among perinatally HIV-infected children in Tanzania: a four-year follow-up. *BMC Infect Dis*. 2014 ;14(1):567.
 74. Barennes H, Virak K, Rouet F, Buisson Y, Strobel M, Vibol U. Factors associated with the failure of first and second-line antiretroviral therapies therapy, a case control study in Cambodian HIV-1 infected children. *BMC Res Notes*. 2016 ;9(1):69.
 75. Prasitsuebsai W, Teeraananchai S, Singtoroj T, Truong KH, Ananworanich J, Do VC, *et al*. Treatment outcomes and resistance patterns of children and adolescents on second-line antiretroviral therapy in Asia. *J Acquired Immune Deficiency Syndromes*. 2016. p. 380–6.
 76. Chimukangara B, Varyani B, Shamu T, Mutsvangwa J, Manasa J, White E, *et al*. HIV drug resistance testing among patients failing second line

- antiretroviral therapy. Comparison of in-house and commercial sequencing. *J Virol Methods*. 2017;243:151–7.
77. Prasitsuebsai W, Teeraananchai S, Singtoroj T, Truong KH, Ananworanich J, Do VC, *et al*. Treatment outcomes and resistance patterns of children and adolescents on second-line antiretroviral therapy in Asia. *J Acquir Immune Defic Syndr*. 2016 ;72(4):380–6.
 78. Pan G, Yang Z, Ballinger SW, Mcdonald JM. Pathogenesis of Osteopenia/Osteoporosis induced by highly active anti-retroviral therapy for AIDS. *Ann N Y Acad Sci*. 2006 ; 1068: 297–308.
 79. Potts JF, Rona RJ, Oyarzun MJ, Amigo H, Bustos P. Indoor risk factors for cough and their relation to wheeze and sensitization in Chilean young adults. *Am J Public Health*. 2008 ;98(4):680–6.
 80. Valencia-Garcia D, Rao D, Strick L, Simoni JM. Women’s experiences with HIV-related stigma from health care providers in Lima, Peru: “I would rather die than go back for care.” *Health Care Women Int*. 2017;38(2):144–58.
 81. Vorasane S, Jimba M, Kikuchi K, Yasuoka J, Nanishi K, Durham J, *et al*. An investigation of stigmatizing attitudes towards people living with HIV/AIDS by doctors and nurses in Vientiane, Lao PDR. *BMC Health Serv Res*. 2017;17(1):125.
 82. Varni J, Planning U. Scaling and scoring of the Pediatric Quality of Life Inventory. *Mapi Res Trust*. 2017;17:1–146.