

DAFTAR PUSTAKA

Abou-Elela, A. (2017). Epidemiology, pathophysiology, and management of uric acid urolithiasis: A narrative review. *Journal of Advanced Research*, 8(5), pp.513-527.

Adiwinata, R. , Kristanto, A. Christianty, F., Richard, T., dan Edbert, D., (2015) 'Tatalaksana Terkini Perlemakan Hati Non Alkoholik', *Jurnal Penyakit Dalam Indonesia*, 2(1), pp. 53–59.

Alelign, T. (2018) 'Kidney Stone Disease : An Update on Current Concepts', *Advances in Urology*. Hindawi, 2018.

Avinash R. Kambadakone, B. H. E. and Onofrio Antonio Catalano, D. V. S. (2010) 'New and Evolving Concepts in the Imaging and Management of Urolithiasis : Urologists 's Perspective', *Radiographics*.

Badan Penelitian dan Pengembangan Kesehatan (2013) 'Riset Kesehatan Dasar (RISKESDAS) 2013', Laporan Nasional 2013, pp. 1–384. doi: 1 Desember 2013.

Balitbang Kemenkes RI (2019) 'Riset Kesehatan Dasar 2018', Laporan Nasional 2018. Jakarta.

Cheng, P., Moin, P., Dunn, M., Boswell, W. and Duddalwar, V. (2012). What the Radiologist Needs to Know About Urolithiasis: Part 1 Pathogenesis, Types, Assessment, and Variant Anatomy. *American Journal of Roentgenology*, 198(6), pp.W540-W547.

Cheng, P., Moin, P., Dunn, M., Boswell, W. and Duddalwar, V. (2012) 'What the Radiologist Needs to Know About Urolithiasis : Part 2 - CT Findings, Reporting, and Treatment', *American Journal of Roentgenology*, (June), pp. 548–554.

Coe, F. L., Evan, A. and Worcester, E. (2005) 'Science in medicine Kidney stone disease', *The Journal Clinical Investigations*, 115(10).

Direktorat P2PTM. (2019). Yuk, Sobat Sehat cek berat badan Anda, apakah ideal, kurang, atau berlebih - Direktorat P2PTM. [online] Available at: <http://p2ptm.kemkes.go.id/infographic-p2ptm/obesitas/yuk-sobat-sehat-cek-berat-badan-anda-apakah-ideal-kurang-atau-berlebih-pada-tabel-berikut> [Accessed 6 Oct. 2019].

Dooley, J., Lok, A., Garcia-Tsao, G. and Pinzani, M. (2018). *Sherlock's diseases of the liver and biliary system*. 13th edn. Oxford: Wiley Blackwell.

Dunnick, N., Newhouse, J., Cohan, R. and Maturen, K. (2018). *Genitourinary radiology*. 6th ed. Philadelphia: Wolter Kluwer.

Eisner, B., McQuaid, J., Hyams, E. and Matlaga, B. (2011) 'Nephrolithiasis : What Surgeons Need to Know', *American Journal of Roentgenology*, (June), pp. 1274–1278.

Evan, A. P. (2010) 'Physiopathology and etiology of stone formation in the kidney and the urinary tract', *Pediatr Nephrol*, 25, pp. 831–841.

Feldman, M., S.Friedman, L. and J.Brandt, L. (2016) Sleisenger and Fordtrans's Gastrointestinal and Liver Disease Pathophysiology/Diagnosis/Management. 10th edn. Philadelphia.

Friedman, S., Neuschwander-Tetri, B., Rinella, M. and Sanyal, A. (2018). Mechanisms of NAFLD development and therapeutic strategies. *Nature Medicine*, 24(7), pp.908-922.

Hamer, O., Aguirre, D., Casola, G., Lavine, J., Woenckhaus, M. and Sirlin, C. (2006). Fatty Liver: Imaging Patterns and Pitfalls. *RadioGraphics*, 26(6), pp.1637-1653.

Kemenkes (2017) 'Situasi Penyakit Ginjal Kronis', *InfoDATIN*.

Kim, S., Chang, Y., Sung, E., Kim, C., Yun, K., Jung, H., Shin, H. and Ryu, S. (2017). Non-alcoholic fatty liver disease and the development of nephrolithiasis: A cohort study. *PLOS ONE*, 12(10), p.e0184506.

Klein, J., Brant, W., Helms, C. and Vinson, E. (2019). *Brant and Helms's Fundamentals of Diagnostic Radiology*. 5th edn. Philadelphia: Wolter Kluwer.

Kodama, Y., Ng, C., Wu, T., Ayers, G., Curley, S., Abdalla, E., Vauthey, J. and Charansangavej, C. (2007). Comparison of CT Methods for Determining the Fat Content of the Liver. *American Journal of Roentgenology*, 188(5), pp.1307-1312..

Kohri, K., Yasui, T. and Okada, A. (2012) 'Biomolecular mechanism of urinary stone formation involving osteopontin', *Urology Research*, pp. 623–637

Lesmana, C. R. et al. (2009) 'Clinical Picture , Insulin Resistance , and Adipocytokines Profiles of Nonalcoholic Steatohepatitis (NASH) Patients in Indonesia', *Act Med Indones- Indones J Intern Med*, 41.

Liu, Y. et al. (2018) 'Epidemiology of urolithiasis in Asia', *Asian Journal of Urology. Elsevier Ltd*, 5(4), pp. 205–214.

López, M. and Hoppe, B. (2010) 'History , epidemiology and regional diversities of urolithiasis', *Pediatr Nephrol*, 25, pp. 49–59.

MCAninch, J. (2019). *Smith and Tanagho's General Urology*. New York: McGraw Hill.

M. Dahlan, S. (2011) *Menentukan Besar Sampel. Statistik untuk kedokteran dan kesehatan*. Salemba Medika.

M.Gore, R. and S.Levine, M. (2015) *Textbook of Gastrointestinal Radiology*. 4th edn. Philadelphia: Elsevier.

Moghaddasifar, I. et al. (2016) 'Prevalence of Non-alcoholic Fatty Liver Disease and Its Related Factors in Iran', *International Journal of Organ Transplantation Medicine*, 7(3).

Motamed, N. et al. (2016) 'Fatty liver index vs waist circumference for predicting non-alcoholic fatty liver disease', *World Journal of Gastroenterology*, 22(10), pp. 3023–3030.

Nam, I., Yoon, J., Park, S., Ryu, J., Kim, S. and Lee, Y. (2016). Association of non-alcoholic fatty liver disease with renal stone disease detected on computed tomography. *European Journal of Radiology Open*, 3, pp.195-199.

Paz, D. and Guralnik, L. (2015) 'Association of renal stone (urolithiasis) with nonalcoholic fatty liver (NAFL)', *Electronic Presentation Online System ECR 2015 ESR*, pp. 1–10.

Park, Y., Park, S., Lee, S., Kim, D., Shin, Y., Lee, W., Lee, S. and Yu, E. (2011). Biopsy-proven Nonsteatotic Liver in Adults: Estimation of Reference Range for Difference in Attenuation between the Liver and the Spleen at Nonenhanced CT. *Radiology*, 258(3), pp.760-766.

Pickhardt, P., Park, S., Hahn, L., Lee, S., Bae, K. and Yu, E. (2011). Specificity of unenhanced CT for non-invasive diagnosis of hepatic steatosis: implications for the investigation of the natural history of incidental steatosis. *European Radiology*, 22(5), pp.1075-1082.

Prasetya, I.B., Hasan, I., Wisnu, W. dan Rumende, C.M., (2017) 'Prevalence and Profile of Fibrosis in Diabetic Patients with Non-alcoholic Fatty Liver Disease and the Associated Factors', *Acta Med Indones- Indones J Intern Med*, 49(2), pp. 91–98.

Qin, S., Wang, S., Wang, X. and Wang, J. (2018). Non-alcoholic fatty liver disease and the risk of urolithiasis. *Medicine*, 97(35), p.e12092 pp. 1–7.

Sastroasmoro, S. (2011) *Dasar-dasar metodologi penelitian klinis*. 4th edn. Jakarta: Sagung Seto.

Shier, D., Butler, J. and Lewis, R. (2018) *Hole's Essentials of Human Anatomy & Physiology*. 13th edn. New York: McGraw Hill.

Soelistijo, S. A. et al. (2015) *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia*. PB PERKENI

Sutton, D. (2008) *Textbook of Radiology and Imaging* vol 2. 6th edn. London: Churchill Livingstone.

Tortora, G. J. and Nielsen, M. T. (2017) *Principle of Human Anatomy*. 14th edn. New York: willey.

Wei, Y. et al. (2018) ‘Epidemiologic Association of Nonalcoholic Fatty Liver Disease and Urinary Calculi A Population- based Cross-sectional Study in Southern China’, *Iranian Journal of Kidney Disease*, 12(2), pp. 112–119.

Wijarnpreecha, K. et al. (2018) ‘Nonalcoholic Fatty Liver Disease and Urolithiasis . A Systematic Review and Meta-Analysis’, *J Gastrointestinal Liver Disease*, 27(4), pp. 427–432.

Yasui, T. et al. (2016) ‘Pathophysiology-based treatment of urolithiasis’, *International Journal of Urology*, pp. 1–7.

Zeina, A., Goldenberg, L., Nachtigal, A., Hasadia, R. and Saliba, W. (2017). Association between nephrolithiasis and fatty liver detected on non-enhanced CT for clinically suspected renal colic. *Clinical Imaging*, 43, pp.148-152..