

DAFTAR PUSTAKA

- Acampa, M., Lazzarini, P.E., Martini, G. 2017. How to identify patients at risk of silent atrial fibrillation after cryptogenic stroke: Potential role of P wave dispersion. *Journal of Stroke*, 19(2): 239–241.
- Alingandula, A., Murthy, P.S.V.R. & Komma, S. 2016. Detection of Left Atrial Enlargement by Echocardiography and Electrocardiogram Correlation in Cardiac and Non-cardiac Diseases. *International Journal of Scientific Study*, 4(5): 1–5.
- American Cancer Society. 2017. *Breast cancer Fact & Figures 2017-2018*. Atlanta: American Cancer Society, Inc.
- Amoozgar, H., Zareifar, S., Borzoie, M. & Qasem, F. 2014. Heart repolarization changes after anthracycline therapy in the children with cancer. *Iranian journal of pediatric hematology and oncology*, 4(3): 103–8.
- Arslan, S., Erol, M., Bozkurt, E., 2007, Effect of beta-blocker therapy on left atrial function in patients with heart failure: comparison of metoprolol succinate with carvedilol, *Int J Cardiovasc Imaging*, 23, 549–55.
- Barry, E., Alvarez, J.A., Scully, R.E. & Miller, T.L. 2007. Cardiotoxicity : Course, Pathophysiology, Prevention and Management. *Expert Opin Pharmacother*, 8: 1039–1058.
- Barutçu, I., Esen, O., Kaya, D., Onrat, E., Melek, M., Celik, A., Kilil, C. & Esen, A.M. 2009. The Relationship Between Aging and P Wave Dispersion. *Kofluyolu Kalp Dergisi*, 12(1–2): 5–9.
- Bhaskara, B.A., Irmawan, R., Dinarti, L.K. & Mumpuni, H. 2018. Diagnostic Values of P-Wave Dispersion to Detect Diastolic Function in Patient with Hypertension. *ACI (Acta Cardiologia Indonesiana)*, 3(2): 71.
- Bergamini, C., Dolci, G., Rossi, A., Torelli, F., Ghiselli, L., Trevisani, L., Vinco, G., Truong, S., La, F., Giorgio, R., Molino, A., Benfari, G. & Luciano, F. 2018. Left atrial volume in patients with HER2-positive breast cancer : One step further to predict trastuzumab-related cardiotoxicity. (December 2017): 349–353.
- Bloom, MW, Hamo, CE, Cardinale D, Ky B, Nohria, A, Baer, L, Skopicki, H, Lenihan, DJ, Gheorghide, M, Lyon, AR, Butler, J. 2016. Cancer Therapy-Related Cardiac Dysfunction and Heart Failure Part 1: Definitions, Pathophysiology, Risk Factors, and Imaging. *Circ Heart Fail.*, 9(1): 1–21.
- Blume, G.G., McLeod, C.J., Barnes, M.E., Seward, J.B., Pellikka, P.A., Bastiansen, P.M. & Tsang, T.S.M. 2011. Left atrial function: Physiology, assessment, and clinical implications. *European Journal of Echocardiography*, 12(6): 421–430.
- Bonapace, S., Rossi, A., Lipari, P., Bertolini, L., Zenari, L., Lanzoni, L., Canali, G., Molon, G., Mantovani, A., Zoppini, G., Bonora, E., Barbieri, E. & Targher, G. 2015. Journal of Diabetes and Its Complications Relationship between increased left atrial volume and microvascular complications in patients with type 2 diabetes. *Journal of Diabetes and Its Complications*.
- Bosch, X., Rovira, M., Sitges, M. 2013. Enalapril and carvedilol for preventing chemotherapy induced left ventricular systolic dysfunction in patients with

- malignant hemopathies: the OVERCOME trial (prevention of left Ventricular dysfunction with Enalapril and carvedilol in patients submitted to intensive Chemotherapy for the treatment of Malignant hemopathies). *J. Am. Coll. Cardiol.* 61(23), 2355–2362.
- Boyd, A.C. & Thomas, L. 2014. Left atrial volumes: Two-dimensional, three-dimensional, cardiac magnetic resonance and computed tomography measurements. *Current Opinion in Cardiology*, 29(5): 408–416.
- Boyd, A., Stoodley, P., Richards, D., Hui, R., Harnett, P., Vo, K., Marwick, T. & Thomas, L. 2017. Antrasiklins induce early changes in left ventricular systolic and diastolic function: A single centre study. *PloS ONE*, 12(4): 1–15.
- Bray, F., Ferlay, J., Soerjomataram, I., Siegel, R.L., Torre, L.A. & Jemal, A. 2018. Global Cancer Statistics 2018: GLOBOCAN Estimates of Incidence and Mortality Worldwide for 36 Cancers in 185 Countries. *Cancer J Clin.*, 68: 394–424.
- Broder, H., Gottlieb, R.A. & Lepor, N.E. 2008. Chemotherapy and cardiotoxicity. *Reviews in Cardiovascular Medicine*, 9(2): 75–83.
- Çağlı, K., Ergün, K., Lafçı, G., Gedik, H.S. & Ulaş, M.M., 2005, QT and P wave dispersion, *Journal of Ankara University Faculty of Medicine*, 58, 3, 42–46.
- Cai, F., Antonio, M., Luis, F., Lin, X., Wang, M., Cai, L.U., Cen, C. & Biskup, E. 2019. Anthracycline – induced cardiotoxicity in the chemotherapy treatment of breast cancer : Preventive strategies and treatment (Review). *Molecular And Clinical Oncology*, 11: 15–23.
- Calabrese, V., Menna, P., Annibali, O., Armento, G., Carpino, A., Cerchiara, E., Greco, C., Marchesi, F., Spallarossa, P., Toglia, G., Reggiardo, G. & Minotti, G. 2018. Early Diastolic Dysfunction after Cancer Chemotherapy: Primary Endpoint Results of a Multicenter Cardio-Oncology Study. *Chemotherapy*: 55–63.
- Camsari, A., Pekdemir, H., Akkus, M.N., Yenihan, S., Doven, O. & Cin, V.G. 2003. Long-term Effects of Beta Blocker Therapy on P-wave Duration and Dispersion in Congestive Heart Failure Patients : A New Effect ? *Journal of Electrocardiology*, 36(2): 111–116.
- Cardinale, D., Colombo, A., Bacchiani, G., Tedeschi, I., Meroni, C.A., Veglia, F., Civelli, M., Lamantia, G., Colombo, N., Curigliano, G., Fiorentini, C. & Cipolla, C.M. 2015. Early detection of anthracycline cardiotoxicity and improvement with heart failure therapy. *Circulation*, 131(22): 1981–1988.
- Carver, J.R., Shapiro, C.L., Ng, A., Jacobs, L., Schwartz, C., Virgo, K.S., Hagerty, K.L., Somerfield, M.R., Vaughn, D.J., Cancer, A. & Expert, S. 2007. American Society of Clinical Oncology Clinical Evidence Review on the Ongoing Care of Adult Cancer Survivors : Cardiac and Pulmonary Late Effects. *Journal of Clinical Oncology*, 25: 3991–4008.
- Celik, T., Iyisoy, A., Kursaklioglu, H., Yilmaz, M.I., Kose, S., Kilic, S., Amasyali, B., Demirkol, S. & Isik, E. 2005. The Comparative Effects of Telmisartan and Ramipril on P-Wave Dispersion in Hypertensive Patients : A Randomized Clinical Study. *Clin. Cardiol.*, 28: 298–302.
- Cuomo, A., Rodolico, A., Galdieri, A., Russo, M., Campi, G., Franco, R., Bruno, D., Aran, L., Carannante, A., Attanasio, U., Tocchetti, C.G., Varricchi, G. &

- Mercurio, V. 2019. Co-morbidities Heart Failure and Cancer : Mechanisms of Old and New Cardiotoxic Drugs in Cancer Patients. *Card Fail Rev*, 5(2): 112–118.
- Dagli, N., Karaca, I., Yavuzkir, M., Balin, M. & Arslan, N. 2008. Are maximum P wave duration and P wave dispersion a marker of target organ damage in the hypertensive population? *Clinical Research in Cardiology*, 97(2): 98–104.
- DeVita V.T., Lawrence T.S., Rosenberg S.A. (2008) *DeVita, Hellman, and Rosenberg's Cancer: Principles & Practice of Oncology: Eight Edition*, Philadelphia: Lippincott William & Wilkins : 1-2280.
- Demir, K., Avci, A., Kaya, Z., Marakoglu, K., Ceylan, E., Yilmaz, A., Ersecgin, A., Armutlukuyu, M. & Altunkeser, B.B., 2015, Assessment of atrial electromechanical delay and P-wave dispersion in patients with type 2 diabetes mellitus, *Journal of Cardiology*, 67, 4, 378–383.
- Dillenburg, R.F., Nathan, P. & Mertens, L. 2013. Educational Paper : Decreasing the burden of cardiovascular disease in childhood cancer survivors : An update for the pediatrician. *Eur J Pediatr*, 172: 1149–1160.
- Dilaveris, P., Batchvarov, V. & Gialafos, J. 1999. Comparison of Different Methods for Manual P Wave Duration Measurement in 12-Lead Electrocardiograms. *Pacing and Clinical Electrophysiology*, 22(10): 1532–1539.
- Edhouse, J., Thakur, R.K. & Khalil, J.M. 2002. ABC of clinical electrocardiography: Conditions affecting the left side of the heart. *British Medical Journal*, 324(7348): 1264–1267.
- Eidem, B.W. 2008. Identification of antrasiklin Cardiotoxicity: Left Ventricular Ejection Fraction Is Not Enough. *Journal of the American Society of Echocardiography*, 21(12): 1290–1292.
- Ferlay, J., Soerjomataram, I., Dikshit, R., Eser, S., Mathers, C., Rebelo, M., Parkin, D.M., Forman, D. & Bray, F. 2015. Cancer incidence and mortality worldwide : Sources , methods and major patterns in GLOBOCAN 2012. *Int.J.Cancer*, 136: E359–E386.
- Fogari, R., Derosa, G., Ferrari, I., Corradi, L., Zoppi, A., Lazzari, P., Santoro, T., Preti, P. & Mugellini, A., 2008, Effect of valsartan and ramipril on atrial fibrillation recurrence and P-wave dispersion in hypertensive patients with recurrent symptomatic lone atrial fibrillation., *American journal of hypertension*, 21, 9, 1034–9,.
- Geisberg, C. & Sawyer, D. 2010. Mechanisms of antrasiklin Cardiotoxicity and Strategies to Decrease Cardiac Damage. *Curr Hypertens Rep*, 12(6): 404–410.
- Ghozali A. Registrasi tumor berbasis data laboratorium patologi. Yogyakarta: RSUP Dr. Sardjito, Instalasi Patologi Anatomi; 2015. Barry, E., Alvarez, J.A., Scully, R.E. & Miller, T.L. 2007. Cardiotoxicity : Course , Pathophysiology , Prevention and Management. *Expert Opin Pharmacother*, 8: 1039–1058.
- Gunduz, H., Binak, E., Arinc, H., Akdemir, R., Ozhan, H., Tamer, A. & Uyan, C. 2005. The relationship between P wave dispersion and diastolic dysfunction. *Texas Heart Institute Journal*, 32(2): 163–167.
- Heide, R.S. Vander & L'Ecuyer, T.J. 2007. Molecular basis of antrasiklin- induced cardiotoxicity. *Heart and Metabolism*, 35(2): 1–4.

- Henriksen, P.A. 2018. Antrasiklin cardiotoxicity: An update on mechanisms, monitoring and prevention. *Heart*, 104(12): 971–977.
- Hoit, B.D. 2014. Left atrial size and function: Role in prognosis. *Journal of the American College of Cardiology*, 63(6): 493–505.
- Huelsenbeck, J., Henninger, C., Schad, A., Lackner, K.J., Kaina, B., Fritz, G. 2011. Inhibition of Rac1 signaling by lovastatin protects against anthracycline-induced cardiac toxicity. *Cell Death Dis.* 2(8), e190.
- Jogja Cancer Registry. 2019. Laporan Registrasi Kanker Berbasis Rumah Sakit periode Maret 2019. Available at <https://canreg.fk.ugm.ac.id>. Cited on November 24th 2019.
- Jasra, S. & Anampa, J. 2018. Anthracycline Use for Early Stage Breast Cancer in the Modern Era : a Review. *Curr.Treat. Options in Oncol.*, 19(30): 1–17.
- Kementrian Kesehatan Republik Indonesia. 2019. “Hari Kanker Sedunia 2019”. Available at www.depkes.go.id. Cited on August 25th 2019.
- Khan, A.A., Ashraf, A., Singh, R., Rahim, A., Rostom, W., Renner, I., Collins, N.J. & Hospital, J.H. 2017. Incidence, time of occurrence and response to heart failure therapy in patients with antrasiklin cardiotoxicity. *Intern Med J*, 47(1): 104–109.
- Kim, D., Kim, G., Kim, S., Yu, H., Choi, W., An, I., Kwan, J., Park, K. & Lee, W. 2007. The Relationship between the Left Atrial Volume and the Maximum P-wave and P-wave Dispersion in Patients with Congestive Heart Failure. *Yonsei Med J*, 48(5): 810–817.
- Kimura-Medorima, S.T., Lino, A.P.B.L., Almeida, M.P.C., Figueiredo, M.J.O., Da Mota Silveira-Filho, L., De Oliveira, P.P.M., Coelho, O.R., Souza, J.R.M., Nadruz, W., Petrucci, O. & Sposito, A.C. 2018. P-wave duration is a predictor for long-term mortality in post-CABG patients. *PLoS ONE*, 13(7): 1–13.
- Komite Penanggulangan Kanker Nasional. 2015. *Panduan Penatalaksanaan Kanker Payudara*. Kementrian Kesehatan Republik Indonesia.
- Lang, R.M., Badano, L.P., Mor-Avi, V., Afilalo, J., Armstrong, A., Ernande, L., Flachskampf, F. a., Foster, E., Goldstein, S. a., Kuznetsova, T., Lancellotti, P., Muraru, D., Picard, M.H., Rietzschel, E.R., Rudski, L., Spencer, K.T., Tsang, W. & Voigt, J.-U. 2015. Recommendations for Cardiac Chamber Quantification. *Journal of the American Society of Echocardiography*, 28(1): 1-39.
- Lawrence, C.L. 2012. *The Impact of Chemotherapy for Breast Cancer on Managing Daily Tasks: A Longitudinal Study of Cognitive, Psychosocial and Safety Outcomes in the Home and Workplace*.
- Lukowicz, T., Fischer, M., Hense, H.W., D, A., Stritzke, J. & Riegger, G. 2005. BNP as a marker of diastolic dysfunction in the general population : Importance of left ventricular hypertrophy. *The European Journal of Heart Failure*, 7: 525–531.
- Magnani, J., Johnson, V.M., Sullivan, L.M., Lubitz, S.A., Schnabel, R.B., Ellinor, P.T. & Benjamin, E.J. 2010. P Wave Indices: Derivation of Reference Values from the Framingham Heart Study. *Ann Noninvasive Electrocardiol.*, 15(4): 344–352.

- Maria, L., El, M., Meyerfreud, D., Magalhães, P., Rodrigues, S.L., Perim, M., Brasil, Y., Mameri, S., Aouar, E., Amin, N., Aouar, E., Mill, J.G. & Filho, O.C. 2013. Relationship Between Left Atrial Volume and Diastolic Dysfunction in 500 Brazilian Patients. : 52–58.
- Markman, T.M. & Markman, M. 2018. Cardio-Oncology: mechanisms of cardiovascular toxicity. *F1000Research*, 7(0): 113.
- McGowan, J. V., Chung, R., Maulik, A., Piotrowska, I., Walker, J.M. & Yellon, D.M. 2017. Anthracycline Chemotherapy and Cardiotoxicity. *Cardiovascular Drugs and Therapy*, 31(1): 63–75.
- Mehta, L.S., Watson, K.E., Barac, A., Beckie, T.M., Bittner, V., Cruz-Flores, S., Dent, S., Kondapalli, L., Ky, B., Okwuosa, T., Pina, I.L. & Volgman, A.S. 2018. Cardiovascular Disease and Breast Cancer: Where These Entities Intersect A Scientific Statement From the American Heart Association. *Circulation*, 137: e30–e66.
- Mehrzad, R., Rajab, M. & Spodick, D.H. 2014. The three integrated phases of left atrial macrophysiology and their interactions. *International Journal of Molecular Sciences*, 15(9): 15146–15160.
- Minotti, G., Salvatorelli, E. & Menna, P. 2010. Pharmacological Foundations of Cardio-Oncology. *The Journal of Pharmacology and Experimental Therapeutics*, 334(1): 2–8.
- Mitani I, Jain D, Joska TM, et al. 2003. Doxorubicin cardiotoxicity: prevention of congestive heart failure with serial cardiac function monitoring with equilibrium radionuclide angiocardiology in the current era. *J Nucl Cardiol* ; 10: 132-139.
- Mizia-stec, K., Gościńska, A., Mizia, M., Haberka, M., Chmiel, A., Poborski, W. & Gąsior, Z. 2013. Anthracycline chemotherapy impairs the structure and diastolic function of the left ventricle and induces negative arterial remodelling. *Kardiologia polska*, 71(7): 681–690.
- Nagueh, S.F., Smiseth, O.A., Appleton, C.P., Byrd, B.F., Dokainish, H., Edvardsen, T *et al.*, 2016. Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. *Journal of the American Society of Echocardiography*, 29(4), pp.277–314.
- Nakashima, H., Kumagai, K., Urata, H., Gondo, N., Ideishi, M. & Arakawa, K., 2000, Angiotensin II antagonist prevents electrical remodeling in atrial fibrillation., *Circulation*, 101, Ang II, 2612–2617.
- Namdar, M., Biaggi, P., Stähli, B., Bütler, B., Casado-arroyo, R., Rodríguez-mañero, M., Steffel, J., Hürlimann, D., Schmied, C., De, C., Chierchia, G., Sarkozy, A., Lüscher, T.F., Jenni, R., Duru, F., Paulus, W.J. & Brugada, P. 2013. A Novel Electrocardiographic Index for the Diagnosis of Diastolic Dysfunction. *PLoS ONE*, 8(11): 1–11.
- Narezkina, A. & Nasim, K. 2019. Anthracycline Cardiotoxicity. *Circ Heart Fail.*, 12(e005910): 1–3.
- Nicol M, Baudet M, Cohen-Solal A. Subclinical Left Ventricular Dysfunction During Chemotherapy. *Card Fail Rev.* 2019;5(1):31–36.

- Nousiainen, T., Vanninen, E., Jantunen, E., Puustinen, J., Remes, J., Rantala, A., Vuolteenaho, O. & Hartikainen, J. 2002. Natriuretic peptides during the development of doxorubicin-induced left ventricular diastolic dysfunction. *Journal of Internal Medicine*, 251(3): 228–234.
- Nussinovitch, U. 2012. Meta-analysis of P-wave dispersion values in healthy individuals: The influence of clinical characteristics. *Annals of Noninvasive Electrocardiology*, 17(1): 28–35.
- Okutucu, S., Aytemir, K. & Oto, A., 2016, P-wave dispersion: What we know till now?, *JRSM cardiovascular disease*, 5, 2048004016639443.
- Paul, B. 2009. Left atrial volume - A new index in echocardiography. *Journal of Association of Physicians of India*, 57(6): 463–465.
- Paoletti E., Zoccali C. 2014. A look at the upper heart chamber: the left atrium in chronic kidney disease. *Nephrol Dial Transplant*, 29, 1847-1853.
- Pérez-Riera, A.R., de Abreu, L.C., Barbosa-Barros, R., Grindler, J., Fernandes-Cardoso, A. & Baranchuk, A. 2016. P-wave dispersion: an update. *Indian Pacing and Electrophysiology Journal*, 16(4): 126–133.
- Peto, R., Davies, C., Godwin, J., Gray, R., Pan, H.C., Clarke, M., Cutter, D., Darby, S., McGale, P., Taylor, C., Wang, Y.C., Bergh, J., Di Leo, A., Albain, K., Swain, S., Piccart, M. & Pritchard, K. 2012. Comparisons between different polychemotherapy regimens for early breast cancer: meta-analyses of long-term outcome among 100,000 women in 123 randomised trials. *Lancet*, 379(9814): 432–44.
- Pieske, B., Tschöpe, C., de Boer, R.A., Fraser, A.G., Anker, S.D., Donal, E., Edelmann, F., Fu, M., Guazzi, M., Lam, C.S.P., Lancellotti, P., Melenovsky, V., Morris, D.A., Nagel, E., Pieske-Kraigher, E., Ponikowski, P., Solomon, S.D., Vasan, R.S., Rutten, F.H., Voors, A.A., Ruschitzka, F., Paulus, W.J., Seferovic, P. & Filippatos, G. 2019. How to diagnose heart failure with preserved ejection fraction: the HFA–PEFF diagnostic algorithm: a consensus recommendation from the Heart Failure Association (HFA) of the European Society of Cardiology (ESC). *European Heart Journal*, (September).
- Ristow, B., Ali, S., Whooley, M.A. & Schiller, N.B. 2008. Usefulness of Left Atrial Volume Index to Predict Heart Failure Hospitalization and Mortality in Ambulatory Patients With Coronary Heart Disease and Comparison to Left Ventricular Ejection Fraction (from the Heart and Soul Study). *Am J Cardiol.*, 102(1): 70–76.
- Rodi Tosu, A., Demir, S., Kaya, Y., Selcuk, M., Akdag, S., Isik, T., Arin, C.B., Ozdemir, M. & Akkus, O. 2014. Association of P wave dispersion and left ventricular diastolic dysfunction in non-dipper and dipper hypertensive patients. *Anadolu Kardiyoloji Dergisi/The Anatolian Journal of Cardiology*, 14(3): 251–255.
- Rojek, M., Rajzer, M. & Czarnecka, D. 2015. Arterial stiffness and left atrial volume index in hypertensive and normotensive subjects. *Atherosclerosis*, 241(1): e157.
- Ryberg M, Nielsen D, Cortese G, Nielsen G and Andersen PK: New insight into epirubicin cardiac toxicity: Competing risks analysis of 1097 breast cancer patients. *J Natl Cancer Inst* 100:1058-1067, 2008.

- Sawyer, D.B., Peng, X., Chen, B., Pentassuglia, L. & Chew, C. 2010. Mechanisms of Anthracycline Cardiac Injury: Can we identify strategies for cardio-protection? *Prog Cardiovasc Dis*, 53(2): 105–113.
- Scott, J.M., Khakoo, A., Mackey, J.R., Haykowsky, M.J., Douglas, P.S. & Jones, L.W. 2011. Basic Science for Clinicians Modulation of Anthracycline-Induced Cardiotoxicity by Aerobic Exercise in Breast Cancer Current Evidence and Underlying Mechanisms. *Circulation*, 124: 642–650.
- Senen, K., Turhan, H., Riza Erbay, A., Basar, N., Saatci Yasar, A., Sahin, O. & Yetkin, E. 2004. P-wave duration and P-wave dispersion in patients with dilated cardiomyopathy. *European Journal of Heart Failure*, 6(5): 567–569.
- Serrano, J.M., Gonzalez, I., Del Castillo, S., Muniz, J., Morales, L.J., Moreno, F., Jimenez, R., Cristobal, C., Graupner, C., Talavera, P., Curcio, A., Martinez, P., Guerra, J.A. & Alonso, J.J. 2015. Diastolic Dysfunction Following Anthracycline-Based Chemotherapy in Breast Cancer Patients: Incidence and Predictors. *The Oncologist*, 20(8): 864–872.
- Shi, J., Guo, Y., Cheng, L., Song, F. & Shu, X. 2016. Early change in left atrial function in patients treated with anthracyclines assessed by real-time three-dimensional echocardiography. *Nature Publishing Group*, (April): 1–7.
- Siahaan, I.H., Tobing, T.C., Rosdiana, N. & Lubis, B. 2007. Dampak Kardiotoksik Obat Kemoterapi Golongan Antrasiklin. *Sari Pediatri*, 9(2): 151–156.
- Surawicz, B., Knilans, T.K. & Trudeau, I., 2008, *CHOU'S Electrocardiography In Clinical Practices*, edisi ke 6th, Elsevier Inc, Philadelphia.
- Swain SM, Whaley FS and Ewer MS: Congestive heart failure in patients treated with doxorubicin: A retrospective analysis of three trials. *Cancer* 97: 2869-2879, 2003
- Taha, T.T., Sayed, K., Saad, M. & Samir, M. 2015. How Accurate can Electrocardiogram Predict Left Ventricular Diastolic Dysfunction? *Gulf Medical Journal*, 4(S1):S131-S140.
- Takemoto, Y., Barnes, M.E., Seward, J.B., Lester, S.J., Appleton, C.A., Gersh, B.J., Bailey, K.R. & Tsang, T.S.M. 2005. Usefulness of left atrial volume in predicting first congestive heart failure in patients <65 years of age with well-preserved left ventricular systolic function. *American Journal of Cardiology*, 96(6): 832–836.
- Tocchetti, C.G., Cadeddu, C., Lisi, D. Di, Madonna, R., Mele, D., Monte, I., Novo, G., Penna, C., Pepe, A., Spallarossa, P., Mercuro, G., Varricchi, G. & Pagliaro, P. 2019. From Molecular Mechanisms to Clinical Management of Antineoplastic Drug-Induced Cardiovascular Toxicity: A Translational Overview. , 30(18): 2110–2153.
- Tosu, A.R., Demir, S., Kaya, Y., Selcuk, M., Akdag, S., Isik, T., Arin, C.B., Ozdemir, M. & Akkus, O. 2014. Association of P wave dispersion and left ventricular diastolic dysfunction in non-dipper and dipper hypertensive patients. *Anadolu Kardiyoloji Dergisi/The Anatolian Journal of Cardiology*, 14(3): 251–255. <http://anatoljcardiol.com/jvi.aspx?un=AJC-49952>.
- Tsang, T.S.M., Abhayaratna, W.P., Barnes, M.E., Miyasaka, Y., Gersh, B.J., L, D.P.H.I., Bailey, K.R., Cha, S.S. & Seward, J.B. 2006. Prediction of

- Cardiovascular Outcomes With Left Atrial Size Is Volume Superior to Area or Diameter? *Journal of the American College of Cardiology*, 47(5).
- Tukek, T., Yildiz, P., Akkaya, V., Karan, M.A., Atilgan, D., Yilmaz, V. & Korkut, F., 2002, Factors associated with the development of atrial fibrillation in COPD patients: the role of P-wave dispersion., *Annals of noninvasive electrocardiology: the official journal of the International Society for Holter and Noninvasive Electrocardiology, Inc*, 7, 3, 222–227.
- Tushar, A., Majumder, A., Azam, S., Ullah, M., Ahmed, R., Saha, T., Islam, L. M., & Rahman, M. A. (2015). Relationship between P Wave Dispersion and Left Ventricular Diastolic Dysfunction in Hypertensive and Ischemic Heart Disease Patients. *Cardiovascular Journal*, 8(1), 13-18.
- Vaziri, S.M., Larson, M.G., Lauer, M.S., Benjamin, E.J. & Levy, D. 1995. Influence of Blood Pressure on Left Atrial Size. *Hypertension*, 25(6): 1155–1160. <https://www.ahajournals.org/doi/10.1161/01.HYP.25.6.1155> 31 October 2019.
- Vejpongsa, P. & Yeh, E.T.H. 2014. Prevention of Anthracycline-Induced Cardiotoxicity. *Journal of the American College of Cardiology*, 64(9): 938–945.
- Von Hoff DD, Layard MW, Basa P, Davis HL Jr, Von Hoff AL, Rozenzweig M and Muggia FM: Risk factors for doxorubicin-induced congestive heart failure. *Ann Intern Med* 91: 710-717, 1979.
- Wahidin, M., Noviani, R., Hermawan, S., Andriani, V., Ardian, A. & Djarir, H. 2012. Population-Based Cancer Registration in Indonesia. *Asian Pacific Journal of Cancer Prevention*, 13: 1709–1710.
- Wickramasinghe, C.D., Nguyen, K., Watson, K.E., Vorobiof, G. & Yang, E.H. 2016. Concepts in cardio-oncology : definitions , mechanisms , diagnosis and treatment strategies of cancer therapy-induced cardiotoxicity. *Future Oncology*.
- Yaylali, Y.T., Saricopur, A., Yurtdas, M., Senol, H. & Gokoz-Dogu, G. 2016. Atrial function in patients with breast cancer after treatment with anthracyclines. *Arquivos Brasileiros de Cardiologia*, 107(5): 411–419.
- Yeh, E.T.H., Tong, A.T., Lenihan, D.J., Yusuf, S.W., Swafford, J., Champion, C., Durand, J.B., Gibbs, H., Zafarmand, A.A. & Ewer, M.S. 2004. Cardiovascular complications of cancer therapy: diagnosis, pathogenesis, and management. *Circulation*, 109(25): 3122–3131.
- Yilmaz, R., Demirbag, R., Durmus, I., Kasap, H., Baykan, M., Kucukosmanoglu, M., Celik, S. & Erdol, C. 2004. Association of stage of left ventricular diastolic dysfunction with P wave dispersion and occurrence of atrial fibrillation after first acute anterior myocardial infarction. *Annals of noninvasive electrocardiology: the official journal of the International Society for Holter and Noninvasive Electrocardiology, Inc*, 9: 330–338.
- Zamorano, J.L., Lancellotti, P., Muñoz, D.R., Aboyans, V., Asteggiano, R., Galderisi, M., Habib, G., Lenihan, D.J., Lip, G.Y.H., Lyon, A.R., Fernandez, T.L., Mohty, D., Piepoli, M.F., Tamargo, J., Torbicki, A. & Suter, T.M. 2017. 2016 ESC position paper on cancer treatments and cardiovascular toxicity developed under the auspices of the ESC committee for practice guidelines:

The Task Force For Cancer Treatments And Cardiovascular Toxicity Of The European Society Of Cardiology (ESC). *Russian Journal of Cardiology*, 143(3): 105–139.