



DAFTAR PUSTAKA

- Abbas, J., Aqeel, M., Abbas, J., Shafer, B., Jaffar, A., Sundas, J., & Zhang, W. (2019). The moderating role of social support for marital adjustment, depression, anxiety, and stress: Evidence from Pakistani working and nonworking women. *Journal of Affective Disorders*, 244:231–238. <https://doi.org/10.1016/j.jad.2018.07.071>
- Abbas, R.A., Hammam, R.A.M., El-Gohary, S.S., Sabik., L.M.E., & Hunter, M.S. (2013). Screening for common mental disorders and substance abuse among temporary hired cleaners in Egyptian governmental hospital, Zagazig City, Sharqia Governorate. *International Journal of Occupational and Environmental Medicine*, 4(1):13-26. Diakses dari www.theijoem.com/ijoem/index.php/ijoem/article/view/27/60
- Agostini, F., Neri, E., Salvatori, P., Dellabartola, S., Bozicevic, L. & Monti, F. (2015). Antenatal depressive symptoms associated with specific life events and sources of social support among Italian women. *Maternal and Child Health Journal*, 19:1131-1141. Doi 10.1007/s10995-014-1613-x
- Alam, S., Biswas, K., & Hassan, K. (2012). A test of association between working hour and work family conflict: A glimpse on Dhaka's female white collar professionals. *International Journal of Bussiness Management*, 4(5):27–35. Doi: 10.5539/ijbm.v4n5p27
- Albers, H.M., Kinra, S., Krishna, K.V.R., Ben-Shlomo, Y., & Kuper, H. (2016). Prevalence and severity of depressive symptoms in relation to rural-to-urban migration in India: A cross-ssectional study. *BMC Psychology*, 4(47). Doi: 10.1186/s40359-016-0152-1
- Albert, P.R. (2015). Why is depression more prevalent in women? *Journal of Psychiatry and Neuroscience: JPN*, 40(4):219–221. Doi: 10.1503/jpn.150205
- Alipour, Z., Lamyian., M., & Hajizadeh., E. (2012). Anxiety and fear of childbirth as predictors of postnatal depression in nulliparous women. *Women Birth*, 25:37–43. Doi: 10.1016/j.wombi.2011.09.002
- Amagasa, T. & Nakayama, T. (2013). Relationship between long working hours and depression: A 3-year longitudinal study of clerical workers. *Journal of Occupational and Environmental Medicine*, 55(8): 863–872. Doi: 10.1097/JOM.0b013e31829b27fa
- Amir, N. (2005). *Aspek neurologis diagnosis dan tatalaksana*. Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.
- Andresen, E.M., Malmgren, J.A., Carter, W.B., & Patrick, D.L. (1994). Screening for depression in well older adults: Evaluation of a short form of the CES-D. *American Journal of Preventive Medicine*, 10(2):77–84. [https://doi.org/10.1016/S0749-3797\(18\)30622-6](https://doi.org/10.1016/S0749-3797(18)30622-6)



- Araya, R., Lewis, G., Rojas, G., & Fritsch, R. (2003). Education and income: which is more important for mental health? *Journal of Epidemiological Community Health*, 57:501–505. <http://dx.doi.org/10.1136/jech.57.7.501>
- Avanci, J., Assis, S. & Oliveira, R. (2013). A cross-sectional analysis of women's mental health problems: Examining the association with different types of violence among a sample of Brazilian mothers. *BMC Women's Health*, 13(20). Doi:10.1186/1472-6874-13-20
- Balestrieri, M., Isola, M., Bisoffi, G., Calo, S., Conforti, A., Driul, L., Marchesoni, D. et al. (2012). Determinants of ante-partum depression: A multicenter study. *Social Psychiatry and Psychiatric Epidemiology*, 47:1959-1965. Doi: 10.1007/s00127-012-0511-z.
- Bannai, A. & Tamakoshi, A., (2014). The association between long working hours and health: A systematic review of epidemiological evidence. *Scandinavian Journal of Work, Environment and Health*, 40:5–18. <https://doi.org/10.5271/sjweh.3388>.
- Baron, E.C., Davies, T., & Lund, C. (2017). Validation of the 10-item Centre for Epidemiological Studies Depression Scale (CES-D-10) in Zulu, Xhosa and Afrikaans populations in South Africa. *BMC Psychiatry*, 17:6. Doi 10.1186/s12888-016-1178-
- Bodecs, T., Szilagy, E., Cholnoky, P., Sandor, J., Gonda, X., Rihmer, Z. & Horvath, B. (2013). Prevalence and psychosocial background of anxiety and depression emerging during the first trimester of pregnancy: Data from a Hungarian population-based sample. *Psychiatria Danubina*, 25: 352-358. Diakses dari http://www.psychiatria-danubina.com/UserDocsImages/pdf/dnb_vol25_no4/dnb_vol25_no4_352.pdf
- Boey, K.W. (1999). Cross-validation of a short form of the CES-D in Chinese elderly. *International Journal of Geriatric Psychiatry*, 14(8):608–617. Doi: 10.1002/(SICI)1099-1166((1999)08)14:83.0.CO;2-Z
- Boheim, R., & Taylor, M. (2004). Actual and preferred working hours. *British Journal of Industrial Relations*, 42(1):149–166. <https://doi.org/10.1111/j.1467-8543.2004.00308.x>
- Bradley, K.L., Bagnell, A.L., & Brannen, C.L. (2010). Factorial validity of the Center for Epidemiological Studies Depression 10 in adolescents. *Issues in Mental Health Nursing*, 31:408-412. Doi: 10.1097/PHH.0000000000000751
- Brown, P.J., Wall, M.M., Chen, C., Levine, M.E., Yaffee, K., Roose, S.P., & Rutherford, B.R. (2017). Biological age, not chronological age, is associated with late-life depression. *The Journal of Gerontology: Series A*, 73(10):1370-1376. <https://doi.org/10.1093/gerona/glx162>
- Bruns, A., & Pilkauskas, N. (2019). Multiple job holding and mental health among low-income mothers. *Women's Health Issues*. Doi:10.1016/j.whi.2019.01.006



- Camacho, R.S., Cantinelli, F.S., Ribeiro, C.S., Cantilino, A., Gonsales, B.K., Braguittoni, E., & Renno, Jr.J. (2006). Psychiatry disorders in pregnancy and puerperium: Classification, diagnosis and treatment. *Revista de Psiquiatria Clinica*, 33(2):92–102. <http://www.scielo.br/pdf/rpc/v33n2/a09v33n2.pdf>
- Carleton, R.N., Thibodeau, M.A., Teale, M.J.N., Welch, P.G., Abrams, M.P., Robinson, T., & Asmundson, G.J.G. (2013). The Center for Epidemiologic Studies Depression Scale: A review with a theoretical and empirical examination of item content and factor structure. *PloS One*, 8(3):e58067. Doi:10.1371/journal.pone.0058067
- Cartierre, N., Coulon, N. & Demerval, R. (2011). Confirmatory factor analysis of the short French version of the Center for Epidemiological Studies of Depression Scale (CES-D10) in adolescents. *Encephale*, 37: 273-277. Doi: 10.1016/j.encep.2011.01.011.
- Chang-Quan, H., et al. (2010). Chronic diseases and risk for depression in old age: A meta-analysis of published literature. *Ageing Research Reviews*, 9:131–141. Doi:10.1016/j.arr.2009.05.005
- Chen, X., Yu, B., Gong, J., Zang, J., & MacDonell, K. (2015). The domestic migration stress questionnaire (DMSQ): Development and psychometric assessment. *Journal of Social Science Studies*, 2(2):117. <https://doi.org/10.5296/jsss.v2i2.7010>
- Cheng, S.T. & Chan, A.M. (2005). The Center for Epidemiologic Studies Depression Scale in older Chinese: Thresholds for long and short forms. *International Journal of Geriatric Psychiatry*, 20(5):465–470. Doi:10.1002/gps.1314
- Choo, C., et al. (2014). Cluster analysis reveals risk factors for repeated suicide attempts in a multi-ethnic Asian population. *Asian Journal of Psychiatry*, 8:38–42. <https://doi.org/10.1016/j.ajp.2013.10.001>
- Christiani, Y., Byles, J., Travener, M., & Dugdale, P. (2015). Socioeconomic related inequality in depression among young and middle-adult women in Indonesia's major cities. *Journal of Affective Disorders*, 182:76-81. Doi: 10.1016/j.jad.2015.04.042.
- Cole, J.C., Rabin, A.S., Smith, T.L., & Kaufman, A.S. (2004). Development and validation of a Rasch-derived CES-D short form. *Psychological Assessment*, 16:360–372. Doi:10.1037/1040-3590.16.4.360
- Daly, E. J., et al. (2010). Health-related quality of life in depression: a STAR*D report. *Annals of Clinical Psychiatry*, 22(1):43–55. PMID 20196982
- Danzer, A. (2011). *Labor supply and consumption smoothing when income shocks are non-insurable*. Institute for the Study of Labor Discussion Paper No. 5499.
- Davidson, A.J., Xu, S., Oronce, C.I.A., Durfee, M.J., McCormick, E.V., Steiner, J.F., Havranek, E., et al. (2018). Monitoring depression rates in a urban community: Use of electronic health records. *Journal of Public Health*



- Management and Practice*, 24(6):E6-E14. Doi: 10.1097/PHH.0000000000000751
- Davis, D. (2014). Demographic challenges for a rising China. *Daedalus*, 143(2):401-411. Doi:10.1162/DAED_a_00270
- Davison, G.C. & Neale J.M. 2006. *Psikologi abnormal*. Jakarta: PT. Raja Grafindo Persada.
- De Witte, H. & Na'swell, K. (2003). "Objective" vs "subjective" job insecurity: Consequences of temporary work for job satisfaction and organizational commitment in four European countries. *Economic and Industrial Democracy*, 24:149-188. Diakses dari <https://pdfs.semanticscholar.org/10f7/18885ad911fe25c4ad8c0012f89ba2d09163.pdf>
- Dibaba, Y., Fantahun, M. & Hindin, M. J. (2013). The association of unwanted pregnancy and social support with depressive symptoms in pregnancy: Evidence from rural Southwestern Ethiopia. *BMC Pregnancy Childbirth*, 13: 135. Doi: 10.1186/1471-2393-13-135.
- Dimitrov, D.M. (2010). Testing for factorial invariance in the context of construct validation. *Measurement and Evaluation in Counseling and Development*, 43(2):121-149. <http://dx.doi.org/10.1177/0748175610373459>
- Dooley, D., Prause, J. & Ham-Rowbottom, K.A. (2000). Underemployment and depression: Longitudinal relationships. *Journal of Health and Social Behavior*, 41(4):421-436. Doi:10.2307/2676295
- Dulmus, C. N., & Rapp-Paglicci, L. A. (2005). *Handbook of preventive interventions for adults*. New Jersey: John Wiley & Sons.
- Eastwood, J.G., Kemp, L.A. & Jalaludin, B.B. (2016). Realist theory construction for a mixed method multilevel study of neighbourhood context and postnatal depression. *Springer Plus*, 5:1081. Doi:10.1186/s40064-016-2729-9
- Effendi, S. & Tukiran. (2012). *Metode Penelitian Survei*. Jakarta: LP3ES.
- Faisal, M. I. (2007). Depresi pada penyakit parkinson. *Psikiatri Fakultas Kedokteran Universitas Hasanuddin Makassar*, 1-4.
- Falah-Hassani, K., Shiri, R., & Dennis, C.L. (2017). The prevalence of antenatal and postnatal co-morbid anxiety and depression: A meta-analysis. *Psychological Medicine*, 47(12):2041-2053. Doi:10.1017/S0033291717000617
- Ferrie, J. E. (2001). Is job insecurity harmful to health? *Journal of the Royal Society of Medicine*, 94:71-76. Doi: 10.1177/014107680109400206
- Field, T. (2011). Prenatal depression effects on early development: A review. *Infant Behaviour and Development*, 34:1-14. <http://dx.doi.org/10.1016/j.infbeh.2010.09.008>



- Galea, S., Uddin, M., & Koenen, K. (2011). The urban environment and mental disorders: Epigenetic links. *Epigenetics*, 6(4):400–404. Doi:10.4161/epi.6.4.14944
- Galobardes, B., Shaw, M., Lawlor, D.A., Lynch, J.W., & Davey, S.G. (2006). Indicators of socioeconomic position (part 1). *Journal of Epidemiological Community Health*, 60(1):7–12. Doi:10.1136/jech.2004.023531
- Getnet, B. & Alem, A. (2019). Validity of the Center for Epidemiologic Studies Depression Scale (CES-D) in Eritrean refugees living in Ethiopia. *BMJ Open*, 9:e026129. Doi:10.1136/bmjopen-2018-026129
- Geurts, S.A. & Sonnentag, S. (1996). Recovery as an explanatory mechanism in the relation between acute stress reactions and chronic health impairment. *Scandinavian Journal of Work, Environmental and Health*, 32(6):482–492. <http://dx.doi.org/10.5271/sjweh.1053>
- Giorgi, G., Arcangeli, G., Mucci, N., & Cupelli, V. (2015). Economic stress in the workplace: The impact of fear of the crisis on mental health. *Work*, 51(1):135–142. Doi:10.3233/wor-141844
- Goebert, D., Morland, L., Frattarelli, L., Onoye, J., & Matsu, C. (2007). Mental health during pregnancy: A study comparing Asian, Caucasian, and Native Hawaiian women. *Maternal and Child Health Journal*, 11:249–255. <http://dx.doi.org/10.1007/s10995-006-0165-0>
- Gonzalez, P., Nunez, A., Merz, E., Brintz, C., Weitzman, O., Navas, E., Camacho, A., et al. (2017). Measurement properties of the Center for Epidemiological Studies Depression Scale (CES-D 10): Findings from HCHS/SOL. *Psychological Assessment*, 29(4):372–381. Doi:10.1037/pas0000330.
- Griffin, J.M., Fuhrer, R., Stansfeld, S.A., & Marmot, M. (2002). The importance of low control at work and home on depression and anxiety: Do these effect vary by gender and social class? *Social Science and Medicine*, 54(5):783–798. [https://doi.org/10.1016/S0277-9536\(01\)00109-5](https://doi.org/10.1016/S0277-9536(01)00109-5)
- Hailemariam, S., Tessema, F., Asefa, M., Tadesse, H., & Tenkolu, G. (2012). The prevalence of depression and associated factors in Ethiopia: Findings from National Health Survey. *International Journal of Mental Health Systems*, 6(23). Available at <https://ijmhs.biomedcentral.com/articles/10.1186/1752-4458-6-23>
- Halonen, J.I., Koskinen, A., Varje, P., Kouvenan, A., Hakanen, J.J., & Vaananen, A. (2018). Mental health by gender-specific occupational groups: Profiles, risks and dominance of predictors. *Journal of Affective Disorders*, 238:3113–16. <http://doi.org/10.1016/j.jad.2018.06.007>
- Hammond, I., Eastman, A., Leventhal, J., Putnam-Hornstein, E. (2017). Maternal mental health disorders and reports to child protective services: A birth cohort study. *International Journal of Environmental research and Public Health*, 14(11):1320. Doi:10.3390/ijerph14111320.



- Haroz, E.E., Ybarra, M.L., & Eaton, W.W. (2014). Psychometric evaluation of a self-report scale to measure adolescent depression: The CESDR-10 in two national adolescent samples in the United States. *Journal of Affective Disorders, 158*: 154–160. Doi: 10.1016/j.jad.2014.02.009.
- Hashmi, H.A., Khurshid, M., Hassan, I. (2007). Marital adjustment, stress and depression among working and non-working married women. *Internet Journal of Medical Update, 2*(1):17–24. <http://dx.doi.org/10.4314/ijmu.v2i1.39843>
- Hastono, S.P. (2007). Analisis Data Kesehatan. Depok: Fakultas Kesehatan Masyarakat Universitas Indonesia.
- Hoebel, J., Maske, U.E., Zeeb, H., & Lampert, T. (2017). Social inequalities and depressive symptoms in adults: The role of objective and subjective socioeconomic status. *PLoS One, 12*(1):e0169764. Doi:10.1371/journal.pone.0169764
- Horn, Z. E. (2010). The effects of the global economic crisis on women in the informal economy: Research findings from WIEGO and the Inclusive Cities partners. *Gender and Development, 18*(2):263-276. Doi:10.1080/13552074.2010.491339
- Huong, N.T., Anh, L.V. & Dunne, M.P. (2007). The validity and reliability of depression and anxiety scale in community-based research among adolescents in Vietnam. *Vietnam Journal of Public Health 7*: 25-31.
- Husain, N., Cruickshank, K., Husain, M., Khan, S., Tomenson, B., & Rahman, A. (2012). Social stress and depression during pregnancy and in the postnatal period in British Pakistani mothers: A cohort study. *Journal of Affective Disorders, 140*(3):268–276. Doi:10.1016/j.jad.2012.02.009
- Im, H., Lee, K., & Lee, H. (2014). Acculturation stress and mental health among the marriage migrant women in Busan, South Korea. *Community Mental Health Journal, 50*(4):497–503. Doi: 10.1007/s10597-013-9663-x
- Inoue, K., & Matsumoto, M. (2000). Karo jisatsu (suicide from overwork): A spreading occupational threat. *Occupational and Environmental Medicine, 57*(4):284a–285. <http://dx.doi.org/10.1136/oem.57.4.284a>
- Irwin, M., Artin, K.H., & Oxman, M.N. (1999). Screening for depression in the older adult: Criterion validity of the 10-item Center for Epidemiological Studies Depression Scale (CES-D). *Archives of Internal Medicine, 159*(15):1701–1704. Doi:10.1001/archinte.159.15.1701
- Jackson, F. M., Rowley, D. L., & Curry Owens, T. (2012). Contextualized stress, global stress, and depression in well-educated, pregnant, African-American women. *Women's Health Issues, 22*(3): e329–e336. Doi:10.1016/j.whi.2012.01.003
- Jang, S.N., Kawachi, I., Chang, J., Boo, K., Shin, H.-G., Lee, H., & Cho, S. (2009). Marital status, gender, and depression: Analysis of the baseline



- survey of the Korean Longitudinal Study of Ageing (KLoSA). *Social Science and Medicine*, 69(11):1608–1615. Doi:10.1016/j.socscimed.2009.09.007
- Kaplan, H. I., Sadock, B.J. & Grebb, J. A. (2010a). *Sinopsis psikiatri jilid satu*. Jakarta: Binarupa Aksara Publisher.
- Kaplan, H. I., Sadock, B.J. & Grebb, J. A. (2010b). *Sinopsis psikiatri jilid dua*. Jakarta: Binarupa Aksara Publisher.
- Karmaliani, R., Asad, N., Bann, C. M., Moss, N., McClure, E. M., Pasha, O., Wright, L. L. et al. (2009). Prevalence of anxiety, depression and associated factors among pregnant women of Hyderabad, Pakistan. *International Journal of Social Psychiatry*, 55:414-424. Doi: 10.1177/0020764008094645
- Katz, V.L. (2012). Work and work-related stress in pregnancy. *Clinical Obstetrics and Gynecology*, 55(3), 765-773. Doi:10.1097/grf.0b013e318253b192
- Kemenkes RI. (2017). *Tempat kerja rawan stress*. Biro Komunikasi dan Pelayanan Masyarakat, Kementerian Kesehatan RI. <http://www.depkes.go.id/article/print/17100900008/tempat-kerja-rawan-bikin-stres.html>
- Kemenkes RI. (2018). *Hasil utama Riskedas 2018*. Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia. Diakses pada 16 Juni 2019 dari <http://www.depkes.go.id/resources/download/info-terkini/hasil-riskedas-2018.pdf>
- Khaled, S.M. (2019). Prevalence and potential determinants of subthreshold and major depression in the general population of Qatar. *Journal of Affective Disorders*, 252:382–393. Doi:10.1016/j.jad.2019.04.056
- Khrisnan, K.R.R. (2002). Biological risk factors in late life depression. *Biological Psychiatry*, 52(3):185–192. Doi:10.1016/s0006-3223(02)01349-5
- Kim, M., Kim, T., Lee, D., Yook, J., Hong, Y., Lee, S., Yoon, J, et al. (2018). Mental disorders among workers in the healthcare industry: 2014 national health insurance data. *Annals of Occupational and Environmental Medicine*, 30–31. <https://doi.org/10.1186/s40557-018-0244-x>
- Kim, W., Park, E.C., Lee, T.H., & Kim, T.H. (2016). Effect of working hours and precarious employment on depressive symptoms in South Korean employees: A longitudinal study. *Occupational and Environmental Medicine*, 73(12):816–822. <https://doi.org/10.1136/oemed-2016-103553>
- Kirmayer, L.J., Narasiah, L., Munoz, M., Rashid, M., Ryder, A.G., & Guzder, J., et al. (2011). Common mental health problems in immigrants and refugees: General approach in primary care. *CMAJ*, 183(12):E959–E967. <https://doi.org/10.1503/cmaj.090292>
- Kuehner, C. (2017). Why is depression more common among women than among men? *The Lancet Psychiatry*, 4(2):146–158. [https://doi.org/10.1016/S2215-0366\(16\)30263-2](https://doi.org/10.1016/S2215-0366(16)30263-2)



- Lahelma, E., Laaksonen, M., Martikainen, P., Rahkonen, O., & Sarlio-Lahteenkorva, S. (2006). Multiple measures of socioeconomic circumstances and common mental disorders. *Social Science and Medicine*, 63(5):1383–1399. Doi: 10.1016/j.socscimed.2006.03.027
- Landefeld, C. S., Palmer, R. M., Johnson, M. A., Johnston, C.B., & Lyons, W.L. (2004). *Current geriatric diagnosis and treatment*. USA: McGraw-Hill.
- Large, M. (2016). Study on suicide risk assessment in mental illness underestimates inpatient suicide risk. *BMJ (Clinical research ed.)*, 532:i267. <https://doi.org/10.1136/bmj.i267>
- Lee, A.E.Y. & Chokkanathan, S. (2008). Factor structure of the 10-item CES-D scale among community dwelling older adults in Singapore. *International Journal of Geriatric Psychiatry*, 23:592-597. Doi:10.1002/gps.1944
- Leung, B.M. & Kaplan, B.J. (2009). Perinatal depression: Prevalence, risks and the nutrition link, a review of the literature. *Journal of the American Dietetic Association*, 109(9):1566–1575. Doi:10.1016/j.jada.2009.06.368.
- Li, L., Hu, H., Zhou, H., He, C., Fan, L., Liu, X., Zhang, Z., et al. (2014). Work stress, work motivation and their effect on job satisfaction in community health workers: A cross-sectional survey in China. *BMJ Open*, 2014(4). Doi:10.1136/bmjopen-2014-004897
- Li, Y., Hofstetter, C.R., Irving, V., Chhay, D., & Hovell, M.F. (2013). Stress, illness and the social environment: Depression among first generation mandarin speaking Chinese in Greater Los Angeles. *Journal of Immigrant and Minority Health*, 16(6):1035–1044. Doi:10.1007/s10903-013-9953-y
- Li, Y., Wu., Y., Zhai, L., Wang., T., Sun, Y., & Zhang, D. (2017). Longitudinal association of sleep duration with depressive symptoms among middle-aged and older Chinese. *Scientific Reports*, 7:11794. Doi: 10.1038/s41598-017-12182-0
- Lindert, J., Ehrenstein, O.S., Priebe, S., Mielck, A., & Brahler, E. (2009). Depression and anxiety in labor migrants and refugees—a systematic review and meta-analysis. *Social Science and Medicine*, 69(2):246–257. Doi:10.1016/j.socscimed.2009.04.032
- Lopez-Ruiz, M., Artazcoz, L., Martinez, J.M.M., Rojas, M., & Benavides, F.G. (2015). Informal employment and health status in Central America. *BMC Public Health*, 15:698. Doi: 10.1186/s12889-015-2030-9
- Lu, Y. (2008). Test of the “Healthy Migrant Hypothesis”: A longitudinal analysis of health selectivity of internal migration in Indonesia. *Social Science and Medicine*, 67(8):1331–1339. Doi:10.1016/j.socscimed.2008.06.017
- Lu, Y. (2010a). Mental health and risk behaviours of rural-urban migrants: Longitudinal evidence from Indonesia. *Population Studies*. 64:147–63. Doi: 10.1080/00324721003734100.



- Lu, Y. (2010b). Rural-urban migration and health: Evidence from longitudinal data in Indonesia. *Social Science and Medicine*, 70(3):412–419. <https://doi.org/10.1016/j.socscimed.2009.10.028>
- Lubis, N. L. (2009). *Depresi dari tinjauan psikologis*. Jakarta: Kencana Prenada Media Group.
- Luca, M., Bellia, S., Bellia, M., Luca, A., & Calandra, C. (2014). Prevalence of depression and its relationship with work characteristics in a sample of public workers. *Neuropsychiatric Disease and Treatment*, 10:519–525. <https://doi.org/10.2147/NDT.S56989>
- Ludermir, A.B. & Lewis, G. (2003). Informal work and common mental disorders. *Soc Psychiatry Psychiatr Epidemiol*, 38(9):485–489. Doi: 10.1007/s00127-003-0658-8.
- Ludermir, A.B. & Lewis, G. (2005). Is there a gender difference on the association between informal work and common mental disorders? *Social Psychiatry and Psychiatric Epidemiology*, 40:622–624. Doi: 10.1007/s00127-005-0938-6.
- Lundberg, U. & Hellstrom, B. (2002). Workload and morning salivary cortisol in women. *Work and Stress*, 16:356–363. <https://doi.org/10.1080/0267837021000064427>
- Lydsdottir, L. B., Howard, L. M., Olafsdottir, H., Thome, M., Tyrfinngsson, P. & Sigurdsson, J. F. (2014). The mental health characteristics of pregnant women with depressive symptoms identified by the Edinburgh Postnatal Depression Scale. *Journal of Clinical Psychiatry*, 75:393-398. Doi: 10.4088/JCP.13m08646.
- Martinez, A., Western, M., Haynes, M., Tomaszewski, W., & Macarayan, E. (2014). Multiple job holding and income mobility in Indonesia. *Research in Social Stratification and Mobility*, 37:91-104. Doi:10.1016/j.rssm.2013.09.008
- Matthews, S. & Power, C. (2002). Socio-economic gradients in psychological distress: A focus on women, social roles and work-home characteristics. *Social Science and Medicine*, 54(5):799–810. Doi:10.1016/s0277-9536(01)00110-1
- Mazlan, N.H. & Ahmad, A. (2014). Validation of the Malay-translated version of the Center for Epidemiological Study-Depression Scale (CES-D). *ASEAN Journal of Psychiatry*, 15(1):54-65. Diakses dari https://pdfs.semanticscholar.org/9760/ab259cad55ec17f90cbb5614519bfc39f47a.pdf?_ga=2.140202611.177544118.1576438060-1240902194.1560438023
- Meeks, T.W., Vahia, I.V., Lavretsky, H., Kulkarni, G., & Jeste, D.V. (2011). A tune in “a minor” can “b major”: A review of epidemiology, illness course, and public health implications of subthreshold depression in older adults. *Journal of Affective Disorders*, 129:126-142. Doi: 10.1016/j.jad.2010.09.015



- Melville, J.L., Gavin, A., Guo, Y., Fan, M.Y., & Katon, W.J. (2010). Depressive disorders during pregnancy: Prevalence and risk factors in a large urban sample. *Obstetrics and Gynecology*, 116(5):1064–1070. Doi: 10.1097/AOG.0b013e3181f60b0a.
- Messingg, K. & Ostlin, P. (2006). *Gender equality, work and health: A review of the evidence*. World Health Organization 2006. ISBN 92 4 159353 9
- Meyer, S. (2015). Persistent depression doubles stroke risk despite treatment, study finds. *BMJ (Clinical research ed.)*, 350:h2611. <https://doi.org/10.1136/bmj.h2611>
- Milner, A., King, T., LaMontagne, A.D., Bentley, R., & Kavanagh, A. (2018). Men's work, women's work, and mental health: A longitudinal investigation of the relationship between the gender composition of occupations and mental health. *Social Science and Medicine*, 2014:16–22. <https://doi.org/10.1016/j.socscimed.2018.03.020>
- Mirsky, J. (2009). Mental health implications of migration: A review of mental health community studies on Russian-speaking immigrants in Israel. *Social Psychiatry and Psychiatric Epidemiology*, 44(3):179–187. Doi:10.1007/s00127-008-0430-1
- Nabipour, A.R., Gholami, H., Amini, A., Riahi, S.M., Ghanbarifar, S., Moradlou, H.Z. (2016). Prevalence of depression and its related factors in Pishva District Health Network employees in 2013. *Journal of Development*, 3(4):323-332. ISSN 2322-1380.
- National Institute of Mental Health. Undated. Depression in women: 5 things you should know. www.nimh.gov
- Ndjaboue, R., Brisson, C., Talbot, D., & Ve´zina, M. (2017). Chronic exposure to adverse psychosocial work factors and high psychological distress among white-collar workers: A 5-year prospective study. *Journal of Psychosomatic Research*, 94:56–63. <https://doi.org/10.1016/j.jpsychores.2017.01.001>
- Nguyen, A. W., Walton, Q. L., Thomas, C., Mouzon, D. M., & Taylor, H. O. (2019). Social Support from friends and depression among African Americans: The moderating influence of education. *Journal of Affective Disorders*, 253:1-7. Doi:10.1016/j.jad.2019.04.013
- Niedhammer, I., Malard, L., & Chastang, J. (2015). Occupational factors and subsequent major depressive and generalized anxiety disorders in the prospective French national SIP study. *BMC Public Health*, 15(200). Doi 10.1186/s12889-015-1559-y
- Noble, R.E. (2005). Depression in women. *Metabolism*, 54(5):49-52. Doi: 10.1016/metabol.2005.01.014
- O'Connell, M.E., Grant, P.R., McLean, M., Griffith, L.E., Wolfson, C., Kirkland, S., & Raina, P. (2018). Measurement invariance of the Center for Epidemiological Studies Depression Scale 10-items short form (CES-D-10)



- in the Canadian longitudinal study on aging. *Alzheimer's & Dementia*, 15(7):p570. Doi:10.1016/j.jalz.2018.06.616
- O'Halloran, A.M., Kenny, R.A. & King-Kallimanis, B.L. (2014). The latent factors of depression from the short form of the CES-D are consistent, reliable and valid in community-living older adults. *European Geriatric Medicine*, 5(2):97–102. <https://doi.org/10.1016/j.eurger.2013.12.004>
- Oenning, N.S.X., Ziegelmann, P.K., Goulart, B.N.G., & Niedhammer, I. (2018). Occupational factors associated with major depressive disorder: A Brazilian population-based study. *Journal of Affective Disorders*, 240:48–56. <https://doi.org/10.1016/j.jad.2018.07.022>
- Oram, S., Khalifeh, H. & Howard, L. (2016). Violence against women and mental health. *Women's Mental Health*, 4(2):159–170. [http://dx.doi.org/10.1016/S2215-0366\(16\)30261-9](http://dx.doi.org/10.1016/S2215-0366(16)30261-9).
- Pal, R. (2017). Marital adjustment among working and non-working married women. *International Journal of Home Science*, 3(1):384–386. ISSN: 2395-7476 IJHS 2017; 3(1): 384-386.
- Panos, G., Pouliakas, K., & Zangelidis, A. (2011). *Multiple job holding as a strategy for skill diversification and labour market mobility*. Essex Business School Working Paper. University of Essex.
- Park, J.N., Han, M.A., Park, J., & Ryu, S.Y. (2011). Prevalence of depressive symptoms and related factors in Korean employees: The third Korean working conditions survey (2011). *International Journal of Environmental Research and Public Health*, 13(424). Doi:10.3390/ijerph13040424
- Parveen, N. (2009). Investigating occupational stress among married and unmarried working women in Hyderabad city. *Baharia Journal of Professional Psychology*, 5:21–37. http://applications.emro.who.int/imemrf/Bahria_J_Professional_Psychol/2009_5_21.pdf
- Patel, V. & Kleinman, A. (2003). Poverty and common mental disorders in developing countries. *Bulletin World Health Organization*, 81:609–615. PMID 14576893
- Patel, V. (2007). Mental health in low- and middle-income countries. *British Medical Bulletin*, 81–82(1):81–96. Doi:10.1093/bmb/ldm010
- Peltzer, K., & Pengpid, S. (2015). Depressive symptoms and social demographic, stress and health risk behaviour among university students in 26 low-, middle- and high-income countries. *International Journal of Psychiatry in Clinical Practice*, 19(4):259-265. Doi: 10.3109/13651501.
- Peltzer, K., & Pengpid, S. (2018). High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. *Asian Journal of Psychiatry*, 33:52–59. Doi:10.1016/j.ajp.2018.03.017



- Psarros, A. 2017. Problems at work impact on maternal mental health. *Maternity Action*. Diakses pada 20 Juni 2019 dari <https://maternityaction.org.uk/2017/10/problems-at-work-impact-on-maternal-mental-health/>
- Radloff, L.S. (1977). The CES-D scale: A self-report depression scale for research in the general population. *Applied Psychological Measurement*, 1(3):385–401. <https://doi.org/10.1177/014662167700100306>
- Rai, D., Zitko, P., Jones, K., Lynch, J., & Araya, R. (2013). Country and individual level socioeconomic determinants of depression: Multilevel cross-national comparison. *The British Journal of Psychiatry*. 202(3):195–203. Doi:10.1192/bjp.bp.112.112482
- Ratanasiripong, P., Kaewboonchoo, O., Bell, E., Haigh, C., Susilowati, I., Isahak, M., Harncharoen, et al. (2016). Depression, anxiety and stress among small and medium enterprise workers in Indonesia, Malaysia, Thailand and Vietnam. *International Journal of Occupational Health and Public Health Nursing*, 3(2):13–29. ISSN: 2053-2377.
- Ridlo, I. A. & Zein, R.A. (2018). Arah kebijakan kesehatan mental: Tren global dan nasional serta tantangan aktual. *Buletin Penelitian Kesehatan*, 46(1):45–52. <https://doi.org/10.22435/bpk.v46i1.56>
- Riecher-Rossler, A. (2017). Sex and gender differences in mental disorders. *The Lancet Psychiatry*, 4(1):8–9. [https://doi.org/10.1016/S2215-0366\(16\)30348-0](https://doi.org/10.1016/S2215-0366(16)30348-0)
- Rivera-Medina, C.L., Caraballo, J.N., Rodriguez-Cordero, E.R., et al. (2010). Factor structure of the CESD and measurement invariance across gender for low-income Puerto Ricans in a probability sample. *Journal of Consulting and Clinical Psychology*, 78: 398-408. Doi: 10.1037/a0019054.
- Rodic, D., Meyer, A.H. & Meinlschmidt. (2015). The association between depressive symptoms and physical diseases in Switzerland: A cross-sectional general population study. *Frontiers in Public Health*, 3(47). <https://doi.org/10.3389/fpubh.2015.00047>
- Rosner, B. (2010). *Fundamental of biostatistics*, 7th ed. Canada: Nelso Education. Doi:10.1017/CBO9781139032445.005
- Royal College of Obstetricians and Gynecologist (RCOG). (2017). *Maternal Mental Health – Women’s Voices*. London: RCOG. Available from: <https://www.rcog.org.uk/globalassets/documents/patients/information/maternalmental-healthwomens-voices.pdf>
- Sales, E.C. & Santana, V.S. (2003). Depressive and anxiety symptoms among housemaids. *American Journal of Industrial Medicine*, 44:685–691. Doi: 10.1002/ajim.10280
- Santrock, J.W. (2003). *Adolescence: Perkembangan remaja*. Edisi keenam. Jakarta: Erlangga.



- Schuch, J.J., Roest, A.M., Nolen, W.A., Penninx, B.W., Jonge, P. (2014). Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. *Journal of Affective Disorders*, 156:156–163. Doi:10.1016/j.jad.2013.12.011
- Sekine, M., Chandola, T., Martikainen, P., Marmot, M., & Kagamimori, S. (2010). Sex differences in physical and mental functioning of Japanese civil servants: Explanations from work and family characteristics. *Social Science and Medicine*, 71(12): 2091–2099. Doi:10.1016/j.socscimed.2010.09.031
- Sharp & Lipsky. (2002). *Screening for depression*. <http://muscu.edu>.
- Shields, M. (2016). Stress and depression in the employed population. *Health Rep*. 17(4):11–29. PMID: 17111591
- Siegrist, J. (1996). Adverse health effects of high-effort/ low-reward conditions. *Journal of Occupational Health Psychology*, 1(1):27–41. <http://dx.doi.org/10.1037/1076-8998.1.1.27>
- Siriruttanapruk, S., Wada, K., & Kawakami, T. (2009). *Promoting occupational health services for workers in the informal economy through primary care units*. ILO Asia-Pacific Working Paper Series, 2009. Available from www.ilo.org/asia
- Smith, M.V., Shao, L., Howel, H., Lin, & Yonkes, K.A. (2011). Perinatal depression and birth outcomes in a Healthy Start project. *Maternal and Child Health Journal*, 15(3):401–409. Doi:10.1007/s10995-010-0595-6.
- Social Protection of Asia (SPA). (2009). Towards occupational safety and health services for women and men in the informal economy: Policy brief on occupational safety and health. *A policy-research and network building program, 2009*. Available from www.socialprotectionasia.org
- Solar, O. & Irwin, A. (2007). *A conceptual framework for action on the determinants of health*. Geneva: World Health Organization. http://www.who.int/sdhconference/resources/ConceptualframeworkforactiononSDH_eng.pdf.
- Stansfeld, S.A., Shipley, M.J., Head, J., & Fuhrer, R. (2012). Repeated job strain and the risk of depression: longitudinal analyses from the Whitehall II study. *American Journal of Public Health*, 102(12):2360–6.
- Stewart, W. F., Ricci, J. A., Chee, E., Hahn, S. R. & Morganstein, D. (2003). Cost of lost productive work time among US workers with depression. *Journal of American Medical Association*, 289:3135–3144. <https://doi.org/10.1001/jama.289.23.3135>
- Strauss, J., Witoelar, F., & Sikoki, B. (2016). *The fifth wave of Indonesia Family Life Survey: Overview and field report, Volume 1*. RAND Corporation. https://www.rand.org/content/dam/rand/pubs/working_papers/WR1100/WR1143z1/RAND_WR1143z1.pdf



- Sugianto, D. (2018). Menilik prevalensi gejala depresi di Indonesia. Into The Light Indonesia - Suicide Prevention Community. <https://www.intothelightid.org/2018/08/28/menilik-prevalensi-gejala-depresi-di-indonesia/>
- Sugiyono. (2012). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D*. Bandung: AFABETA.
- Sverke, M., Hellgren, J., & Naesswall, K. (2002). No security: A meta-analysis and review of job insecurity and its consequences. *Journal of Occupational Health Psychology, 7*:242–264. Doi: 10.1037//1076-8998.7.3.242
- Tampubolon, G. & Hanandita, W. (2014). Poverty and mental health in Indonesia. *Social Science and Medicine, 106*:20–27. <http://dx.doi.org/10.1016/j.socscimed.2014.01.012>
- Thanh, N.D., Quyen, B.T., & Tien, T.Q. (2016). Validation of brief CES-D Scale for measuring depression and its associated predictors among adolescent in Chi Linh, Hai Duong, Vietnam. *AIMS Public Health, 3*(3):448-459. Doi: 10.3934/publichealth.2016.3.448
- Theorell, T., Hammarstrom, A., Aronsson, G., Bendz, A.T., Grape, T., Hogstedt, C., Marteinstottir, I., et al. (2015). A systematic review including meta-analysis of work environment and depressive symptoms. *BMC Public Health, 15*(738). Doi:10.1186/s12889-015-1954-4
- Tomita, A., Labys, C.A., & Burns, J.K. (2014). The relationship between immigration and depression in South Africa: Evidence from the first South African National Income Dynamics Study. *Journal of Immigrant and Minority Health, 16*(6):1062–1068. Doi: 10.1007/s10903-014-9987-9.
- Tomita, A., Labys, C.A., & Burns, J.K. A multilevel analysis of the relationship between neighborhood social disorder and depressive symptoms: Evidence from the South African National Income Dynamics Study. *American Journal of Orthopsychiatry, 85*(1):56–62. Doi: 10.1037/ort0000049
- Tong, Y., Piotrowski, M., & Ye, H. (2018). Differences in the health–age profile across rural and urban sectors: A study on migrants and non-migrants in China. *Public Health, 158*:124–134. Doi:10.1016/j.puhe.2018.02.019
- Tran, B.X., Vu, G.T. Pham, K.T.H., Vuong, Q., Ho, M., Vuong, T., Nguyen, H.T., et al. (2019). Depressive symptoms among industrial workers in Vietnam and correlated factors: A multi-site survey. *International Journal of Environmental Research and Public Health, 16*(1642). Doi:10.3390/ijerph16091642
- Tran, T. D., Kaligis, F., Wiguna, T., Willenberg, L., Nguyen, H. T. M., Luchters, S., Fisher, J. et al. (2019). Screening for depressive and anxiety disorders among adolescents in Indonesia: Formal validation of the centre for epidemiologic studies depression scale – revised and the Kessler psychological distress scale. *Journal of Affective Disorders, 246*:189–194. Doi:10.1016/j.jad.2018.12.042



- Tucker-Ladd, C.E. (2009). *Psychological self-help, chapter 6: Happiness, depression and self-concept*. Diakses pada 20 Mei 2019 dari http://www.psychologicalselfhelp.org/Chapter6/chap6_8.html
- Undang-Undang Republik Indonesia Nomor 20 Tahun 2003 tentang Sistem Pendidikan Nasional. Diakses 20 Mei 2019 dari [https://kelembagaan.ristekdikti.go.id/wp-content/uploads/\(2016\)/08/UU_no_20_th_2003.pdf](https://kelembagaan.ristekdikti.go.id/wp-content/uploads/(2016)/08/UU_no_20_th_2003.pdf)
- United Nations. (2018). 2018 revision of world urbanization prospects. UN: Department of Economic and Social Affairs. <https://www.un.org/development/desa/publications/2018-revision-of-world-urbanization-prospects.html#targetText=Today%2C%20the%20most%20urbanized%20regions,Asia%20is%20now%20approximating%2050%25>.
- Virtanen, M., Ferrie, J.E., Singh-Manoux, A., Shipley, M.J., Vahtera, J., Marmot, M.G., & Kivimäki, M. (2010). Overtime work and incident coronary heart disease : the Whitehall II prospective cohort study. *European Heart Journal*, 31(14):1737–1744. Doi:10.1093/eurheartj/ehq124
- Virtanen, M., Honkonen, T., Kivimäki, M., Ahola, K., Vahtera, J., Aromaa, A., Lönnqvist, J. (2007). Work stress, mental health and antidepressant medication findings from the Health 2000 Study. *Journal of Affective Disorders*, 98(3):189–197. Doi:10.1016/j.jad.2006.05.034
- Virtanen, M., Jokela, M., Madsen, I.E.H., Magnusson, Hanson, L.L., Lallukka, T., Nyberg, S. et al. (2018). Long working hours and depressive symptoms: Systematic review and meta-analysis of published studies and unpublished individual participant data. *Scandinavian Journal of Work, Environment and Health*, 44(3):239–50. Doi:10.5271/sjweh.371
- Virupaksha, H., Kumar, A., & Nirmala, B.P. (2014). Migration and mental health: An interface. *Journal of Natural Science, Biology and Medicine*, 5(2):233. Doi: 10.4103/0976-9668.136141
- Wang, J., Patten, S.B., Currie, S., Sareen, J., & Schmitz, N. (2012). A population-based longitudinal study on work environmental factors and the risk of major depressive disorder. *American Journal of Epidemiology*, 176(1):52–9. Doi: 10.1093/aje/kwr473
- Wang, M., Armour, C., Wu, Y., et al. (2013). Factor structure of the CES-D and measurement invariance across gender in Mainland Chinese adolescents. *Journal of Clinical Psychology*, 69: 966-79. Doi: 10.1002/jclp.21978
- Wang, R., Chen, Z., Zhou, Y., Shen, L., Zhang, Z., & Wu, X. (2019). Melancholy or mahjong? Diversity, frequency, type, and rural-urban divide of social participation and depression in middle- and old-aged Chinese: A fixed-effects analysis. *Social Science and Medicine*, 238:112518. Doi:10.1016/j.socscimed.2019.112518



- Weston, G., Zilanawala, A., Webb, E., Carvalho, L.A., & McMunn, A. (2019). Long work hours, weekend working and depressive symptoms in men and women: Findings from a UK population-based study. *Journal of Epidemiology and Community Health*, 73:465-474. Doi:10.1136/jech-2018-211309
- Whisman, M.A. & Beach, S.R. (2010). Models for understanding interpersonal processes and relationships in anxiety disorders. In J. G. Beck (Ed.) *Interpersonal processes in the anxiety disorders: Implications for understanding psychopathology and treatment* (pp. 9–35). Washington DC, US: American Psychological Association. <http://dx.doi.org/10.1037/12084-001>
- WHO. (2001a). *The world health report: Mental health*. Geneva: The World Health Organization.
- WHO. (2001c). *Mental disorders affect one in four people: Treatment available but not being used*. https://www.who.int/whr/2001/media_centre/press_release/en/
- WHO. (2004). Promoting mental health: Concepts, emerging evidence, practice. *Summary Report/A Report from the World Health Organization*. Department of Mental Health and Substance Abuse in collaboration with the Victorian Health Promotion Foundation and the University of Melbourne Retrieved from Switzerland.
- WHO. (2005). *Mental health policies and programmes in the workplace*. Geneva: WHO. ISBN 9241546794. Available at https://www.who.int/mental_health/policy/services/13_policies%20program s%20in%20workplace_WEB_07.pdf?ua=1&ua=1
- WHO. (2008). *World Health Organization and World Organization of Family Doctors (Wonca): Integrating mental health into primary care-A global perspective*. Geneva, Switzerland: WHO.
- WHO. (2012). *Estimates for 2000–2012*. World Health Organization. http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html
- WHO. (2016). *WHO country cooperation strategy 2014-2019: Indonesia*. India: World Health Organization. ISBN 978-92-9022-502-7
- Woods, S.M., Melville, J.L., Guo, Y., Fan, M.Y., & Gavin, A. (2010). Psychosocial stress during pregnancy. *American Journal of Obstetrics and Gynecology*, 202(1):61.e1–7. Doi:10.1016/j.ajog.2009.07.041
- Yanikkerem, E., Ay, S., Mutlu, S. & Goker, A. (2013). Antenatal depression: prevalence and risk factors in a hospital based Turkish sample. *Journal of the Pakistan Medical Association*, 63(4): 472-477. ISSN (Print): 0030-9982; ISSN (Linking): 0030-9982-L



- Yang, Q., Operario, D., Zaller, N., Huang, W., Dong, Y., & Zhang, H. (2018). Depression and its correlation with health-risk behaviors and social capital among female migrants working in entertainment venues in China. *PloS One*, *13*(2):e0191632. Doi: 10.1371/journal.pone.0191632
- Yoon, Y., Ryu, J., Kim, H., Kang, C., & Jung-Choi, K. (2018). Working hours and depressive symptoms: The role of job stress factors. *Annals of Occupational and Environmental Medicine*, *30*(46). <https://doi.org/10.1186/s40557-018-0257-5>
- Zhang, B. Fokkema, M., Cuijpers, P.L.J., et al. (2011). Measurement invariance of the center for epidemiological studies depression scale (CES-D) among chinese and dutch elderly. *BMC Medical Research Methodology*, *11*: 74. Doi: 10.1186/1471-2288-11-74.
- Zhang, W., O'Brien, N., Forrest, J.I., Salters, K.A., Patterson, T.L., Montaner, J.S.G., Robert, S.H., et al. (2012). Validating a Shortened Depression Scale (10 Item CES-D) among HIV-Positive People in British Columbia, Canada. *Plos One*, *7*(7):e40793. Doi:10.1371/journal.pone.0040793
- Zhong, B.L., Liu, T.B., Chan, S.S.M., Jin, D., Hu, C.Y., Dai, J., & Chiu, H.F.K. (2015). Prevalence and correlates of major depressive disorder among rural-to-urban migrant workers in Shenzhen, China. *Journal of Affective Disorders*, *183*:1–9. Doi:10.1016/j.jad.2015.04.03