UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abbas, J., Aqeel, M., Abbas, J., Shaher, B., Jaffar, A., Sundas, J., & Zhang, W. (2019). The moderating role of social support for marital adjustment, depression, anxiety, and stress: Evidence from Pakistani working and nonworking women. *Journal of Affective Disorders, 244*:231–238. https://doi.org/10.1016/j.jad.2018.07.071

Abbas, R.A., Hammam, R.A.M., El-Gohary, S.S., Sabik., L.M.E., & Hunter, M.S. (2013). Screening for common mental disorders and substance abuse among temporary hired cleaners in Egyptian governmental hospital, Zagazig City, Sharqia Governorate. *International Journal of Occupational and Environmental Medicine, 4*(1):13-26. Diakses dari www.theijoem.com/ijoem/index.php/ijoem/article/view/27/60

Agostini, F., Neri, E., Salvatori, P., Dellabartola, S., Bozicevic, L. & Monti, F. (2015). Antenatal depressive symptoms associated with specific life events and sources of social support among Italian women. *Maternal and Child Health Journal, 19*:1131-1141. Doi 10.1007/s10995-014-1613-x

Alam, S., Biswas, K., & Hassan, K. (2012). A test of association between working hour and work family conflict: A glimpse on Dhaka's female white collar professionals. *International Journal of Bussiness Management, 4*(5):27–35. Doi: 10.5539/ijbm.v4n5p27

Albers, H.M., Kinra, S., Krishna, K.V.R., Ben-Shlomo, Y., & Kuper, H. (2016). Prevalence and severity of depressive symptoms in relation to rural-to-urban migration in India: A cross-ssectional study. *BMC Psychology, 4*(47). Doi: 10.1186/s40359-016-0152-1

Albert, P.R. (2015). Why is depression more prevalent in women? *Journal of Psychiatry and Neuroscience:JPN, 40*(4):219–221. Doi: 10.1503/jpn.150205

Alipour, Z., Lamyian., M., & Hajizadeh., E. (2012). Anxiety and fear of childbirth as predictors of postnatal depression in nulliparous women. *Women Birth, 25*:37–43. Doi: 10.1016/j.wombi.2011.09.002

Amagasa, T. & Nakayama, T. (2013). Relationship between long working hours and depression: A 3-year longitudinal study of clerical workers. *Journal of Occupational and Environmental Medicine, 55*(8): 863–872. Doi: 10.1097/JOM.0b013e31829b27fa

Amir, N. (2005). *Aspek neurologis diagnosis dan tatalaksana.* Jakarta: Balai Penerbit Fakultas Kedokteran Universitas Indonesia.

Andresen, E.M., Malmgren, J.A., Carter, W.B., & Patrick, D.L. (1994). Screening for depression in well older adults: Evaluation of a short form of the CES-D. *American Journal of Preventive Medicine, 10*(2):77–84. https://doi.org/10.1016/S0749-3797(18)30622-6

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Araya, R., Lewis, G., Rojas, G., & Fritsch, R. (2003). Education and income: which is more important for mental health? *Journal of Epidemiological Community Health, 57:*501–505. http://dx.doi.org/10.1136/jech.57.7.501

Avanci, J., Assis, S. & Oliveira, R. (2013). A cross-sectional analysis of women's mental health problems: Examining the association with different types of violence among a sample of Brazilian mothers. *BMC Women's Health, 13*(20). Doi:10.1186/1472-6874-13-20

Balestrieri, M., Isola, M., Bisoffi, G., Calo, S., Conforti, A., Driul, L., Marchesoni, D. et al. (2012). Determinants of ante-partum depression: A multicenter study. *Social Psychiatry and Psychiatric Epidemiology*, *47*:1959-1965. Doi: 10.1007/s00127-012-0511-z.

Bannai, A. & Tamakoshi, A., (2014). The association between long working hours and health: A systematic review of epidemiological evidence. *Scandinavian Journal of Work, Environment and Health, 40*:5–18. https://doi.org/10.5271/sjweh.3388.

Baron, E.C., Davies, T., & Lund, C. (2017). Validation of the 10-item Centre for Epidemiological Studies Depression Scale (CES-D-10) in Zulu, Xhosa and Afrikaans populations in South Africa. *BMC Psychiatry, 17*:6. Doi 10.1186/s12888-016-1178-

Bodecs, T., Szilagyi, E., Cholnoky, P., Sandor, J., Gonda, X., Rihmer, Z. & Horvath, B. (2013). Prevalence and psychosocial background of anxiety and depression emerging during the first trimester of pregnancy: Data from a Hungarian population-based sample. *Psychiatria Danubina,* 25: 352-358. Diakses dari http://www.psychiatria-danubina.com/UserDocsImages/pdf/dnb_vol25_no4/dnb_vol25_no4_352.pdf

Boey, K.W. (1999). Cross-validation of a short form of the CES-D in Chinese elderly. *International Journal of Geriatric Psychiatry, 14*(8):608–617. Doi: 10.1002/(SICI)1099-1166((1999)08)14:83.0.CO;2-Z

Boheim, R., & Taylor, M. (2004). Actual and preferred working hours. *British Journal of Industrial Relations*, *42*(1):149–166. https://doi.org/10.1111/j.1467-8543.2004.00308.x

Bradley, K.L., Bagnell, A.L., & Brannen, C.L. (2010). Factorial validity of the Center for Epidemiological Studies Depression 10 in adolescents. *Issues in Mental Health Nursing, 31*:408-412. Doi: 10.1097/PHH.0000000000000751

Brown, P.J., Wall., M.M., Chen, C., Levine, M.E., Yaffee, K., Roose, S.P., & Rutherford, B.R. (2017). Biological age, not chronological age, is associated with late-life depression. *The Journal of Gerontology: Series A, 73*(10):1370-1376. https://doi.org/10.1093/gerona/glx162

Bruns, A., & Pilkauskas, N. (2019). Multiple job holding and mental health among low-income mothers. *Women's Health Issues.* Doi:10.1016/j.whi.2019.01.006

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Camacho, R.S., Cantinelli, F.S., Ribeiro, C.S., Cantilino, A., Gonsales, B.K., Braguittoni, E., & Renno, Jr.J. (2006). Psychiatry disorders in pregnancy and puerperium: Classification, diagnosis and treatment. *Revista de Psiquiatria Clinica, 33*(2):92–102. http://www.scielo.br/pdf/rpc/v33n2/a09v33n2.pdf

Carleton, R.N., Thibodeau, M.A., Teale, M.J.N., Welch, P.G., Abrams, M.P., Robinson, T., & Asmundson, G.J.G. (2013). The Center for Epidemiologic Studies Depression Scale: A review with a theoretical and empirical examination of item content and factor structure. *PloS One, 8*(3):e58067. Doi:10.1371/journal.pone.0058067

Cartierre, N., Coulon, N. & Demerval, R. (2011). Confirmatory factor analysis of the short French version of the Center for Epidemiological Studies of Depression Scale (CES-D10) in adolescents. *Encephale, 37*: 273-277. Doi: 10.1016/j.encep.2011.01.011.

Chang-Quan, H., et al. (2010). Chronic diseases and risk for depression in old age: A meta-analysis of published literature. *Ageing Research Reviews, 9*:131–141. Doi:10.1016/j.arr.2009.05.005

Chen, X., Yu, B., Gong, J., Zang, J., & MacDonell, K. (2015). The domestic migration stress questionnaire (DMSQ): Development and psychometric assessment. *Journal of Social Science Studies, 2*(2):117. https://doi.org/10.5296/jsss.v2i2.7010

Cheng, S.T. & Chan, A.M. (2005). The Center for Epidemiologic Studies Depression Scale in older Chinese: Thresholds for long and short forms. *International Journal of Geriatric Psychiatry, 20*(5):465–470. Doi:10.1002/gps.1314

Choo, C., et al. (2014). Cluster analysis reveals risk factors for repeated suicide attempts in a multi-ethnic Asian population. *Asian Journal of Psychiatry, 8*:38–42. https://doi.org/10.1016/j.ajp.2013.10.001

Christiani, Y., Byles, J., Travener, M., & Dugdale, P. (2015). Socioeconomic related inequality in depression among young and middle-adult women in Indonesia's major cities. *Journal of Affective Disorders, 182*:76-81. Doi: 10.1016/j.jad.2015.04.042.

Cole, J.C., Rabin, A.S., Smith, T.L., & Kaufman, A.S. (2004). Development and validation of a Rasch-derived CES-D short form. *Psychological Assessment, 16*:360–372. Doi:10.1037/1040-3590.16.4.360

Daly, E. J., et al. (2010). Health-related quality of life in depression: a STAR*D report. *Annals of Clinical Psychiatry, 22*(1):43–55. PMID 20196982

Danzer, A. (2011). *Labor supply and consumption smoothing whenincome shocks are non-insurable.* Institute for the Study of LaborDiscussion Paper No. 5499.

Davidson, A.J., Xu, S., Oronce, C.I.A., Durfee, M.J., McCormick, E.V., Steiner, J.F., Havranek, E., *et al.* (2018). Monitoring depression rates in a urban community: Use of electronic health records. *Journal of Public Health*

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Management and Practice, 24(6):E6-E14. Doi: 10.1097/PHH.0000000000000751

Davis, D. (2014). Demographic challenges for a rising China. *Daedalus, 143*(2):401-411. Doi:10.1162/DAED_a_00270

Davison, G.C. & Neale J.M. 2006. *Psikologi abnormal.* Jakarta: PT. Raja Grafindo Persada.

De Witte, H. & Na¨swell, K. (2003). "Objective" vs "subjective" job insecurity: Consequences of temporary work for job satisfaction and organizational commitment in four European countries. *Economic and Industrial Democracy, 24*:149–188. Diakses dari https://pdfs.semanticscholar.org/10f7/18885ad911fe25c4ad8c0012f89ba2d09163.pdf

Dibaba, Y., Fantahun, M. & Hindin, M. J. (2013). The association of unwanted pregnancy and social support with depressive symptoms in pregnancy: Evidence from rural Southwestern Ethiopia. *BMC Pregnancy Childbirth, 13*: 135. Doi: 10.1186/1471-2393-13-135.

Dimitrov, D.M. (2010). Testing for factorial invariance in the context of construct validation. *Measurement and Evaluation in Counseling and Development, 43*(2):121–149. http://dx.doi.org/10.1177/0748175610373459

Dooley, D., Prause, J. & Ham-Rowbottom, K.A. (2000). Underemployment and depression: Longitudinal relationships. *Journal of Health and Social Behavior, 41*(4):421-436. Doi:10.2307/2676295

Dulmus, C. N., & Rapp-Paglicci, L. A. (2005). *Handbook of preventive interventions for adults.* New Jersey: John Wiley & Sons.

Eastwood, J.G., Kemp, L.A. & Jalaludin, B.B. (2016). Realist theory construction for a mixed method multilevel study of neighbourhood context and postnatal depression. *Springer Plus, 5*:1081. Doi:10.1186/s40064-016-2729-9

Effendi, S. & Tukiran. (2012). Metode Penelitian Survei. Jakarta: LP3ES.

Faisal, M. I. (2007). Depresi pada penyakit parkinson. *Psikiatri Fakultas Kedokteran Universitas Hasanuddin Makassar*, 1–4.

Falah-Hassani, K., Shiri, R., & Dennis, C.L. (2017). The prevalence of antenatal and postnatal co-morbid anxiety and depression: A meta-analysis. *Psychological Medicine, 47*(12):2041-2053. Doi:10.1017/S0033291717000617

Ferrie, J. E. (2001). Is job insecurity harmful to health? *Journal of the Royal Society of Medicine, 94:*71–76. Doi: 10.1177/014107680109400206

Field, T. (2011). Prenatal depression effects on early development: A review. *Infant Behaviour and Development, 34*:1–14. http://dx.doi.org/10.1016/j.infbeh.2010.09.008

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Galea, S., Uddin, M., & Koenen, K. (2011). The urban environment and mental disorders: Epigenetic links. *Epigenetics, 6*(4):400–404. Doi:10.4161/epi.6.4.14944

Galobardes, B., Shaw. M., Lawlor, D.A., Lynch, J.W., & Davey, S.G. (2006). Indicators of socioeconomic position (part 1). *Journal of Epidemiological* Community *Health, 60*(1):7–12. Doi:10.1136/jech.2004.023531

Getnet, B. & Alem, A. (2019). Validity of the Center for Epidemiologic Studies Depression Scale (CES-D) in Eritrean refugees living in Ethiopia. *BMJ Open, 9*:e026129. Doi:10.1136/bmjopen-2018-026129

Geurts, S.A. & Sonnentag, S. (1996). Recovery as an explanatory mechanism in the relation between acute stress reactions and chronic health impairment. *Scandinavian Journal of Work, Environmental and Health, 32*(6):482–492. http://dx.doi.org/10.5271/sjweh.1053

Giorgi, G., Arcangeli, G., Mucci, N., & Cupelli, V. (2015). Economic stress in the workplace: The impact of fear of the crisis on mental health. *Work, 51*(1):135–142. Doi:10.3233/wor-141844

Goebert, D., Morland, L., Frattarelli, L., Onoye, J., & Matsu, C. (2007). Mental health during pregnancy: A study comparing Asian, Caucasian, and Native Hawaiian women. *Maternal and Child Health Journal, 11*:249-255. http://dx.doi.org/10.1007/s10995-006-0165-0

Gonzalez, P., Nunez, A., Merz, E., Brintz, C., Weitzman, O., Navas, E., Camacho, A., et al. (2017). Measurement properties of the Center for Epidemiological Studies Depression Scale (CES-D 10): Findings from HCHS/SOL. *Psychological Assessment, 29*(4):372–381. Doi:10.1037/pas0000330.

Griffin, J.M., Fuhrer, R., Stansfeld, S.A., & Marmot, M. (2002). The importance of low control at work and home on depression and anxiety: Do these effect vary by gender and social class? *Social Science and Medicine, 54*(5):783-798. https://doi.org/10.1016/S0277-9536(01)00109-5

Hailemariam, S., Tessema, F., Asefa, M., Tadesse, H., & Tenkolu, G. (2012). The prevalence of depression and associated factors in Ethiopia: Findings from National Health Survey. *International Journal of Mental Health Systems, 6*(23). Availble at https://ijmhs.biomedcentral.com/articles/10.1186/1752-4458-6-23

Halonen, J.I., Koskinen, A., Varje, P., Kouvenan, A., Hakanen, J.J., & Vaananen, A. (2018). Mental health by gender-specific occupational groups: Profiles, risks and dominance of predictors. *Journal of Affective Disorders, 238*:3113–16. http://doi.org/10.1016/j.jad.2018.06.007

Hammond, I., Eastman, A., Leventhal, J., Putnam-Hornstein, E. (2017). Maternal mental health disorders and reports to child protective services: A birth cohort study. *International Journal of Environmental research and Public Health, 14*(11):1320. Doi:10.3390/ijerph14111320.

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Haroz, E.E., Ybarra, M.L., & Eaton, W.W. (2014). Psychometric evaluation of a self-report scale to measure adolescent depression: The CESDR-10 in two national adolescent samples in the United States. *Journal of Affective Disorders, 158:* 154–160. Doi: 10.1016/j.jad.2014.02.009.

Hashmi, H.A., Khurshid, M., Hassan, I. (2007). Marital adjustment, stress and depression among working and non-working married women. *Internet Journal of Medical Update*, *2*(1):17–24. http://dx.doi.org/10.4314/ijmu.v2i1.39843

Hastono, S.P. (2007). Analisis Data Kesehatan. Depok: Fakultas Kesehatan Masyarakat Universitas Indonesia.

Hoebel, J., Maske, U.E., Zeeb, H., & Lampert, T. (2017). Social inequalities and depressive symptoms in adults: The role of objective and subjective socioeconomic status. *PLoS One, 12(*1):e0169764. Doi:10.1371/journal.pone.0169764

Horn, Z. E. (2010). The effects of the global economic crisis on women in the informal economy: Research findings from WIEGO and the Inclusive Cities partners. *Gender and Development, 18*(2):263-276. Doi:10.1080/13552074.2010.491339

Huong, N.T., Anh, L.V. & Dunne, M.P. (2007). The validity and reliability of depression and anxiety scale in community-based research among adolescents in Vietnam. *Vietnam Journal of Public Health 7*: 25-31.

Husain, N., Cruickshank, K., Husain, M., Khan, S., Tomenson, B., & Rahman, A. (2012). Social stress and depression during pregnancy and in the postnatal period in British Pakistani mothers: A cohort study. *Journal of Affective Disorders, 140*(3):268–276. Doi:10.1016/j.jad.2012.02.009

Im, H., Lee, K., & Lee, H. (2014). Acculturation stress and mental health among the marriage migrant women in Busan, South Korea. *Community Mental Health Journal, 50*(4):497–503. Doi: 10.1007/s10597-013-9663-x

Inoue, K., & Matsumoto, M. (2000). Karo jisatsu (suicide from overwork): A spreading occupational threat. *Occupational and Environmental Medicine, 57*(4):284a–285. http://dx.doi.org/10.1136/oem.57.4.284a

Irwin, M., Artin, K.H., & Oxman, M.N. (1999). Screening for depression in the older adult: Criterion validity of the 10-item Center for Epidemiological Studies Depression Scale (CES-D). *Archives of Internal Medicine, 159*(15):1701–1704. Doi:10.1001/archinte.159.15.1701

Jackson, F. M., Rowley, D. L., & Curry Owens, T. (2012). Contextualized stress, global stress, and depression in well-educated, pregnant, African-American women. *Women's Health Issues, 22*(3): e329–e336. Doi:10.1016/j.whi.2012.01.003

Jang, S.N., Kawachi, I., Chang, J., Boo, K., Shin, H.-G., Lee, H., & Cho, S. (2009). Marital status, gender, and depression: Analysis of the baseline

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

survey of the Korean Longitudinal Study of Ageing (KLoSA). *Social Science and Medicine, 69(11)*:1608–1615. Doi:10.1016/j.socscimed.2009.09.007

Kaplan, H. I., Sadock, B.J. & Grebb, J. A. (2010a). *Sinopsis psikiatri jilid satu.* Jakarta: Binarupa Aksara Publisher.

Kaplan, H. I., Sadock, B.J. & Grebb, J. A. (2010b). *Sinopsis psikiatri jilid dua.* Jakarta: Binarupa Aksara Publisher.

Karmaliani, R., Asad, N., Bann, C. M., Moss, N., McClure, E. M., Pasha, O., Wright, L. L. et al. (2009). Prevalence of anxiety, depression and associated factors among pregnant women of Hyderabad, Pakistan. *International Journal of Social Psychiatry, 55*:414-424. Doi: 10.1177/0020764008094645

Katz, V.L. (2012). Work and work-related stress in pregnancy. *Clinical Obstetrics and Gynecology, 55(3), 765-773.* Doi:10.1097/grf.0b013e318253b192

Kemenkes RI. (2017). *Tempat kerja rawan stress.* Biro Komunikasi dan Pelayanan Masyarakat, Kementerian Kesehatan RI. http://www.depkes.go.id/article/print/17100900008/tempat-kerja-rawan-bikin-stres.html

Kemenkes RI. (2018). *Hasil utama Riskedas 2018.* Badan Penelitian dan Pengembangan Kesehatan, Kementerian Kesehatan Republik Indonesia. Diakses pada 16 Juni 2019 dari http://www.depkes.go.id/resources/download/info-terkini/hasil-riskesdas-2018.pdf

Khaled, S.M. (2019). Prevalence and potential determinants of subthreshold and major depression in the general population of Qatar. *Journal of Affective Disorders, 252*:382–393. Doi:10.1016/j.jad.2019.04.056

Khrisnan, K.R.R. (2002). Biological risk factors in late life depression. *Biological Psychiatry, 52*(3):185–192. Doi:10.1016/s0006-3223(02)01349-5

Kim, M., Kim, T., Lee, D., Yook, J., Hong, Y., Lee, S., Yoon, J, et al. (2018). Mental disorders among workers in the healthcare industry: 2014 national health insurance data. *Annals of Occupational and Enviromental Medicine,* 30–31. https://doi.org/10.1186/s40557-018-0244-x

Kim, W., Park, E.C., Lee, T.H., & Kim, T.H. (2016). Effect of working hours and precarious employment on depressive symptoms in South Korean employees: A longitudinal study. *Occupational and Environmental Medicine, 73*(12):816–822. https://doi.org/10.1136/oemed-2016-103553

Kirmayer, L.J., Narasiah, L., Munoz, M., Rashid, M., Ryder, A.G., & Guzder, J., et al. (2011). Common mental health problems in immigrants and refugees: General approach in primary care. *CMAJ, 183*(12):E959–E967. https://doi.org/10.1503/cmaj.090292

Kuehner, C. (2017). Why is depression more common among women than among men? *The Lancet Psychiatry, 4*(2):146–158. https://doi.org/10.1016/S2215-0366(16)30263-2

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Lahelma, E., Laaksonen, M., Martikainen, P., Rahkonen, O., & Sarlio-Lahteenkorva, S. (2006). Multiple measures of socioeconomic circumstances and common mental disorders. *Social Science and Medicine, 63*(5):1383–1399. Doi: 10.1016/j.socscimed.2006.03.027

Landefeld, C. S., Palmer, R. M., Johnson, M. A., Johnston, C.B., & Lyons, W.L. (2004). *Current geriatric diagnosis and treatment.* USA: McGrow-Hill.

Large, M. (2016). Study on suicide risk assessment in mental illness underestimates inpatient suicide risk. *BMJ (Clinical research ed.), 532:*i267. https://doi.org/10.1136/bmj.i267

Lee, A.E.Y. & Chokkanathan, S. (2008). Factor structure of the 10-item CES-D scale among community dwellifng older adults in Singapore. *International Journal of Geriatric Psychiatry, 23:*592-597. Doi:10.1002/gps.1944

Leung, B.M. & Kaplan, B.J. (2009). Perinatal depression: Prevalence, risks and the nutrition link, a review of the literature. *Journal of the American Dietetic Association, 109*(9):1566–1575. Doi:10.1016/j.jada.2009.06.368.

Li, L., Hu, H., Zhou, H., He, C., Fan, L., Liu, X., Zhang, Z., et al. (2014). Work stress, work motivation and their effect on job satisfaction in community health workers: A cross-sectional survey in China. *BMJ Open, 2014*(4). Doi:10.1136/bmjopen-2014-004897

Li, Y., Hofstetter, C.R., Irving, V., Chhay, D., & Hovell, M.F. (2013). Stress, illness and the social environment: Depression among first generation mandarin speaking Chinese in Greater Los Angeles. *Journal of Immigrant and Minority Health, 16*(6):1035–1044. Doi:10.1007/s10903-013-9953-y

Li, Y., Wu., Y., Zhai, L., Wang., T., Sun, Y., & Zhang, D. (2017). Longitudinal association of sleep duration with depressive symtoms among middle-aged and older Chinese. *Scientific Reports, 7*:11794. Doi: 10.1038/s41598-017-12182-0

Lindert, J., Ehrenstein, O.S., Priebe, S., Mielck, A., & Brahler, E. (2009). Depression and anxiety in labor migrants and refugees–a systematic review and meta-analysis. *Social Science and Medicine, 69*(2):246–257. Doi:10.1016/j.socscimed.2009.04.032

Lopez-Ruiz, M., Artazcoz, L., Martinez, J.M.M., Rojas, M., & Benavides, F.G. (2015). Informal employment and health status in Central America. *BMC Public Health, 15*:698. Doi: 10.1186/s12889-015-2030-9

Lu, Y. (2008). Test of the "Healthy Migrant Hypothesis": A longitudinal analysis of health selectivity of internal migration in Indonesia. *Social Science and Medicine, 67*(8):1331–1339. Doi:10.1016/j.socscimed.2008.06.017

Lu, Y. (2010a). Mental health and risk behaviours of rural-urban migrants: Longitudinal evidence from Indonesia. *Population Studies. 64*:147–63. Doi: 10.1080/00324721003734100.

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Lu, Y. (2010b). Rural-urban migration and health: Evidence from longitudinal data in Indonesia. *Social Science and Medicine, 70*(3):412–419. https://doi.org/10.1016/j.socscimed.2009.10.028

Lubis, N. L. (2009). *Depresi dari tinjauan psikologis.* Jakarta: Kencana Prenada Media Group.

Luca, M., Bellia, S., Bellia, M., Luca, A., & Calandra, C. (2014). Prevalence of depression and its relationship with work characteristics in a sample of public workers. *Neuropsychiatric Disease and Treatment, 10*:519–525. https://doi.org/10.2147/NDT.S56989

Ludermir, A.B. & Lewis, G. (2003). Informal work and common mental disorders. *Soc Psychiatry Psychiatr Epidemiol, 38*(9):485–489. Doi: 10.1007/s00127-003-0658-8.

Ludermir, A.B. & Lewis, G. (2005). Is there a gender difference on the association between informal work and common mental disorders? *Social Psychiatry and Psychiatric Epidemiology, 40*:622–624. Doi: 10.1007/s00127-005-0938-6.

Lundberg, U. & Hellstrom, B. (2002). Workload and morning salivary cortisol in women. *Work and Stress, 16*:356–363. https://doi.org/10.1080/0267837021000064427

Lydsdottir, L. B., Howard, L. M., Olafsdottir, H., Thome, M., Tyrfingsson, P. & Sigurdsson, J. F. (2014). The mental health characteristics of pregnant women with depressive symptoms identified by the Edinburgh Postnatal Depression Scale. *Journal of Clinical Psychiatry, 75*:393-398. Doi: 10.4088/JCP.13m08646.

Martinez, A., Western, M., Haynes, M., Tomaszewski, W., & Macarayan, E. (2014). Multiple job holding and income mobility in Indonesia. *Research in Social Stratification and Mobility, 37:*91-104. Doi:10.1016/j.rssm.2013.09.008

Matthews, S. & Power, C. (2002). Socio-economic gradients in psychological distress: A focus on women, social roles and work-home characteristics. *Social Science and Medicine, 54*(5):799–810. Doi:10.1016/s0277-9536(01)00110-1

Mazlan, N.H. & Ahmad, A. (2014). Validation of the Malay-translated version of the Center for Epidemiological Study-Depression Scale (CES-D). *ASEAN Journal of Psychiatry, 15*(1):54-65. Diakses dari https://pdfs.semanticscholar.org/9760/ab259cad55ec17f90cbb5614519bfc39f47a.pdf?_ga=2.140202611.177544118.1576438060-1240902194.1560438023

Meeks, T.W., Vahia, I.V., Lavretsky, H., Kulkarni, G., & Jeste, D.V. (2011). A tune in “a minor” can “b major”: A review of epidemiology, illness course, and public health implications of subthreshold depression in older adults. *Journal of Affective Disorders,129:*126-142. Doi: 10.1016/j.jad.2010.09.015

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Melville, J.L., Gavin, A., Guo, Y., Fan, M.Y., & Katon, W.J. (2010). Depressive disorders during pregnancy: Prevalence and risk factors in a large urban sample. *Obstetrics and Gynecology, 116*(5):1064–1070. Doi: 10.1097/AOG.0b013e3181f60b0a.

Messingg, K. & Ostlin, P. (2006). *Gender equality, work and health: A review of the evidence.* World Health Organization 2006. ISBN 92 4 159353 9

Meyer, S. (2015). Persistent depression doubles stroke risk despite treatment, study fnds. *BMJ (Clinical research ed.), 350*:h2611. https://doi.org/10.1136/bmj.h2611

Milner, A., King, T., LaMontagne, A.D., Bentley, R., & Kavanagh, A. (2018). Men's work, women's work, and mental health: A longitudinal investigation of the relationship between the gender composition of occupations and mental health. *Social Science and Medicine, 2014*:16–22. https://doi.org/10.1016/j.socscimed.2018.03.020

Mirsky, J. (2009). Mental health implications of migration: A review of mental health community studies on Russian-speaking immigrants in Israel. *Social Psychiatry and Psychiatric Epidemioly, 44*(3):179–187. Doi:10.1007/s00127-008-0430-1

Nabipour, A.R., Gholami, H., Amini, A., Riahi, S.M., Ghanbarifar, S., Moradlou, H.Z. (2016). Prevalence of depression and its related factors in Pishva District Health Network employees in 2013. *Journal of Development, 3*(4):323-332. ISSN 2322-1380.

National Institute of Mental Health. Undated. Depression in women: 5 things you should know. www.nimh.gov

Ndjaboue, R., Brisson, C., Talbot, D., & Ve´zina, M. (2017). Chronic exposure to adverse psychosocial work factors and high psychological distress among white-collar workers: A 5-year prospective study. *Journal of Psychosomatic Research, 94*:56–63. https://doi.org/10.1016/j.jpsychores.2017.01.001

Nguyen, A. W., Walton, Q. L., Thomas, C., Mouzon, D. M., & Taylor, H. O. (2019). Social Support from friends and depression among African Americans: The moderating influence of education. *Journal of Affective Disorders, 253:*1-7. Doi:10.1016/j.jad.2019.04.013

Niedhammer, I., Malard, L., & Chastang, J. (2015). Occupational factors and subsequent major depressive and generalized anxiety disorders in the prospective French national SIP study. *BMC Public Health, 15*(200). Doi 10.1186/s12889-015-1559-y

Noble, R.E. (2005). Depression in women. *Metobolism, 54*(5):49-52. Doi: 10.1016/metabol.2005.01.014

O'Connell, M.E., Grant, P.R., McLean, M., Griffith, L.E., Wolfson, C., Kirkland, S., & Raina, P. (2018). Measurement invariance of the Center for Epidemiological Studies Depression Scale 10-items short form (CES-D-10)

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

in the Canadian longitudinal study on aging. *Alzheimer's & Dementia, 15*(7):p570. Doi:10.1016/j.jalz.2018.06.616

O'Halloran, A.M., Kenny, R.A. & King-Kallimanis, B.L. (2014). The latent factors of depression from the short form of the CES-D are consistent, reliable and valid in community-living older adults. *European Geriatric Medicine, 5*(2):97–102. https://doi.org/10.1016/j.eurger.2013.12.004

Oenning, N.S.X., Ziegelmann, P.K., Goulart, B.N.G., & Niedhammer, I. (2018). Occupational factors associated with major depressive disorder: A Brazilian population-based study. *Journal of Affective Disorders, 240*:48–56. https://doi.org/10.1016/j.jad.2018.07.022

Oram, S., Khalifeh, H. & Howard, L. (2016). Violence against women and mental health. *Women's Mental Health, 4*(2):159–170. http://dx.doi.org/10.1016/S2215-0366(16)30261-9.

Pal, R. (2017). Marital adjustment among working and non-working married women. *International Journal of Home Science, 3*(1):384–386. ISSN: 2395-7476 IJHS 2017; 3(1): 384-386.

Panos, G., Pouliakas, K., & Zangelidis, A. (2011). *Multiple job holdingas a strategy for skill diversification and labour market mobility.* Essex Business School Working Paper. University of Essex.

Park, J.N., Han, M.A., Park, J., & Ryu, S.Y. (2011). Prevalence of depressive symptoms and related factors in Korean employees: The third Korean working conditions survey (2011). *International Journal of Environmental Research and Public Health, 13*(424). Doi:10.3390/ijerph13040424

Parveen, N. (2009). Investigating occupational stress among married and unmarried working women in Hyderabad city. *Baharia Journal of Professional Psychology, 5*:21–37. http://applications.emro.who.int/imemrf/Bahria_J_Professional_Psychol/2009_5_21.pdf

Patel, V. & Kleinman, A. (2003). Poverty and common mental disorders in developing countries. *Bulletin World Health Organization, 81*:609–615. PMID 14576893

Patel, V. (2007). Mental health in low- and middle-income countries. *British Medical Bulletin,* 81–82(1):81–96. Doi:10.1093/bmb/ldm010

Peltzer, K., & Pengpid, S. (2015). Depressive symptoms and social demographic, stress and health risk behaviour among university students in 26 low-, middle- and high-income countries. *International Journal of Psychiatry in Clinical Practice, 19*(4):259-265. Doi: 10.3109/13651501.

Peltzer, K., & Pengpid, S. (2018). High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. *Asian Journal of Psychiatry, 33:*52–59. Doi:10.1016/j.ajp.2018.03.017

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Psarros, A. 2017. Problems at work impact on maternal mental health. *Maternity Action.* Diakses pada 20 Juni 2019 dari https://maternityaction.org.uk/2017/10/problems-at-work-impact-on-maternal-mental-health/

Radloff, L.S. (1977). The CES-D scale: A self-report depression scale for research in the general population. *Applied Psychological Measurement, 1*(3):385–401. https://doi.org/10.1177/014662167700100306

Rai, D., Zitko, P., Jones, K., Lynch, J., & Araya, R. (2013). Country and individual level socioeconomic determinants of depression: Multilevel cross-national comparison. *The British Journal of Psychiatry*. *202*(3):195–203. Doi:10.1192/bjp.bp.112.112482

Ratanasiripong, P., Kaewboonchoo, O., Bell, E., Haigh, C., Susilowati, I., Isahak, M., Harncharoen, et al. (2016). Depression, anxiety and stress among small and medium enterprise workers in Indonesia, Malaysia, Thailand and Vietnam. *International Journal of Occupational Health and Public Health Nursing, 3*(2):13–29. ISSN: 2053-2377.

Ridlo, I. A. & Zein, R.A. (2018). Arah kebijakan kesehatan mental: Tren global dan nasional serta tantangan aktual. *Buletin Penelitian Kesehatan, 46*(1):45–52. https://doi.org.10.22435/bpk.v46i1.56

Riecher-Rossler, A. (2017). Sex and gender differences in mental disorders. *The Lancet Psychiatry, 4*(1):8–9. https://doi.org/10.1016/S2215-0366(16)30348-0

Rivera-Medina, C.L., Caraballo, J.N., Rodriguez-Cordero, E.R., et al. (2010). Factor structure of the CESD and measurement invariance across gender for low-income Puerto Ricans in a probability sample. *Journal of Consulting and Clinical Psychology, 78*: 398-408. Doi: 10.1037/a0019054.

Rodic, D., Meyer, A.H. & Meinlschmidt. (2015). The association between depressive symptoms and physical diseases in Switzerland: A cross-sectional general population study. *Frontiers in Public Health, 3*(47). https://doi.org/10.3389/fpubh.2015.00047

Rosner, B. (2010). *Fundamental of biostatistics, 7th ed.* Canada: Nelso Education. Doi:10.1017/CBO9781139032445.005

Royal College of Obstetricians and Gynarcologist (RCOG). (2017). *Maternal Mental Health – Women's Voices.* London: RCOG. Available from: https://www.rcog.org.uk/globalassets/documents/patients/information/maternalmental- healthwomens-voices.pdf

Sales, E.C. & Santana, V.S. (2003). Depressive and anxiety symptoms among housemaids. *American Journal of Industrial Medicine, 44:*685–691. Doi: 10.1002/ajim.10280

Santrock, J.W. (2003). *Adolescence: Perkembangan remaja.* Edisi keenam. Jakarta: Erlangga.

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Schuch, J.J., Roest, A.M., Nolen, W.A., Penninx, B.W., Jonge, P. (2014). Gender differences in major depressive disorder: Results from the Netherlands study of depression and anxiety. *Journal of Affective Disorders, 156*:156–163. Doi:10.1016/j.jad.2013.12.011

Sekine, M., Chandola, T., Martikainen, P., Marmot, M., & Kagamimori, S. (2010). Sex differences in physical and mental functioning of Japanese civil servants: Explanations from work and family characteristics. *Social Science and Medicine, 71*(12): 2091–2099. Doi:10.1016/j.socscimed.2010.09.031

Sharp & Lipsky. (2002). *Screening for depression.* http://musc.edu.

Shields, M. (2016). Stress and depression in the employed population. Health Rep. 17(4):11–29. PMID: 17111591

Siegrist, J. (1996). Adverse health effects of high-effort/ low-reward conditions. *Journal of Occupational Health Psychology, 1*(1):27–41. http://dx.doi.org/10.1037/1076-8998.1.1.27

Siriruttanapruk, S., Wada, K., & Kawakami, T. (2009). *Promoting occupational health services for workers in the informal economy through primary care units.* ILO Asia-Pacific Working Paper Series, 2009. Available from www.ilo.org/asia

Smith, M.V., Shao., L., Howel., H., Lin., & Yonkes, K.A. (2011). Perinatal depression and birth outcomes in a Healthy Start project. *Maternal and Child Health Journal, 15*(3):401–409. Doi:10.1007/s10995-010-0595-6.

Social Protection of Asia (SPA). (2009). Towards occupational safety and health services for women and men in the informal economy: Policy brief on occupational safety and health. *A policy-research and network building program, 2009.* Available from www.socialprotectionasia.org

Solar, O. & Irwin, A. (2007). *A conceptual framework for action on the determinants of health.* Geneva: World Health Organization. http://www.who.int/sdhconference/resources/ConceptualframeworkforactionnonSDH_eng.pdf.

Stansfeld, S.A., Shipley, M.J., Head, J., & Fuhrer, R. (2012). Repeated job strain and the risk of depression: longitudinal analyses from the Whitehall II study. *American Journal of Public Health, 102*(12):2360–6.

Stewart, W. F., Ricci, J. A., Chee, E., Hahn, S. R. & Morganstein, D. (2003). Cost of lost productive work time among US workers with depression. *Journal of American Medical Association, 289*:3135–3144. https://doi.org/10.1001/jama.289.23.3135

Strauss, J., Witoelar, F., & Sikoki, B. (2016). *The fifth wave of Indonesia Family Life Survey: Overview and field report, Volume 1*. RAND Corporation. https://www.rand.org/content/dam/rand/pubs/working_papers/WR1100/WR1143z1/RAND_WR1143z1.pdf

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Sugianto, D. (2018). Menilik prevalensi gejala depresi di Indonesia. Into The Light Indonesia - Suicide Prevention Community. https://www.intothelightid.org/2018/08/28/menilik-prevalensi-gejala-depresi-di-indonesia/

Sugiyono. (2012). *Metode Penelitian Kuantitatif, Kualitatif, dan R&D.* Bandung: AFABETA.

Sverke, M., Hellgren, J., & Na¨swall, K. (2002). No security: A meta-analysis and review of job insecurity and its consequences. *Journal of Occupational Health Psychology, 7:*242–264. Doi: 10.1037//1076-8998.7.3.242

Tampubolon, G. & Hanandita, W. (2014). Poverty and mental health in Indonesia. *Social Science and Medicine, 106*:20–27. http://dx.doi.org/10.1016/j.socscimed.2014.01.012

Thanh, N.D., Quyen, B.T., & Tien, T.Q. (2016). Validation of brief CES-D Scale for measuring depression and its associated predictors among adolescent in Chi Linh, Hai Duong, Vietnam. *AIMS Public Health, 3*(3):448-459. Doi: 10.3934/publichealth.2016.3.448

Theorell, T., Hammarstrom, A., Aronsson, G., Bendz, A.T., Grape, T., Hogstedt, C., Marteinstottir, I., et al. (2015). A systematic review including meta-analysis of work environment and depressive symptoms. *BMC Public Health, 15*(738). Doi:10.1186/s12889-015-1954-4

Tomita, A., Labys, C.A., & Burns, J.K. (2014). The relationship between immigration and depression in South Africa: Evidence from the first South African National Income Dynamics Study. *Journal of Immigrant and Minority Health, 16*(6):1062–1068. Doi: 10.1007/s10903-014-9987-9.

Tomita, A., Labys, C.A., & Burns, J.K. A multilevel analysis of the relationship between neighborhood social disorder and depressive symptoms: Evidence from the South African National Income Dynamics Study. *American Journal of Orthopsychiatry, 85*(1):56–62. Doi: 10.1037/ort0000049

Tong, Y., Piotrowski, M., & Ye, H. (2018). Differences in the health–age profile across rural and urban sectors: A study on migrants and non-migrants in China. *Public Health, 158:*124–134. Doi:10.1016/j.puhe.2018.02.019

Tran, B.X., Vu, G.T. Pham, K.T.H., Vuong, Q., Ho, M., Vuong, T., Nguyen, H.T., et al. (2019). Depressive symptoms among industrial workers in Vietnam and correlated factors: A multi-site survey. *International Journal of Environmental Research and Public Health, 16*(1642). Doi:10.3390/ijerph16091642

Tran, T. D., Kaligis, F., Wiguna, T., Willenberg, L., Nguyen, H. T. M., Luchters, S., Fisher, J. et al. (2019). Screening for depressive and anxiety disorders among adolescents in Indonesia: Formal validation of the centre for epidemiologic studies depression scale – revised and the Kessler psychological distress scale. *Journal of Affective Disorders, 246*:189–194. Doi:10.1016/j.jad.2018.12.042

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Tucker-Ladd, C.E. (2009). *Psychological self-help, chapter 6: Happiness, depression and self-concept.* Diakses pada 20 Mei 2019 dari http://www.psychological selfhelp.org/Chapter6/chap6_8.htmL

Undang-Undang Republik Indonesia Nomor 20 Tahun 2003 tentang Sistem Pendidikan Nasional. Diakses 20 Mei 2019 dari https://kelembagaan.ristekdikti.go.id/wp-content/uploads/(2016)/08/UU_no_20_th_2003.pdf

United Nations. (2018). 2018 revision of world urbanization prospects. UN: Department of Economic and Social Affairs. https://www.un.org/development/desa/publications/2018-revision-of-world-urbanization-prospects.html#targetText=Today%2C%20the%20most%20urbanized%20regions,Asia%20is%20now%20approximating%2050%25.

Virtanen, M., Ferrie, J.E., Singh-Manoux, A., Shipley, M.J., Vahtera, J., Marmot, M.G., & Kivima¨ki, M. (2010). Overtime work and incident coronary heart disease : the Whitehall II prospective cohort study. *European Heart Journal*, *31*(14):1737–1744. Doi:10.1093/eurheartj/ehq124

Virtanen, M., Honkonen, T., Kivimaki, M., Ahola, K., Vahtera, J., Aromaa, A., Lo¨nnqvist, J. (2007). Work stress, mental health and antidepressant medication findings from the Health 2000 Study. *Journal of Affective Disorders*, *98*(3):189–197. Doi:10.1016/j.jad.2006.05.034

Virtanen, M., Jokela, M., Madsen, I.E.H., Magnusson, Hanson, L.L., Lallukka, T., Nyberg, S. et al. (2018). Long working hours and depressive symptoms: Systematic review and meta-analysis of published studies and unpublished individual participant data. *Scandinavian Journal of Work, Environment and Health, 44*(3):239–50. Doi:10.5271/sjweh.371

Virupaksha, H., Kumar, A., & Nirmala, B.P. (2014). Migration and mental health: An interface. *Journal of Natural Science, Biology and Medicine, 5*(2):233. Doi: 10.4103/0976-9668.136141

Wang, J., Patten, S.B., Currie, S., Sareen, J., & Schmitz, N. (2012). A population-based longitudinal study on work environmental factors and the risk of major depressive disorder. *American Journal of Epidemiology*, *176*(1):52–9. Doi: 10.1093/aje/kwr473

Wang, M., Armour, C., Wu, Y., et al. (2013). Factor structure of the CES-D and measurement invariance across gender in Mainland Chinese adolescents. *Journal of Clinical Psychology, 69*: 966-79. Doi: 10.1002/jclp.21978

Wang, R., Chen, Z., Zhou, Y., Shen, L., Zhang, Z., & Wu, X. (2019). Melancholy or mahjong? Diversity, frequency, type, and rural-urban divide of social participation and depression in middle- and old-aged Chinese: A fixed-effects analysis. *Social Science and Medicine, 238:112518.* Doi:10.1016/j.socscimed.2019.112518

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Weston, G., Zilanawala, A., Webb, E., Carvalho, L.A., & McMunn, A. (2019). Long work hours, weekend working and depressive symptoms in men and women: Findings from a UK population-based study. *Journal of Epidemiology and Community of Health, 73*:465-474. Doi:10.1136/jech-2018-211309

Whisman, M.A. & Beach, S.R. (2010). Models for understanding interpersonal processes and relationships in anxiety disorders. In J. G. Beck (Ed.) *Interpersonal processes in the anxiety disorders: Implications for understanding psychopathology and treatment* (pp. 9–35). Washington DC, US: American Psychological Association. http://dx.doi.org/10.1037/12084-001

WHO. (2001a). *The world health report: Mental health*. Geneva: The World Health Organization.

WHO. (2001c). *Mental disorders affect one in four people: Treatment available but not being used.* https://www.who.int/whr/2001/media_centre/press_release/en/

WHO. (2004). Promoting mental health: Concepts, emerging evidence, practice. *Summary Report/A Report from the World Health Organization.* Department of Mental Health and Substance Abuse in collaboration with the Victorian Health Promotion Foundation and the University of Melbourne Retrieved from Switzerland.

WHO. (2005). *Mental health policies and programmes in the workplace.* Geneva: WHO. ISBN 9241546794. Available at https://www.who.int/mental_health/policy/services/13_policies%20programs%20in%20workplace_WEB_07.pdf?ua=1&ua=1

WHO. (2008). *World Health Organization and World Organization of Family Doctors (Wonca): Integrating mental health into primary care-A global perspective.* Geneva, Switzerland: WHO.

WHO. (2012). *Estimates for 2000–2012.* World Health Organization. http://www.who.int/healthinfo/global_burden_disease/estimates/en/index2.html

WHO. (2016). *WHO country cooperation strategy 2014-2019: Indonesia.* India: World Health Organization. ISBN 978-92-9022-502-7

Woods, S.M., Melville, J.L., Guo, Y., Fan, M.Y., & Gavin, A. (2010). Psychosocial stress during pregnancy. *American Journal of Obstetrics and Gynecology, 202*(1):61.e1–7. Doi:10.1016/j.ajog.2009.07.041

Yanikkerem, E., Ay, S., Mutlu, S. & Goker, A. (2013). Antenatal depression: prevalence and risk factors in a hospital based Turkish sample. *Journal of the Pakistan Medical Association,* 63(4): 472-477. ISSN (Print): 0030-9982; ISSN (Linking): 0030-9982-L

UNIVERSITAS
GADJAH MADA
Determinan Depresi pada Pekerja Perempuan di Wilayah Perkotaan di Indonesia: Analisis IFLS 5
DESLANI KHAIRUN N, Dr. dr. Mubasysyir Hasanbasri, MA
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Yang, Q., Operario, D., Zaller, N., Huang, W., Dong, Y., & Zhang, H. (2018). Depression and its correlation with health-risk behaviors and social capital among female migrants working in entertainment venues in China. *PloS One, 13*(2):e0191632. Doi: 10.1371/journal.pone.0191632

Yoon, Y., Ryu, J., Kim, H., Kang, C., & Jung-Choi, K. (2018). Working hours and depressive symptoms: The role of job stress factors. *Annals of Occupational and Environmental Medicine, 30*(46). https://doi.org/10.1186/s40557-018-0257-5

Zhang, B. Fokkema, M., Cuijpers, P.L.J., et al. (2011). Measurement invariance of the center for epidemiological studies depression scale (CES-D) among chinese and dutch elderly. *BMC Medical Research Methodology, 11*: 74. Doi: 10.1186/1471-2288-11-74.

Zhang, W., O'Brien, N., Forrest, J.I., Salters, K.A., Patterson, T.L., Montaner, J.S.G., Robert, S.H., *et al.* (2012). Validating a Shortened Depression Scale (10 Item CES-D) among HIV-Positive People in British Columbia, Canada. *Plos One, 7*(7):e40793. Doi:10.1371/journal.pone.0040793

Zhong, B.L., Liu, T.B., Chan, S.S.M., Jin, D., Hu, C.Y., Dai, J., & Chiu, H.F.K. (2015). Prevalence and correlates of major depressive disorder among rural-to-urban migrant workers in Shenzhen, China. *Journal of Affective Disorders, 183*:1–9. Doi:10.1016/j.jad.2015.04.03