

DAFTAR PUSTAKA

- Adams, M.A. dan Roughley, P.J., 2006. What is intervertebral disc degeneration, and what causes it?. *Spine*, 31(18), pp.2151-2161. PMID: 16915105
- An, H. S., dan Masuda, K., 2006. Relevance of in vitro and in vivo models for intervertebral disc degeneration. *Journal of Bone and Joint Surgery*, Series A, vol. 88, supplement 2, pp. 88–94
- Antoniou, J., Demers, C.N., Beaudoin, G., Goswami, T., Mwale, F., Aebi, M. and Alini, M., 2004. Apparent diffusion coefficient of intervertebral discs related to matrix composition and integrity. *Magnetic Resonance Imaging*, 22(7), pp.963-972.
- Baig, M.A., Klein, J.P. dan Mechtler, L.L., 2016. Imaging of brain tumors. *CONTINUUM: Lifelong Learning in Neurology*, 22(5), pp.1529-1552.
- Beattie, P.F., Morgan, P.S. and Peters, D., 2008. Diffusion-weighted magnetic resonance imaging of normal and degenerative lumbar intervertebral discs: a new method to potentially quantify the physiologic effect of physical therapy intervention. *Journal of Orthopaedic & Sports Physical Therapy*, 38(2), pp.42-49.
- Blanco, J.F., Graciani, I.F., Sanchez-Guijo, F.M., Muntión, S., Hernandez-Campo, P., Santamaria, C., Carrancio, S., Barbado, M.V., Cruz, G., Gutierrez-Cosío, S. dan Herrero, C., 2010. Isolation and characterization of mesenchymal stromal cells from human degenerated nucleus pulposus: comparison with bone marrow mesenchymal stromal cells from the same subjects. *Spine*, 35(26), pp.2259-2265.
- Bland, J.M., Altman, D.G., 1999. "Measuring agreement in method comparison studies". *Statistical Methods in Medical Research*. 8 (2): 135–60. doi:10.1191/096228099673819272. PMID 10501650.
- Boden, S.D., McCowin, P.R., Davis, D.O., Dina, T.S., Mark, A.S. and Wiesel, S., 1990. Abnormal magnetic-resonance scans of the cervical spine in asymptomatic subjects. A prospective investigation. *The Journal of Bone and Joint Surgery. American volume*, 72(8), pp.1178-1184, PMID: 2312537
- Boos, N., Weissbach, S., Rohrbach, H., Weiler, C., Spratt, K.F. and Nerlich, A.G., 2002. Classification of age-related changes in lumbar intervertebral discs: 2002 Volvo Award in basic science. *Spine*, 27(23), pp.2631-2644, PMID: 12461389

- Boos, N., Weiler, C., Schietzsch, M., Kirchner, T., Nerlich, A.G., and Wuertz, K., 2012. Age-related changes in human cervical, thoracal and lumbar intervertebral disc exhibit a strong intra-individual correlation. *European Spine Journal*, 21(6), pp.810-818. DOI: 10.1007/s00586-011-1922-3
- Bozgeyik, Z., Onur, M.R. dan Poyraz, A.K., 2013. The role of diffusion weighted magnetic resonance imaging in oncologic settings. *Quantitative imaging in medicine and surgery*, 3(5), p.269.
- Brinkmann, R., 2008. *The art and science of digital compositing: Techniques for visual effects, animation and motion graphics*. Morgan Kaufmann, p. 184, ISBN: 978-0-12-133960-9.
- Brisby, H., 2006. Pathology and Possible Mechanisms of Nervous System Response to Disc Degeneration. *Journal of Bone and Joint Surgery*. Vol. 88, Suppl. 2, pp. 68-71.
- Busberg, J.T. ed., 2002. *The essential physics of medical imaging*. Lippincott Williams & Wilkins, Philadelphia.
- Bushong, S.C., 2013. *Radiologic science for technologists-E-book: physics, biology, and protection*. Elsevier Health Sciences.
- Cassidy, J.D., Côté, P., Carroll, L.J. dan Kristman, V., 2005. Incidence and course of low back pain episodes in the general population. *Spine*, 30(24), pp.2817-2823. DOI: 10.1097/01.brs.0000190448.69091.53
- Da Cruz Jr, L.C.H. dan Kimura, M., 2016. Diffusion magnetic resonance imaging in brain tumors. In *Handbook of Neuro-Oncology Neuroimaging* (pp. 273-300). Academic Press.
- Schultz, D.G., 2008. FDA Public Health Notification: Life-threatening complications associated with recombinant human bone morphogenetic protein in cervical spine fusion. <http://www.fda.gov/cdrh/safety/070108-rhbmp.html>.
- Chan, S.C.W. dan Gantenbein-Ritter, B., 2012. Intervertebral disc regeneration or repair with biomaterials and stem cell therapy-feasible or fiction?. *Swiss Medical Weekly*, 142(2122). DOI: <https://doi.org/10.4414/smw.2012.13598>
- Chen, C., Huang, M., Han, Z., Shao, L., Xie, Y., Wu, J., Zhang, Y., Xin, H., Ren, A., Guo, Y. and Wang, D., 2014. Quantitative T2 magnetic resonance imaging compared to morphological grading of the early cervical intervertebral disc degeneration: an evaluation approach in asymptomatic young adults. *PloSone*, 9(2), p.e87856. doi: 10.1371/journal.pone.0087856.

- Chung, S.A., Wei, A.Q., Connor, D.E., Webb, G.C., Molloy, T., Pajic, M. and Diwan, A.D., 2007. Nucleus pulposus cellular longevity by telomerase gene therapy. *Spine*, 32 (11), pp. 1188-1196. DOI:10.1097/BRS.0b013e31805471a3
- Cohen, J.A., 1960. "A coefficient of agreement for nominal scales". *Educational and Psychological Measurement*. 20 (1): 37-46. DOI:10.1177/001316446002000104.
- Cui, M., Wan, Y., Anderson, D.G., Shen, F.H., Leo, B.M., Laurencin, C.T., Balian, G. dan Li, X., 2008. Mouse growth and differentiation factor-5 protein and DNA therapy potentiates intervertebral disc cell aggregation and chondrogenic gene expression. *The Spine Journal*, 8(2), pp.287-295.
- Daghighi, M.H., Poureisa, M., Safarpour, M., Behzadmehr, R., Fouladi, D.F., Meshkini, A., Varshochi, M. dan Kiani Nazarlou, A., 2016. Diffusion-weighted magnetic resonance imaging in differentiating acute infectious spondylitis from degenerative Modic type 1 change; the role of b-value, apparent diffusion coefficient, claw sign and amorphous increased signal. *The British Journal of Radiology*, 89(1066), p.20150152.
- Dahlan, M.S., 2013. Besar sampel dan cara pengambilan sampel dalam penelitian kedokteran dan kesehatan. 3rd ed. A. Suslia, ed. Jakarta: *Salemba Medika*.
- Delamarter, R., Zigler, J.E., Balderston, R.A., Cammisa, F.P., Goldstein, J.A. and Spivak, J.M., 2011. Prospective, randomized, multicenter food and drug administration investigational device exemption study of the ProDisc-L total disc replacement compared with circumferential arthrodesis for the treatment of two-level lumbar degenerative disc disease: results at twenty-four months. *Journal of Bone and Joint Surgery, Series A*, vol. 93, no. 8, pp. 705-715.
- Ehrlich, G. E., 2003. 'Low back pain'. *Bulletin of the World Health Organization*. Vol. 81(03), pp. 671-676.
- Eisenstein, S.M. dan Roberts, S., 2003. The physiology of the disc and its clinical relevance. *The Journal of Bone and Joint Surgery. British volume*, 85(5), pp.633-636.
- Farshad-Amacker, N.A., Farshad, M., Winklehner, A. dan Andreisek, G., 2015. MR imaging of degenerative disc disease. *European Journal of Radiology*, 84(9), pp.1768-1776. doi: 10.1016/j.ejrad.2015.04.002.
- Franson, R.C., Saal, J.S. dan Saal, J.A., 1992. Human disc phospholipase A2 is inflammatory. *Spine*, 17(6 Suppl), pp.S129-32.
- Glassman, S.D., Howard, J., Dimar, J., Sweet, A., Wilson, G. and Carreon, L., 2011. Complications with recombinant human bone morphogenic protein-

- 2 in posterolateral spine fusion: a consecutive series of 1037 cases. *Spine*, 36(22), pp.1849-1854.
- Glasson, S.S., Askew, R., Sheppard, B., Carito, B., Blanchet, T., Ma, H.L., Flannery, C.R., Peluso, D., Kanki, K., Yang, Z. dan Majumdar, M.K., 2005. Deletion of active ADAMTS5 prevents cartilage degradation in a murine model of osteoarthritis. *Nature*, 434(7033), p.644.
- Haefeli, M., Kalberer, F., Saegesser, D., Nerlich, A.G., Boos, N. dan Paesold, G., 2006. The course of macroscopic degeneration in the human lumbar intervertebral disc. *Spine*, 31(14), pp. 1522-1531. DOI: 10.1097/01.brs.0000222032.52336.8e
- Harrop, J.S., Youssef, J.A., Maltenfort, M., Vorwald, P., Jabbour, P., Bono, C.M., Goldfarb, N., Vaccaro, A.R. dan Hilibrand, A.S., 2008. Lumbar adjacent segment degeneration and disease after arthrodesis and total disc arthroplasty. *Spine*, 33(15), pp.1701-1707.
- Haughton, V., 2004. Medical imaging of intervertebral disc degeneration: current status of imaging. *Spine*, 29(23), pp.2751-2756.
- Hendrick, R.E., 2005. Glossary of MR Terms. *Internet: http://www.acr.org/SecondaryMainMenuCategories/quality_safety/ACRGlossaryofMRITerms/MRGlossaryofMRTermsDoc1.aspx*.
- Henriksson, H.B., Svanvik, T., Jonsson, M., Hagman, M., Horn, M., Lindahl, A. dan Brisby, H., 2009. Transplantation of human mesenchymal stems cells into intervertebral discs in a xenogeneic porcine model. *Spine*, 34(2), pp.141-148.
- Huang, H.K., 2011. *PACS and imaging informatics: basic principles and applications*. John Wiley & Sons.
- Hohaus, C., Ganey, T.M., Minkus, Y. dan Meisel, H.J., 2008. Cell transplantation in lumbar spine disc degeneration disease. *European Spine Journal*, 17(4), pp.492-503.
- Hubert, M.G., Vadala, G., Sowa, G., Studer, R.K. dan Kang, J.D., 2008. Gene therapy for the treatment of degenerative disk disease. *JAAOS-Journal of the American Academy of Orthopaedic Surgeons*, 16(6), pp.312-319.
- Jeong, J.H., Lee, J.H., Jin, E.S., Min, J.K., Jeon, S.R. dan Choi, K.H., 2010. Regeneration of intervertebral discs in a rat disc degeneration model by implanted adipose-tissue-derived stromal cells. *Acta Neurochirurgica*, 152(10), pp.1771-1777.
- Katz, J.N., 2006. Lumbar Disc Disorders and Low-Back Pain: Socioeconomic Factors and Consequences. *Journal of Bone and Joint Surgery*, series A, vol. 88, no. 2, pp. 21–24.

- Kealey, S.M., Aho, T., Delong, D., Barboriak, D.P., Provenzale, J.M. and Eastwood, J.D., 2005. Assessment of apparent diffusion coefficient in normal and degenerated intervertebral lumbar disks: initial experience. *Radiology*, 235(2), pp.569-574.
- Kepler, C.K., Ponnappan, R.K., Tannoury, C.A., Risbud, M.V. dan Anderson, D.G., 2013. The molecular basis of intervertebral disc degeneration. *The Spine Journal*, 13(3), pp. 318-330. URL:<http://dx.doi.org/10.1016/j.spinee.2012.12.003>
- Koh, D.M. dan Collins, D.J., 2007. Diffusion-weighted MRI in the body: applications and challenges in oncology. *American Journal of Roentgenology*, 188(6), pp.1622-1635.
- Kontinen, Y.T., Grönblad, M.A.T.S., Antti-Poika, I.L.K.K.A., Seitsalo, S.E.P.P.O., Santavirta, S.E.P.P.O., Hukkanen, M.I.K.A. dan Polak, J.M., 1990. Neuroimmunohistochemical analysis of peridiscal nociceptive neural elements. *Spine*, 15(5), pp.383-386.
- Krueger, E.C., Perry, J.O., Wu, Y. dan Haughton, V.M., 2007. Changes in T2 relaxation times associated with maturation of the human intervertebral disk. *American Journal of Neuroradiology*, 28(7), pp.1237-1241. DOI: <https://doi.org/10.3174/ajnr.A0546>
- Le Bihan, D., Breton, E., Lallemand, D., Aubin, M.L., Vignaud, J. dan Laval-Jeantet, M., 1988. Separation of diffusion and perfusion in intravoxel incoherent motion MR imaging. *Radiology*, 168(2), pp.497-505.
- Luoma, K., Riihimäki, H., Luukkonen, R., Raininko, R., Viikari-Juntura, E. dan Lamminen, A., 2000. Low back pain in relation to lumbar disc degeneration. *Spine*, 25(4), pp.487-492. PMID: 10707396
- Marinelli, N.L., Haughton, V.M., Muñoz, A. dan Anderson, P.A., 2009. T2 relaxation times of intervertebral disc tissue correlated with water content and proteoglycan content. *Spine*, 34(5), pp.520-524. DOI: 10.1097/BRS.0b013e318195dd44.
- Matsumoto, M., Okada, E., Toyama, Y., Fujiwara, H., Momoshima, S. dan Takahata, T., 2013. Tandem age-related lumbar and cervical intervertebral disc changes in asymptomatic subjects. *European Spine Journal*, 22(4), pp.708-713. DOI: 10.1007/s00586-012-2500-z
- Majumdar, S., 2006. Magnetic resonance imaging and spectroscopy of the intervertebral disc. *NMR in Biomedicine: An International Journal Devoted to the Development and Application of Magnetic Resonance In vivo*, 19(7), pp.894-903.

- Melhem, E.R., Mori, S., Mukundan, G., Kraut, M.A., Pomper, M.G. dan van Zijl, P.C., 2002. Diffusion tensor MR imaging of the brain and white matter tractography. *American Journal of Roentgenology*, 178(1), pp.3-16.
- Hasz, M.W., 2012. Diagnostic testing for degenerative disc disease. *Advances in Orthopedics*, vol. 2012, 7 pages, article ID 413913, DOI: 10.1155/2012/413913
- Maier, S.E., Sun, Y. dan Mulkern, R.V., 2010. Diffusion imaging of brain tumors. *NMR in Biomedicine*, 23(7), pp.849-864.
- Miller, J.A., Schmatz, C. dan Schultz, A.B., 1988. Lumbar disc degeneration: correlation with age, sex, and spine level in 600 autopsy specimens. *Spine*, 13(2), pp.173-178.
- Moon, S.H., Gilbertson, L.G., Nishida, K., Knaub, M., Muzzonigro, T., Robbins, P.D., Evans, C.H. dan Kang, J.D., 2000. Human intervertebral disc cells are genetically modifiable by adenovirus-mediated gene transfer: implications for the clinical management of intervertebral disc disorders. *Spine*, 25(20), pp.2573-2579.
- Morishita, Y., Ohta, H., Naito, M., Matsumoto, Y., Huang, G., Tatsumi, M., Takemitsu, Y. dan Kida, H., 2011. Kinematic evaluation of the adjacent segments after lumbar instrumented surgery: a comparison between rigid fusion and dynamic non-fusion stabilization. *European Spine Journal*, 20(9), pp.1480-1485.
- Nesseth, R., 2000. Procedure and documentation for CT and MRI. *McGraw-Hill Medical Publishing Division*, Kansas.
- Niinimäki, J., Korhikoski, A., Ojala, O., Karppinen, J., Ruohonen, J., Haapea, M., Korpelainen, R., Natri, A. dan Tervonen, O., 2009. Association between visual degeneration of intervertebral discs and the apparent diffusion coefficient. *Magnetic Resonance Imaging*, 27(5), pp.641-647. doi: 10.1016/j.mri.2008.10.005.
- Nishida, K., Kang, J.D., Gilbertson, L.G., Moon, S.H., Suh, J.K., Vogt, M.T., Robbins, P.D. dan Evans, C.H., 1999. Modulation of the biologic activity of the rabbit intervertebral disc by gene therapy: An in vivo study of adenovirus-mediated transfer of the human transforming growth factor beta 1 encoding gene. *Spine*, 24(23), pp.2419-2425.
- Nishida, K., Kang, J.D., Suh, J.K., Robbins, P.D., Evans, C.H. dan Gilbertson, L.G., 1998. Adenovirus-mediated gene transfer to nucleus pulposus cells: implications for the treatment of intervertebral disc degeneration. *Spine*, 23(22), pp.2437-2442.

- Nishida, K., Suzuki, T., Kakutani, K., Yurube, T., Maeno, K., Kurosaka, M. dan Doita, M., 2008. Gene therapy approach for disc degeneration and associated spinal disorders. *European Spine Journal*, 17(4), pp.459-466.
- Niu, G., Yang, J., Wang, R., Dang, S., Wu, E.X. dan Guo, Y., 2011. MR imaging assessment of lumbar intervertebral disk degeneration and age-related changes: apparent diffusion coefficient versus T2 quantitation. *American Journal of Neuroradiology*, 32(9), pp.1617-1623. DOI: 10.3174/ajnr.A2556
- Niu, G., Yu, X., Yang, J., Wang, R., Zhang, S. and Guo, Y., 2011. Apparent diffusion coefficient in normal and abnormal pattern of intervertebral lumbar discs: initial experience. *Journal of Biomedical Research*, 25(3), pp.197-203.
- Okada, E., Matsumoto, M., Fujiwara, H. dan Toyama, Y., 2011. Disc degeneration of cervical spine on MRI in patients with lumbar disc herniation: comparison study with asymptomatic volunteers. *European Spine Journal*, 20(4), pp.585-591. DOI: 10.1007/s00586-010-1644-y
- Oktenoglu, T., Ozer, A.F., Sasani, M., Kaner, T., Canbulat, N., Ercelen, O. dan Sarioglu, A.C., 2010. Posterior dynamic stabilization in the treatment of lumbar degenerative disc disease: 2-year follow-up. *Min-Minimally Invasive Neurosurgery*, 53(03), pp.112-116.
- Osborn, A.G., Hendrick, R.E. dan Kanal, E., 1992. *Introduction to magnetic resonance imaging: a basic primer*. University of Utah Medical Center.
- Ozgun, B.M., Aryan, H.E., Pimenta, L. dan Taylor, W.R., 2006. Extreme Lateral Interbody Fusion (XLIF): a novel surgical technique for anterior lumbar interbody fusion. *The Spine Journal*, 6(4), pp.435-443.
- Park, J.S. dan Nagata, K., 2004. BMP and LMP-1 for intervertebral disc regeneration. *Clinical Calcium*, 14(7), pp.76-78.
- Paul, R., Haydon, R.C., Cheng, H., Ishikawa, A., Nenadovich, N., Jiang, W., Zhou, L., Breyer, B., Feng, T., Gupta, P. dan He, T.C., 2003. Potential use of Sox9 gene therapy for intervertebral degenerative disc disease. *Spine*, 28(8), p.755.
- Peterson, C.K., Bolton, J.E. dan Wood, A.R., 2000. A cross-sectional study correlating lumbar spine degeneration with disability and pain. *Spine*, 25(2), p.218. PMID: 10685487
- Pfirrmann, C.W., Metzendorf, A., Zanetti, M., Hodler, J. dan Boos, N., 2001. Magnetic resonance classification of lumbar intervertebral disc degeneration. *Spine*, 26(17), pp.1873-1878.

- Pfirschmann, C.W., Dora, C., Schmid, M.R., Zanetti, M., Hodler, J. dan Boos, N., 2004. MR image-based grading of lumbar nerve root compromise due to disk herniation: reliability study with surgical correlation. *Radiology*, 230(2), pp.583-588.
- Resti, D.M., 2017. Perbedaan informasi citra antara sequence DWI (Diffusion Weighted Image) dan STIR (Short Tau Inversion Recovery) potongan sagittal MRI lumbal pada kasus metastasis di Rumah Sakit Kanker Dharmas Jakarta, *Skripsi*, Politeknik Kementrian Kesehatan Jakarta II
- Riskesmas. 2013. Riset kesehatan dasar. Jakarta: *Balitbang Kemenkes RI*
- Sastroasmoro, S. & Ismael, S. 2011. Dasar-dasar metodologi penelitian klinis. Jakarta: *Sagung Seto*, pp. 31–63.
- Schaefer, P.W., Grant, P.E. dan Gonzalez, R.G., 2000. Diffusion-weighted MR imaging of the brain. *Radiology*, 217(2), pp.331-345.
- Schünke, M., Schulte, E., Schumacher, U., Ross, L.M. dan Lamperti, E.D., 2006. *Thieme atlas of anatomy: general anatomy and musculoskeletal system* (Vol. 1). Stuttgart, New York: Thieme.
- Seki, S., Asanuma-Abe, Y., Masuda, K., Kawaguchi, Y., Asanuma, K., Muehleman, C., Iwai, A. dan Kimura, T., 2009. Effect of small interference RNA (siRNA) for ADAMTS5 on intervertebral disc degeneration in the rabbit anular needle-puncture model. *Arthritis Research & Therapy*, 11(6), p.R166.
- Smith, L.J., Nerurkar, N.L., Choi, K.S., Harfe, B.D. dan Elliott, D.M., 2011. Degeneration and regeneration of the intervertebral disc: lessons from development. *Disease Models & Mechanisms*, 4(1), pp.31-41. DOI: 10.1242/dmm.006403
- Snell, R. S. 2012. Anatomi klinik untuk mahasiswa kedokteran edisi 6. *EGC*, Jakarta
- Souza, R.B., Baum, T., Wu, S., Feeley, B.T., Kadel, N., Li, X., Link, T.M. dan Majumdar, S., 2012. Effects of unloading on knee articular cartilage T1rho and T2 magnetic resonance imaging relaxation times: a case series. *Journal of Orthopaedic & Sports Physical Therapy*, 42(6), pp.511-520. DOI: 10.2519/jospt.2012.3975
- Stejskal, E.O. dan Tanner, J.E., 1965. Spin diffusion measurements: spin echoes in the presence of a time-dependent field gradient. *The Journal of Chemical Physics*, 42(1), pp.288-292.

- Stelzeneder, D., Welsch, G.H., Kovács, B.K., Goed, S., Paternostro-Sluga, T., Vlychou, M., Friedrich, K., Mamisch, T.C. dan Trattnig, S., 2012. Quantitative T2 evaluation at 3.0 T compared to morphological grading of the lumbar intervertebral disc: a standardized evaluation approach in patients with low back pain. *European Journal of Radiology*, 81(2), pp.324-330. DOI: 10.1016/j.ejrad.2010.12.093
- Sudo, H. dan Minami, A., 2011. Caspase 3 as a therapeutic target for regulation of intervertebral disc degeneration in rabbits. *Arthritis & Rheumatism*, 63(6), pp.1648-1657.
- Sugiyono., 2009. Metode penelitian kuantitatif, kualitatif dan R&D, Bandung: *Alfabeta*.
- Suyasa, K., 2018. Penyakit degenerasi lumbal diagnosis dan tata laksana. *Udayana University Press*, Bali.
- Taher, F., Essig, D., Lebl, D.R., Hughes, A.P., Sama, A.A., Cammisa, F.P. dan Girardi, F.P., 2012. Lumbar degenerative disc disease: current and future concepts of diagnosis and management. *Advances in Orthopedics*, vol. 2012, Article ID: 970752, 7 pages, DOI:10.1155/2012/970752
- Takashima, H., Takebayashi, T., Yoshimoto, M., Terashima, Y., Tsuda, H., Ida, K. dan Yamashita, T., 2012. Correlation between T2 relaxation time and intervertebral disk degeneration. *Skeletal Radiology*, 41(2), pp.163-167. DOI: 10.1007/s00256-011-1144-0
- Than, K.D., Rahman, S.U., Vanaman, M.J., Wang, A.C., Lin, C.Y., Zhang, H., La Marca, F. dan Park, P., 2011. Bone morphogenetic proteins and degenerative disk disease. *Neurosurgery*, 70(4), pp.996-1002.
- Thompson, J.P., Pearce, R.H., Schechter, M.T., Adams, M.E., Tsang, I.K. dan Bishop, P.B., 1990. Preliminary evaluation of a scheme for grading the gross morphology of the human intervertebral disc. *Spine*, 15(5), pp.411-415.
- Trattnig, S., Stelzeneder, D., Goed, S., Reissegger, M., Mamisch, T.C., Paternostro-Sluga, T., Weber, M., Szomolanyi, P. dan Welsch, G.H., 2010. Lumbar intervertebral disc abnormalities: comparison of quantitative T2 mapping with conventional MR at 3.0 T. *European Radiology*, 20(11), pp.2715-2722. DOI: 10.1007/s00330-010-1843-2
- Turner, R., Le Bihan, D., Maier, J., Vavrek, R., Hedges, L.K. dan Pekar, J., 1990. Echo-planar imaging of intravoxel incoherent motion. *Radiology*, 177(2), pp.407-414.
- Urban, J. dan Roberts, S. 2003. Degeneration of the intervertebral disc. *Arthritis Research & Therapy*, vol. 5, no. 3, DOI: 10.1186/ar629.

- Urban, J.P., Smith, S. dan Fairbank, J.C., 2004. Nutrition of the intervertebral disc. *Spine*, 29(23), pp.2700-2709.
- Urrutia, J., Besa, P., Campos, M., Cikutovic, P., Cabezon, M., Molina, M. dan Cruz, J.P., 2016. The pfirrmann classification of lumbar intervertebral disc degeneration: an independent inter-and intra-observer agreement assessment. *European Spine Journal*, 25(9), pp.2728-2733. DOI 10.1007/s00586-016-4438-z
- Utomo, P.D., 2019. Korelasi ukuran dan jumlah nodul dengan kadar serum albumin pada karsinoma hepatoseluler, *Karya Ilmiah Akhir*, Program Pendidikan Dokter Spesialis I Radiologi Fakultas Kedokteran, Kesehatan Masyarakat Dan Keperawatan Universitas Gadjah Mada Yogyakarta
- Vanharanta, H., Sachs, B.L., Spivey, M.A., Guyer, R.D., Hochschuler, S.H., Rashbaum, R.F., Johnson, R.G., Ohnmeiss, D. dan Mooney, V., 1987. The relationship of pain provocation to lumbar disc deterioration as seen by CT/discography. *Spine*, 12(3), pp.295-298. PMID: 3589823
- Wallach, C.J., Sobajima, S., Watanabe, Y., Kim, J.S., Georgescu, H.I., Robbins, P., Gilbertson, L.G. dan Kang, J.D., 2003. Gene transfer of the catabolic inhibitor TIMP-1 increases measured proteoglycans in cells from degenerated human intervertebral discs. *Spine*, 28(20), pp.2331-2337.
- Watanabe, A., Benneker, L.M., Boesch, C., Watanabe, T., Obata, T. and Anderson, S.E., 2007. Classification of intervertebral disk degeneration with axial T2 mapping. *American Journal of Roentgenology*, 189(4), pp.936-942. DOI: 10.2214/AJR.07.2142
- Woodward, P. dan Freimarck, R.D. 2001. MRI for technologists. San Fransisco, California. *Peggy Woodward and Associates*.
- World Health Organization, 2015. *World report on ageing and health*. World Health Organization.
- Wu, J.C., Liu, L., Huang, W.C., Chen, Y.C., Ko, C.C., Wu, C.L., Chen, T.J., Cheng, H. dan Su, T.P., 2011. The incidence of adjacent segment disease requiring surgery after anterior cervical discectomy and fusion: estimation using an 11-year comprehensive nationwide database in Taiwan. *Neurosurgery*, 70(3), pp.594-601.
- Xie, R., Zhou, K., Yuan, J., Ji, W., Jing, G., Huang, X., Shi, Q. dan Chen, C., 2017. T2 relaxation time for intervertebral disc degeneration in patients with upper back pain: initial results on the clinical use of 3.0 Tesla MRI. *BMC Medical Imaging*, 17(1), p.9.
- Xin, H., Zhang, C., Wang, D., Shi, Z., Gu, T., Wang, C., Wu, J., Zhang, Y., He, Q. dan Ruan, D., 2012. Tissue-engineered allograft intervertebral disc transplantation for the treatment of degenerative disc disease: experimental

study in a beagle model. *Tissue Engineering Part A*, 19(1-2), pp.143-151.
DOI: 10.1089/ten.tea.2012.0255

- Yamamoto, S., Watanabe, A., Nakamura, J., Ohtori, S., Harada, Y., Kishida, S., Wada, Y. dan Takahashi, K., 2011. Quantitative T2 mapping of femoral head cartilage in systemic lupus erythematosus patients with noncollapsed osteonecrosis of the femoral head associated with corticosteroid therapy. *Journal of Magnetic Resonance Imaging*, 34(5), pp.1151-1158. <https://doi.org/10.1002/jmri.22685>
- Yoon, M.A., Hong, S.J., Kang, C.H., Ahn, K.S. dan Kim, B.H., 2016. T1rho and T2 mapping of lumbar intervertebral disc: correlation with degeneration and morphologic changes in different disc regions. *Magnetic Resonance Imaging*, 34(7), pp.932-939. doi: 10.1016/j.mri.2016.04.024.
- Zhang, H. dan Lin, C. Y., 2008. Simvastatin stimulates chondrogenic phenotype of intervertebral disc cells partially through BMP-2 pathway. *Spine*, vol. 33, no. 16, pp. E525–E531
- Zigler, J., Delamarter, R., Spivak, J.M., Linovitz, R.J., Danielson III, G.O., Haider, T.T., Cammisa, F., Zuchermann, J., Balderston, R., Kitchel, S. dan Foley, K., 2007. Results of the prospective, randomized, multicenter food and drug administration investigational device exemption study of the ProDisc®-L total disc replacement versus circumferential fusion for the treatment of 1-level degenerative disc disease. *Spine*, 32(11), pp.1155-1162.