

DAFTAR PUSTAKA

1. Boden SD, Davis DO, Dina TS, Patronas NJ WS. Abnormal magnetic-resonance scans of the lumbal spine in asymptomatic subjects. A prospective investigation. . *J Bone Jt Surg Am.* 1990;72:403–408.
2. Burke JG, Watson RW, McCormack D, Dowling FE, Walsh MG FJ. Intervertebral discs which cause low back pain secrete high levels of proinflammatory mediators. *J Bone Jt Surg Br* 2002;84:196- 201. 2002;84:196-20.
3. Neidlinger-Wilke C, Wurtz K, Urban JP et al. Regulation of gene expression in intervertebral disc cells by low and high hydrostatic pressure. *Eur Spine J.* 2006;15 Suppl 3.
4. Schroeder M, Viezens L, Schaefer C et al. Chemokine profile of disc degeneration with acute or chronic pain. *J Neurosurg Spine.* 2013;18:496-503.
5. Lee S, Moon CS, Sul D et al. Comparison of growth factor and cytokine expression in patients with degenerated disc disease and herniated nucleus pulposus. *Clin Biochem.* 2009;42:1504-11.
6. Johnson ZI, Schoepflin ZR, Choi H, Shapiro IM, Risbud M V. Disc in flames: Roles of TNF- α and IL-1 β in intervertebral disc degeneration. *Eur Cells Mater.*

2015;30:104-117. doi:10.1038/nature13736.Tyrosine

7. IM RM and S. Role of cytokines in intervertebral disc degeneration: Pain and disc content. *Nat Rev Rheumatol*. 2014;10: 44-56.
8. Moore KL DA. *Clinically Oriented Anatomy : Back, 5th Edition*. 5th ed.; 2006.
9. Fasicaro MD, Grauer JN, Beiner JM, Kwon BK and VA. *Spine : Basic Anatomy of the Cervical, Thoracic, Lumbal, and Sacral Spine*. 2005. (Mosby E, ed.). Philadelphia; 2005.
10. Jon C Thompson. *Netter Concise Orthopaedic Anatomy*.; 2010.
11. S. C. *Introduction to Spine Surgery*. (AO Publishing, ed.). Dubendorf; 2006.
12. Choi Y-S. Pathophysiology of Degenerative Disc Disease. *Asian Spine J*. 2009;3(1):39. doi:10.4184/asj.2009.3.1.39
13. García-Cosamalón J, del Valle ME, Calavia MG et al. Intervertebral disc, sensory nerves and neurotrophins: who is who in discogenic pain? 2010;217:1–15. *J Anat*. 2010;217:1–15.
14. Wang SZ, Rui YF, Lu J WC. Cell and molecular biology of intervertebral disc degeneration: current understanding and implications for potential therapeutic strategies. *Cell Prolif*. 2014;47(5):381–.
15. Seki S, Kawaguchi Y, Chiba K et al: A functional SNP in CILP, encoding

- cartilage intermediate layer protein, is associated with susceptibility to lumbar disc disease. *Nat Genet.* 2005;37: 607-61.
16. Peng B, Hao J, Hou S et al: Possible pathogenesis of painful intervertebral disc degeneration. *Spine (Phila Pa 1976).* 2006;31: 560-56.
 17. Boos N, Weissbach S, Rohrbach H et al. Classification of age-related changes in lumbar intervertebral discs: 2002 Volvo Award in basic science. *Spine (Phila Pa 1976).* 2002;27: 2631-2.
 18. Roberts S, Evans EH, Kletsas D, Jaffray DC ES. Senescence in human intervertebral discs. *Eur Spine J.* 2006;15 Suppl 3.
 19. Urban JP RS. Degeneration of the intervertebral disc. *Arthritis Res Ther.* 2003;5(3):120–1.
 20. Lee SY, Kim T-H, Oh JK, Lee SJ, Park MS. Lumbar Stenosis: A Recent Update by Review of Literature. *Asian Spine J.* 2015;9(5):818-828.
doi:10.4184/asj.2015.9.5.818
 21. Akuthota V, Lento P SG. Pathogenesis of lumbar spinal stenosis pain: why does an asymptomatic stenotic patient flare. *Phys Med Rehabil Clin N Am.* 2003;14(1):17–2.
 22. Castranova V, Asgharian B, Sayre P, Virginia W, Carolina N. HHS Public Access. 2016;3(3):1922-2013.

doi:10.1080/10937404.2015.1051611.INHALATION

23. Eis LWM• JC• MDW• GP. MSU classification for herniated lumbal discs on MRI : toward developing objective criteria for surgical selection. *Eur Spine J.* 2010;19:1087–10.
24. Grönblad M, Virri J, Tolonen J, Seitsalo S, Käätä E, Kankare J, Myllynen P KE (1994). A controlled immunohistochemical study of inflammatory cells in disc herniation tissue. *Spine (Phila Pa 1976)*. 1994;19: 2744-2.
25. Ohtori S, Inoue G, Eguchi Y, Orita S, Takaso M, Ochiai N, Kishida S, Kuniyoshi K, Aoki Y, Nakamura J, Ishikawa T, Arai G, Miyagi M, Kamoda H, Suzuki M, Sakuma Y, Oikawa Y, Kubota G, Inage K, Sainoh T, Toyone T, Yamauchi K, Kotani T, Akazawa T, Minami S TK (2012a). Tumor necrosis factor- α -immunoreactive cells in nukleus pulposus in adolescent patients with lumbal disc herniation. *Spine (Phila Pa 1976)*. 2012;38: 459-46.
26. Le Maitre CL, Freemont AJ HJ. The role of interleukin-1 in the pathogenesis of human intervertebral disc degeneration. *Arthritis Res Ther* 7. 2005;R732-R745.
27. Nograles KE, Tian S, Cardinale I CS and KJ. Integrative responses to IL-17 and TNF- α in human keratinocytes account for key inflammatory pathogenic circuits in psoriasis. *J Invest Dermatol* 131. 2011;677-687, 2.

28. Le Maitre CL, Pockert A, Buttle DJ FA and HJ. Matrix synthesis and degradation in human inter- vertebral disc degeneration. *Biochem Soc Trans* 35. 2007;652-655, 2.
29. Moe KT, Khairunnisa K, Yin NO, Chin-Dusting J WP and WM. Tumor necrosis factor- α -induced nuclear factor-kappaB activation in human cardiomyocytes is mediated by NADPH oxidase. *J Physiol Biochem* 70. 2014;769-779.
30. David G, Ciurea A V, Iencean SM, Mohan A. Angiogenesis in the degeneration of the lumbal intervertebral disc. 2010;3(2).
31. Le Maitre CL, Freemont AJ, Hoyland JA. The role of interleukin-1 in the pathogenesis of human intervertebral disc degeneration. *Arthritis Res Ther*. 2005;7(4):R732-R745. doi:10.1186/ar1732
32. Luoma K, Riihimäki H, Luukkonen R, Raininko R, Viikari-Juntura E LA. Low back pain in relation to lumbal disc degeneration. *Spine (Phila Pa 1976)*. 2000;25(4):487-.
33. Solovieva S, Kouhia S, Leino-Arjas P, Ala-Kokko L, Luoma K, Raininko R, Saarela J RH. Interleukin 1 polymorphisms and intervertebral disc degeneration. *Epidemiology*. 2004;15(5):626-.
34. Kalb S, Martirosyan NL, Kalani MY, Broc GG TN. Genetics of the

- degenerated intervertebral disc. *World Neurosurg PubMed* 22120330.
2012;77(3–4):49.
35. Vianin M. Psychometric properties and clinical usefulness of the Oswestry Disability Index. *J Chiropr Med.* 2008;7(4):161-163.
doi:10.1016/j.jcm.2008.07.001
 36. Fairbank J. Why are there different versions of the Oswestry Disability Index? *J Neurosurg Spine.* 2014;20(January):83-86.
 37. Devlin V. *Spine Secret.* United States of America; 2012.
 38. Takahashi H, Suguro T, Okazima Y, Motegi M, Okada Y KT. Inflammatory cytokines in the herniated disc of the lumbal spine. *Spine (Phila Pa 1976).* 1996;21:218–224.
 39. Oda H, Matsuzaki H, Tokuhashi Y, Wakabayashi K, Uematsu Y IM. Degeneration of intervertebral discs due to smoking: Experimental assessment in a rat-smoking model. *J Orthop Sci.* 2004;9:135–141.
 40. Bachmeier BE, Nerlich AG, Weiler C, Paesold G, Jochum M BN. Analysis of tissue distribution of TNF- α , TNF- α -receptors, and the activating TNF- α -converting enzyme suggests activation of the TNF- α system in the aging intervertebral disc. *Ann N Y Acad Sci.* 2007;1096:44–54.
 41. Andrade P, Visser-Vandewalle V, Philippens M, Daemen MA, Steinbusch

- HWM, Buurman WA HG. Tumor necrosis factor- α levels correlate with postoperative pain severity in lumbar disc hernia patients: Opposite clinical effects between tumor necrosis factor receptor 1 and 2. *Pain*. 2011;152:2645–2.
42. Purmessur D, Walter BA, Roughley PJ, Laudier DM HA and IJ. A role for TNF α in intervertebral disc degeneration: A non-recoverable catabolic shift. *Biochem Biophys Res Commun*. 2013;433: 151-1.
43. Pelletier JP, Martel-Pelletier J AS. Osteoarthritis, an inflammatory disease: potential implication for this selection of new therapeutic targets. *Arthritis Rheum*. 2001;44:1237–47.
44. Zou F, Jiang J, Lu F, Ma X, Xia X WL and WH. Efficacy of intradiscal hepatocyte growth factor injection for the treatment of intervertebral disc degeneration. *Mol Med Rep*. 2013;8: 118-122.
45. MaD, LiangY, WangD, LiuZ, ZhangW, MaT, ZhangL LCZ. Trend of the incidence of lumbar disc herniation: Decreasing with aging in the elderly. *Clin Interv Aging*. 2013;8: 1047-10.
46. EWGM. B. Involvement of chemokines in pain. *Eur J Pharmacol*. 2001;429:115–9.
47. Igarashi A, Kikuchi S, Konno S OK. Inflammatory cytokines released from the

- faset joint tissue in degenerative lumbal spinal disorders. *Spine*. *Spine* 2004. 2004;29:2091–5.
48. Takeyachi Y, Konno S, Otani K, Yamauchi K, Takahashi I, Suzukamo Y et al. **Correlation** of low back pain with functional status, general health perception, social participation, subjective happiness, and patient satisfaction. *Spine (Phila Pa 1976)*. 2003;28:1461–6.
49. Johnston SL, Campbell MR, Scheuring R, Feiveson AH. Risk of Herniated Nucleus Pulposus Among U.S. Astronauts. *Aviat Sp Env Med*. 2010;81(6):566-574. doi:10.3357/ASEM.2427.2010
50. Issack, P. S., Cunningham, M. E., Pumberger, M., Hughes, A. P., & Cammisa, F. P. (2012). Degenerative lumbal spinal stenosis: Evaluation and management. *Journal of the American Academy of Orthopaedic Surgeons*, 20(8), 527–535. <https://doi.org/10.5435/JAAOS-20-08-527>
51. Schroeder, G. D., Kurd, M. F., & Vaccaro, A. R. (2016). Lumbal spinal stenosis: How is it classified? *Journal of the American Academy of Orthopaedic Surgeons*, 24(12), 843–852. <https://doi.org/10.5435/JAAOS-D-15-00034>
52. Herkowitz, H. N., Rothman, R. H., & Simeone, F. A. (1999). Rothman-Simeone, the spine (4th ed.). Philadelphia: W.B. Saunders.

53. Anne G. Osborn, P. Ruben Koehler, Computed Tomography of the Paraspinal Musculature: Normal and Pathologic Anatomy , American Journal of Roentgenology: 138 (1982)
54. Tien Chau AM, Pelzer NR, Hampton J, Smith A, Seex KA, Stewart F, Gragnaniello C, Lateral Extent and Ventral Laminae Attachments of the Lumbar Ligamentum Flavum: Cadaveric Study, The Spine Journal (2014), doi: 10.1016/j.spinee.2014.03.041
55. Kudo, D., Michio, M., Kasukawa, Y., Ishikawa, Y., Fujii, M., & Shimada, Y. (2018). mRNA expressions of peroxisome proliferator-activated receptor gamma coactivator 1 α , tumor necrosis factor- α , and interleukin-6 in paraspinal muscles of patients with lumbar kyphosis: a preliminary study. *Clinical Interventions in Aging*, 13–1633. <https://doi.org/10.2147/CIA.S172952>
56. Zhang, Y., Xu, H., Hu, X., Zhang, C., Chu, T., & Zhou, Y. (2016). Histopathological changes in supraspinous ligaments, ligamentum flava and paraspinal muscle tissues of patients with ankylosing spondylitis. *International Journal of Rheumatic Diseases*, 19(4), 420–429. <https://doi.org/10.1111/1756-185X.12305>
57. Holdgate, A., Asha, S., Craig, J., & Thompson, J. (2003). Comparison of a verbal numeric rating scale with the visual analogue scale for the measurement of acute

pain Objectives : Methods : Results : Conclusions : Emergency Medicine, 441–
446.

58. Harvey, L., & Graves, D. (2011). International Standards for the Neurological Classification of Spinal Cord Injury. *Journal of Physiotherapy*, 57(2), 129.
[https://doi.org/10.1016/S1836-9553\(11\)70027-3](https://doi.org/10.1016/S1836-9553(11)70027-3)
59. Tobinick, E. L., & Britschgi-Davoodifar, S. (2003). Perispinal TNF-alpha inhibition for discogenic pain. *Swiss Medical Weekly*, 133(11–12), 170–177.