

DAFTAR PUSTAKA

- Arisuryanti, T., Daryono, B. S., Handayani, N. S. N., Aristya, G. R., Lesmana, I., Koentjana, J. P., Arif, M. F., Ishak, M. A., Novianasanti, H., Cahyana, H. I. 2019. Profiling DNA: Sambiloto (*Andrographis paniculata* (Burm.f.) Nees.) dan Patikan Kebo (*Euphorbia hirta* L.) berdasarkan penanda molekuler *Sequence-Related Amplified Polymorphism* (SRAP). Laporan Akhir RISTOJA. Fakultas Biologi UGM.
- Backer, C.A., Brink, R.C., and Bakhuizen, D. 1965. *Flora of Java vol. II*. N.V.P.Noordhoff. Groningen. p. 574.
- Banks, S. C., Cary, G. J., Smith, A. L., Davies, I. D., Driscoll, D. A., Gill, A. M., Lindenmayer, D. B., and Peakall, R. 2013. How does ecological disturbance influence genetic diversity? *Trends in Ecology and Evolution* 28(11): 670–679.
- Beharav A., Maras, M., Kitner, M., Šuštar-Vozlič, J., Sun, G. L., Doležalová, I., Lebeda, A., and Meglič, V. 2010. Comparison of three genetic similarity coefficients based on dominant markers from predominantly self-pollinating species. *Biologia Plantarum* 54(1): 54–60.
- Boom, R., Sol, C. J., Salimans, M. M., Jansen, C.L., Wertheim-van Dillen, P. M., and van der Noordaa, J. 1990. Rapid and simple method for purification of nucleic acids. *Journal of Clinical Microbiology* 28(3): 495–503.
- Botstein, D., White, R. L., Skalnick, M. H., and Davies, R. W. 1980. Construction of a genetic linkage map in man using restriction fragment length polymorphism. *American Journal of Human Genetics* 32: 314–331.
- Cavalli-Sforza, L. L., and Edwards, A. W. 1967. Phylogenetic analysis: Models and estimation procedures. *American Journal of Human Genetics* 19(3): 233–257.
- Chao, W. W., Kuo, Y. H., and Lin, B. I. F. 2010. Anti-inflammatory activity of new compounds from *Andrographis paniculata* by nf- κ b transactivation inhibition. *Journal of Agricultural and Food Chemistry* 58(4): 2505–2512.
- Chesnokov, Y. V. and Artemyeva, A. M. 2015. Evaluation of the measure of polymorphism information of genetic diversity. *Agricultural Biology* 50(5): 571–578.
- Cruz, M., Ramirez, F., and Hernandez, H. 1997. DNA isolation and amplification from cacti. *Plant Molecular Biology Reporter* 15: 319–325.
- Daryono, B. S. and Natsuaki, K. T. 2002. Application of random amplified polymorphic DNA markers for detection of resistant cultivars of melon (*Cucumis melo*) against Cucurbitaceae viruses. *Acta Horticulturae* 588: 321–329.

- Debnath, S. C. 2007. Inter simple sequence repeat (ISSR) to assess genetic diversity within a collection of wild lingonberry (*Vaccinium vitis-idaea* L.) clones. *Canadian Journal of Plant Science* 87: 337–344.
- DeGiorgio, M. and Rosenberg, N. A. 2009 An unbiased estimator of gene diversity in samples containing related individuals. *Molecular Biology and Evolution* 26: 501–512.
- Dehestani, A. and Tabar, S. K. K. 2007. A rapid efficient method for DNA isolation from plants with high levels of secondary metabolites. *Asian Journal of Plant Sciences* 6(6): 977–981.
- Ellegren, H. and Galtier, N. 2016. Determinants of genetic diversity. *Nature Reviews Genetics* 17(7): 422–433.
- Frederick, W. H., Kuipers, J. C., Lindblad, J. T., King, B. A., and Haseman. 2011. *Indonesia: A Country Study*. Federal Research Division. USA. pp. 97–98.
- Fu, C., Qiu, Y., and Kong, H. 2003. RAPD analysis for genetic diversity in *Changium smyrnioides* (Apiaceae), an endangered plant. *Botanical Bulletin of Academia Sinica* 44: 13–18.
- Harris, A. M. and DeGiorgio, M. 2017. An unbiased estimator of gene diversity with improved variance for samples containing related and inbred individuals of any ploidy. *Gen, Genomes, Genetics* 7: 671–691.
- Herzer, S. 2001. *Molecular Biology Problem Solver: A Laboratory Guide*. John Wiley & Sons, Inc. New York. pp. 167–196.
- Hilu, K. W., and Liang, H. 1997. The *matK* gene sequence variation and application in plant systematics. *American Journal of Botany* 84(6): 830–839.
- Huang, J. and Sun, S. M. 2000. Genetic diversity and relationships of sweet potato and its wild relatives in *Ipomoea* series Batatas (Convolvulaceae) as revealed by inter-simple sequence repeat (ISSR) and restriction analysis of chloroplast DNA. *Theoretical and Applied Genetics* 100: 1050–1060.
- Hughes, J. M., Schmidt, D. J., and Finn, D. S. 2009: Genes in streams: Using DNA to understand the movement of freshwater fauna and their riverine habitat. *BioScience* 59: 573–583.
- Iruretagoyena, M. I., Tobar, J. A, Gonzalez, P. A. Sepulveda, S. E., Figueroa, C. A., Burgos, R. A., Hancke, J. L., and Kalergis, M. A. 2004. Andrographolide interferes with T cell activation and reduces experimental autoimmune encephalomyelitis in the mouse. *Journal of Pharmacology and Experimental Therapeutics* 312(1): 366–372.
- Jonah, P. M., Bello, L. L., Lucky, O., Midau, A., and Moruppa, S. M. 2011. The importance of molecular markers in plant breeding programmes. *Global Journal of Science Frontier* 11(5): 1–9.
- Joselin, J. and Jeeva, S. 2014. *Andrographis paniculata*: A review of its traditional

- uses, phytochemistry and pharmacology. *Medicinal & Aromatic Plants* 3(4): 1–15.
- Joshi, S.P., Gupta, V. S., Aggarwal, R. K., Ranjekar, P. K., and Brar, D. S. 1999. Genetic diversity and phylogenetic relationship as revealed by inter-simple sequence repeat (ISSR) polymorphism in the genus *Oryza*. *Theoretical and Applied Genetics* 100: 1311–1320.
- Kirtikar, K. R. and Basu, B. D. 1918. *Indian Medicinal Plants Volume 4*. Smithsonian Institute, Washington DC. p. 722 .
- Koelling, V. A., Hamrick, J. L., and Mauricio, R. 2011. Genetic diversity and structure in two species of *Leavenworthia* with selfincompatible and self-compatible populations. *Heredity* 106 (2): 310–318.
- Kumar, V., Thakur, A. K., and Chatterjee, S. S. 2014. Perspective of *Andrographis paniculata* in neurological disorders. *Clinical Pharmacology & Biopharmaceutics* S2: 5–8.
- Lattoo, S. K., Khan, S. A., Dhar, K., Choudhary, D. K., Gupta, K. K., and Sharma, P. R. 2006. Genetics and mechanism of induced male sterility in *Andrographis paniculata* (Burm. f.) Nees and its significance. *Current Science* 91 (4): 515–519.
- Lattoo, S. K., Dhar, R. S., Khan, S., Bamotra, S., Bhan, M. K., Dhar, A. K., and Gupta, K. K. 2007. Comparative analysis of genetic diversity using molecular and morphometric markers in *Andrographis paniculata* (Burm. f.) Nees. *Genetic Resources and Crop Evolution* 55: 33–43.
- Lee, P. Y., Costumbrado, J., Hsu, C. Y., and Kim, Y. H. 2012. Agarose gel electrophoresis for the separation of DNA fragments. *Journal of Visualized Experiments* 62: 1–5.
- Li, D.Z., Gao, L. M., and Li, H.T. 2011. Comparative analysis of a large dataset indicates that internal transcribed spacer (ITS) should be incorporated into the core barcode for seed plants. *Proceedings of the National Academy of Sciences of the United States of America* 108: 19641–19646.
- Li, W., Xu, X., Zhang, H., Ma, C., Fong, H., van Breemen, R., and Fitzloff, J. 2007. Secondary metabolites from *Andrographis paniculata*. *Chemical & Pharmaceutical Bulletin* 55(3): 455–458.
- Li, X., Scanlon, M. J., and Yu, J. 2015. Evolutionary patterns of DNA base composition and correlation to polymorphisms in DNA repair systems. *Nucleic Acids Research* 43(7): 3614–3625.
- Li, Y. C., Korol, A. B., Fahima, T., Beiles, A., and Nevo, E. 2002. Microsatellites: genomic distribution, putative functions and mutational mechanisms: a review. *Molecular Ecology* 11: 2453–2465.
- Linhart, Y. B. and Grant, M. C. 1996. Evolutionary significance of local genetic differentiation in plants. *Annual Review of Ecology and Systematics* 27: 237–277.

- Liu, Z. J. and Cordes, J. F. 2004. DNA marker technologies and their applications in aquaculture genetics. *Aquaculture* 238: 1–37.
- Maison, T., Volkaert, H., Boonprakob, U., and Paisooksantivatan, Y. 2005. Genetic diversity of *Andrographis paniculata* wall. ex nees as revealed by morphological characters and molecular markers. *Kasetsart Journal (Natural Science)* 39: 388–399.
- Mei, M., Zhang, C., Khan, A., Zhu, Y., Tania, M., Luo, P., and Fu, J. 2015. Efficiency of improved RAPD and ISSR markers in assessing genetic diversity and relationships in *Angelica sinensis* (Oliv.) Diels varieties of China. *Electronic Journal of Biotechnology* 18 (2): 96–102.
- Minz. P.L., Singh, N., Mishra, S. K., and Koche, V. 2013. Genetic variability among *Andrographis paniculata* in Chhattisgarh region assessed by RAPD markers. *African Journal of Biotechnology* 12(39): 5714–5722.
- Mulyati, R., dan Setyowati, F. M. 1996. Etnobotani sambiloto, pemanfaatannya sebagai bahan obat tradisiona. *Warta Tumbuhan Obat indonesia* 3: 29.
- Muzila, N., Werlemark, D., Ortiz, R., Sehic, J., Fatih, M., Setshogo, M., Mpoloka, W., and Nybom, H. 2014. Assessment of diversity in *Harpagophytum* with RAPD and ISSR markers provides evidence of introgression. *Hereditas* 151: 91–101.
- Nagaoka, T. and Ogihara, Y. 1997. Applicability of inter-simple sequence repeat polymorphisms in wheat for use as DNA markers in comparison to RFLP and RAPD markers. *Theoretical and Applied Genetics* 94: 597–602.
- Nei, M. 1973. Analysis of gene diversity in subdivided populations. *Proceedings of the National Academy of Sciences of the United States of America* 70: 3321–3323.
- Nei, M. 1978. The theory of genetic distance and evolution on human race. *Japanese Journal of Human Genetics* 23: 341–369.
- Nei, M., and Roychoudhury, A. K. 1974. Sampling variances of heterozygosity and genetic distance. *Genetics* 76: 379–390.
- Ng, W. L. and Tan, S. G. 2015. Inter-Simple Sequence Repeat (ISSR) markers: are we doing it right?. *ASM Science Journal* 9: 30–39.
- Nguyen, H. H., Park, J., Park, S. J., Lee, C. S., Hwang, S., Shin, Y. B., Ha, T. H., and Kim, M. 2018. Long-term stability and integrity of plasmid-based DNA data storage. *Polymers* 28(10): 1–10.
- Nybom, H., Weising, K., and Rotter, B. 2014. DNA fingerprinting in botany : past, present, future. *Investigative Genetics* 5: 1–35.
- Pervaiz, Z., Turi, N., Khaliq, I., Rabbani, M., and Malik, S. 2011. A modified method for high-quality DNA extraction for molecular analysis in cereal plants. *Genetics and Molecular Research Journal* 10: 1669–1673.
- Price, C. W., Leslie, D. C., and Landers, J.P. 2009. Nucleic acid extraction techniques and application to the microchip. *Lab on a Chip* 9(17): 2484–2494.

- Pujiasmanto, B., Moenandir, J., Syamsulbahri, dan Kuswanto. 2007. Kajian agroekologi dan morfologi sambiloto (*Andrographis paniculata* Nees.) pada berbagai habitat. *Biodiversitas* 8(4): 326–329.
- Rao, V. R. and Hodgkin, T. 2002. Genetic diversity and conservation and utilization of plant genetic resources. *Plant Cell, Tissue and Organ Culture* 68: 1–19.
- Reddy, M. P., Sarla, M., and Siddiq, E. A. 2002. Inter simple sequence repeat (ISSR) polymorphism and its application in plant breeding. *Euphytica* 128: 9–17.
- Richard, G. F., Kerrest, A., and Dujon, B. 2008. Comparative genomics and molecular dynamics of dna repeats in eukaryotes. *Microbiology and Molecular Biology Reviews* 72: 686–727.
- Roldan-Ruiz, I., Calsyn, E., Gilliland, T. J., Coll, R., Eijk, M. J. T., and Loose, M. D. 2000. Estimating genetic conformity between related ryegrass (*Lolium*) varieties . 2 . AFLP characterization. *Molecular Breeding* 6: 593–602.
- Saarela, J. M., Sokoloff, P. C., Gillespie, L. J., Consaul, L. L., and Bull, R. D. 2013. DNA barcoding the canadian arctic flora: core plastid barcodes (*rbcL* + *matK*) for 490 vascular plant species. *PLoS ONE* 8(10): 1–36.
- Saeed, S. and Barozai, M. 2012. A review on genetic diversity of wild plants by using different genetic markers. *Pure and Applied Biology* 1(3): 68–71.
- Sakuanrungsirikul, S., Jetana, A., and Buddanoi, P. 2008. Intraspecific variability assessment of *Andrographis paniculata* collections using molecular markers. *Acta Horticulturae* 786: 283–286.
- Sanghvi, L. D. 1970. Genetic distance : a review. *Bulletin of the Deccan College Post-Graduate and Research Institute* 31: 261–272.
- Schlötterer, C. 2004. The evolution of molecular markers, just a matter of fashion? *Nature Reviews* 5: 63–69.
- Shete, S., Tiwari, H., and Elston, R. C. 2000. On estimating the heterozygosity and polymorphism information content value. *Theoretical Population Biology* 57: 265–271.
- Shin, J., Lee, M., and Park, S. 2000. Design of a composition estimator for inferential control of distillation columns. *Chemical Engineering Communications* 178: 221–248.
- Simpson, M. G. 2010. *Plant Systematics*. Elsevier. Canada. pp. 163, 308–309.
- Sokal, R. R. 1961. Distance as measure of taxonomic similarity. *Systematic Zoology* 10: 70–79.
- Sokal, R. R. 1983. *Numerical Taxonomy*. Springer. New York. pp. 384–385
- Sokal, R. R. and Sneath, P. A. 1963. *Principle of Numerical Taxonomy*. WH. Freeman and Company. USA. pp. 48–50, 251–253.
- Steinberg, A. G., Bleitbreu, H. K., Kurcznski, T. W., Martin, A. O., and Kurcznski, E. M. 1967. Genetic studies on an inbreed human isolate. *International Congress of*

- Human Genetics* 3: 267–289.
- Sun, J., Cornelius, S. P., Janssen, J., Gray, K. A., and Motter, A. E. 2015. Regularity underlies erratic population abundances in marine ecosystems. *Journal of the Royal Society Interface* 12(107): 1–7.
- Tanaka, Y. 2000. Extinction of populations by inbreeding depression under stochastic environments. *Population Ecology* 42: 55–62.
- Tiwari, G., Singh, R., Singh, N., Roy, D., Paliwal, R., Kumar, A., and Gupta, V. 2016. Study of arbitrarily amplified (RAPD and ISSR) and gene targeted (SCoT and CBDP) markers for genetic diversity and population structure in Kalmegh [*Andrographis paniculata* (Burm.f.) Nees]. *Industrial Crops & Products* 86: 1–11.
- Valdiani, A., Kadir, M. A., Saad, M. S., Talei, D., Omidvar, V., and Hua, C. S. 2012. Intraspecific crossability in *Andrographis paniculata* Nees: A barrier against breeding of the species. *The Scientific World Journal* 12: 1–9.
- Vandewoestijne, S., Schtickzelle, N., and Baguette, M. 2008. Positive correlation between genetic diversity and fitness in a large, well-connected metapopulation. *BMC Biology* 6: 46–57.
- Weising, K., Nybom, H., Wolff, K., and Kahl, G. 2005. *DNA Fingerprinting in Plants*. Taylor & Francis Group. USA pp. 21–24.
- Wen, X. P. and Deng, X. X. 2002. The extraction of genomic DNA from five species *Rosa* (in Chinese). *Seed* 126: 18–21.
- Wijarat, P., Keeratinijakal, V., Toojinda, T., Vanavichit, A., and Tragoonrung, S. 2011. Assessing genetic diversity of *Andrographis paniculata* (Burm. f.) Nees, an important medicinal plant in Thailand using RAPD markers. *Thailand Journal of Genetics* 4(2): 115–125.
- Williams, J. G. K., Kubelik, A. R., Livak, K. J., Rafalski, J. A., and Tingey, S. V. 1990. DNA polymorphisms amplified by arbitrary primers are useful as genetic markers. *Nucleic Acids Research* 18: 6531–6535.
- Wirjohamidjojo, S. dan Swarinoto, Y. 2010. *Iklim Kawasan Indonesia (dari Aspek Dinamik - Sinoptik)*. Badan Meteorologi Klimatologi dan Geofisika. Jakarta. pp. 14–15.
- Wu, Z., Yu, D., Wang, Z., Li, X., and Xu, X. 2015. Great influence of geographic isolation on the genetic differentiation of *Myriophyllum spicatum* under a steep environmental gradient. *Scientific Reports* 5:1–9.
- Zhao, F., Wang, X., Liu, J., and Duan, D. 2007. Population genetic structure of *Sargassum thunbergii* (Fucales, Phaeophyta) detected by RAPD and ISSR markers. *Journal of Applied Phycology* 19: 409–416.