



## DAFTAR PUSTAKA

- Abraham, K., Miller, C., Lai, Z., & Kilbourne, A. (2014). Self-efficacy and quality of life among people with bipolar disorder. *J Nerv Ment Dis*, 583–588. doi:10.1097/NMD.0000000000000165
- Alonso , J., Petukhova, M., Vilagut, G., & Chatterji, S. (2011). Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. *Mol Psychiatry*, 16(12). doi:10.1038/mp.2010.101
- American Psychiatric Association. (2002). *Practice guideline for the treatment of patient with bipolar disorder*. US:American Psychiatric Association.
- Angst , J., Gamma, A., Sellaro, R., Lavori , P. W., & Zhang , H. (2003). Recurrence of bipolar disorders and major depression. A lifelong perspective. *European Archives Psychiatry Clinical Neuroscience*, 236-240. doi:10.1007/s00406-003-0437-2
- Bandura , A. (1991). *Self-regulation of motivation through anticipatory and self-reactive mechanisms*. In. R.A Dienstbier (Ed), *Perspectives on motivation: Nebraska symposium on motivation*. Lincol: University of Nebraska Press.
- Barnes, C., & Mitchell, P. (2005). *Considerations in the management of bipolar disorder in women*. The Royal Australian and New Zealand College of Psychiatrist.
- Bauer, M., Glenn , T., Alda , M., Sagduyu, K., Marsh, W., & Grof, P. (2013). Drug treatment patterns in bipolar disorder: analysis of long-term self-report data. *International Journal of Bipolar Disorder*, 1(1). doi:10.1186/2194-7511-1-5
- Barbosa, G. I., Machado-Vieira, R., & Soares, J. (2014). The Immunology of Bipolar Disorder. *Neuroimmunomodulation*, 21(3),117-122. doi:10.1159/000356539
- Barlow, J., Wright, C., Sheasby, J., Turner, A., & Hainsworth, J. (2002). Self-management approaches for people with chronic conditions: a review. *Patients Educ Couns*, 48(2), 177-187.doi: 10.1016/s07383991(02)00032-0
- Berk , L. E. (2013). *Development through the lifespan (6th ed.)*. Columbia: Pearson.
- Blixen, C., Perzynski, A. T., Bukach , A., Howland, M., & Sajatovic, M. (2016). Patients' perceptions of barriers to self-managing bipolar disorder: A qualitative study. *International Journal of Social Psychiatry*, 62(7), 635-644. doi:10.1177/0020764016666572
- Bucker , J., Fries, G., Kapczinski, F., Post, R., Yatham, L., Vianna, P., . . . Kauer-Sant'Anna, M. (2013). Brain-derived neurotrophic factor and inflammatory markers in school aged children with early trauma. *Acta Psychiatr Scand*, 131, 360-8. doi:10.1111/acps.12358



Calkin, C., Gardner, D., Ransom, T., & Alda, M. (2013). The relationship between bipolar disorder and type 2 diabetes: more than just comorbid disorder. *Ann Med*, 45(2), 171-181. doi: 10.3109/07853890/2012/687835

Cappleman, R., Smith, I., & Lobban, F. (2015). Managing bipolar moods without medication: A qualitative investigation. *Journal of Affective*, 241-249. doi:10.1016/j.jad.2014.11.055

Carlborg, A. (2015). Population study of disease burden, management, and treatment of bipolar disorder in sweden: a retrospective observational registry study. *Bipolar Disorder*, 17(1), 76-85. doi:10.1111/bdi.12234

Carr, A. J., Higginson, I. J., & Robinson, P. G. (2003). *Quality of Life*. London : BMJ Books .

Chakrabarti, S. (2016). Treatment-adherence in bipolar disorder: A patient-centred approach. *World Journal of Psychiatry*, 6(4), 399-409. doi:10.5498/wjp/v6.i4.399

Chang-Chalderon, M. (2011). *Successful management professionals with bipolar disorder*. San Francisco: The California School of Professional Psychology .

Chen , J., Muzina , D. J., Kemp, D. E., Conroy , C., Chan , P., Serrano, M. B., . . . Gao, K. (2011). Safety and efficacy of olanzapine monotherapy in treatment resistant bipolar mania: a 12-week open-label study. *Hum Psychopharmacol Clin Exp*, 26(8),558-595. doi:10/1002/hup.1249

Chisholm-Burns , M. (2016). *Pharmacotherapy principles & practice Fourth Edition*. New York: McGraw-Hill Education.

Clatworthy, J., Bowskill, R., Rank , T., & et, a. (2007). Adherence to medication in bipolar disorder: a qualitative study exploring the role of patients' beliefs about the condition and its treatment. *Bipolar Disord*, 9(6), 656-664. Doi:10.1111/j/1399-5618.2007.0434.x

Cohen, A., Hammen, C., Henry, R., & Daley , S. (2004). Effects of stress and social support on recurrence in bipolar disorder. *J Affect Disord*, 143-147. doi:1016/j/jad.2003/10/008

Cook, J., Copeland , M., & Corey , L. (2010). Developing the evidence base for peer-led services: changes among participants (WRAP) education in two statewide initiatives. *Psychiatr Rehabil J*, 34(2), 113-120. doi: 10.2975/24.2.2010.113.120

Craddock, N., & Sklar, P. (2013). Genetics of bipolar disorder. *Lancet*, 381(9878).1654-1662. doi:10.1016/s0140-6736(13)60855-7

Creswell, J. W. (2014). *Research design : qualitative, quantitative, and mixed methods approaches — 4th ed.* Thousand Oaks, California : SAGE



- Cyhlarova, E., & Crepaz-Keay, D. (2012). A new self-management intervention for people with severe psychiatric diagnoses. *The Journal of Mental Health Training, Education and Practice*, 7(2), 89-94. doi:<https://doi.org/10.1108/17556221211236493>
- Daggenvoorde, T., Goossens, P., & Gamel, C. (2013). Regained Control:a phenomenological study of the use of a relapse prevention plan by patients with a bipolar disorder. *Perspect Psychiatr Care*, 235–242. doi:[10.1111/ppc.12009](https://doi.org/10.1111/ppc.12009)
- Daumit, G., Dickerson, F., Wang, N., Dalcin , A., Jerome, G., & Anderson, C. (2013). A behavioral weight-loss intervention in persons with serious mental illness. *N Engl J Med* , 368(17), 1595-1602. doi:[10.1056/nejmoal1214530](https://doi.org/10.1056/nejmoal1214530)
- Dipiro, J. T., Chisholmburns, M. A., Wells, B. G., Schwinghammer, T. L., Malone, P. M., Kolesar, J. M., & Rotschafer, J. C. (2008). *Bipolar Disorder*. New York: Mc- Graw Hill Companies, Inc.
- Durran, V. M., & Barlow , D. H. (2013). *Essential of abnormal psychology. (6th Ed.)*. USA: Wadsworth Cengage Learning.
- Engkus , K. (2006). Tradisi fenomenologi pada penelitian komunikasi kualitatif: Sebuah pengalaman akademis. *Jurnal Mediator*, 7.
- Etain, B., Aas, M., Andreassen , O., Lorentzen, S., Dieset, I., Gard, S., . . . Henry, C. (2013). Childhood trauma is associated with severe clinical characteristics of bipolar disorders. *J Clin Psychiatry*, 74(10),991-998. doi:[10.4088/jcp.1308353](https://doi.org/10.4088/jcp.1308353)
- Fagiolini, A., & Chengappa, K. (2007). Weight gain and metabolic issues of medicines used for bipolar disorder. *Current Psychiatry Reports*, 9, 521-528. doi:[10.1007/s11920-007-0071-1](https://doi.org/10.1007/s11920-007-0071-1)
- Fisher, C. (2006). *The secret life of manic depression: Everything you need to know about bipolar disorder* . London:BBC & Interactive.
- Firdaus. (2016). Spiritualitas Ibada Sebagai Jalan Menuju Kesehatan Mental yang Hakiki. *Al-AdYan*, XI, 6.
- Fletcher, K., Parker, G., Paterson, A., & Synnott , H. (2013). High-risk behaviour in hypomanic states . *Journal of Affective Disorders*, 150(1),50-56. doi:[10.1016/j.jad.2013.02.018](https://doi.org/10.1016/j.jad.2013.02.018)
- Frank, E., Kupfer, D., Wagner, E., McEachran, A., & Cornes, C. (1991). Efficacy of interpersonal psychotherapy as a maintenance treatment of recurrent depression: contributing factors. *Arch Gen Psychiatry* , 48(12),1053. doi:[10.1001/archpsyc.1991.01810360017002](https://doi.org/10.1001/archpsyc.1991.01810360017002)



Friedman, H. S., & Schustack, M. W. (2008). *Kepribadian teori klasik dan riset modern edisi ketiga*. Surabaya: Erlangga.

Geddes , J. R., & Mikowitz, D. J. (2013). Treatment of Bipolar Disorder. *The, 381*(9878), 1672-1682.

Geddes, J., & Miklowitz, D. (2018, January). Treatment of bipolar disorder. *Lancet, 381*, 1672-1682. doi:10/1016/s0140-6736(13)600857-0

Ghufron, M. N., & Risnawita , R. (2010). *Teori-teori psikologi*. Jogjakarta: Ar-Ruzz Media.

Gitlin , M., & Frye, M. (2012). Maintenance therapies in bipolar disorders. *Bipolar Disord, 51*-65.

Gitlin, M., Mintz , J., Sokolski , K., Hammen , C., & Altshuler , L. (2011). Subsyndromal depressive symptoms after symptomatic recovery from mania are associated with delayed functional recovery. *Journal of Clinical Psychiatry, 72*(5), 692-697. doi:10.4088/jcp.09m0521gre

Gullone , E., Hughes, E. K., King, N. J., & Tonge , B. (2010). The normative development of emotion regulation strategy use in children and adolescents: A 2-year follow up study. *Journal of Child Psychology and Psychiatry, 51*(5), 567-674. doi:10.1111/j.14697610.2009.02183.x

Goncalves, J. P., Lucchetti, G., Menezes, P. R., & Vallada, H. (2015). Religious and spiritual interventions in mental health care: A systematic review and meta-analysis of randomized controlled clinical trials. *Psychol Med, 45*(14), 2937-2949. doi:10.1017/s0033291715001166

Goodwin , F., & Jamison, K. (2007). *Chapter 18: Medical treatment of hypomania, mania and mixed states. Manic-Depressive Illness*. New York : Oxford University Press.

Goodwin,G.M.(2016). Bipolar disorder. *Medicine, 44*(11), 661-663. doi:10.1016/j.mpmed.2016.08.007

Grande, I., Michael , B., Boris , B., & Eduard , V. (2016). Bipolar disorder. *The Lancet , 1561-1572*. doi:10.1016/s0140-6736(15)00241-x

Hidalgo-Mazzei, D., Mateu, A., Reinares, M., Undurraga, J., Bonnin, C. D., Sanchez-Moreno, J., . . . Colom, F. (2015). Self-monitoring and psychoeducation in bipolar patient with a smartphone application (SIMPLE) project: Design, development and studies protocol. *BMC Psychiatry, 15*. doi:10.1186/s12888-015-0437-6

Henry , C., Andreassen, O., Bellievier , F., Melle , I., Etain , B., & Aas, M. (2016). The role of childhood trauma in bipolar disorders. *Int. J. Bipolar Disord, 4*(1). doi:10.1186/s40345015-00420



Hurlock , E. B. (1980). *Psikologi Perkembangan: Suatu Pendekatan Sepanjang Rentang Kehidupan*. Jakarta : Gramedia.

Ikawati, Z. (2011). *Farmakoterapi penyakit sistem saraf pusat*. Yogyakarta : Bursa Ilmu.

Janney , C., Bauer, M., & Kilbourne, A. (2014). Self-management and bipolar disorder-a clinician's guide to the literature 2011-2014. *Current Psychiatry Reports*, 16(9). doi:10.1007/s11920-14-0485-5

Janney , C., Fagiolini, A., Swartz, H., Jakicic, J., Holleman, R., & Richardson, C. (2014). Are adults with bipolar disorder active? Objectively measured physical activity and sedentary behavior using accelerometry. *J Affect Disord* , 152-154;498-504. doi:10.1016/j.jad.2013.09.009

Janiri, D., Sani , G., Danese, E., Simonetti, A., Ambrosi, E., Angeletti, G., et al. (2015). Childhood traumatic experiences of patients with bipolar disorder type I and type II. *J Affect Disorders*, 175, 9297. doi:10.1016/j.jad.2014.12.055

Jawad , I., Watson, S., Haddad, P. M., Talbot , P. S., & McAllister-Williams, R. H. (2018). Medication nonadherence in bipolar disorder: a narrative review. *Therapeutic Advances in Psychopharmacology*, 8(12),349-363. doi:10.1177.2045125318804364

Jimenez, E., Arias , B., Mitjans, M., Gokolea, J. M., Ruiz, V., & Brat, M. (2016). Clinical features, impulsivity, temperament and functioning and their role in suicidality in patients with bipolar disorder. *Acta Psychiatry*, 266-276. doi:10.1111.acps.12548

Kemp, V. (2011). Use of 'chronic disease self-management strategies' in mental healthcare. *Current Opinion in Psychiatry*, 24, 144-148. doi:10.1097.yco.0b013e3283438014

Kessing, D. E., Vradi, E., McIntyre, R. S., & Andersan, P. K. (2015). Causes of decreased life expectancy over the life span in bipolar disorder. *Journal of Affective Disorders*, 180, 142-147. doi: 10/1016/j.jad 2015.03.

Ketter, T. A. (2010). Diagnostic Features Prevalence and Impact of Bipolar Disorder. *J Clin Psychiatry of Clinical Psychiatry*, 71(06), e14. doi:10.4088.jcp.8125tx11c

Khalil, S., Albulushi, K. I., Shokri, M. E., Alsaaid, M. A., Aloufi, A. M., Alsaedi, R. A., . . . Fatani, W. H. (2018). Psychological interventions for the management of bipolar disorder. *The Egyptian Journal of Hospital Medicine*, 70(5), 745-753. doi:10.12816/0043977

Kleindienst, N., Engel , R., & Greil, W. (2005). Psychosocial and demographic factors associated with response to prophylactic lithium. A systematic review for bipolar disorders. *Psychol Med* , 1685-1694. doi:10.1017/s003291705004484

Kreitler, & Ben . (2004). *Quality of life in Children*. New York : JohnWiley n Sons.



Kring , A. M., Johnson, S. L., Davison, G., & Naele, J. (2012). *Abnormal Psychology*. United State of America: John Wiley & Sons, Inc .

Laursen, T. M., Wahlbeck, K., Hallgren, J., Westman, J., Osby, U., Alinaghizadeh, H., . . . Nordentoft, M. (2013). Life expectancy and death by diseases of the circulatory system in patients with bipolar disorder or schizophrenia in the Nordic countries. *PLoS One*, e67133. doi:10.1371/journal.pone.0067133

Lahaie, M., Boyer , S., Amsel , R., & et, a. (2010). Vaginismus: a review of the literature on classification/diagnosis, etiology, and treatment. *Womans Health*, 6(5),705-719. doi:10.2217/whe.10.46

Leboyer, M., Soreca, I., Scicot , J., Frye, M., Henry, C., Tamouza, R., & Kupfer, D. J. (2012). Can bipolar disorder be viewed as a multi-system inflammatory disease? *J.Affect.Disord.*, 141, 1-10. doi:10.1016/j.jad.2011.12.049

Leitan, N. D., Michalak, E. E., Berk, L., & Murray, G. (2015). Optimizing delivery of recovery-oriented online self-management strategies for bipolar disorder: a review. *Bipolar Disorder*, 17(2), 115-127. doi: 10.1111/bdi.12258

Lincoln, Y., & Guba, E. (1985). *Naturalistic Inquiry* . Beverly Hills : Sage.

Macneil, C., Hasty, M., Cotton, S., Berk , M., Hallam, K., Kader, L., . . . Conus, P. (2012). Can a targeted psychological intervention be effective for young people following a first manic episode? Results from an 18-month pilot study. *Early Intervention in Psychiatry*, 6(4). doi:10.1111/j.1751-7893.2011.00336.x

Maniglio, R. (2013). Prevalence of child sexual abuse among adults and youths with bipolar disorder: a systematic review. *Clin Psychol Rev*, 33(4),561-573. doi:10.1016/j.cpr.2013.03.002

Mansell, W., Powell, S., Pedley, R., Thomas, N., & Jones, S. A. (2010). The process of recovery from bipolar I disorder: A qualitative analysis of personal accounts in relation to an integrative cognitive model. *British Journal of Clinical Psychology*, 49(2) 193-215. doi:10.1348/014466509x451447

Maslim, R. (2007). *Panduan Praktis : Penggunaan Obat Psikotropik (Psychotropic Medication)*. Edisi ketiga. Jakarta: Bagian Ilmu Kedokteran Jiwa FK-Unika Ama Jaya.

Merikanga, K., Jin, R., & He, J.-P. (2011). Prevalence and correlates of bipolar spectrum disorder in the world mental health survey initiative. *Arch Gen Psychiatry*. 68(3),241. doi:10.1001/archgenpsychiatry.2011.12

Merikangas , K. R., Akisal, H. S., Angst, J., Greenberg , P. E., Hirschfeld, R., Petukhova, M., & Kessler, R. C. (2007). Lifetime and 12-month prevalence of bipolar spectrum disorder in



the National Comorbidity Survey Replication. *General Psychiatry*, 64(5), 543.  
doi:10.1001/archpsyc.64.5.543

Merikangas, K. R., Jin, R., He, J. P., Kessler, R. C., Lee, S., & Sampson, N. A. (2011). Prevalence and correlates of bipolar spectrum disorder the world mental health survey initiative. *Archives of General Psychiatry*, 68(3), 241-251.  
doi:10.1001/archgenpsychiatry.2011.12

Martiningtyas, M. D. (2015). *Efektivitas program manajemen diri "Bipolar beraksi" untuk menurunkan frekuensi, intensitas atau durasi mood bipolar pada orang dengan bipolar (ODB)*. Yogyakarta: Fakultas Psikologi Universitas Gadjah Mada.

Miklowitz , D. J. (2008). *Bipolar disorder. A family- A family Focused Treatment Approach 2nd*. New York: The Guild Press.

Miklowitz , D., Axelson , D., Birmaher, B., & et, a. (2008). Family-focused treatment for adolescents with bipolar disorder: results of a 2-year randomized trial. *Arch Gen Psychiatry*, 65(9),1053. doi:10.1001/archpsyc.65.9.1053

Moeleong, L. J. (2009). *Metode Penelitian Kualitatif*. Bandung : Rosdakarya.

Maniglio, R. (2013). Prevalence of child sexual abuse among adults and youths with bipolar disorder: a systematic review. *Clin Psychol Rev*, 33(4), 561573.  
doi:10.1016/j.cpr.2013.03.002

Medina, E., Salva , J., Ampudia , R., & et, a. (2012). Short-term clinical stability and lack of insight are associated with a negative attitude towards antipsychotic treatment at discharge in patients with schizophrenia and bipolar disorder. *Patient Prefer Adherence*, 623-629. doi:10.2147/ppa/s34345

Moreira, A., Van Meter , A., Genzlinger, J., & Youngstrom, E. (2017). Review and Meta-Analysis of Epidemiologic Studies of Adult Bipolar Disorder. *J Clin Psychiatry*, 78(9), e1259-e1269. doi:10.4088/JCP.16r11165

Morton, E., Michalak , E. E., Hole, R., Buzwell, S., & Murray, G. (2018). ‘Taking back the reins’ – A qualitative study of the meaning and experience of self management in bipolar disorder. *Journal of Affective*, 228,160-165. doi:10.1016/j.jad.2017.12.018

Moustakas , C. (1994). *Phenomenological research methods*. California: Sage Publication .

Murray, G., Suto, M., Hole, R., Hale, S., Amari, E., & Michalak, E. (2010). Self-management strategies used by 'high functioning' individuals with bipolar disorder: From research to clinical practice. *Clinical Psychology and Psychotherapy* 18(2),95-109.  
doi:10.1002/cpp.710



Murray, G., Suto, M., Hole, R., Hale, S., Amari, E., & Michalak, E. E. (2011). Self-management strategies used by "high functioning" individuals with bipolar disorder: from research. *Clin. Psychol.Psychother*, 18(2), 95-109. doi:10.1002/cpp/710

Najah, K. (2018). *Peran dzikir dan spiritualitas sebagai stabilizer pada orang dengan bipolar*. Yogyakarta : Fakultas Psikologi Universitas Gadjah Mada

National Institute of Mental Health (NIMH). (2012). *Bipolar disorder in adults*. NIH Publication NO.12-3679.

Nivoli, A., Pacchiarotti, I., & Rosa, A. (2011). Gender differences in a cohort study of 604 bipolar patients: the role of predominant polarity. *J Affect Disorder*, 133(3), 443-449/ doi:10.1016/j.jad.2011.04.055

Ng, C., & Nuraskin, M. (2012). Factorial validation of the Malay version of multidimensional scale of perceived social support among a group of psychiatric patients. *Malaysian Journal of Psychiatry*, 35-50.

Oliver , J., Huxley, P., Bridges, K., & Mohamad, H. (2005). *Quality of life and mental health services*. New York : Taylor & Francis e-Library.

Panggabean , L. M., & Rona, D. (2015). *Apakah aku bipolar ? 100 tanya jawab dengan psikiater*. Jakarta: PT Gramedia Pustaka Utama.

Pardede, C. M. (2012). Karakteristik penderita percobaan bunuh diri dengan racun di RSUD Dr. Pirngadi Kota Medan Tahun 2006-2011. *Journal Epidemiologi USU*, 1(1), 4-5.

Pervin, L. A., Pervone, D., & John, O. P. (2010). *Psikologi kepribadian teori dan penelitian*. Jakarta: Kencana Prenada Media Grup.

Petros, R., & Solomon, P. (2015). Reviewing illness self-management programs:a selection guide for consumers, practitioners, and administrators. *Psychiatry Service*, 66(11). doi:10.1176/appi.ps.201400355

Pfeifer , J., Welge , J., Strakowski, S., Adler , C., & Delbello, M. (2008). Meta-analysis of amygdala volumes in children and adolescents with bipolar disorder . *J Am Acad Child Adolesc Psychiatry*, 47(11), 1289-1298. doi:10.1097/chi.0b013e31815d299

Pompli, M., Gonda , X., Serafini, G., Innamorati , M., Sher, L., Amore, M., . . . Girardi , P. (2013). Epidemiology of suicide in bipolar disorders: a systematic review of the literature. *Bipolar Disorder*, 15(5),457-490.doi:10.111/bdi.120-87

Pujileksono, S. (2015). *Metode Penelitian Komunikasi Kualitatif*. Malang: Kelompok Intrans Publishing.

Rihmers, & Kiss. (2002). Bipolar disorder. *American Journal of Psychiatry*, 1, 21-25.



Roshanaei-Moghaddam, B., & Katon, W. (2009). Premature mortality from general medical illnesses among persons with bipolar disorder:a review. *Psychiatr Serv, 60*(2),147-156. doi:10.1176/appi.ps.60.2.147

Rubbyana, U. (2012). Hubungan antara Strategi Koping dengan Kualitas Hidup. *Jurnal Psikologi Klinis dan Kesehatan Mental, 1*(2).

Ricther, M. (2010). *Risk behavior in adolescence, patterns, determinants, and consequences*. Germany: Springer Fachmedien.

Rosenblat, J. D., & McIntyre, R. S. (2017). Bipolar Disorder and Immune Dysfunction: Epidemiological Findings, Proposed Pathophysiology and Clinical Implications. *Brain Sciences, 7*(12), 144. doi:10.3390/brainsci7110144

Russell, S., & Browne , J. (2005). Staying well with bipolar disorder. *Australian and New Zealand Journal of Psychiatry, 39*, 187-193.doi:10.1111/j.14401614.2005.01542.x

Sanchez-Moreno, J., Matinez-Aran, A., Tabars-Seisdedos, R., Torrent, C., Vieta, E., & Ayuso-Mateos, J. (2009). Functioning and disability in bipolar disorder: an extensive review. *Psychoter Psychosom, 78*(5). doi:10.1159/000228249

Scott, J., Paykel, E., Morriss, R., Bentall , R., Kinderman, P., Jhonson, T., . . . Hayhurst, H. (2006). Cognitive-behavioural therapy for bipolar disorder. *The British Journal of Psychiatry, 188*(5), 488-489. doi:10.1192/bjp.188.5.488

Sierra, P., Livianos, L., & Rojo, L. (2005). Quality of life for patients with bipolar disorder:relationship with clinical and demographic variables. *Bipolar Disorder. 7*(2), 159-165. doi:10.1111/j.1399-5618.2005.00186.x

Stafford, N. (2011). *Lithium for bipolar disorder : A guide for patients bipolar information series*. Four Oaks : My Mind Books Ltd.

Starkowski, S. M. (2014). *Bipolar Disorder*. United States: Oxford University Press.

Strakowski, S., DelBello, M., & Adler , C. (2001). *Comparative efficacy and tolerability of drug treatment for bipolar disorder,15*, CNS Drugs.

Strok, C., & Renshaw, P. (2005). Mitochondrial dysfunction in bipolar disorder: evidence from magnetic resonance spectroscopy research. *Mol Psychiatry,10*(10), 900-919.doi:10.1038/sj.mp/4001711

Sugiyono. (2012). *Metode Penelitian Kualitatif Kuantitatif dan R&D*. Bandung: Alfabeta.



Sylvia , L. G., Montana, R. E., Deckersbach, T., Thase, M. E., Tohen, M., Reilly-Harrington, N., . . . Nierenberg, A. A. (2017). Poor quality of life and functioning in bipolar disorder. *International Journal of Bipolar Disorders*, 5(1). doi:10.1186/s40345-017-0078-4

Szmulewicz, A., Samame, C., Caravotta, Martino, D. J., Igoa, A., Hidalgo-Mazzei, D., . . . Strejilevich, S. (2016). Behavioral and emotional adverse events of drugs frequently used in treatment of bipolar disorders: Clinical and theoretical implications. *International Journal of Bipolar Disorder*, 4(6). doi:10.1186/S40345-016-0047-3

Sheets , E. S., & Ivan , W. M. (2010 ). Predictors of Relationship Functioning for Patients With Bipolar Disorder and Their Partners. *Journal of Family Psychology*, 24(4), 371-379. doi:10.1037/a0020352

Silvia , R. A., Mograbi, D. C., Bifano, J., Santana, C. M., & Cheniaux, E. (2016). Insight in bipolar mania: evaluation of its heterogeneity and correleton with clinical symptoms. *Journal of Affective Disorders*, 199, 95-98. doi: 10.1016/j.jad.2016.04.019

Silvia , R. A., Mograbi, D. C., Landeira-Fernandez, J., & Cheniaux, E. (2014). O Insight No transtorno Bipolar: Uma revisão sistemática. *Jornal Brasileiro De Psiquiatria*, 63(3), 242-254. doi:10.1590/0047-2085000000032

Takwin, B. (2008). Diri dan pengelolaannya. *Jurnal Psikologi Sosial*, 2(13).

Todd, N. J., Jones, S. H., & Lobban, F. A. (2013). What do service users with bipolar disorder want from a web-based self-management intervention? A qualitative for group study. *Clinical Psychology & Psychotherapy*, 20(6), 531-543. doi:10.1002/cpp.1804

Valtonen, H., Suominen, K., & Mantere, O. Leppamaki, S., Arvillommi, P., & Isometsa, E.T (2005). Suicidal ideation and attempts in bipolar I and II disorders. *J Clin Psychiatry*,66(1), 1456-1462. doi:10.4088/jcp.v66n1116

van Grieken, R., van Tricht, M., Koeter, M., van den Brink, W., & Schene, A. (2018, October 15). The use and helpfulness of self-management strategies for depression : The experience of patients. *PLoS ONE*, 13(10). doi:10.1371/journal.pone.0206262

van Harmelen, A., van Tol, M., Demenescu, L., van der Wee, N., Veltman, D., Aleman, A., . . . Elzinga, B. (2013). Enhanced amygdala reactivity to emotional faces in adults reporting childhood emotional maltreatment. *Soc Cogn Affect Neurosci*, 8(4),362-369. doi:10.1093/scan.nss007

Vancamfort, D., Vansteelandt, K., Correll, C., Mitchell, A., De Herdt, A., Sieneart, P., . . . De Hert , M. (2013). Metabolic syndrome and metabolic abnormalities bipolar disorder: A meta-analysis of prevalence rates and moderators. *Am J Psychiatry*, 170(3),265-274. doi:10.1176/appi.ajp.2012.12050620



- Varo, C., Murru, A., Salagre, E., Jimenez, E., Sole, B., & Montejo, L. (2019). Behavioral addiction in bipolar disorder : A systematic review. *European Neuropsychopharmacology*, 29(1),76-97. doi:10.1016/j.euroneuro.2018.10.012
- Vieta, E., Azorin, J., Bauer, M., Frangao, S., Perugi, G., Martinez, G., & Schreiner, A. (2012). Psychiatrists' perceptions of potential reasons for non- and partial adherence to medication: results of a survey in bipolar disorder from eight European countries. *J Affect Disorder*, 143(1),125-130. doi:10.1016/j.jad.2012.05.041
- Watson, S., Gallagher, P., Dougall, D., Porter, R., Moncrieff, J., Ferrier, I. N., & Young, A. H. (2014). Childhood trauma in bipolar disorder. *Australian & New Zealand Journal of Psychiatry*, 48(6), 564-570. doi:10.1177/0004867413516681
- Weiner, T. (2011). The(Un)managed self: Paradoxical forms of agency in self-management of bipolar disorder. *Cult Med. Psychiatry*, 35, 448-483. doi:10.1007/s11013-011-9231-1
- Weissman , M., Bruce, M., Leaf, P., Florio, L., & Holzer, C. (1991). *Affective disorder In: Robins LN, Regier DA, eds. Psychiatric Disorders in America: The Epidemiologic Catchment Area Study*. New York: Free Press.
- WHO. (2006). *World Health Organization and International Society for Prevention of Child Abuse and Neglect. Preventing child maltreatment: a guide to taking action and generating*.
- Wijeratne, C., Sachdev, S., Wen, W., Piguet, O., Lipnicki, D. M., Malhi, G. S., . . . Sachdev, P. S. (2013). hippocampal and amygdala volumes in an older bipolar disorder sample. *International Psychogeriatrics*, 54-60. doi:10.1017/s1041610212001469
- Wirasto, R. T. (2012; 55). Suicide prevention in Indonesia: Providing public advocacy. *JMAJ*, 98-104.