

DAFTAR PUSTAKA

- Agate, A. D. dan Bhat, J. V (1966). *Role of pectinolytic yeasts in the degradation of mucilage layer of Coffea robusta cherries*. Applied microbiology, 14(2), pp. 256–60. Available at:
<http://www.ncbi.nlm.nih.gov/pubmed/5959859><http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=PMC546662>. Diakses pada 20 September 2019 pukul 22.00 wib.
- Akiyama. M., Murakami. K., Ikeda. M., Iwatsuki. K., Wada. A., dan Tokuno. K. (2007). *Analysis of the headspace volatiles of freshly brewed arabica coffee using solidphase microextraction*. Journal of Food Science, 72(7), C388–C396, <http://dx.doi.org/10.1111/j.1750-3841.2007.00447.x>.
- Akiyama, M., Murakami. K., Ohtani. N., Iwatsuki. K., Sotoyama. K., Wada. A. (2003). *Analysis of volatile compounds released during the grinding of roasted coffee beans using solid-phase microextraction*. Journal of Agricultural and Food Chemistry, 51(7), 1961–1969, <http://dx.doi.org/10.1021/jf020724p>.
- Alongi, M. dan Anese, M., (2018). *Effect of coffee roasting on in vitro α -glucosidase activity: Inhibition and mechanism of action 111*, 480–487. <https://doi.org/10.1016/j.foodres.2018.05.061>.
- Alves, L. C., De Magalhães, D. M., Labate, M. T. V., Guidetti-Gonzalez, S., Labate, C. A., Domingues, D. S. (2016). *Differentially accumulated proteins in Coffea arabica seeds during perisperm tissue development and their relationship to coffee grain size*. Journal of Agricultural and Food Chemistry, 64(7), 1635–1647.
- Amer, J.; G.W. Cheng dan C.H. Crisosto (1995). *Browning potential, fenolat composition, and polyphenoloxidase activity of buffer extracts of peach and nectarine skin tissue*. Department of Pomology, University of California at Davis, Keamey Agricultural Center, Parlier, (CA 936) Society of Horticulture Science, 120, 835—838.
- Amorim, H. V. dan Amorim, V. L. (1977). *Coffee enzymes and coffee quality*. In: Enzymes in Food and Beverage Processing, pp. 259–274.
- Andueza, S., de Peña, M. P., dan Cid, C. (2003). *Chemical and sensorial characteristics of espresso coffee as affected by grinding and torrefacto roast*. Journal of Agricultural and Food Chemistry, 51(24), 7034–7039, <http://dx.doi.org/10.1021/jf034628f>.
- Anonim. (2005). *AOAC (Association of Official Analytical Chemists)*. Official Methods of Analysis of the Association of Official Analytical Chemist. Chemist Inc. New York.
- Anonim. (2019). www.flavornet.org. Diakses tanggal 25 Oktober 2019.
- Anonim. (2019). www.leffingwell.com. Diakses tanggal 25 Oktober 2019.
- Anastassiades. M., dan Lehotay, S.J. (2003). *Fast and Easy Multiresidue Method*

Employing Acetonitile Extraction/Partitioning and “Dispersive Solid-Phase Extraction” for the Determination of Pesticide Residue in Produce. Journal of AOAC International 86:2

- Antonio, A. G., I’orio, N. L. P., Pierro, V. S. S., Candreva, M. S., Farah, A., dos Santos K. R. N., dan Maia, L. C. (2011). *Inhibitory properties of Coffea canephora extract against oral bacteria and its effect on demineralisation of deciduous teeth.* Arch. Oral Biol. 56(6), 556–564.
- Arpah. (1993). *Pengawasan Mutu Pangan.* Penerbit Tarsito, Bandung.
- Arunga, R. O. (1982). *Coffee.* In: Fermented Foods, pp. 259–274. Rose, A. H., Ed., Academic Press, London.
- Atmawinata, O. (1995). *Kadar air yang aman bagi penyimpanan biji kopi.* Pelita Perkebunan 1995, 11(1), 38-44.
- Avallone, S., Guyot, B., Brillouet, J.M., Olguin, E., & Guiraud, J. P. (2001). *Microbiological and biochemical study of coffee fermentation.* CurrentMicrobiology, 42(4),252–256.
- Avallone, S., Brillouet, J.M., Guyot, B., Olguin, E., & Guiraud, J.P. (2002). *Involvement of pectolytic micro-organisms in coffee fermentation.* International Journal of Food Science and Technology, 37, 191–198.
- Babova, O., Andrea Occhipinti., Massimo E. Maiffei. (2016). *Chemical portioning and antioxidant capacity of green coffee (Coffea Arabica and Coffea canephora) of different geographical origin.* Journal of Phytochemistry, 128 (2016) 33-39.
- Badan Standarisasi Nasional (2008). *Standar Nasional Indonesia Biji Kopi.* SNI 01-2907-2008 (P.20). Jakarta: Badan Standarisasi Nasional.
- Baggenstoss, J., Poisson, L., Kaegi, R., Perren, R., dan Escher, F. (2008). *Coffee roasting and aroma formation: Application of different time–temperature conditions.* Journal of Agricultural and Food Chemistry, 56(14), 5836–5846.
- Baltes, W., dan Knoch, E. (1993). *Model reactions on roast aroma formation. XIII. The formation of some uncommon N-heterocyclic compounds and furans after roasting of tryptophan with reducing sugars and sugar degradation products.* Food Chemistry, 46(4), 343–349, [http://dx.doi.org/10.1016/0308-8146\(93\)90002-w](http://dx.doi.org/10.1016/0308-8146(93)90002-w).
- Balyaya, K.J. dan M.N. Clifford (1995). *Chlorogenic acids and caffeine contents of monsooned Indian Arabica and Robusta coffees compared with wet and dry processed coffees from the same geographic area.* In: Proceedings 16th International Conference on Coffee Science ASIC. p. 316—325. Paris, Prancis.
- Batista, L. R., Chalfoun, S. M., Silva, C. F., Cirillo, M., Varga, E. A. dan Schwan, R. F. (2009). *Ochratoxin A in coffee beans (Coffea arabica L.) processed by dry and wet methods.* Food Control. 20, 784–790.

- Baxter, B. H. (1996). *Amino acids*. In L. M. L. Nollet (Ed.), Handbook of food analysis (Vol. 1). New York: Marcel Dekker.
- Bee, S., Brando, C. H. J., Brumen, G., Carvalhes, N., Kölling-Speer, I., Speer, K. Vitzthum, O. G. (2005). *The raw bean*. In A. Illy, & R. Viani (Eds.). Espresso coffee: The science of quality (pp. 87–178). London, UK: Elsevier Academic Press.
- Belitz, H. D., Grosch, W., dan Schieberle, P. (2009). *Food Chemistry (4 ed.)*. Berlin, Heidelberg: Springer.
- Benavides A. H, D. Dorado A, A. del Pilar S. (2016). *Study of the fatty acid profile and the aroma composition of oil obtained from roasted Colombian coffee beans by supercritical fluid extraction*. J. of Supercritical Fluids 113 (2016) 44–52.
- Bennat, C., Engelhardt, U. H., Kiehne, A., Wirries, F.M., dan Maier, H. G. (1994). *HPLC analysis of chlorogenic acid lactones in roasted coffee*. Zeitschrift für Lebensmittel-Untersuchung und-Forschung, 199(1), 17–21, <http://dx.doi.org/10.1007/bf01192945>.
- Bhumiratana, N., Koushik Adhikari., Edgar Chambers IV. (2011). *Evolution of Sensory Aroma Attributes from Coffee Beans to Brewed Coffee*. Journal of Food Science and Technology, 44 (2011) 2185-2192.
- Bicchi. C., Ruosi. M. R., Cagliero. C., Cordero. C., Liberto. E., Rubiolo. P. (2011). *Quantitative analysis of volatiles from solid matrices of vegetable origin by high concentration capacity headspace techniques: Determination of furan in roasted coffee*. Journal of Chromatography A, 1218(6), 753–762, <http://dx.doi.org/10.1016/j.chroma.2010.12.002>.
- Blackweel, Wiley, (2012). *Food Biochemistry and Food Processing*, 2nd (ed). New York.
- Blank, I., Sen, A., dan Grosch, W. (1991). *Aroma impact compounds of Arabica and robusta coffee. Qualitative and quantitative investigations*. Proc. 14th Coll. ASIC, 117–129. San Francisco.
- Blank, I., Sen, A., dan Grosch, W. (1992). *Potent odorants of the roasted powder and brew of Arabica coffee*. Zeitschrift für Lebensmittel-Untersuchung und -Forschung, 195(3), 239–245, <http://dx.doi.org/10.1007/bf01202802>.
- Borém, F.M.; E.R. Marques dan E. Alves (2008). *Ultrastructural analysis of drying damage in parchment Arabica coffee endosperm cells*. Biosystems Engineering, 99, 62–66.
- Bradbury, AGW. (2001). In: Clarke RJ, Vitzthum OG (eds) *Coffee. Recent developments*. Blackwell, Oxford, pp 1–17.
- Brando, C. H. (2010). *Alternativas a la cosecha selectiva*. TBWA Nicar. 6, 64–66.

- Braham, J.E. dan R. Bressani (1979). *Coffee Pulp : Composition, Technology, and Utilization*. Institute of Nutrition of Central America and Panama. IDRC-108e. Ottawa, Canada.
- Bressani, R.; E. Estrada dan R. Jarquin (1972). *Pulpa, pergamino de café. I. Composición química contenido de aminoácidos de la proteína de la pulpa*. Turrialba (Costa Rica), 22, 229—304.
- Bressani, A. P. P., Silvia, J. M., Suzana, R. E., Disney, R. D., Rosane, F. S. (2018). *Characteristics of fermented coffee inoculated with yeast starter cultures using different inoculation methods*. Food Science and Technology, 92, 212-219.
- Brooker, D. B., F. W. Bakker-arkema and C. W. Hall, (1974). *Drying Cereal Grains*. The AVI publishing Company, Inc. Wesport.
- Burdock, G. A. (2010). *Fenaroli's handbook of flavor ingredients (6th ed.)*. Boca Raton: CRC Press/Taylor & Francis.
- Buffo, R. A., dan Cardelli-Freire, C. (2004). *Coffee flavour: An overview*. *Flavour and Fragrance Journal*. 19(2), 99–104, <http://dx.doi.org/10.1002/ffj.1325>.
- Bytof, G. (2003). *Einfluss der Nacherntebehandlung auf die Qualitätsausprägung bei Arabica-Kaffee (Coffea arabica L.)*. PhD thesis. TU Braunschweig.
- Bytof, G. dan Peter, S.K., (2005). *Influence of processing on the generation of g - aminobutyric acid in green coffee beans* 245–250. <https://doi.org/10.1007/s00217-004-1033-z>.
- Caporaso, N, Martin B. Whitworth, Chenhao Cui, dan D. Fisk. (2018). *Variability of single bean coffee volatile compounds of Arabica and robusta roasted coffees analysed by SPME-GC-MS*. Food Research International 108 (2018) 628–640.
- Cecilia, K., Glanton, K., Simon, M., Renaud, B., dan Fredrick, N. (2012). *Volatile organic compounds in brewed Kenyan arabica coffee genotypes by solid phase extraction gas chromatography mass spectrometry*. Food Science and Quality Management, 8, 18–22.
- Chen, D. W., & Zhang, M. (2007). *Non-volatile taste-active compounds in the meat of Chinese mitten crab (Eriocheir sinensis)*. Food Chemistry 104:1200-1205.
- Cheong, M. W., Tong, K. H., Ong, J. J. M., Liu, S. Q., Curran, P., dan Yu, B. (2013). *Volatile composition and antioxidant capacity of Arabica coffee*. Food Research International, 51(1), 388–396, <http://dx.doi.org/10.1016/j.foodres.2012.12.058>.
- Christie WW (1993). *Preparation of ester derivatives of fatty acids for*

- chromatographic analysis*. In: Christie WW (ed) *Advances in lipid methodology—two*. Oily Press, Dundee, pp 69–111.
- Ciptadi, W. dan Nasution, M.Z. (1985). *Pengolahan Kopi*. Fakultas Teknologi Institut Pertanian Bogor.
- Clarke, R. In: (1985). *Coffee, 1st edition*, Clarke, R. J., Macrae, R., eds. Essex, UK: Elsevier Applied Science Publishers; Vol. 1: Chemistry, p. 115.
- Clarke, R.J., dan Macrae, R. (1987). *Coffee chemistry*. Volume 1. New York, USA: Elsevier Applied Science.
- Clarke, R. J. (2003). *Coffee: green coffee/roast and ground*. In: Encyclopedia of Food Science and Nutrition, 2nd edition, Caballero, B., Trugo, L. C., Finglas, P., eds. Oxford: Academic Press; Vol. 3.
- Clarke, R. and Vitzthum, O. G. (2008) *Coffee: Recent developments*. London: John Wiley and Sons.
- Clifford, M.N. & J.R. Ramirez-Martinez (1991). *Tannins in wet processed coffee beans and coffee pulp*. Food Chemistry, 40, 191—200.
- Clifford, M. N. (1972). *The phenolic compounds of green and roasted coffee beans*. Glasgow: University of Strathclyde.
- Clifford, M. N. (1985). *Chlorogenic acids*. In Coffee, Vol. 1: Chemistry; Clarke, R. J., Macrae, R., Eds.; Elsevier Applied Science Publishers: London, U.K., pp 153-202.
- Clifford, M. N. (1999). *Chlorogenic acids and other cinnamates - Nature, occurrence and dietary burden*. Journal of the Science of Food and Agriculture, 79(3), 362–372, [http://dx.doi.org/10.1002/\(sici\)1097-0010\(19990301\)79:3b362::aid-jsfa256N3.0.co;2-d](http://dx.doi.org/10.1002/(sici)1097-0010(19990301)79:3b362::aid-jsfa256N3.0.co;2-d).
- Clifford, M. N. (2000). *Chlorogenic acids and other cinnamates — Nature, occurrence, dietary burden, absorption and metabolism*. Journal of the Science of Food and Agriculture, 80(7), 1033–1043, [http://dx.doi.org/10.1002/\(sici\)1097-0010\(20000515\)80:7b1033::aid-jsfa595N3.0.co;2-t](http://dx.doi.org/10.1002/(sici)1097-0010(20000515)80:7b1033::aid-jsfa595N3.0.co;2-t).
- Correa, E.C., Jiménez-Ariza, T., Díaz-Barcos, V., Barreiro, P., Diezma, B., Oteros, Ruiz-Altisent, M. (2014). *Advanced characterisation of a coffee fermenting tank by multi-distributed wireless sensors: spatial interpolation and phase space graphs*. Food and Bioprocess Technology, 2, 46–54.
- Cortez, J.G. and H.C. Menezes. (2000). *Recent Developments in Brazilian Coffee Quality: New Processing Systems, Beverage Characteristics and Consumer Preferences*. Dalam T.Sera, C.R. Soccol, A.Pandey and S. Roussos. (ED). Coffee Biotechnology and Quality. Proceedings of The 3rd International Seminar on Biotechnology in The Coffe Agro-Industry, Londrina, Brazil, 339-346.

- Costa Freitas, A. M., dan Mosca, A. I. (1999). *Coffee geographic origin — An aid to coffee differentiation*. Food Research International, 32(8), 565–573, [http://dx.doi.org/10.1016/s0963-9969\(99\)00132-5](http://dx.doi.org/10.1016/s0963-9969(99)00132-5).
- Crews, C., dan Castle, L. (2007). *A review of the occurrence, formation and analysis of furan in heat-processed foods*. Trends in Food Science & Technology, 18(7), 365–372, [http:// dx.doi.org/10.1016/j.tifs.2007.03.006](http://dx.doi.org/10.1016/j.tifs.2007.03.006).
- Cubero, E.; C. Bolaños; A.R. Bonilla dan P. Vargas (2012). *Effect of blanching and air drying temperature on antioxidant capacity and fiber content of coffee pulp for human consumption*. Proceedings 24th International Conference on Coffee Science ASIC 2012. p. 48—55. San Jose, Costa Rica.
- Culleré. L., Escudero. A., Cacho. J., dan Ferreira. V. (2004). *Gas chromatography–olfactometry and chemical quantitative study of the aroma of six premium quality Spanish aged red wines*. Journal of Agricultural and Food Chemistry, 52, 1653–1660.
- Czerny. M., Christlbauer. M., Christlbauer. M., Fischer. A., Granvogl. M., Hammer. M.. (2008). *Re-investigation on odour thresholds of key food aroma compounds and development of an aroma language based on odour qualities of defined aqueous odorant solutions*. European Food Research and Technology, 228(2), 265–273, [http:// dx.doi.org/10.1007/s00217-008-0931-x](http://dx.doi.org/10.1007/s00217-008-0931-x).
- Czerny, M., dan Grosch, W. (2000). *Potent odorants of raw Arabica coffee. Their changes during roasting*. Journal of Agricultural and Food Chemistry, 48(3), 868–872, [http:// dx.doi.org/10.1021/jf990609n](http://dx.doi.org/10.1021/jf990609n).
- Czerny, M., Mayer, F., dan Grosch, W. (1999). *Sensory study on the character impact odorants of roasted Arabica coffee*. Journal of Agricultural and Food Chemistry, 47(2), 695–699, <http://dx.doi.org/10.1021/jf980759i>.
- Czerny, M., Wagner, R., dan Grosch, W. (1996). *Detection of odor-active ethenylalkylpyrazines in roasted coffee*. Journal of Agricultural and Food Chemistry, 44(10), 3268–3272, [http:// dx.doi.org/10.1021/jf9600824](http://dx.doi.org/10.1021/jf9600824).
- De Bruyn, F., Zhang, S. J., Pothakos, V., Torres, J., Lambot, C., Moroni, A. V., De Vuyst, L. (2017). *Exploring the impacts of postharvest processing on the microbiota and metabolite profiles during green coffee bean production*. Applied and Environmental Microbiology, 83, e02398–e2416.
- De Castro, R.D., dan Marraccini, P. (2006). *Cytology, biochemistry and molecular changes during coffee fruit development*. Brazilian Journal Plant Physiology, 18, 175–199.
- Deibler, K. D., Acree, T. E., dan Lavin, E. H. (1998). *Aroma analysis of coffee brew by gas chromatography–olfactometry*. In E. T. Contis, C. T. Ho, C.

- J. Mussinan, T. H. Parliment, F. Shahidi, & A. M. Spanier (Eds.), *Developments in food science*, Vol. 40. (pp. 69–78). Elsevier.
- de Maria, C. A. B., Trugo, L. C., Moreira, R. F. A., dan Petracco, M. (1995). *Simultaneous determination of total chlorogenic acid, trigonelline and caffeine in green coffee samples by high performance gel filtration chromatography*. *Food Chemistry*, 52, 447–449.
- Djossou, O. (2011). *Robusta coffee beans post-harvest microflora: Lactobacillus plantarum sp. as potential antagonist of Aspergillus carbonarius, Anaerobe*. Elsevier Ltd, 17(6), pp. 267–272. doi:10.1016/j.anaerobe.2011.03.006.
- Perrone, D, C.M. Donangelo, A. Farah. (2008). *Fast simultaneous analysis of caffeine, trigonelline, nicotinic acid and sucrose in coffee by liquid chromatography–mass spectrometry*. *Food Chem.* (110) 1030–1035.
- Dietary Reference Intake*. (2000). Institute of Medicine. National Academies Press: Washington, DC.
- Dong, W., Hu, R., Chu, Z., Zhao, J., dan Tan, L.(2017). *Effect of different drying techniques on bioactive components, fatty acid, composition, and volatile profile of Robusta coffee beans*. *Food Chemistry*, 234, 121-130.
- Dorfner, R., Ferge, T., Kettrup, A., Zimmermann, R., dan Yeretziyan, C. (2003). *Real-time monitoring of 4-vinylguaiacol, guaiacol, and phenol during coffee roasting by resonant laser ionization time-of-flight mass spectrometry*. *Journal of Agricultural and Food Chemistry*, 51(19), 5768–5773.
- Duarte, G, A. Pereira dan A. Farah (2008a). *Chemical composition of Brazilian green coffee seeds processed by dry and wet post-harvesting methods*. *Proceedings 22nd International Conference on Coffee Science (ASIC) 2008*. p. 593—596. Campinas, Brazil.
- Duarte, G. dan A. Farah (2008). *Chlorogenic acids and lactones on Brazilian commercial Coffees*. *Proceedings 22nd International Conference on Coffee Science (ASIC) 2008*. p. 224—227. Campinas, Brazil.
- Duarte, G. S., Pereira, A. A., dan Farah, A. (2010). *Chlorogenic acids and other relevant compounds in Brazilian coffees processed by semi-dry and wet post-harvesting methods*. *Food Chemistry*, 118, 851–855.
- Eira, M.T.S., Silva, E.A.A., Castro, R.D., Dussert, S., Walters, C., Bewley, D., dan Hilhorst, M. (2006). *Coffee seed physiology*. *Brazilian Journal Plant Physiology*, 18:149–163.
- Escudero, A., Campo, E., Farina, L., Cacho, J., dan Ferreira, V. (2007). *Analytical characterization of the aroma of five premium red wines. Insights into the role of odor families and the concept of fruitiness of wines*. *Journal of Agricultural and Food Chemistry*, 55, 4501–4510.

- Evangelista, S. R., Silva, C. F. (2014a). *Improvement of coffee beverage quality by using selected yeasts strains during the fermentation in dry process*. FRIN. Elsevier Ltd, 61, pp. 183–195. doi: 10.1016/j.foodres.2013.11.033.
- Evangelista, S. R., Miguel, M. G. P. C. (2014b). *Inoculation of starter cultures in a semi-dry coffee (Coffea arabica) fermentation process*. 44, pp. 87–95. doi: 10.1016/j.fm.2014.05.013.
- Evangelista, S. R., Miguel, M. G. P. C., Silva, C. F., Pinheiro, A. C. M., dan Schwan, R. F. (2015). *Microbiological diversity associated with the spontaneous wet method of coffee fermentation*. International Journal of Food Microbiology, 210, 102–112.
- FAO. (2004). *Fermentation of coffee control of operation (p. 10)*. Roma, Italia: Food and Agricultural Organization.
- Farah, A. (2004). *Distribuição dos grãos, influência sobre a qualidade da bebida e biodisponibilidade dos ácidos clorogênicos do café*. Instituto de Química, Universidade Federal do Rio de Janeiro, RJ, Brasil, Doctorate Thesis,.
- Farah, A., de Paulis, T., Trugo, L. C., dan Martin, P. R. (2005). *Effect of roasting on the formation of chlorogenic acid lactones in coffee*. Journal of Agricultural and Food Chem, 53(5), 1505–1513, <http://dx.doi.org/10.1021/jf048701t>.
- Farah, A., de Paulis, T., Trugo, L. C., Martin, P. R. (2006). *Chlorogenic acids and lactones in regular and water-decaffeinated arabica coffee*. J. Agric. Food Chem. 54, 374–381.
- Farah, A., Donangelo, C. M. (2006). *Phenolic compounds in coffee*. Braz. J. Plant Physiol. 18, 23–36.
- Farah, A., Shearer, J., de Paulis, T. (2008). *Diferuloylquinide is converted to diferuloylquinic acid and other phenolic compounds during digestion and/or metabolism in rats*. FASEB J., 22, 889–913.
- Farah, Adriana. (2012). *Coffee :Emerging Health Effects and Disease Prevention, First Edition*. John Willey & Sons, Inc and Institute of Food Technologists (USA) : Wiley-Blackwell Publishing Ltd.
- Figueiredo, L.P.; F.M. Borém; F.C. Ribeiro; G.S. Giomo; P.A. Rios dan M.F. Tosta (2012). *Quality Coffee (Coffea Arabica L.) Subjected to two processing types. Proceedings 24th International Conference on Coffee Science (ASIC) 2012*. p. 502—506. Costarica.
- Fischer, M., Reimann, S., Trovato, V., Redgwell, R. J. (2001). *Polysaccharides of green Arabica and Robusta coffee beans*. Carbohydr. Res. 330, 93–101.

- Flament, I., Gautschi, F., Winter, M., Willhalm, B., Stoll, M. (1968). *Les composants furanniques de l'arôme café: quelques aspects chimiques et spectroscopiques*. Proc. 3rd Coll. Int. Coffee Sci. ASIC, 197–215. Paris.
- Folmer, B., Farah, A., Fogliano, V. dan Jones, L. (2017). *The Coffee Tree Genetic Diversity and Origin*. In: *The Craft and Science of Coffee, 1st Ed.* (Ed.: Folmer, B.). Elsevier, London, UK, pp. 493–510.
- Fors, S. (1983). *Sensory properties of volatile Maillard reaction products and related compounds*. The Maillard reaction in foods and nutrition, Vol. 215. (pp. 185–286). American Chemical Society, 185–286.
- Frank, H. A., Lum, N. A. and Dela Cruz, A. S. (1965). *Bacteria responsible for mucilage-layer decomposition in Kona coffee cherries*. Applied Microbiology, 13, pp. 201–207.
- Gilberto V. de Melo Pereira¹, Dão P. de Carvalho Neto¹, Antonio I. Magalhães Júnior, Zulma S. Vásquez, Adriane B.P. Medeiros, Luciana P.S. Vandenberghe, Carlos R. Soccol. (2019). *Exploring the impacts of postharvest processing on the aroma formation of coffee beans – A review*. Food Chemistry 272 (2019) 441–452.
- Ginz, M., Balzer, H. H., Bradbury, A. G. W., dan Maier, H. G. (2000). *Formation of aliphatic acids by carbohydrate degradation during roasting of coffee*. European Food Research and Technology, 211(6), 404–410, <http://dx.doi.org/10.1007/s002170000215>.
- Ginz, M., dan Engelhardt, U. (2001). *Identification of new diketopiperazines in roasted coffee*. European Food Research and Technology, 213(1), 8–11, <http://dx.doi.org/10.1007/s002170100322>.
- Goto, Y. B. dan Fukunaga, E. T. (1956). *Coffee harvesting and processing for top quality coffee*. Hawaii Agr. Exp. Sta. Circular 359.
- Grosch, W., Czerny, M., Mayer, F., dan Moors, A. (2000). *Sensory studies on the key odorants of roasted coffee*. Caffeinated beverages, Vol. 754. (pp. 202–209). American Chemical Society.
- Grosch, W. (2000b). *Specificity of the human nose in perceiving food odorants*. Paper presented at the the Ninth Weurman Flavour Research Symposium. Garching: Deutsche Forschungsanstalt für Lebensmittelchemie
- Grosch, W. (2001a). Chemistry III: Volatile compounds. In R. J. Clarke, & O. G. Vitzthum (Eds.), *Coffee: Recent developments* (pp. 68–89). Oxford: Blackwell Science.
- Grosch, W. (2001). *Evaluation of the key odorants of foods by dilution experiments, aroma models and omission*. Chemical Senses, 26(5), 533–545, <http://dx.doi.org/10.1093/chemse/26.5.533>.

- Hermann, K.M. (1995). The shikimate pathway as an entry to aromatic secondary metabolism. *Plant Physiology*, 107, 7—12.
- Hofmann, T. dan Schieberle, P. (1998). *Flavor contribution and formation of the intense roast-smelling odorants 2-propionyl-1-pyrroline and 2-propionyltetrahydropyridine in Maillard-type reactions*. *Journal of Agriculture and Food Chemistry*, 46, 2721–2726.
- Holscher, W., Vitzthum, O. G., Steinhart, H. (1990). *Identification and sensorial evaluation of aroma-impact compounds in roasted Colombian coffee*. *Cafe, Cacao, The*. 34, 205–212.
- Holscher, W., dan Steinhart, H. (1992). *Investigation of roasted coffee freshness with an improved headspace technique*. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung*, 195(1), 33–38,
<http://dx.doi.org/10.1007/bf01197836>.
- Huch, M., dan Franz, C. M. A. P. (2015). *Coffee: Fermentation and microbiota*. In W. Holzapfel (Ed.). *Advances in fermented foods and beverages* (pp. 501–513). Woodhead Publishing.
- Hufnagel, J.C dan T.Hofmann. (2008). *Quantitative Reconstruction of the Nonvolatile Sensometabolome of a Red Wine*. *Journal of Agricultural and Food Chemistry*. 56, 9190–9199.
- Hunter, I.R., Walden, M.K., Scherer, J.R. & Lundin, R.E. (1969). *Preparation and properties of 1,4,5,6-tetrahydro-2-acetopyridine, a cracker-odor constituent of bread aroma*. *Cereal Chemistry*, 46, 189– 195.
- Illy, E. (2002). *The complexity of coffee*. *Scientific American*, 286(6), 86–91.
- Illy, A., dan Viani, R. (2005). *Espresso coffee: The science of quality (2nd ed.)*. London, UK: Elsevier Academic Press.
- International Coffee Organization (2014). *World coffee trade (1963–2013): A review of the markets, challenges and opportunities facing the sector*. London: United Kingdom.
- Isquierdo, E.P.; F.M. Borém; G.E. Alves; J.L.G. Corrêa; E.T. Tavares dan P.D. Oliveira (2012). *Drying kinetics of natural coffee for different temperature and relative humidity*. *Proceedings 24th International Conference on Coffee Science (ASIC) 2012*. p. 469—473. Costa Rica.
- Jackels, S. C., Jackels, C. F., Vallejos, C., Kleven, S., Rivas, R., dan Fraser-Dauphinee, S. (2006). *Control of the coffee fermentation process and quality of resulting roasted coffee: Studies in the field laboratory and on small farms in Nicaragua during the 2005–06 harvest*. In 21st International Scientific Colloquium on Coffee – Post-harvest processing and green coffee quality. Montpellier, France.
- Jackels, S.C., dan Jackels, C.H. (2005). *Characterization of the coffee mucilage fermentation process using chemical indicator: A field study in Nicaragua*. *Journal of Food Science*, 70, 321–325.

- Janzen, S.O. (2010). Chemistry of coffee. In L. Mender, & H.W. Liu (Eds.). *Comprehensive Natural Products II, Chemistry and Biology* (pp. 1085–1113). Kidlington, UK: Elsevier Ltd.
- Jham, G.N., Fernandes, S.A., Garcia, C.F., dan Da Silva, A.A. (2002). *Comparison of GC and HPLC for the quantification of organic acid in coffee*. *Phytochemical Analysis*, 13, 99–104.
- Kaufmann, H. P., dan Gupta, A. K. S. (1964). *Über die lipoide der kaffeebohne V: die triterpene und kohlenwasserstoffe*. *Fette Seifen Anstrichm*, 66, 461–466 (in Germany).
- Kaufmann, H. P., dan Hamsagar, R. S. (1962). *Zur kenntnis der lipoide der kaffeebohne I: Über fettsäure-ester des cafestols*. *Fette Seifen Anstrichm*, 64, 206–213 (in Germany).
- Kemit, N., I.W.R Widarta dan K.A. Nociamitri. (2016). *Pengaruh Jenis Pelarut dan Waktu Maserasi Terhadap Kandungan Senyawa Flavanoid dan Aktivitas Antioksidan Ekstrak Daun Alpukat*. *Jurnal Ilmu dan Teknologi Pangan* 5(2): 130-141.
- Kim, S., Ko, J., Kang, B., Park, H., (2018). *Prediction of key aroma development in coffees roasted to different degrees by colorimetric sensor array* 240, 808–816.
<https://doi.org/10.1016/j.foodchem.2017.07.139>.
- Kleinwächter.,M. D. Selmar. (2010). *Influence of drying on the content of sugars in wet processed green Arabica coffees*. *Food Chemistry*. (119), 500-504.
- Kölling-Speer, L., Speer, K. (2005). *The Raw Seed composition*. In: *Espresso Coffee, the Science of Quality*. Illy, A., Viani, R., eds. Italy: Elsevier Academic Press;, pp. 148–178.
- Knopp, S., Bytof, G., dan Selmar, D. (2005). *Influence of processing on the content of sugars in green Arabica coffee beans*. *European Food Research and Technology*, 223(2), 195–201.
- Knopp, S., Bytof, G. dan Selmar, D. (2006). *Influence of processing on the content of sugars in green Arabica coffee beans*. *Europe. Food Research Technology*. 223, 195–201.
- Kuballa, T., Stier, S., dan Strichow, N. (2005). *Furan concentrations in coffee and coffee beverages*. *Deutsche Lebensmittel-Rundschau*, 101(6), 229–235.
- Kulapichitra, F, C. Borompichaichartkula, I. Suppavorasatita, K.R. Cadwalladerb. (2019). *Impact of drying process on chemical composition and key aroma components of Arabica coffee*. *Food Chemistry* 291 (2019) 49–58.
- Kumazawa, K., dan Masuda, H. (2003). *Identification of odor-active 3-mercapto-3- methylbutyl acetate in volatile fraction of roasted coffee brew isolated by steam distillation under reduced pressure*. *Journal of Agricultural and Food Chemistry*, 51(10), 3079–3082,

<http://dx.doi.org/10.1021/jf021190v>.

- Lambot, C., E. Goulois, S. Michaux, N. Pineau, J. De Smet, J. Husson dan P. Broun (2010). *Investigation on main factors influencing the arabica green coffee quality*. Proceedings 23rd International Conference on Coffee Science. p. 992—995. Bali, Indonesia.
- Lee, L. W., Cheong, M. W., Curran, P., Yu, B., dan Liu, S. Q. (2015). *Coffee fermentation and flavor – an intricate and delicate relationship*. Food Chemistry, 185, 182–191.
- Lee, L.W., Cheong, M. W., Curran, P., Yu, B., dan Liu, S. Q. (2016a). *Modulation of coffee aroma via the fermentation of green coffee beans with *Rhizopus oligosporus*: I. Green coffee*. Food Chemistry, 211, 916e924.
- Lee, L.W., Cheong, M.W., Curran, P., Yu, B., dan Liu, S. Q. (2016b). *Modulation of coffee aroma via the fermentation of green coffee beans with *Rhizopus oligosporus*: II. Effects of different roast levels*. Food Chemistry, 211, 925e936.
- Lee, L.W, G. Y. T., M. W. C, P. C., B. Y. (2017). *Modulation of the volatile and non-volatile profiles of coffee fermented with *Yarrowia lipolytica*: I. Green coffee*. LWT - Food Science and Technology 77 (2017) 225e232.
- Leloup, V.; A. Louvrier dan R. Liardon (1995). *Degradation mechanisms of chlorogenic acids during roasting*. Proceedings 16th International Science Colloque Coffee (Kyoto). ASIC. p. 192—198. Paris.
- Leong, K. (2014). *Diversity of Lactic Acid Bacteria Associated with Fresh Coffee Cherries in Taiwan*. Current Microbiology, 68(4), pp. 440–447. doi: 10.1007/s00284-013-0495-2.
- Leroy, T., Ribeyre, F., dan Bertrand, B. (2006). *Genetics of coffee quality*. Brazilian Journal of Plant Physiology 18 (1), 229-242.
- Li, H., Tao, Y. S., Kang, W. H., dan Yin, C. L. (2006). *Wine aroma analítica investigation progress on GC (review)*. Journal of Food Science and Biotechnology, 25, 99–104.
- Lin, C. C. (2010). *Approach of improving coffee industry in Taiwan – Promote quality of coffee bean by fermentation*. The Journal of International Management Studies, 5(1), 154–159.
- Liu, Y., dan Kitts, D. D. (2011). *Confirmation that the Maillard reaction is the principle contributor to the antioxidant capacity of coffee brews*. Food Research International, 44(8), 2418–2424, <http://dx.doi.org/10.1016/j.foodres.2010.12.037>.
- Liu, C, Ni, Y, Q, Y, C, Ayed, R, Linforth, I, D, Fisk. (2019). *Enhancing Robusta coffee aroma by modifying flavour precursors in the green coffee bean*. Food Chemistry 281 (2019) 8–17.

- Maga, J. (1975). *The role of sulfur compounds in food flavor*. Part I: thiazoles. CRC Critical Reviews in Food Technology, 6(241), 153–176.
- Malta, M.R. dan Chagas, S.J.de R. (2010). *Colheita, preparo e secagem do café*. In: *Café Arábica- do plantio a colheita*. EPAMIG, Belo Horizonte.
- Murkovic. M, Karin Derler. (2006). *Analysis of amino acids and carbohydrates in green coffee*. J. Biochem. Biophys. Methods 69 (2006) 25–32.
- Marsh, A.; Yusianto dan S. Mawardi (2012). *Cup quality assessment of 5 primary processing methods on Indonesian Arabica coffee*. Proceeding 24th International Conference on Coffee Science, 517-521. Costarica.
- Massawe, G. A. and Lifa, S. J. (2010). *Yeasts and lactic acid bacteria coffee fermentation starter cultures*. International Journal of Postharvest Technology and Innovation, 2(1).
- Mayer, F., Czerny, M., dan Grosch, W. (2000). *Sensory study of the character impact aroma compounds of a coffee beverage*. European Food Research and Technology, 211(4), 272–276,
<http://dx.doi.org/10.1007/s002170000169>.
- Mazzafera, P. dan R. Padilha-Purcino (2004). *Post harvest processing methods and alterations in coffee fruit*. ASIC Proceedings of 20th Colloque Coffee. Bangalore, India.
- Michishita. T, M. A, Y. H, M. Ikeda, Y. Sagara, and T. Araki. (2010). *Gas Chromatography/Olfactometry and Electronic Nose Analyses of Retronasal Aroma of Espresso and Correlation with Sensory Evaluation by an Artificial Neural Network*. J. Food Science. Vol. 75, Nr. 9, 2010.
- Mondello, L., Costa, F., Tranchida, P.Q., Dugo, P., Presti, M.L., Festa, S., Fazio, A., dan Dugo, G. (2005). *Reliable characterization of coffee bean aroma profiles by automated headspace solid phase microextraction-gas chromatography-mass spectro-metry with the support of a dual-filter mass spectra library*. Journal of Separation Science, 28, 1101–1109.
- Montavon, P.; Duruz, E.; Rumo, G.; Pratz, G. (2003). *Evolution of green coffee protein profiles with maturation and relation to coffee cup quality*. J. Agric. Food Chem. 51, 2328-2334.
- Moon, Joon-Kwan., Hyui Sun Y., Takayuki S. (2009). *Role of Roasting Condition in the Level of Chlorogenic Acid Content in Coffee Beans : Correlation with Coffee Acidity*. J. Agric. Food Chem. 57(12):5365-5369.
- Mori, E. E. M., Bragagnolo, N., Morgano, M. A., Anjos, V. D. A., Yotsuyanagi, K., Faria, E. V. (2003). *Brazil coffee growing regions and quality of natural, pulped natural and washed coffees*. Food and Food Ingredients Journal of Japan, 208(1), 416–423.
- Mulato, Sri. (2002). *Simposium Kopi 2002 dengan tema Mewujudkan perkopian Nasioanl yang Tangguh melalui Diversifikasi Usaha Berwawasan*

Lingkungan dalam Pengembangan Industri Kopi Bubuk Skala Kecil untuk Meningkatkan Nilai Tambah Usaha Tani Kopi Rakyat. Denpasar : 16-17 Oktober 2002. Pusat Penelitian Kopi dan Kakao Indonesia.

- Murkovic, M, Karin Derler. (2006). *Analysis of amino acids and carbohydrates in green coffee*. J. Biochem. Biophys. Methods 69 (2006) 25–32.
- Murthy, P.S., dan Naidu, M.M. (2011). *Improvement of robusta coffee fermentation with microbial enzymes*. European Journal of Applied Sciences, 3, 130–139.
- Najiyati dan Danarti. (2004). *Kopi Budidaya dan Penanganan Lepas Panen*, Edisi revisi. Penebar Swadaya. Jakarta.
- Newton, T. (2017). *How Does Fermentation Affect Coffee Flavor Development?*. <https://www.perfectdailygrind.com/2017/07/fermentation-affect-coffee-flavour-development/>. Diakses tanggal 20 Agustus 2019.
- Nijssen, L. M., Visscher, C. A., Maarse, H., Willemsense, L. C., dan Boelens, M. H. (1996). *Volatile compounds in food*. Zeist, The Netherlands: TNO Nutrition and Food Research Institute.
- O’Driscoll. D. J. (2014). *Analysis of coffee bean extracts by use of ultra-performance liquid chromatography coupled to quadrupole time-of-flight mass spectrometry*. MethodsX. (1), 264-268.
- Olam (2012). *Arabica Processing*. Promotion of Sustainable Arabica Production in North West Region, Cameroon. Defoundation–Kuit Consultancy. 32p.
- Oestreich-Janzen, S. (2010). *Chemistry of coffee*. In M. Lew, & L. Hung-Wen (Eds.), *Comprehensive natural products II*, Vol. 3. (pp. 1085–1117). Oxford: Elsevier.
- Owen, T. (2009). *An updated pictorial guide to the roast process*. Available from. <http://www.sweetmarias.com/roasting-VisualGuideV2.php> Diakses pada November 2018.
- Pangabeau, Edy. (2012). *The Secret of Barista*. PT Wahyumedial. Jakarta.
- Perestrelo, R., Fernandes, A., Albuquerque, F. F., Marques, J. C., dan Camara, J. S. (2006). *Analytical characterization of the aroma of Tinta Negra Mole red wine: Identification of the main odorants compounds*. Analytica Chimica Acta, 553, 154–164.
- Partelli, F.L.; O. Partelli; A.S. Partelli; F.M. Borém; J.H.S. Taveira; R.S.R. Pinto dan V.C. Siqueira (2012). *Quality of conilon coffee dried on a concrete terrace in a greenhouse with early hulling*. Proceedings 24th International Conference on Coffee Science (ASIC) 2012. p. 465—468. Costarica.
- Paula, A., Bressani, P., Juliana, S., Reis, S., Ribeiro, D., Freitas, R., (2018). *LWT - Food Science and Technology. Characteristics of fermented coffee inoculated with yeast starter cultures using different inoculation*

methods. LWT - Food Sci. Technol. 92, 212–219.
<https://doi.org/10.1016/j.lwt.2018.02.029>.

- Pereira, G. V. M.. (2012). *Microbiological and Physicochemical Starter Culture Bacterial Strains To Develop a Defined Fermentations and Screening of Yeast and Characterization of Small-Scale Cocoa*. Applied Environmental Microbiology, 78, pp. 5395–5405.
doi: 10.1128/AEM.01144-12.
- Pereira, G. V. M.. (2013). *Spontaneous cocoa bean fermentation carried out in a novel-design stainless steel tank: Influence on the dynamics of microbial populations and physical–chemical properties*. International Journal of Food Microbiology. Elsevier B.V., 161(2), pp. 121–133. doi: 10.1016/j.ijfoodmicro.2012.11.018.
- Pereira, G. V. de M, Vanete T. S, A. Pandey, Adriane B. P. M, J. Marcos R. A. L, A. Luiz G, C. R. Soccol. (2014). *Isolation, selection and evaluation of yeasts for use in fermentation of coffee beans by the wet process*. International Journal of Food Microbiology. Elsevier B.V., 188, pp. 60–66. doi: 10.1016/j.ijfoodmicro.2014.07.008.
- Pereira, D.M., Neto, E., Soccol, V., Medeiros, A., Woiciechowski, A., Soccol, C., (2015). *Conducting starter culture-controlled fermentations of coffee beans during on-farm wet processing : Growth , metabolic analyses and sensorial effects*. FRIN 75, 348–356.
<https://doi.org/10.1016/j.foodres.2015.06.027>.
- Pereira, G. V. M., Soccol, V. T., Brar, S. K., Neto, E., dan Soccol, C. R. (2017). *Microbial ecology and starter culture technology in coffee processing*. Critical Reviews in Food Science and Nutrition, 57, 2775–2788.
- Perrone, D., Donangelo, C. M., & Farah, A. (2008). *Fast simultaneous analysis of caffeine, trigonellin, nicotinic acid and sucrose in coffee by liquid chromatography-mass spectroscopy*. Food Chemistry, 110(4), 1030–1035.
- Perrone, D., Donangelo, R., Donangelo, C. M., Farah, A. (2010). *Modeling weight loss and chlorogenic acid content in coffee during roasting*. J. Agric. Food Chem, 58, 12238–12243.
- Perwita, Y. (2016). *Identifikasi Jenis Gula, Asam Organik, Asam Organik, Mineral, Asam Amino Biji Kabau (Archidendron Microcarpum) Segar dan Rebus Sebagai Komponen Flavor*. Skripsi. Teknologi Pangan dan Hasil Pertanian. Universitas Gadjah Mada.
- Pezzopane, J. R. M., Júnior, M. J. P., Thomaziello, R. A., dan De Camargo, M. B. P. (2003). *Coffee Phenological Stages Evaluation Scale*. Bragantina, 62, 499–503.
- Piccino. S, R. Boulanger, F. Descroix, A. S. C. Sing. (2014). *Aromatic composition and potent odorants of the “specialty coffee” brew “Bourbon*

Pointu” correlated to its three trade classifications. Food Research International 61 (2014) 264–271.

- Poisson, L., Schmalzried, F., Davidek, T., Blank, I., dan Kerler, J. (2009). *Study on the role of precursors in coffee flavor formation using in-bean experiments*. Journal of Agricultural and Food Chemistry, 57(21), 9923–9931.
- Qiang, H.; L. Yaguang. (2008). *Elucidation of the Mechanism of Enzymatic Browning Inhibition by Sodium Chloride*. Pei Chen C. Food Chemistry, 110, 847-85.
- Rahardjo, P. (2012). *Panduan Budi Daya dan Pengolahan Kopi Arabika dan Robusta*. Trias QD, editor. Jakarta(ID), Penerbar Swadaya.
- Redgwell, R., dan Fischer, M. (2006). *Coffee carbohydrates*. Brazilian Journal of Plant Physiology, 18, 165–174.
- Reineccius, G. (1995). *The Maillard reaction and coffee flavor*. Paper presented at the the 16th ASIC Colloquium Kyoto.
- Ribeiro, J. S., Augusto, F., Salva, T. J. G., Thomaziello, R. A., & Ferreira, M. M. C. (2009). *Prediction of sensory properties of Brazilian Arabica roasted coffees by headspace solid phase microextraction–gas chromatography and partial least squares*. Analytica Chimica Acta, 634(2), 172–179, <http://dx.doi.org/10.1016/j.aca.2008.12.028>.
- Ribeiro, J. S., Augusto, F., Salva, T. J. G., dan Ferreira, M. M. C. (2012). *Prediction models for Arabica coffee beverage quality based on aroma analyses and chemometrics*. Talanta, 101(0), 253–260, <http://dx.doi.org/10.1016/j.talanta.2012.09.022>.
- Ribeiro, L.S., Gabriela, M., Miguel, P., Reis, S., Mynsen, P., Martins, M., Mullem, J. Van, Honorio, M., Freitas, R. (2017). *Behavior of yeast inoculated during semi-dry coffee fermentation and the effect on chemical and sensorial properties of the final beverage*. Food Res. Int. 92, 26–32. <https://doi.org/10.1016/j.foodres.2016.12.011>.
- Rios, O.G., Quiroz, M.L.S., Boulanger, R., Barel, M., Guyot, B., Guiraud, J.P., dan Galindo, S.S. (2007). *Impact of ecological post harvest processing on the volatile fraction of coffee beans: I. Green coffee*. Journal of Food Composition and Analysis, 20, 289–296.
- Risticovic, S., Carasek, E., & Pawliszyn, J. (2008). *Headspace solid-phase microextraction-gas chromatographic–time-of-flight mass spectrometric methodology for geographical origin verification of coffee*. Analytica Chimica Acta, 617(1–2), 72–84, <http://dx.doi.org/10.1016/j.aca.2008.04.009>.

- Romano, P., C. Fiore, M. Paraggio, M. Caruso, A. Capece. (2003). *Function of yeast species and strains in wine flavor*. 86, pp. 169–180. doi: 10.1016/S0168-1605(03)00290-3.
- Rothfos, B. (1980). *Coffee Production*. Gordian-Max-Rieck, Hamburg.
- Salla, M.H. (2009). *Influence of genotype, location and processing methods on the quality of coffee (Coffea arabica L.)*. Thesis. School of Graduate Studies Hawassa University, Hawassa. Ethiopia.
- Sari, A.B.T., Ismayadi, C., Wahyudi, T., dan Sulihkanti, A. (2012). *Analysis of luwak coffee volatile by using solid phase microextraction and gas chromatography*. Pelita Perkebunan, 28, 111–118.
- Savonitt, O. (2005). *Chapter 6. Storage and packaging. 6.1.3 Other physico-chemical changes*. In A. Illy, & R. Viani (Eds.), *Espresso Coffee: The science of quality* (pp. 241–245). London, UK: Elsevier Academic Press.
- Schenker, S., Heinemann, C., Huber, M., Pompizzi, R., Perren, R., & Escher, F. (2002). *Impact of roasting conditions on the formation of aroma compounds in coffee beans*. *Journal of Food Science*, 67(1), 60e66.
- Schutter, D. P., Saison, D., Delvaux, F., Derdelinckx, G., Rock, J. M., Neven, H., et al. (2008). *Characterization of volatiles in Unhopped Wort*. *Journal of Agricultural and Food Chemistry*, 56, 246–254.
- Schwan, R. F., & Wheals, A. E. (2003). *Mixed microbial fermentations of chocolate and coffee*. In T. Boekhout & V. Robert (Eds.), *Yeasts in food* (pp. 429–449). Germany: Behr's Verlag.
- Schwan, R. F., Pereira, G. V. M. dan Fleet, G.H. (2014). *Botany and Production of Coffee*. In: *Cocoa and Coffee Fermentations*, pp. 344–346. Schwan, R. F. dan Fleet, G.H., Eds., CRC Press, Boca Raton, FL.
- Selmar D, Bytof G, Knopp, SE. (2002). In: *Proceedings of the "Dix-neuvieme colloque scientifique international sur le caf"*. ASIC, Paris.
- Selmar, D., Bytof, G., Knopp, S.E., Bradbury, A., Wilkens, J., dan Becker, R. (2004). *Biochemical insight into coffee processing: Quality and nature of green coffees are interconnected with an active seed metabolism*. ASIC 2004. 20th International Conference on Coffee Science (pp. 111–119). Bangalore, India. 11–15 October 2004.
- Selmar, D., Bytof, G., dan Knopp, S.-E. (2008). *The storage of green coffee (Coffea arabica): Decrease of viability and changes of potential aroma precursors*. *Annals of Botany*, 101, 31–38.
- Semmelroch, P., dan Grosch, W. (1995). *Analysis of roasted coffee powders and brews by gas chromatography–olfactometry of headspace samples*. *LWT-*

Food Science and Technology, 28(3), 310–313,
[http://dx.doi.org/10.1016/s0023-6438\(95\)94411-7](http://dx.doi.org/10.1016/s0023-6438(95)94411-7).

- Shearer, J., Farah, A., de Paulis, T., Bracy, D. P., Pencek, R. R., Graham, T. E., Wasserman, D. H. (2003). *Quinides of roasted coffee enhance insulin action in conscious rats*. J. Nutr. 33, 3529–3532.
- Shearer, J., Sellars, E., Farah, A., Graham, T. E., Wasserman, D. H. (2007). *Effects of chronic coffee consumption on glucose kinetics in the conscious rat*. Can. J. Phys. Pharm., 85, 823–830.
- Silva, C. F. (2000). *Microbial diversity during maturation and natural processing of coffee cherries of Coffea arabica in Brazil*. 60, pp. 251–260.
- Silva, C.F., Batista, L.R., Abreu, L.M., Dias, E.S., dan Schwan, R.F. (2008). *Succession of bacterial and fungal communities during natural coffee (Coffea arabica) fermentation*. Food Microbiology, 25, 951–957.
- Silva, C. F. (2014). *Microbial activity during coffee fermentation*. In: *Cocoa and Coffee Fermentations*. in Microbial activity during coffee fermentation. Boca Raton, FL: CRC Press, pp. 368–423.
- Silva, L., Gabriela, M., Miguel, P., Reis, S., Mynsen, P., Martins, M., Mullem, J. Van, Honorio, M., Freitas, R. (2017). *Behavior of yeast inoculated during semi-dry coffee fermentation and the effect on chemical and sensorial properties of the final beverage*. Food Research. Int. 92, 26–32. <https://doi.org/10.1016/j.foodres.2016.12.011>.
- Singh, V., dan Singh, G. (2013). *Coffee: process technology and health benefits*. International Journal of Innovative Research and Studies, 2, 153–160.
- Sivetz, M. and N.W. Desrosier. (1979). *Coffee Technology*. AVI Publ.Co.Westport, Connecticut., 637 p.
- Smith, A.W. (1985). *Agricultural Practices*. p. 18—23. In: R.J. Clarke & R. Macrae (Eds.). *Coffee Chemistry*. Amsterdam, Elsevier, Applied Science.
- Somporn, C., Kamtuo, A., Theerakulpisur, P., & Siriamompun, S. (2011). *Effects of roasting degree on radical scavenging activity, phenolics and volatile compounds of Arabica coffee beans*. International Journal of Food Science and Technology, 46, 2287–2296.
- Speciality Coffee Association of America (2009). *SCAA Protocols: Cupping Specialty Coffee*. Specialty Coffee Association of America. 7p.
- Speciality Coffee Association of America. (2013). *Coffee term from the Speciality Coffee Association of America*. The Event Specialty Coffee of The Year. Boston, USA.

- Speer, K., dan Kölling-Speer, I. (2001). *Lipids*. In R. Clarke, & O. G. Vitzthum (Eds.), *Coffee-Recent Developments* (pp. 33–49). Oxford: Blackwell Science.
- Speer, K., dan Kölling-Speer, I. (2006). *The lipid fraction of the coffee bean*. *Braz. J. Plant Physiol.* 18, 201–216.
- Stegen, G. v. d, dan Duijn, J. v (1987). *Analysis of normal organic acids in coffee*. Paper presented at the 12th International Scientific Colloquium on Coffee, Montreux 29.6.–3.7. 1987. Paris, Paris: Imprimerie Jouve.
- Suarez-Quiroz, M., Gonzalez-Rios, O., Barel, M., Guyot, B., Schorr- Galindo, S. dan Guiraud, J. P. (2004). *Study of ochratoxin A-producing strains in coffee processing*. *International Journal of Food Science and Technology*. 39, 501–507.
- Sulisowati, dan Sumartono, B. (2002). *Metode uji cita rasa kopi (p. 21)*. *Materi Pelatihan Uji Citarasa Kopi*. Jember: Pusat Penelitian Kopi dan Kakao.
- Sunarharum, W. B., David J. Williams., Heather E. Smyth. (2014). *Complexity of Coffee Flavor : A Compositional and Sensory Perspective*. *Food Research International*, 62 (2014) 315-325.
- Taba, J. (2012). *Coffee taste analysis of an espresso coffee using nuclear magnetic spectroscopy*. (Bachelor Thesis Central Ostrobothnia University of Applied Sciences, Eindhoven Holland).
- Taniwaki, M. H., Pitt, J. I., Teixeira, A. A. dan Iamanaka, B. T. (2003). *The source of ochratoxin A in Brazilian coffee and its formation in relation to processing methods*. *International Journal of Food Microbiology*. 82, 173–179.
- Theron, M.M., dan Lues, J.F.R. (2010). *Organic acids and food preservation (p. 340)*. New York, USA: CRC Press, Taylor and Francis Group.
- Toci, A. T., Farah, A. (2008). *Volatile compounds as potential defective coffee seeds' markers*. *Food Chem.*, 108, 1133–1141.
- Toci, A. T., Silva, C. M., Fernandes, F., Farah, A. (2009). *Effect of the fluid speed changes on the chemical composition of coffee samples roasted in an industrial semi-fluidized bed roaster*. *Proc. 23rd Int. Conf. Coffee Sci. ASIC*, 500–503. Trieste, Italy.
- Tressl, R. (1980). *Formation of aroma compounds by the Maillard reaction*. *Bildung von Aromastoffen durch Maillard reaktion* (In the 9th International Scientific Colloquium on Coffee [see FSTA (1982) 14 11H1751].) (pp. 55–76).
- Tressl R, Wondrak GT, Garbe LA, Rewicki D, Krüger RP. (1998). *J Agric Food Chem* 46:1765–1776.

- Trugo, L. C., Macrae R.(1984). *A study of the effect of roasting on the chlorogenic acid composition of coffee using HPLC*. Food Chem. 15, 219–227.
- Trugo, L. C. (1985). *Carbohydrates*. In: *Coffee*, 1st edition, Clarke R. J., Macrae, R., eds. Essex: Elsevier Applied Science Publishers; Vol 1: Chemistry, p. 83.
- Trugo, L. C. Coffee Analysis. In: (2003). *Encyclopedia of Food Science and Nutrition*, 2nd edition, Caballero, B., Trugo, L. C., Finglas, P. M., eds. Oxford, UK: Oxford Academic Press; Vol. 2, p. 498.
- Ugliano, M. and Henschke, P. (2009). *Yeasts and wine flavor in Wine Chemistry and Biochemistry*. New York: Springer Science, pp. 313–391.
- Van der Vossen, H., (2009). *The cup quality of disease-resistant cultivars of arabica coffee (Coffea arabica)*. Experimental Agriculture 45, 323-332.
- Variyar, P. S., Ahmad, R., Bhat, R., Niyas, Z., Sharma, A. (2003). *Flavouring components of raw monsooned Arabica coffee and their changes during radiation processing*. J. Agric. Food Chem. 51, 7945–7950.
- Varnam, H.A. and Sutherland, J.P. (1994). *Beverages (Technology, Chemistry and Microbiology)*. Chapman and Hall, London.
- Velmourougane, K. (2011). *Effects of wet processing methods and subsequent soaking of coffee under different organic acids on cup quality*. World Journal of Science and Technology, 1, 32–38.
- Vilela, D. M. (2010). *Molecular ecology and polyphasic characterization of the microbiota associated with semi-dry processed coffee (Coffea arabica L.)*. Food Microbiology. Elsevier Ltd, 27(8), pp. 1128–1135. doi: 10.1016/j.fm.2010.07.024.
- Vitzthum, O. G. (1976). *Chemie und bearbeitung des kaffees*. In O. Eichler (Ed.), Kaffee und Coffein (pp. 3–64) (2nd ed.). Berlin: Springer (in Germany).
- Vitzthum, O. G., Weissmann, C., Becker, R., dan Kohler, H. S. (1990). *Identification of an aroma key compound in Robusta coffees*. Cafe Cacao Tea, 34, 27–36.
- Vladimir-Knezevic, S., Blazekovic, B., Stefan, M.B., Alegro, A., Koszegi, T., Petrik, J. (2011). *Antioxidant activities and polyphenolic contents of three selected micromeria species from Croatia*. Molecules 16, 1454–1470.
- Wagner, R., Czerny, M., Bielohradsky, J., dan Grosch, W. (1999). *Structure–odour activity relationships of alkylpyrazines*. Zeitschrift für Lebensmitteluntersuchung und Forschung A, 208(5–6), 308–316, <http://dx.doi.org/10.1007/s002170050422>.
- Wasserman, G. (1992). *Coffee*. In Kirk-Othmer (Ed.), (4th ed.)Kirk-Othmer Encyclopedia Of Chemical Technology, Vol. 6, John Wiley & Sons, Inc.

- Weers, M., Balzer, H., Bradbury, A., dan Vitzthum, O. G. (1995). *Analysis of acids in coffee by capillary electrophoresis*. Paper presented at the 16th International Scientific Colloquium on Coffee, Kyoto 9.4.–14.4.1995. Paris, Kyoto: Imprimerie Jouve.
- Wendler, R., Veith, R., Dancer, J., Stitt, M., dan Komor, L. (1991). *Sucrose storage in cell suspension cultures of *Saccharum sp.* (sugarcane) is regulated by a cycle of synthesis and degradation*. *Planta*, 183(1), 31–39.
- Wibowo, W. (1985). *Evaluasi karakteristik berbagai jeni biji kopi cacat dan sifat organoleptik seduhannya*. Skripsi. Fakultas Teknologi Pertanian, IPB. Bogor.
- Wintgens, J. N. (2004). *Factors influencing the quality of green coffee*. In J. N. Wintgens (Ed.). *Coffee: Growing, processing, sustainable production* (pp. 789–809). Weinheim: Wiley-VCH Verlag GmbH & Co.
- Wong, K. H., Abdul Aziz, S., dan Mohamed, S. (2008). *Sensory aroma from Maillard reaction of individual and combinations of amino acids with glucose in acidic conditions*. *International Journal of Food Science & Technology*, 43(9), 1512–1519.
- Wootton, A.E. (1974). *The dry matter loss from parchment coffee during field processing*. In: Proceedings of the “16eme Colloque International sur la Chimie des Cafés Verts” ASIC Paris, pp 316–324.
- Yeretzian, C., Jordan, A., Lindinger, W. (2003). *Analysing the headspace of coffee by proton-transfer-reaction mass-spectrometry*. *Int. J. Mass Spectr.* 223–224, 115–139.
- Yeretzian, C., Jordan, A., Badoud, R., dan Lindinger, W. (2002). *From the green bean to the cup of coffee: Investigating coffee roasting by on-line monitoring of volatiles*. *European Food Research and Technology*, 214(2), 92–104.
- Yusianto., dan Sukrisno Widyotomo. (2013). *Quality and Flavor Profiles of Arabica Coffee Processed by Some Fermentation Treatments: Temperature, Containers, and Fermentation Agens Addition*. *Pelita Perkebunan* 29 (3) 2013, 220-239.
- Yusianto dan Dwi Nugroho. (2014). *Physical and Flavor Profiles of Arabica Coffee as Affected by Cherry Storage Before Pulping*. *Pelita Perkebunan* 30(2) 2014, 137-158.