

DAFTAR PUSTAKA

- Anonim A. 2018. <http://www.who.int/nutrition/topics/vad/en/> tanggal 8 Juni 2018 pukul 04.00.
- Arum, A. P. 2016. Sintesis Monoasilgliserol Dan Diasilgliserol Dari Refined Bleached Deodorized Palm Stearin Dengan Cara Gliserolisis Kimia Dalam Stirrer Tank Reactor Sistem Batch. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta.
- Bechoff, A. 2015. Carotenoid stability during storage of yellow gari made from biofortified cassava or with palm oil. *Journal of Food Composition and Analysis* 44 36-44.
- Benichou, A., Aserin, A., Lutz, R., & Garti, N. 2007. Formation and characterization of amphiphilic conjugates of whey protein isolate (WPI)/xanthan to improve surface activity. *Food Hydrocolloids*, 21(3), 379–391.
- Bryant, C. M., & McClements, D. J. 2000. Influence of xanthan gum on physical characteristics of heat-denatured whey protein solutions and gels. *Food Hydrocolloids*, 14(4), 383–390.
- Calligaris, S., Valoppi, F., Barba, L., Anese, M., & Nicoli, M. C. 2018. β -Carotene degradation kinetics as affected by fat crystal network and solid/liquid ratio. *Food Research International*, 105, 599–604.
- Chanamai, R., & McClements, D. J. 2002. Comparison of Gum Arabic, Modified Starch, and Whey Protein Isolate as Emulsifiers: Influence of pH, CaCl₂ and Temperature. *JOURNAL OF FOOD SCIENCE*, 67(1).
- Chen, H., & Zhong, Q. 2015. Thermal and UV stability of β -carotene dissolved in peppermint oil microemulsified by sunflower lecithin and Tween 20 blend. *Food Chemistry*, 174, 630–636.
- Chen, J., Li, F., Li, Z., McClements, D. J., & Xiao, H. 2017. Encapsulation of carotenoids in emulsion-based delivery systems: Enhancement of β -carotene water-dispersibility and chemical stability. *Food Hydrocolloids*, 69, 49–55.
- Chuacharoen, T., & Sabliov, C. M. 2016. The potential of zein nanoparticles to protect entrapped β -carotene in the presence of milk under simulated gastrointestinal (GI) conditions. *LWT - Food Science and Technology*, 72, 302–309.
- De Souza, R. J., Mente, A., Maroleanu, A., Cozma, A. I., Ha, V., Kishibe, T., ... Anand,

- S. S. 2015. Intake of saturated and trans unsaturated fatty acids and risk of all cause mortality, cardiovascular disease, and type 2 diabetes: Systematic review and meta-analysis of observational studies. *BMJ (Online)*, 351, 1–16.
- Dentini, M., Crescenzi, V., & Blasi, D. 1984. Conformational properties of xanthan derivatives in dilute aqueous solution. *International Journal of Biological. Macromolecules*, 6(2), 93–98., 6(2), 93–98.
- Dong, S., Xia, H., Wang, F., & Sun, G. 2017. The effect of red palm oil on vitamin a deficiency: A meta-analysis of Randomized controlled trials. *Nutrients*, 9(12).
- Donhowe, E. G., & Kong, F. 2014. Beta-carotene: Digestion, Microencapsulation, and In Vitro Bioavailability. *Food and Bioprocess Technology*, 7(2), 338–354.
- Dutta, D., Dutta, A., Raychaudhuri, U., & Chakraborty, R. 2006. Rheological characteristics and thermal degradation kinetics of beta-carotene in pumpkin puree. *Journal of Food Engineering*, 76(4), 538–546.
- Euston, S. R., Finnigan, S. R., & Hirst, R. L. 2002. Kinetics of droplet aggregation in heated whey protein-stabilized emulsions: Effect of polysaccharides. *Food Hydrocolloids*, 16(5), 499–505.
- Gee, P. T. 2007. Analytical characteristics of crude and refined palm. *Eur. J. Lipid Sci. Technol.* 109, 109, 373–379.
- Giri, K. G. B., & Dharmadi, M. 2013. Gambaran Ketajaman Penglihatan Berdasarkan Intensitas Bermain Game Siswa Laki-Laki Sekolah Menengah Pertama Di Wilayah Kerja Puskesmas Gianyar I, 1–7.
- Golding, M., & Sein, A. 2004. Surface rheology of aqueous casein-monoglyceride dispersions. *Food Hydrocolloids*, 18(3), 451–461. <https://doi.org/10.1016/j.foodhyd.2003.08.003>
- Guo, M., Yadav, M. P., & Jin, T. Z. 2017. Antimicrobial edible coatings and films from micro-emulsions and their food applications. *International Journal of Food Microbiology*, 263, 9–16.
- Gupta, C., Arora, S., Syama, M. A., & Sharma, A. 2017. Preparation of milk protein-vitamin A complexes and their evaluation for vitamin A binding ability. *Food Chemistry*, 237, 141–149.
- Guzey, D., & McClements, D. J. 2006. Formation, stability and properties of multilayer emulsions for application in the food industry. *Advances in Colloid and Interface Science*, 128–130, 227–248.

- Jambrak, A. R., Mason, T. J., Lelas, V., Paniwnyk, L., & Herceg, Z. 2014. Effect of ultrasound treatment on particle size and molecular weight of whey proteins. *Journal of Food Engineering*, 121, 15–23.
- Khatri, P., & Shao, J. 2018. Mechanism and Structural Factors of Lipid and Surfactant in the Formation of Self-Emulsified Nanoemulsion. *Journal of Pharmaceutical Sciences*, 107(8), 2198–2207.
- Li, R., & Feke, D. L. 2015. Rheological and kinetic study of the ultrasonic degradation of xanthan gum in aqueous solution: Effects of pyruvate group. *Carbohydrate Polymers*, 124, 216–221.
- Li, R., & Feke, D. L. 2015. Rheological and kinetic study of the ultrasonic degradation of xanthan gum in aqueous solutions. *Food Chemistry*, 172, 808–813.
- Liang, Y., Matia-Merino, L., Gillies, G., Patel, H., Ye, A., & Golding, M. 2017. The heat stability of milk protein-stabilized oil-in-water emulsions: A review. *Current Opinion in Colloid and Interface Science*, 28, 63–73.
- Lin, Y., Kelly, A. L., O'Mahony, J. A., & Guinee, T. P. 2018. Effect of heat treatment, evaporation and spray drying during skim milk powder manufacture on the compositional and processing characteristics of reconstituted skim milk and concentrate. *International Dairy Journal*, 78, 53–64.
- Long, Z., Zhao, Q., Liu, T., Kuang, W., Xu, J., & Zhao, M. 2013. Influence of xanthan gum on physical characteristics of sodium caseinate solutions and emulsions. *Food Hydrocolloids*, 32(1), 123–129.
- Manorama, K. 2014. Potential use of Red Palm Oil in Combating Vitamin A deficiency in India. *Indian Journal of Community Health*, 26(5)(Red Palm Oil), 45–53.
- Mao, L., Calligaris, S., Barba, L., & Miao, S. 2014. Monoglyceride self-assembled structure in O/W emulsion: Formation, characterization and its effect on emulsion properties. *Food Research International*, 58, 81–88.
- Marino, V. M., & Schadt, I. 2016. Stability of α -tocopherol, γ -tocopherol and β -carotene during ripening of pasta-filata cheese made from raw and pasteurised milk with different vitamin contents. *International Dairy Journal*, 56(March 2012), 29–32.
- McClements, D. J. 2011. Edible nanoemulsions: Fabrication, properties, and functional performance. *Soft Matter*, 7(6), 2297–2316.
- McClements, D. J. 2012. Nanoemulsions versus microemulsions: Terminology,

- differences, and similarities. *Soft Matter*, 8(6), 1719–1729.
- McClements, D.J. 2016. *Food Emulsions*. (D.J. McClements, Ed.) (third edit, Vol. 132). CRC Press Taylor and Francis Group.
- McClements, David Julian, Rao, J., McClements, D. J., & Rao, J. 2011. Food-Grade Nanoemulsions : Formulation , Fate , and Potential Toxicity Food-Grade Nanoemulsions : Formulation , Fabrication , Properties , Performance , Biological Fate , and, 8398.
- McSweeney, S. L., Healy, R., & Mulvihill, D. M. 2008. Effect of lecithin and monoglycerides on the heat stability of a model infant formula emulsion. *Food Hydrocolloids*, 22(5), 888–898.
- Mutsokoti, L., Panozzo, A., Tongonya, J., Kebede, B. T., Van Loey, A., & Hendrickx, M. 2017. Carotenoid stability and lipid oxidation during storage of low-fat carrot and tomato based systems. *LWT - Food Science and Technology*, 80, 470–478.
- Naik, M. K., Naik, S. N., & Mohanty, S. 2014. Enzymatic glycerolysis for conversion of sunflower oil to food based emulsifiers. *Catalysis Today*, 237, 145–149.
- Nettleton, J. A., Legrand, P., & Mensink, R. P. 2015. ISSFAL 2014 debate: It is time to update saturated fat recommendations. *Annals of Nutrition and Metabolism*, 66(2–3), 104–108.
- Niknezhad, S. V., Asadollahi, M. A., Zamani, A., & Biria, D. 2016. Production of xanthan gum by free and immobilized cells of *Xanthomonas campestris* and *Xanthomonas pelargonii*. *International Journal of Biological Macromolecules*, 82, 751–756.
- Niknezhad, S. V., Asadollahi, M. A., Zamani, A., Biria, D., & Doostmohammadi, M. 2015. Optimization of xanthan gum production using cheese whey and response surface methodology. *Food Science and Biotechnology*, 24(2), 453–460.
- Ostertag, F., Weiss, J., & McClements, D. J. 2012. Low-energy formation of edible nanoemulsions: Factors influencing droplet size produced by emulsion phase inversion. *Journal of Colloid and Interface Science*, 388(1), 95–102.
- Prasanth Kumar, P. K., & Gopala Krishna, A. G. 2014. Physico-chemical characteristics and nutraceutical distribution of crude palm oil and its fractions. *Grasas y Aceites*, 65(2), e018.
- Prasanth Kumar, Punathil Kannan, & Gopala Krishna, A. G. 2014. Impact of Different Deacidification Methods on Quality Characteristics and Composition of Olein and

- Stearin in Crude Red Palm Oil. *Journal of Oleo Science*, 63(12), 1209–1221.
- Qian, C., Decker, E. A., Xiao, H., & McClements, D. J. 2012. Nanoemulsion delivery systems: Influence of carrier oil on β -carotene bioaccessibility. *Food Chemistry*, 135(3), 1440–1447.
- Qian, C., Decker, E. A., Xiao, H., & McClements, D. J. 2012. Physical and chemical stability of β -carotene-enriched nanoemulsions: Influence of pH, ionic strength, temperature, and emulsifier type. *Food Chemistry*, 132(3), 1221–1229.
- Qiu, C., Zhao, M., Decker, E. A., & McClements, D. J. 2015. Influence of anionic dietary fibers (xanthan gum and pectin) on oxidative stability and lipid digestibility of wheat protein-stabilized fish oil-in-water emulsion. *Food Research International*, 74, 131–139.
- Rosalam, S., & England, R. 2006. Review of xanthan gum production from unmodified starches by *Xanthomonas compestris* sp. *Enzyme and Microbial Technology*, 39(2), 197–207.
- Sandford, P. A., Watson, P. R., & Knutson, C. A. 1978. Separation of xanthan gums of differing pyruvate content by fractional precipitation with alcohol. *Carbohydrate Research*, 63, 253–256.
- Smith, I. H., Symes, K. C., Lawson, C. J., & Morris, E. R. 1981. Influence of the pyruvate content of xanthan on macromolecular association in solution. *International Journal of Biological Macromolecules*, 3(2), 129–134.
- Stringham, J. M., & Hammond, B. R. 2005. Dietary lutein and zeaxanthin: Possible effects on visual function. *Nutrition Reviews*, 63(2), 59–64.
- Subroto, E., Wisamputri, M. F., Supriyanto, Utami, T., & Hidayat, C. 2018. Enzymatic and chemical synthesis of high mono- and diacylglycerol from palm stearin and olein blend at different type of reactor stirrers. *Journal of the Saudi Society of Agricultural Sciences*.
- Sun, C., Gunasekaran, S., & Richards, M. P. 2007. Effect of xanthan gum on physicochemical properties of whey protein isolate stabilized oil-in-water emulsions. *Food Hydrocolloids*, 21(4), 555–564.
- Tan, K. Y. M., van der Beek, E. M., Kuznesof, S. A., & Seal, C. J. 2016. Perception and understanding of health claims on milk powder for children: A focus group study among mothers in Indonesia, Singapore and Thailand. *Appetite*, 105, 747–757.

- Viebke, C. 2005. Order–disorder conformational transition of xanthan gum. *In S. Dumitriu (Ed.), Polysaccharides: Structural diversity and functional versatility New York, NY: Marcel Dekker.*, 2, 459–474.
- Waraho, T., Cardenia, V., Nishino, Y., Seneviratne, K. N., Rodriguez-Estrada, M. T., McClements, D. J., & Decker, E. A. 2012. Antioxidant effects of mono- and diacylglycerols in non-stripped and stripped soybean oil-in-water emulsions. *Food Research International*, 48(2), 353–358.
- Widiatmoko, M.C dan Hartomo, A.J. 1993. Emulsi dan Pangan Instan Berlesitin. Andi Offset Yogyakarta.
- Yasumatsu, K., Sawada, K., Moritaka, S., Misaki, M., Toda, J., Wada, T., & Ishii, K. 1972. Whipping and Emulsifying Properties of Soybean Products. *Agricultural and Biological Chemistry*, 36(5), 719–727.
- Yeh, E. B., Schiano, A. N., Jo, Y., Barbano, D. M., & Drake, M. A. 2017. The effect of vitamin concentrates on the flavor of pasteurized fluid milk. *Journal of Dairy Science*, 100(6), 4335–4348.
- Yu, L., Li, C., Xu, J., Hao, J., & Sun, D. 2012. Highly Stable Concentrated Nanoemulsions by the Phase Inversion Composition Method at Elevated Temperature. *Langmuir*, 28(41), 14547–14552.