

DAFTAR PUSTAKA

- Aas, M., Dazzan, P., Fisher, H.L., Morgan, C., Morgan, K., Reinchenberg, A. et al. (2012). Childhood trauma and cognitive function in first-episode affective and non-affective psychosis, *Schizophr Res*, 129, 1, 12-19.
- Addington J, Cadenhead KS, Cannon TD, Cornblatt B, McGlashan TH, et al. (2007). North American Prodrome Longitudinal Study, a collaborative multisite approach to prodromal schizophrenia research. *Schizophr Bull*, 33, 665–72
- Addington, J., & Heinssen, R. (2012). Prediction and Prevention of Psychosis in Youth at Clinical High Risk. *Annual Review of Clinical Psychology*, 8, 69–89.
- Addington, J., Stowkowy, J., & Weiser, M. (2015). Screening tools for clinical high risk for psychosis. *Early Intervention in Psychiatry*, 9(5), 345–356. <https://doi.org/10.1111/eip.12193>.
- Aleman, S., Arias, B., Aguilera, M., Villa, H., Moya, J., Ibanez, M.I. et al. (2011). Childhood abuse, the BDNF Val66Met polymorphism and adult psychotic-like experiences. *Br J Psychiatry*, 199, 38-42.
- American Psychiatric Association. (2013). *Diagnostic and statistical manual of mental disorders* (5th ed.). Washington, DC : American Psychiatric Publishing.
- Armando, M., Pontillo, M., De C.F et al. (2015). Twelve-month psychosis-predictive value of the ultra-high risk criteria in children and adolescents. *Schizophr Res*, 169, 186-192. doi:10.1016/j.schres.2015.10.033
- Arseneault, L., Bowes, M., Shakoor, L. (2011) Bullying victimization in youth and mental health problems, Much ado about nothing. *Psychological Medicine*, 40(5), 717-729.
- Bandelow, B., Krause, J., Wedekind, D., Broocks, A., Hajak, G., & Ruther, E. (2005). Early traumatic life events, parental attitudes, family history, and birth risk factors in patients with borderline personality disorder and healthy controls. *Psychiatry Research*, 134, 169–179. doi:10.1016/j.psychres.2003.07.008.
- Barrigon, M.L., Diaz, F.J., Gurpegui, M., Ferrin, M., Salcedo, M.D., Moreno-Granados, J. et al. (2015). Childhood trauma as a risk factor for psychosis: A sib-pair study. *Journal of Psychiatric Research*, 70, 130-136.
- Barrera, M. (1986). Distinctions between social support concepts, measures, and models. *American Journal of Community Psychology*, 14, 413–445. doi:10.1007/BF00922627.
- Bebbington P, Fowler D, Garety P, Freeman D, Kuipers E. (2008) Theories of cognition, emotion and the social world, missing links in psychosis. In, Morgan C, McKenzie K, Fearon P (eds) *Society and Psychosis*. Cambridge University Press, Cambridge, pp 219–237.
- Bendall, S., Jackson, H.J., Hulbert, C.A. (2010). Childhood trauma and psychotic disorders a systematic, critical review of evidence. *Schizophrenia Bulletin*, 34 (3), 568-579.

- Bengtsson-Tops, A., Hansson, L. (2001). Quantitative and qualitative aspects of the social network in schizophrenic patients living in the community. *International Journal of Social Psychiatry*, 47 (3), 67–77.
- Bentall RP, de Sousa P, Varese F, Wickham S, Sitko K, Haarmans M, Read J (2014). From adversity to psychosis: pathways and mechanisms from specific adversities to specific symptoms. *Social Psychiatry and Psychiatric Epidemiology*, 49, 1011–1022.
- Bentall, R.P., Fernyhough, C. (2008). Social Predictors of Psychotic Experiences, Specificity and Psychological Mechanisms. *Schizophrenia Bulletin*, 34 (6), 1012–1020. doi :10.1093/schbul/sbn103.
- Belfer, M.L. (2008). Child and adolescent mental disorders, the magnitude of the problem across the globe. *J Child Psychol Psychiatry* , 49 (3), 226–236.
- Berger, G.E., Smesny, S., Schäfer, M.R. et al (2016). Niacin skin sensitivity is increased in adolescents at ultra-high risk for psychosis. *PLoS One*, 2, 1-17. doi:[10.1371/journal.pone.0148429](https://doi.org/10.1371/journal.pone.0148429).
- Bradley, R., Schwartz, A. C., & Kaslow, N. J. (2005). Posttraumatic stress disorder symptoms among low-income, African-American women with a history of intimate partner violence and suicidal behaviors: Self-esteem, social support, and religious coping. *Journal of Traumatic Stress*, 18,6, 685–696.
- Brooks-Gunn, J. Duncan, G.J. (1997). The effects of poverty on children. *Future Child*, 7 (2), 55-71.
- Butjosa, A., Gómez-Benito, J., Huerta-Ramos, E., Del cacho, N., Barajas, A., Baños, I., Usall, J., Dolz, M., Sanchez, B., et al. (2016). Incidence of stressful life events and influence of sociodemographic and clinical variables on the on set of first-episode psychosis. *Psychiatry Research*, 245, 108-115. <http://dx.doi.org/10.1016/j.psychres.2016.08.030>.
- Cause, A.M., Hannan, K., & Sargeant, M. (1992). Life stress, social support, and locus of control during early adolescent: Interactive effects. *American Journal of Community Psychology*, 20, 787-798.
- Cannon, T. D., Cadenhead, K., Cornblatt, B., Woods, S. W., Addington, J., Walker, E., Heinssen, R. (2008). Prediction of psychosis in youth at high clinical risk: A multisite longitudinal study in North America. *Archives of General Psychiatry*, 65, 28–37. <http://dx.doi.org/10.1001/archgenpsychiatry.2007.3>
- Chakraborty AT, McKenzie KJ, Hajat S, Stansfeld SA (2010). Racism, mental illness and social support in the UK. *Social Psychiatry and Psychiatric Epidemiology*, 45, 1115–1124.
- Christofaro, S.L., Cleary, S.D., Wan, C.R., Broussard, B. Chapman, C., Haggard, P.J. Haggard, P.J., Jananeh, S., Myers, N.L., & Compton, M.T. (2013). Measuring trauma and stressful events in childhood and adolescence among patients with first-episode psychosis, Initial factor structure, reliability, and validity of the Trauma Experiences Checklist. *Psychiatry Res*, 210 (2) , 1-19. doi : 0.1016/j.psychres.2013.06.015.

- Cristóbal-Narváez, P., Sheinbaum, T., Ballespí, S., Mitjavila, M., Myin-Germeys, I., Kawapil, T.R. et al (2016). Impact of adverse childhood experiences on psychotic-like symptoms and stress reactivity in daily life in nonclinical young adults. *PLoS ONE*, 11, 4, 1-15. doi:10.1371/journal.pone.0153557
- Copeland-Linder, N., Lambert S.F., Ialongo N.S. (2010). Community violence, protective factors, and adolescent mental health. *J Clin Child Adolesc Psychol*, 39, 176–186.
- Corcoran, C., Walker, E., Huot, R., Mittal, V., Tessner, K., Kestler, L., & Malaspina, D. (2003). The stress cascade and schizophrenia, etiology and onset. *Schizophrenia Bulletin*, 29(4), 671-692.
- Cutajar, M., Mullen, P., Oglaff, J., Thomas, S., Wells, D & Spataro, J. (2010). Schizophrenia and other psychotic disorder in a cohort of sexually abused children. *Archives of General Psychiatry*, 67 (11), 1114-1119.
- DeVylder, J.E., Ben-David, Schobel, S.A., Kimhy, D., Malaspina, D., & Corcoran, C.M. (2013). Temporal association of stress sensitivity and symptoms in individuals at clinical high risk for psychosis. *Psychological Medicine*, 43, 259-268. doi:10.1017/S0033291712001262
- DeVylder, J.E., Geraing, R.E. (2013). Declining social support in adolescents prior to first episode psychosis: Associations with negative and affective symptoms. *Psychiatry Research*, 210, 50-54.
- Dominguez, M. G., Wichers, M., Lieb, R., Wittchen, H.-U., & van Os, J. (2010). Evidence that onset of clinical psychosis is an outcome of progressively more persistent subclinical psychotic experiences: An 8-year cohort study. *Schizophrenia Bulletin*, 167, 1075–1082.
- Dragt S, Nieman DH, Veltman D, Becker HE, van de FR, de HL, Linszen DH (2010) Environmental factors and social adjustment as predictors of a first psychosis in subjects at ultra high risk. *Schizophrenia Research*, 125(1), 69–76.
- DeLoore, E., Gunther, N., Drukker, M., Feron, F., Sabbe, B., Deboutte, D., et al. (2008). Auditory hallucinations in adolescence: A longitudinal general population study. *Schizophrenia Research*, 102, 229–230.
- Drvaric, L., Gerrits, C., Rashid, T., Bagby, R.M. (2015). High Stress, Low Resilience in People at Clinical High Risk for Psychosis: Should We Consider a Strengths-Based Approach?. *Canadian Psychology / Psychologie Canadienne*, 56 (3), 332-347. <http://dx.doi.org/10.1037/cap0000035>
- Dvir, Y., Denietolis, B & Frazier, J. A. (2013). Childhood Trauma and Psychosis. *Child and Adolescent Psychiatric Clinics of North America*, 22 (4), 629-641.
- Durlak, J.A., Wells, A.M. (1997). Primary prevention mental health programs for children and adolescents, a meta-analytic review. *Am J Community Psychol*, 25 (2), 115–152.
- Emler, N. (2002). The costs and causes of low self-esteem. *Youth Studies Australia*, 21, 45-48.

- Emmons KM (2000) Health behaviors in a social context. In, Berkman LF, Kawachi I (eds) *Social epidemiology*. Oxford University Press : 242–266.
- Erickson, D.H., Beiser, M., Iacono, W.G. (1998). Social support predicts 5-year outcome in first-episode schizophrenia. *Journal of Abnormal Psychology*, 107, 681–685.
- Ered, A., Gibson, L.E., Maxwell, S.D., Cooper, S., & Ellman, L.M. (2017). Coping as a mediator of stress and psychotic-like experiences. *European Psychiatry*, 43, 9-13. <http://dx.doi.org/10.1016/j.eurpsy.2017.01.327>.
- Fakultas Psikologi UGM. (2018). *Pengembangan model prevensi gangguan jiwa psikotik di sekolah : Hasil Analisis dan Deskripsi Remaja dengan Risiko Psikosis di Wonosari*. Yogyakarta.
- Finkelhor, D. (1995). The victimization of children: a developmental perspective. *American Journal of Orthopsychiatry*, 65, 177–192. doi:[10.1037/h0079618](https://doi.org/10.1037/h0079618).
- Fekih-Romdhane, F., Tira, S & Cheour, M. (2012). Childhood sexual abuse as a potential predictor of psychotic like experiences in Tunisian college students. *Psychiatry Research*, 181-188.
- Felner, R.D., Ginter, M., Primavera, J. (1982). Primary prevention during school transitions: social support and environmental structure. *Am J Community Psychol*, 10, 3, 277-290.
- Fonseca-Pedrero, E., Paino-Piñeiro, M., Lemos-Giráldez, S., Sierra-Baigrie, S., & Muñiz, J. (2011). Psychotic-like experiences. In J. R. Levesque (Ed.). *Encyclopedia of Adolescence* (2nd ed.). New York: Springer.
- Fritch, A. M., Mishkind, M., Reger, M. A., Gahm, G.A. (2010) The impact of childhood abused and combat-related trauma on postdeployment adjustment. *Journal of Traumatic Stress*, 23 (2), 248-254.
- Friedman. (2004). *Keperawatan Keluarga*. Jakarta , EGC.
- Furber, G., Leach, M., Guy, S., Segal, L. (2017). Developing a broad categorization scheme to describe risk factors for mental illness, for use in prevention policy and planning. *Australian & New Zealand Journal of Psychiatry*, 51, 3, 230-240.
- Fusar-Poli, P., Borgwardt, S., McGuire, P. (2011). *Vulnerability to Psychosis: From Neurosciences to Psychopathology*. United Kingdom: Psychology Press.
- Fusar-Poli, P., Tantardini, M., De Simone, S., Ramella-Cravaro, V., Oliver, D., Kingdon, J., Kotlicka-Antczak..., McGuire. (2017). Deconstructing vulnerability for psychosis: Meta-analysis of environmental risk factors for psychosis in subjects at ultra high-risk. *European Psychiatry*, 40, 65-75.
- Fusar-Poli, P., & Yung, A. R. (2012). Should attenuated psychosis syndrome be included in DSM-5? *The Lancet*, 379(9816), 591–592. [https://doi.org/10.1016/S0140-6736\(11\)61507-9](https://doi.org/10.1016/S0140-6736(11)61507-9)
- Garciaa, M., Montalvob, Itziar., Creusa, M., Cabezas, Soléa, M., Algoraa, M.J., Morenoa, I., Gutiérrez-Zotesa, A., & Labad, J. (2016). Sex differences in the effect of childhood

- trauma on the clinical expression of early psychosis. *Comprehensive Psychiatry*, 68, 86 – 96. <http://dx.doi.org/10.1016/j.comppsy.2016.04.004>.
- GBD 2013 Mortality and Causes of Death Collaborators. (2015). Global, regional, and national age-sex specific all-cause and cause-specific mortality for 240 causes of death, 1990–2013: A systematic analysis for the Global Burden of Disease Study 2013. *The Lancet*, 385, 117–171. [http://dx.doi.org/10.1016/S0140-6736\(14\)61682-2](http://dx.doi.org/10.1016/S0140-6736(14)61682-2).
- Ghozali. (2009). *Aplikasi Multivariate dengan Menggunakan Program SPSS*. Semarang, UNDIP.
- Giuliano, A., Li, H., I. Mesholam-Gately, R., M. Sorenson, S., A. Woodberry, K., & J. Seidman, L. (2012). Neurocognition in the Psychosis Risk Syndrome, A Quantitative and Qualitative Review. *Current Pharmaceutical Design*, 18(4), 399–415. <https://doi.org/10.2174/138161212799316019>
- Geoffroy, P. A., & Scott, J. (2017). Prodrome or risk syndrome, what's in a name? *International Journal of Bipolar Disorders*, 5(1), 7. <https://doi.org/10.1186/s40345-017-0077-5>.
- Gerring. J.P., Wade, S. (2012). The Essential Role of Psychosocial Risk and Protective Factors in Pediatric Traumatic Brain Injury Research. *Journal of Neurotrauma*, 29, 621-628. doi : 10.1089/neu.2011.2234.
- Glaser, J.P., van Os,J., Portegijs, P.J., Myin-Germeys, I. (2006). Childhood trauma and emotional reactivity to daily life stress in adult frequent attenders of general practitioners. *Journal of Psychosomatic Research*, 61, 229–236.
- Goodwin, R., Stein, M.B. (2004) Association between childhood trauma and psysical disorder among adults in the United States. *Psychological Medicine*, 34 (3) , 509-520.
- Greenland S, Gago-Dominguez M, Castelao JE (2004) The value of risk-factor (“black-box”) epidemiology. *Epidemiology*, 15(5) , 529–535.
- Habets, P., Collip, D., Myin-Germeys, I., Gronenschild, E., van Bronswijk, S., Hofman, P., ... Marcelis, M. (2012). Pituitary volume, stress reactivity and genetic risk for psychotic disorder. *Psychological Medicine*, 42, 1523-1533.
- Hadi, S. (2000). *Analisa butir untuk instrument, angket, tes dan skala nilai*. Yogyakarta, Andi Offset.
- Hanandita, W., Tampubolon, G. (2014). Does poverty reduce mental health? An instrumental variable analysis. *Social Science & Medicine*, 113, 59-67. doi : <http://dx.doi.org/10.1016/j.socscimed.2014.05.005>.
- Hazel, N.A., Oppenheimer, C.W., Technow, J.R., Young, J.F., Hankin, B.L. (2014). Parent relationship quality buffers against the effect of peer stressors on depressive symptoms from middle childhood to adolescence. *Developmental Psychology*, 50,8, 2115-2123. <http://dx.doi.org/10.1037/a0037192>.
- Hemmeter, M.L., Ostrosky, M., Fox, L. (2006). Social and emotional foundations for early learning, a conceptual model for intervention. *Sch Psychol Rev*, 35 (4) , 583–601.

- Hoy, K., Barrett, S., Shannon, C., Campbell, C., Watson, D., Rushe, T. et al. (2012). Childhood trauma and hippocampal and amygdalar volumes in first-episode psychosis. *Schizophr Bull*, 38, 6, 1162-1669.
- Janssen, I., Krabbendam, L., Bak, Hannsen, M., Volleberg, W., De Graaf, R & Van Os, J. (2004). Childhood abused as a risk factors for psychotic experiences. *Acta Psychiatrica Scandinavica*, 109, 1, 38-45.
- Jaya, E. S. (2017). Confirmatory factor analysis of the Indonesian version of community assessment of psychic experiences. *Makara Hubs-Asia*, 21(1): 1-12, DOI: 10.7454/mssh.v21i1.3495
- Jethwani, K.S. (2010). Understanding family functioning and social support in unremitting schizophrenia: A study in India. *Indian Journal of Psychiatry*, 52 (2), 145–149.
- Jolley, S., Ferner, H., Bebbington, P., Garety, P., Dunn, G., Freeman, D. et al. (2014). Delusional belief flexibility and informal caregiving relationships in psychosis: a potential cognitive route for the protective effect of social support. *Epidemiology and Psychiatric Sciences*, 23, 389–397. doi:10.1017/S2045796013000553.
- Kawachi, I., Berkman, L. (2000) Social cohesion, social capital and health. In, Berkman, L.F., Kawachi, I., (eds) *Social Epidemiology*. Oxford University Press, Oxford, pp 174–190.
- Kilcommons, A.M., Morrison, A.P. (2005). Relationships between trauma and psychosis: an exploration of cognitive and dissociative factors. *Acta Psychiatr Scand*, 112, 5, 351-359.
- Kilian, S., Burns J.K., Seedat, S., Asmal, L., Chiliza, B., Du Plessis, S., et al. (2016). Factors moderating the relationship between childhood trauma and premorbid adjustment in first-episode schizophrenia. *PLoS ONE*, 12 (1) , 1-14. doi :10.1371/journal.pone.0170178.
- Kelleher, I., Harley, M., Lynch, F., Arseneault, L., Fitzpatrick, C., Cannon, M. (2008). Associations between childhood trauma, bullying and psychotic symptoms among a school-based adolescent sample. *British Journal of Psychiatry*, 193, 378-382.
- Kelleher, I., Keeley, H., Corcoran, P., Lynch, F., Fitzpatrick, C., Devlin, N., Cannon, M. (2012). Clinicopathological significance of psychotic experiences in non-psychotic young people: Evidence from four population-based studies. *British Journal of Psychiatry*, 201, 26-32.
- Kementrian Kesehatan Republik Indonesia, Badan Penelitian dan Pengembangan Kesehatan. (2013). *Riset kesehatan dasar*. Jakarta, Penulis.
- Kessler RC, Avenevoli S, Costello EJ, Georgiades K, Green JG, Gruber MJ, et al. (2012). Prevalence, persistence, and sociodemographic correlates of DSM-IV disorders in the National Comorbidity Survey Replication Adolescent Supplement. *Arch Gen Psychiatry* , 69 (4) , 372–380.
- Kring, A.N., Johnson, S.L., Davidson, G., & Neale, J. (2014). *Abnormal psychology*. Hoboken, NJ, John Wiley & Sons, Inc.

- Lamis, D.A., Wilson, C.K.M King, N.M., Kaslow, N.J. (2014). Child Abuse, Social Support, and Social Functioning in African American Children. *J Fam Viol*, 29, 881-891.
- Lapau, B. (2012). *Metode Penelitian Kesehatan*. Jakarta , Obor Indonesia.
- Larkin, W., Read, J. (2013). Childhood trauma and psychosis. In M.Romme & Escher (eds.), *Psychosis as personal crisis , an experience-based approach*, London , Routledge.
- Laurens, K.R., Hodgins, S., Maughan, B., Murray, R.M., Rutter, M.L., Taylor, E.A. (2007). Community screening for psychotic-like experiences and other putative antecedents of schizophrenia in children aged 9–12 years. *Schizophr. Res.* 90 (1–3), 130–146.
- Lincoln, K.D., Chatters, L.M., Taylor,R.J. (2005). Social support, traumatic events, and depressive symptoms among african americans. *Journal of Marriage and Family*, 67, 3, 754-767.
- Lincoln, T.M., Peter, N., Schafer, M., Moritz, S. (2009). Impact of stress on paranoia, an experimental investigation of moderators and mediators. *Psychological Medicine*, 39,1129-1139. doi :10.1017/S0033291708004613.
- Linscott, R. J., van Os, J. (2013). An updated and conservative systematic review and meta-analysis of epidemiological evidence on psychotic experiences in children and adults: On the pathway from proneness to persistence to dimensional expression across mental disorders. *Psychological Medicine*, 43, 1133-1149.
- Lee, T. Y., Lee, J., Kim, M., Choe, E., & Kwon, J. S. (2018). Can we predict psychosis outside the clinical high-risk state? A systematic review of non- psychotic risk syndromes for mental disorders. *Schizophrenia Bulletin*, 44(2), 276–285. <https://doi.org/10.1093/schbul/sbx173>.
- Lombroso, P.J., Sapolsky, R. (1998). Development of the cerebral cortex, XII. Stress and brain development, I. *J. Am. Acad. Child Adolesc. Psychiatry*, 37(12) , 1337–39.
- Lopez, A.D., Murray, C.C. (1998). The global burden of disease, 1990-2020. *Nat Med* , 4 (11), 1241-1243.
- Lund, C., Breen, A., Flisher, A.J., Kakuma, R., Corrigale J., Joska, J.A., Leslie,S., & Patel, V. (2010). Poverty and common mental disorders in low and middle income countries, A systematic review. *Social Science & Medicine*, 71, 517-528.
- Machell, K.A., Rallis, B.A., Esposito-Smythers, C. 2016. Family environment as a moderator of the association between anxiety and suicidal ideation. *J Anxiety Disord*, 49, 1-7. doi:10.1016/j.janxdis.2016.03.002.
- Mackin, D.M., Perlman, G., Davila, J., Kotov, R., Klein, D.N. 2017. Social support buffers the effect of interpersonal life stress on suicidal ideation and self-injury during adolescence. *Psychological Medicine*, 47, 1149-1161.
- Margolin, S. (2006). African american youths with internalizing difficulties: relation to social support and Activity Involvement. *Sociology Database*, 3, 135-140.

- Maharani, L., Turnip, S.S. (2018). Prevalence of psychotic-like experiences and their correlations with internalizing problems: A study of early adolescents in rural area in Karawang, Indonesia. *Asia-Pacific Psychiatry*, 10, 1-10.
- Masten, A.S. (2001). Ordinary magic, resilience processes in development. *Am Psychol*, 56, 227–238.
- Mayo, D., Corey, S., Kelly, L.H., Yohannes, S., Youngquist, A.L., Stuart, B.K. et al (2017). The role of trauma and stressful life events among individuals at clinical high risk for psychosis: a review. *Front. Psychiatry*, 8, 55, 1-17. doi: 10.3389/fpsyt.2017.00055.
- McGlashan, T. H., Walsh, B. C., & Woods, S. W. (2010). *The psychosis risk syndrome: Handbook for diagnosis and follow-up*. New York, NY: Oxford University Press.
- McHugh, M.J., McGorry, P.D., Yuen, H.P., Hickie, I.B., Thompson, A., de Hann, L. Mossaheb, N. et al. (2017). The Ultra-High-Risk for psychosis groups: Evidence to maintain the status quo. *Schizophrenia Research*, 1-6.
- Mondelli, V., Cattaneo, A., Murri, M.B., DiForti, M., Handley, R., Hepgul, N. et al. (2011). Stress and inflammation reduce brain-derived neurotrophic factor expression in first-episode psychosis: a pathway to smaller hippocampal volume. *J Clin Psychiatry*, 72, 12, 1677-1684.
- Morgan, C., Burns, T., Fitzpatrick, R., Pinfold, V., Priebe, S., (2007). Social exclusion and mental health, Conceptual and methodological review. *Br J Psychiatry*, 191, 477–483.
- Morgan, C., Fisher, H. (2007). Environment and schizophrenia , environment factors in schizophrenia , childhood trauma-critical review. *Schizophrenia Bulletin*, 33 (1) , 3-10.
- Morgan, C., Kirkbride J., Hutchinson, G., Craig T, Morgan K, Dazzan P, Boydell J, Doody GA, Jones PB, Murray RM, Leff J, Fearon P (2008) Cumulative social disadvantage, ethnicity and first-episode psychosis, a case-control study. *Psychol Med*, 38(12) , 1701–1715.
- Morrison, A. P., Frame, L., Larkin, W. (2003). Relationship between trauma and psychosis : a review and integration. *British Journal of Clinical Psychology*, 42 (4) , 331-353.
- Mueser, K.T., Rosenberg, S., Goodman, L.A., Trumbetta, S.L. (2002). Trauma, PTSD, and the course of severe mental illness, an interactive model. *Schizophr Res* , 53 , 123–143.
- Mueser, K., Taub, J. (2008). Trauma and PTSD among adolescent with severe emotional disorder involved in multiple service systems. *Psychiatric Services*, 59 (6) , 627-534.
- Munikanan, T., Midin, M., Daud, T.I.M., Rahim, R.A., Bakar, A.K.A., Jaafar, N.R.N. et al. Association of social support and quality of life among people with schizophrenia receiving community psychiatric service: A crosssectional study. *Comprehensive Psychiatry*, 75, 94–102.

- Myin-Germeyns, I., van Os, J., Schwartz, J. E., Stone, A. A., & Delespaul, P. A. (2001). Emotional reactivity to daily life stress in psychosis. *Archives of General Psychiatry*, 58, 1137–1144.
- Norman, R.M., Malla, A.K. (1993). Stressful life events and schizophrenia. I, a review of the research. *Br. J. Psychiatry*, 162 , 161–66.
- Norman, R.M.G., Malla, A.K., Manchanda, R., Harricharan, R., Takhar, J., Northcott, S.(2005). Social support and three-year symptom and admission outcomes for first-episode psychosis. *Schizophrenia Research*, 80, 227–234.
- Norman, R.M.G., Windell, D., Manchanda, R., Harricharan, R. Northcott, S. (2012). Social support and functional outcomes in an early intervention program. *Schizophrenia Research*, 140, 37-40.
- Pallant, J. (2007). *SPSS Survival Manual, A Step By Step Guide To Data Analysis Using SPSS For Windows*. Maidenhead, Open University Press.
- Palmier-Claus, J.E., Dunn, G., & Lewis, S.W. (2012). Emotional and symptomatic reactivity to stress in individuals at ultra-high risk of developing psychosis. *Psychological Medicine*, 42, 1003–1012.
- Pan, P.M., Gadelha, A., Argolo, F.C., Hoffman, M.S., Arcadepani, F.B., Miguel, E.C., Rohde, A.L et al. (2019). Childhood trauma and adolescent psychotic experiences in a community-based cohort: The potential role of positive attributes as a protective factor. *Schizophrenia Research*, 205, 23-29.
- Patel, V., Flisher, A.J., Hetrick, S., McGorry, P. (2007). Mental health of young people, a global public-health challenge. *Lancet* , 369 , 1302–1313.
- Phillips, L.J., Edwards, J., McMurray, N., & Francey, S. (2012). Comparison of Experiences of Stress and Coping Between Young People at Risk of Psychosis and a Non-Clinical Cohort, *Behavioural and Cognitive Psychotherapy*, 40, 69–88. doi : 10.1017/S1352465811000397.
- Pinto, R.J., Morgadi, D. Reis, S., Monteiro, R., Levendosky, A., Jongenelen, I. (2017). When social support is not enough: Trauma and PTSD symptoms in a risk-sample of adolescents. *Child Abuse & Neglect*, 72, 110-119.
- Pedersen, C.B., Mortensen, P.B., (2001). Evidence of a dose-response relationship between urbanicity during upbringing and schizophrenia risk. *Arch Gen Psychiatry* , 58 , 1039–1046.
- Perry, B.D., Azad, I. (1999). Posttraumatic stress disorder in children and adolescents, *Current Opinion in Pediatrics*, 11,4 ,310-316.
- Permatasari, D.I. (2018). Strategi coping stress terhadap romantic jealousy pada dewasa awal generasi Y ditinjau dari jenis kelamin. *Skripsi*. Yogyakarta , Fakultas Psikologi, Universitas Gadjah Mada.
- Read, J., Fink, P.J., Rudegeair, T., Felliti, V., & Whitfield (2008). Child maltreatment and psychosis , a return to a genuinely integrated bio-psycho-social model. *Clinical Schizophrenia & Related Psychoses*, 2 (3) , 235-235.

- Philips, L.P., Edward, J., McMurray, N & Francey, S. (2012). Comparison of experiences of stress and coping between young people at risk of psychosis and a non-clinical cohort. *Behavioural and Cognitive Psychotherapy*, 40, 69–88.
- Polanczyk, G., Moffitt, T.E., Arseneault, L., Cannon, M., Ambler, A., Keefe, R.S.E, et al. (2010). Etiological and clinical features of childhood psychotic symptoms, results from a birth cohort. *Arch Gen Psychiatry*, 67, 328-338. <http://dx.doi.org/10.1001/archgenpsychiatry>.
- Pruessner, M., Iyer, S.N., Faridi, K., Joobar, R., & Malla, A. (2011). Stress and protective factors in individuals at ultra-high risk for psychosis, first episode psychosis and healthy controls. *Schizophrenia Research*, 129, 29-35.
- Read, J., Argyle, N. (1999). Hallucinations, delusions, and thought disorder among adult psychiatric inpatients with a history of child abuse. *Psychiatric Services*, 50 (11), 1467-1472.
- Read, J., Fosse, R., Moskowitz, A., Perry, B. (2014). The traumagenic neurodevelopmental model of psychosis revisited. *Neuropsychiatry*, 4, 1, 65-79.
- Rickwood, D (2006). *Pathways of Recovery: 4As Framework for Preventing Further Episodes of Mental Illness*. Commonwealth of Australia, Canberra.
- Reid, M., Landesman, S., Treder, R., & Jaccard, J. (1989). Six-to-twelve-years-old children's perceptions of social support. *Child Development*, 60, 896-910.
- Reininghaus, U., Gayer-Anderson, C., Valmaggia, L., Kempton, M.J., Calem, M., Oyenjiaka, A. et al (2016). Psychological processes underlying the association between childhood trauma and psychosis in daily life: an experience sampling study. *Psychological Medicine*, 46, 2799–2813. doi:10.1017/S003329171600146X.
- Rosenberg, S., Lu, W., Mueser, K., Jankowski, M.K & Cournos F. (2007). Correlates of adverse childhood events among adults with schizophrenia spectrum disorders. *Psychiatric Service*, 58 (2), 254-253.
- Roseliza-Murni, A., Oei TP., Fatimah.Y., Asmawati, D. (2014). Schizophrenia relapse in Kuala Lumpur, Malaysia: Do relatives expressed emotion and personality traits matter?. *Comprehensive psychiatry*, 55 (1), 188-198.
- Rössler, W., Ajdacic-Gross, V., Rodgers, S., Haker, H., & Muller, M. (2016). Childhood trauma as a risk factor for the onset of subclinical psychotic experiences, Exploring the mediating effect of stress sensitivity in a cross-sectional epidemiological community study. *Schizophrenia Research*, 172, 46–53.
- Ruhrmann, S., Schultze-Lutter, F., Salokangas, R. K., Heinimaa, M., Linszen, D., Dingemans, P., . . . Klosterkötter, J. (2010). Prediction of psychosis in adolescents and young adults at high risk: Results from the prospective European prediction of psychosis study. *Archives of General Psychiatry*, 67, 241–251. <http://dx.doi.org/10.1001/archgenpsychiatry.2009.206>
- Rutter, M. (1987). Psychosocial resilience and protective mechanisms. *American Journal of Orthopsychiatry*, 57, 316-31.

- Saha, S., Scott, J., Varghese, D., McGrath, J. (2012). Social support and delusional-like experiences: a nationwide population-based study. *Epidemiology and Psychiatric Sciences*, 21, 203-212. doi:10.1017/S2045796011000862
- Santoso. (2000). *Mengolah Data Statistik Secara Profesional*. Jakarta , Elex Media Komputindo,
- Sakdiyah, E. H. (2014). Model Perilaku Sehat Multidimensi Remaja. (*Disertasi*. Tidak dipublikasikan. UGM Yogyakarta).
- Schäfer, I. Fisher, H.L. (2011). Childhood trauma and psychosis—what is the evidence. *Dialogues in Clinical Neuroscience*, 13, 3, 360-365.
- Schenkel, L.S., Spaulding, W.D., DiLillo, D., Silverstein, S.M. (2005). Histories of childhood maltreatment in schizophrenia : relationship with premorbid functioning, symptomatology, and cognitive deficits. *Schizophrenia Research*, 76, 2, 273-286.
- Schürhoff, F., Laguerre, A., Fisher, H., Etain, B., Méary, A., Soussy, C., et al. (2009). Self-reported childhood trauma correlates with schizotypal measures in schizophrenia but not bipolar pedigrees. *Psychol Med*, 39, 365-370. <http://dx.doi.org/10.1017/S0033291708003905>
- Smyth, N., Siriwardhana, C., Hotopf, M., Hatch, S.L. (2015). Social networks, social support and psychiatric symptoms: social determinants and associations within a multicultural community population. *Soc Psychiatry Psychiatr Epidemiol*, 50, 1111-1120.
- Spataro, J., Mullen, P.E., Wells, D.E., Moss, S.A. (2004). Impact of child sexual abuse on mental health , perspective study in males and females. *The British Journal of Psychiatry*, 184 (5) , 416-421.
- Spauwen, J., Krabbendam, L., Lieb, R., Wittchen, H.U. & Van Os, J. (2006). Impact of psychological trauma on the development of psychotic symptoms , relationship with psychosis proneness. *The British Journal of Psychiatry*, 188 (6) , 527-533.
- Sperry, D.M., Widom, C.S. (2013). Child abuse and neglect, social support, and psychopathology in adulthood: A prospective investigation. *Child Abuse & Neglect*, 37, 415-425.
- Stansfeld, S.A., Fuhrer, R., Shipley, M.J. (1998). Types of social support as predictors of psychiatric morbidity in a cohort of British civil servants. *Psychol Med*, 28, 881-892.
- Stouthamer-Loeber, M., Loeber, R., and Wei, E. (2002). Risk and promotive effects in the explanation of persistent serious delinquency in boys. *J Consult Clin Psychol*, 70 , 11–123.
- Sündermann, O., Onwumere, J., Bebbington, P., Kuipers, E. (2013). Social networks and support in early psychosis: potential mechanisms. *Epidemiology and Psychiatric Sciences*, 22, 147–150.
- Sweeney, S. (2015). Resilience, psychosis, and childhood trauma. (*Disertasi*, University of Adelaide).

- Tor, J., Dolz, M., Sintes A., Muñoz, D., Pardo, M., de la Serna, E.,... Baeza, I. (2017). Clinical high risk for psychosis in children and adolescents, a systematic review. *European child & Adolescent Psychiatry*, 27, 1-18.
- Thapar, A., Heron, J., Jones, R.B., Owen, M.J., Lewis, G., Zammit, S. (2012). Trajectories of change in self-reported psychotic-like experiences in childhood and adolescence. *Schizophrenia Research*, 140, 104-109.
- Uzenoff, S.R., Brewer, K.C., Perkins, D.O., Johnson, D.P., Mueser, K.T., Penn, D.L. (2010). Psychological well-being among individuals with first-episode psychosis. *Early Intervention in Psychiatry*, 4, 174–181.
- Van Nierop, M., Lataster, T., Smeets, F., Gunther, N., van Zelst., C., de Graaf, R., ten Have, M. et al. (2014). Psychopathological mechanisms linking childhood traumatic experiences to risk of psychotic symptoms, analysis of a large, representative population-based sample. *Schizophrenia Bulletin*, 40 (2) , 123-130. doi :10.1093/schbul/sbt150.
- Van Os, J., Hanssen, M., Bijl, R.V., Vollebergh, W. (2001). Prevalence of psychotic disorder and community level of psychotic symptoms, an urban-rural comparison. *Arch Gen Psychiatry* , 58 , 663–668.
- van Os, J., Linscott, R. J., Myin-Germeys, I., Delespaul, P., & Krabbendam, L. (2009). A systematic review and meta-analysis of the psychosis continuum: Evidence for a psychosis proneness-persistence-impairment model of psychotic disorder. *Psychological Medicine*, 39, 179–195.
- van Winkel, R., Stefanis, N.C., Myin-Germeys, I. (2008). Psychosocial stress and psychosis. A review of the neurobiological mechanisms and the evidence for gene–stress interaction. *Schizophr Bull*, 34, 6, 1095–1105.
- van Winkel, R., van Nierop, M., Myin-Germeys, I., van Os. (2013). Childhood Trauma as a Cause of Psychosis: Linking Genes, Psychology, and Biology. *Can J Psychiatry*, 58,1, 44–51.
- Vos, T., Flaxman, A. D., Naghavi, M., Lozano, R., Michaud, C., Ezzati, M., . . . Memish, Z. A. (2012). Years lived with disability (YLDs) for 1160 sequelae of 289 diseases and injuries 1990–2010: A systematic analysis for the Global Burden of Disease Study 2010. *The Lancet*, 380, 2163–2196. [http://dx.doi.org/10.1016/S0140-6736\(12\)61729-2](http://dx.doi.org/10.1016/S0140-6736(12)61729-2).
- Walker, E. F., Trotman, H. D., Pearce, B. D., Addington, J., Cadenhead, K. S., Cornblatt, B. A., ... Woods, S. W. (2013). Cortisol levels and risk for psychosis, Initial findings from the north american prodrome longitudinal study. *Biological Psychiatry*, 74, 410-417.
- Wibhowo, C. (2019). Determinan kepribadian ambang. *Disertasi*. Yogyakarta , Fakultas Psikologi, Universitas Gadjah Mada.
- Widhiarso, W. (2011). *Berkenalan dengan Variabel Moderator*. Fakultas Psikologi UGM. Tidak diterbitkan.

- Wille, N., Bettge, S., Ravens-Sieberer, U. (2008). BELLA study group. Risk and protective factors for children's and adolescents' mental health, results of the BELLA study. *Eur Child Adolesc Psychiatry*, 17, 133–147.
- Wlodarczyk, O., Pawils, S., Metzner, F., Kriston, L., Klasen, F., & Ravens-Sieberer, U. (2017). Child and Adolescent Psychiatry and Mental Health, 11(12), 1-12. doi : 10.1186/s13034-017-0149-4.
- Woodberry, K.A., McFarlane, W.R., Giuliano, A.J et al. (2013). Change in neuropsychological functioning over one year in youth at clinical high risk for psychosis. *Schizophr Res*, 146, 87–94. doi:[10.1016/j.schres.2013.01.017](https://doi.org/10.1016/j.schres.2013.01.017)
- World Health Organization. (2008). *The global burden of disease, 2004 update*. Geneva, Penulis.
- Yung, A. R., McGorry, P. D., McFarlane, C. A., Jackson, H. J., Patton, G. C., & Rakkar, A. (1996). Monitoring and care of young people at incipient risk of psychosis. [Review] [83 refs]. *Schizophr Bull*, 22(2), 283–303. <https://doi.org/10.1093/schbul/22.2.283>
- Yung, A. R., & Nelson, B. (2013). The ultra-high risk concept—A Review, 58(1), 5–12. <https://doi.org/10.1177/070674371305800103/>
- Yung, A. R., Phillips, L. J., Pan, H., & McGorry, P. D. (2004). Risk factors for psychosis in an ultra high-risk group , psychopathology and clinical features, 67, 131–142. [https://doi.org/10.1016/S0920-9964\(03\)00192-0](https://doi.org/10.1016/S0920-9964(03)00192-0)
- Yung, A. R., Yuen, H. P., McGorry, P. D., Phillips, L. J., Kelly, D., Dell'Olio, M., . . . Buckby, J. (2005). Mapping the onset of psychosis: The Comprehensive Assessment of At-Risk Mental States. *Australian and New Zealand Journal of Psychiatry*, 39, 964–971. <http://dx.doi.org/10.1080/j.1440-1614.2005.01714>.
- Yusuf, M.N. (2003). *Analisis data multivariat konsep dan aplikasi regresi linier ganda*. Jakarta.
- Zimmerman, M.A., Ramirez-Valles, J., Zapert, K.M., & Maton, K.I. (2000). A longitudinal study of stress-buffering effects for urban African-American male adolescent problem behaviors and mental health. *Journal of Community Psychology*, 28, 17-33.