

DAFTAR PUSTAKA

- Acker, T., Plate, K.H., 2002, A role for hypoxia and hypoxia-inducible transcription factors in tumor physiology. *J Mol Med (Berl)*. 2002; 80: 562–75.
- Adham, M., Kurniawan, A.N., Muhtadi, A.I., Roezin, A., Hermani, B., Gondhowiardjo, S., Tan, I.B., Middeldorp, J.M., 2012, Nasopharyngeal carcinoma in Indonesia: epidemiology, incidence, signs, and symptoms at presentation. *Chin J Cancer*. 2012; 31(4): 185-96.
- Agarwal, M.L., Agarwal, A., Taylor, W.R., Stark, G.R., 1995, p53 controls both the G2/M and the G1 cell cycle checkpoints and mediates reversible growth arrest in human fibroblasts. *Proc. Natl. Acad. Sci. U.S.A.* 92, 8493–8497 (1995).
- Allimonti, A., Carracedo, A., Clohessy, J.G., Trotman, L.C., Nardella, C., Egia, A., Salmena, L., Sampirei, K., Haveman, W.J., Brogi, E., Richardson, A.L., Zhang, J., Pandolfi, P.P., 2010, Subtle variations in PTEN dose determine cancers susceptibility. *Nat Genet*. 2010. 42(5): 454-458.
- Amaya, M.J., Oliveira, A.G., Guimaraes, E.S., Casteluber, M.C.F., Carvalho, S.M., Andrade, L.M., Pinto, M.C.X., Mennone, A., Oliveira, C.A., Resende, R.R., Menezes, G.B., Nathanson, M.H., Leite, M.F., 2014, The insulin receptor translocated to the nucleus to regulate cell proliferation in liver. *Hepatology*. 2014 Jan 59(1): 10.1002/hep.26609.
- Bennet, R.L., Blalock, W.L., Abtahi, D.M., Pan, Y., Moyer, S.A., May, W.S., 2006, RAX, the PKR activator, sensitizes cells to inflammatory cytokines, serum withdrawal, chemotherapy, and viral infection. *Blood*. 2006 Aug 1; 108(3): 821-829.
- Bennet, R.L., Pan Y., Christian J., Hui T. May W.S., Jr., 2012, The RAX/PACT-PKR stress response pathway promotes p53 sumoylation and activation, leading to G(1) arrest. *Cell cycle*. 2012;11:407-417.
- Bosco, E.E., Wang Y., Xu Y., Zilfou J.T., Knudsen K.E., Aronow B.J., Lowe S.W., Knudsen E.S., 2007, The retinoblastoma tumor suppressor modifies the therapeutic response of breast cancer. *J. Clin. Invest.* 117, 218–228, (2007).
- Bower, J.J., Karaca G.F., Zhou Y., Simpson D.A., Cordeiro-Stone M., Kaufmann W.K., 2010, Topoisomerase IIalpha maintains genomic stability through decatenation G(2) checkpoint signaling. *Oncogene*. 29, 4787–4799, doi:10.1038/onc.2010.232 (2010).
- Bower, J.J., Leah, D.V., Matthew, P., Stephanie, L.S., Dennis, A.S., Joseph, G.I., Katherine, A.H., Charles, M.P., William, K.K., 2017, Patterns of cell cycle checkpoint deregulation associated with intrinsic molecular subtypes of human breast cancer cells. *npj Breast Cancer* (2017) 9.
- Brennan, B., 2006, Nasopharyngeal carcinoma. *Orphanet J Rare Dis*. 2006; 1: 23.
- Brenner, W.G., Schmulling, T., 2012, Transcript profiling of cytokinin action in Arabidopsis roots and shoots discover largely similar but also organ-specific responses. *BMC Plant Biol*. 12: 112.
- Brown, C.J., S.L. Verma, C.S., Fersht, A.R., Lane, D.P., 2009, Awakening guardian angels: drugging the p53 pathway. *Nat. Rev. Cancer* 9, 862–873 (2009).
- Brun, M., Godbout, R., 2016, Activation of calcineurin in cancer: many paths, one hub. *Transl Cancer Res* 2016; 5: 497-506.

- Bryja, V., Gradl, D., Schambony, A., Arenas, E., Schulte, G., 2007. B-arrestin is necessary component of Wnt/ β -catenin signaling in vitro and in vivo. *PNAS* April 17, 2007, 104 (16) 6690-6695.
- Chen, R.H. Ding, W.V., McCormick, F., 2000, Wnt signaling to beta-catenin involves two interactive components. Glycogen synthase kinase-3 β inhibition and activation of protein kinase C. *J. Biol. Chem.* 275, 17894–17899.
- Chou, J., Yu-Ching, Jae, K., Liang, Y., Zhidong, X., Biao, H., David, M.J., 2008, Nasopharyngeal carcinoma—Review of the molecular mechanism of tumorigenesis. *Head Neck.* 2008; 30(7): 946–963.
- Cohen, S.L., Look, A.T., Vijay V., Joshi, V.V., Holbrook, T., Salwen, H., Chagnovich, D., Chesler, L., Rowe, S.T., Valentine, M.B., Komuro, H., Castleberry, R.P., Bowman, L.C., Rao, P.V., Seeger, R.C., Brodeur, G.M., 1995, Lack of correlation of n-myc gene amplification with prognosis in localized neuroblastoma: a pediatric oncology group study. *Cancer Res.* 1995, 55:721-726.
- Dai, B., Ruan, B., Wu, J. Wang., J., Shang, R., Sun, W., Li, X., Dou, K., Wang, D., Li, Y., 2014, Insulin-like growth factor binding protein-1 inhibits cancer cell invasion and is associated with poor prognosis in hepatocellular carcinoma. *Int J Clin Exp Pathol.* 2014; 7(9): 5645-5654.
- Daniel, M.A.I., Michael, A.R., 2009, The expanding universe of p53 targets. *Nat. Rev. Cancer* 9, 724–737 (2009).
- Diamantopoulos, M.A., Panagiotis, T, Andreas, S., 2018, Non-coding RNAs: the riddle of the transcriptome and their perspectives in cancer. *Ann Transl Med* 2018;6(12):241
- Dickerman, B.K., White, C.L., Kessler, P.M., Sadler, A.J., Williams, B.R.G., Sen, G.C., 2016, The protein activator of protein kinase R, PACT/RAX, negatively regulates protein kinase R during mouse anterior pituitary development. *FEBS J.* 2015 Dec; 282(24): 4766-4781.
- Downing, N.L., Wolden, S., 2009, Comparison of treatment results between adult and juvenile nasopharyngeal carcinoma. *Int J Radiation Oncology Biol Phys.* 2009; 75(4): 1064-70.
- Downing, C.M., Hayes, S.L., Phelan, J.J., Cathcart, M.C., Finn, S.P., Mehigan, B., McCormick, P., Coffey, J.C., O'Sullivan, J., Kiely, P.A., 2017, Expression of protein kinase C gamma promotes cell migration in colon cancer. *Oncotarget.* 2017 sep 22; 8(42): 72096-72107.
- Fachiroh, J., Schouten, T., Hariwiyanto, B., Paramita, D.K., Harijadi, A., Haryana, S.M., Middeldorp, J.M., 2004, Molecular diversity of Epstein-Barr virus IgG IgA antibody responses in nasopharyngeal carcinoma: a comparison of Chinese, Indonesian and European cases. *J Infect.* 2004; 190: 53–62.
- Falix, F.A., Aronson, D.C., Lamers, W.H., Gaemers, I.C., 2012, Possible roles of DLK1 in the Notch pathway during development and disease. *Biochimica et Biophysica Acta (BBA)-Molecular Basis of Disease.* Vol 1822, issue 6: 988-995.
- Fatchiyah, A., Widyarti, L.E., Rahayu, S., 2011, Biologi Molekuler Prinsip Dasar Analisis. Malang: Erlangga.
- Feederle, R., Neuhierl, B., Bannert, H., Geletneky, K., Shannon-Lowe, C., Delecluse, H.J., 2007, Epstein-Barr virus B95.8 produced in 293 cells shows marked tropism for differentiated primary epithelial cells and reveals inter-individual variation in susceptibility to viral infection. *Intl J Cancer.* 2007; 121: 588–94.

- Feitelson, M.A., Arzumanyan A., Kulathinal R.J., Blain S.W., Holcombe R.F., Mahajna J., Marino M., Martinez-Chantar M.L., Nawroth R., Sanchez-Garcia I., Sharma D., Saxena N.K., Singh N., Vlachostergios P.J., Guo S., Honoki K., Fujii H., Georgakilas A.G., Bilslund A., Amedei A., Niccolai E., Amin A., Ashraf S.S., Boosani C.S., Guha G., Ciriolo M.R., Aquilano K., Chen S., Mohammed S.I., Azmi A.S., Bhakta D., Halicka D., Keith W.N., Newsheen S., 2015, Sustained proliferation in cancer: Mechanism and novel therapeutic targets. *Seminars in Cancer Biology*. 35 (2015): 25–54.
- Field, J.K., 1995, The role of Oncogenes and Tumour-Suppressor genes In The Aetiology of Oral, Head, and Neck Squamous Cell Carcinoma, *J.R. Soc. Med.* (88); 35-39.
- Fiorini, S., Ooka, T., 2008, Secretion of Epstein-Barr Virus-encoded BARF1 oncoprotein from latently infected B cells. *Virology*. 2008; 5: 70.
- Fuller, G.M., Shields, D., 1998, *Molecular Basis of Medical Cell Biology*, 1st ed., Appleton & Lange, Connecticut, 106-23
- Goode, N., Hughes, K., Woodgett, J., Parker, P., 1992, Differential regulation of glycogen synthase kinase 3 by protein kinase C isotypes. *J. Biol. Chem.* 267, 16878–16882.
- Guo, X., Johnson, R.C., Deng, H., Liao, J., Guan, L., Nelson, G.W., Tang, M., Zheng, Y., The, G., O'Brien, S.J., Winkler, C.A., Zheng, Y., 2009, Evaluation of nonviral risk factors for nasopharyngeal carcinoma in a high-risk population of Southern China. *Int. J. Cancer*. 2009; 124: 2942–2947.
- Hanahan, D., Weinberg, R.A., 2000, The Hallmarks of Cancer. *Cell*. 100: 57-70.
- Hao, S.P., Tsang, N.M., Chang, K.P., 2003, Screening Nasopharyngeal Carcinoma by Detection of the Latent Membrane Protein 1 (LMP-1) Gene with Nasopharyngeal Swabs. *Cancer*. 2003 Apr 15;97(8):1909-13.
- Hartwell, L.H., Kastan, M.B., 1994, Cell cycle control and cancer. *Science* 266:1821–1828
- Hartwell, L.H., Weinert, T.A., 1989, Checkpoints: controls that ensure the order of cell cycle events. *Science* 246, 629–634 (1989).
- He, Y., Vogelstein, B., Velculescu, V.E., Papadopoulos, N., Kinzler, K.W., 2008, The antisense transcriptomes of human cells. *Science*, 322:1855–1857.
- Hemmings, B.A., Restuccia, D.F., 2015, PI3K-PKB/Akt pathway. *Spring Harb Perspect Biol*. 2015. April; 7(4): a026609.
- Hiller, D., Jiang, H., Xu, W., Wong, W.H., 2009, Identifiability of isoform deconvolution from junction arrays and RNA-Seq. – PubMed – NCBI. *Bioinformatics*. Oxford University Press; 2009. 17;25(23): 3056–3059
- Hochberg, D., Middeldorp, J.M., Catalina, M., Sullivan, J.L., Luzuriaga, K., Thorley-Lawson, D.A., 2004, Demonstration of the Burkitt's lymphoma Epstein-Barr virus phenotype in dividing latently infected memory cells in vivo. *Proc Natl Acad Sci*. 2004; 101: 239–44.
- Hou, X., Zhang, L., Zhao, C., Li, S., Lu, L.X., Han, F., Shao, J.Y., Huang, P.Y., 2006, Prognostic impact of plasma Epstein-Barr virus DNA concentration on distant metastasis in nasopharyngeal carcinoma. *Ai Zheng* 2006; 25(7): 785–92.
- Hrdlickova, R., Toloue, M., Tian, B., 2017, RNA-Seq method for transcriptome analysis. *Wiley Interdiscip Rev RNA*. 2017 January; 8(1).

- Huang, Q., Li, J., Zheng, J., Wei, A., 2009, The carcinogenic role of the Notch signaling pathway in the development of hepatocellular carcinoma. *J Cancer*. 10(6):1570-1579
- Ingolia, N.T., Ghaemmaghami, S., Newman, J.R.S., Weissman, J.S., 2009, Genome-wide analysis in vivo of translation with nucleotide resolution using ribosome profiling. *Science* 324: 218–223.
- Istindiah, H.N., Auerkari, E.I., 2001, Mekanisme Kontrol Siklus Sel (Suatu tinjauan khusus peran protein regulator pada jalur retinoblastoma (Rb), *JKG UI*, 8(1): 39-47.
- Jiang, H., Wong, W.H., 2009, Statistical inferences for isoform expression in RNA-Seq. *Bioinfo*. 25(8): 1026-1032.
- Kähäri, V.M., Saarialho-Kere, U., 1999, Matrix metalloproteinases and their inhibitors in tumor growth and invasion. *Ann Med*. 31: 34-35.
- Kennedy, S.G., 1997, Wagner AJ, Conzen SD, Jordán J., Bellacosa A., Tschlis P.N., Hay N., The PI 3-kinase/Akt signaling pathway delivers an anti-apoptotic signal. *Genes Dev*. 1997; 11:701e713.
- Kim, Y.J., Sung, M., Oh, E., Vrancken, M.V., Song, J., Jung, K., Choi, Y., 2018, Engrailed 1 overexpression as a prognostic marker in quintuple-negative breast cancer. *Cancer Biol Ther*. 2018; 19(4): 335-345.
- Kung, A.L., Sherwood, S.W., Shimke, R.T., 1990, Cell line-specific differences in the control of cell cycle progression in the absence of mitosis. *Proc. Natl. Acad. Sci. U.S.A.* 87, 9553–9557 (1990).
- Kuntz, S., Wenzel, U., Daniel, H., 1999, Comparative analysis of the effects of flavonoids on proliferation, cytotoxicity, and apoptosis in human colon cancer cell lines. *Eur J Nutr*. 1999;38:133-42.
- Langton, P.F., Kakugawa S., Vincent J.P., 2016, Making, Exporting, and Modulating Wnts. *Trends Cell Biol*. 2016; 26(10): 756-765.
- Li, L., Tan, J., Zhang, Y., Han, N., Di, X., Xiao, T., Cheng, S., Gao, Y., Liu, Y., 2014, DLK1 promotes lung cancer cell invasion through upregulation of MMP9 expression depending on Notch signaling. *PLoS One*. 2014; 9(3): e91509.
- Li, P., Cavallero, S., Gu, Y., Tim H., Chen, P. Hughes, J., Hassan, A.B., Bruning, J., C., Pashmforoush, M., Sucv, H.M., 2011, IGF signaling directs ventricular cardiomyocyte proliferation during embryonic heart development. *Development*. 2011 May 1; 138(9): 1795-1805.
- Licciulli, S., Avila J.L., Hanlon L., Troutman S., Cesaroni M., Kota S., Keith B., Simon M.C., Puré E., Radtke F., Capobianco A.J., Kissil J.L., 2013, Notch1 is required for Kras-induced lung adenocarcinoma and controls tumor cell survival via p53. *Cancer Res*. 2013;73:5974-84.
- Lin, J.C., Chen, K.Y., Wang, W.Y., Jan, J.S., Liang, W.M., Tsai, C.S., Wei, Y.H., 2001, Detection of Epstein-Barr virus DNA the peripheral-blood cells of patients with nasopharyngeal carcinoma: Relationship to distant metastasis and survival. *J Clin Oncol*. 2001; 19(10): 2607–15.
- Liu, P., Fang, X., Feng, Z., 2011, Direct sequencing and characterization of a clinical isolate of Epstein-Barr virus from nasopharyngeal carcinoma tissue by using next-generation sequencing technology. *J Virol*. 2011,85:11291-11299.
- Loh, K.S., Goh, B.C., Lu, J., Hsieh W.S., Tan L., 2006, Familial nasopharyngeal carcinoma in a cohort of 200 patients. *Arch Otolaryngol Head Neck Surg*. 2006 Jan;132(1):82-5.

- Longnecker, R., 2000, Epstein-Barr latency: LMP2, a regulator or means for Epstein-Barr virus persistence?. *Advances in Cancer Research*. 2000; 79: 175–200
- Lu W., Pelicano H., Huang P., 2010, Cancer metabolism: is glutamine sweeter than glucose? *Cancer Cell*. 2010; 18(3): 199-200.
- Mao, Y., Jianjun, S., Yue, L., Kevin, L., Huamin, W., Yanan, L., Ping, C., Mary, G.W., Donghui, L., 2017, RNA sequencing analyses reveal novel differentially expressed genes and pathways in pancreatic cancer. *Oncotarget*. 8(26): 42537-42547
- Masui, T., Swift, G.H., Deering, T., Shen, C., Coats, W.S., Long, Q., Elsassner, H., Magnuson, M., A., MacDonald, R.J., 2010. *Gastroenterology*. 139(1): 270-280.
- Matthews, J.M., Tan, L., Bhatt, S., Patricelli, M., Nomanbhoy, T., Zhang, J., Jiang, X., Natkunam, Y., Choi, H.G., Gentles, A.J., Martinez, E., Zhu, D., Chapman, J.R., Shyam, R.M., Chinichian, S., Advani, R.H., Buhrlage, S., Gratzinger, D., Gray, N., Lossos, I., 2013, Germinal center kinase regulates the proliferation and survival of diffuse large β -cell lymphoma. *Blood*. 2013.122(21): 643.
- Mayo, L.D., Dixon J.E., Durden D.L., Tonks N.K., Donner D.B., 2002, PTEN protects p53 from Mdm2 and sensitizes cancer cells to chemotherapy. *J Biol Chem*. 277(7): 548-549.
- McGrath, S.E., Annels, N., Madhuri, T.K., Tailor, A., Butler-Manuel, S.A., Morgan, R., Pandha, H., Michael, A., 2018, Engrailed-2 (EN) a novel biomarker in epithelial ovarian cancer. *BMC Cancer*. 2018; 18: 943.
- Morgan, D.O., 1995, Principles of CDK regulation. *Nat. Cell. Biol.* 374, 131–134 (1995).
- Mortazavi, A., Williams, B.A., McCue, K., Schaeffer, L., Wold, B., 2008, Mapping and quantifying mammalian transcriptomes by RNA-Seq. *Nat Methods* 5:621–628.
- Musacchio, A., 2015, The molecular biology of spindle assembly checkpoint signaling dynamics. *Curr. Biol.* 25, R1002–R1018 (2015).
- Mzoughi, S., Zhang J., Hequet D., Teo S.X., Fang H., Xing Q.R., Bezzi M., Seah M.K.Y., Ong S.L.M., Shin E.M., Wollmann H., Wong E.S.M., Al-Haddawi M., Stewart C.L., Tergaonkar V., Loh Y.H., Dunn N.R., Messerschmidt D.M., Guccione E., 2017, PRDM15 safeguards naive pluripotency by transcriptionally regulating WNT and MAPK-ERK signaling. *Nat Genet*. 2017; 49(9): 1354-1363.
- Nair, A.K., Sutherland, J.R., Traurig, M., Piaggi, P., Chen, P., Kobes, S., Hanson, R.L., Bogardus, C., Baier., 2018, Functional and association analysis of an Amerindian-derived population-specific p. (Thr280Met) variant in RBPJL, a component of the PTF1 complex. *European Journal of Human Genetics*. 26, 238-246 (2018).
- Niedobitek, G., 2000, Epstein-Barr virus infection in the pathogenesis of nasopharyngeal carcinoma. *Mol Pathol*. 2000; 53(5): 248–54.
- Nigg, E.A., 1995, Cyclin-dependent protein kinases: key regulators of the eukaryotic cell cycle. *Bioessays* 17, 471–480 (1995).
- Nowell, C., Radtke, F., 2013, Cutaneous Notch signaling in health and disease. *Cold Spring Harb Perspect Med*. 2013;3:a107772.
- Ntini, E., Annalisa M., 2019, Functional impacts of non-coding RNA processing on enhancer activity and target gene expression. *Journal of Molecular Cell Biology*. 2019. 11(10): 868-879.

- Ohtaki, S., Wanibuchi, M., Kataoka-Sasaki, Y., Sasaki, M., Oka, S., Noshiro, S., Akiyama, Y., Mikami, T., Mikuni, N., Kocsis, J.D., Honmou, O., 2017, ACTC1 as an invasion and prognosis marker in glioma. *Journal of Neurosurgery*, 126(2), 467–475.
- Paramita, D.K., Fachiroh, J., Haryana, S.M., Middeldorp, J.M., 2009, Two-step EpsteinBarr virus Immunoglobulin A enzyme-linked immunosorbent assay system for serologic screening and confirmation of nasopharyngeal carcinoma. *Clinical and Vaccine Immunology*. 2009; 16(5): 706-711. 8.
- Parkin, D.M., Muir, C.S., Whelan, S.L., 1992, Cancer Incidence in Five Continents. Lyon: IARC Publications, 1992:120.
- Peucker, K., Muff, S., Wang, J., Künzel S., Bosse E., Zeissig Y., Luzzi G., Basic M., Strigli A., Ulbricht A., Kaser A., Arlt A., Chavakis T., Brink G.R., Schafmayer C., Egberts J.H., Becker T., Bianchi M.E., Bleich A., Röcken C., Hampe J., Schreiber S., Baines J.F., Blumberg R.S., Zeissig S., 2016, Epithelial calcineurin controls microbiota-dependent intestinal tumor development. *Nat Med* 2016;22:506-15.
- Philip, D.K., Beth, A.L., Philip, E.L., 2013, Nonredundant function for Ras GTPase-Activating proteins in Tissue Homeostasis. *Science Signaling*. Vol. 6, Issue 264.
- Poli V., Fagnocchi, L., Fasciani, A., Cherubini, A., Mazzoleni, S., Ferrilo, S., Miluzio, A., Gaudio, G., Vaira, V., Turdo, A., Gaggianesi, M., Chinnici A., Lipari, E., Biccato, S., Bosari, S., Todaro, M., Zippo, A., 2018, MYC-driven epigenetic reprogramming favors the onset of tumorigenesis by inducing a stem cell-like state. *Nat Commun*. 2018; 9(1): 1024.
- Poluan, R.H., 2019, Transkriptom Terkait *Avoiding Immune Destruction* pada Kanker Nasofaring Pasien Indonesia Menggunakan *Next-generation Sequencing*, Tesis: Universitas Gadjah Mada.
- Pouyssegur, J., Volmat, V., Lenormand, P., 2002. Fidelity and spatiotemporal control in MAP kinase (ERKs) signaling. *Biochem Pharmacol*. Sep 2002;64:755e763.
- Pruitt, K.D., Brown, G.R., Hiatt, S.M., Thibaud-Nissen, F., Astashyn, A., Ermolaeva, O., Farrell, C.M., Hart, J., Landrum, M.J., McGarvey, K.M., Murphy, M.R., O’Leary, N.A., Pujar, S., 2014, RefSeq: an update on mammalian reference sequences. *Nucleic Acids Res*. 2014; 42:D756–63.
- Raab-Traub, N., 2002, Epstein-Barr virus in the pathogenesis of NPC. *Semin Cancer Biol*. 2002. 12(6): 431–41.
- Rahma, I., Muhtarum, Y., 2015, Karsinoma nasofaring pada anak usia 11 Bulan. *Jurnal THT*. Vol 8, No 1: 22-32.
- Rahmawati, G., 2019, Profil Transkriptom Terkait Angiogenesis Pada pasien Kanker Nasofaring Indonesia, Tesis: Universitas Gadjah Mada.
- Rani, B., V.K. Sharma, 2017, Transcriptome profiling: methods and application- A review. *Agricultural Reviews*, 38(4), 2017 : 271-281.
- Rastogi, R.P., Richa, R.P., Sinha, R.P., 2009, Apoptosis; Molecular mechanism and pathogenicity. *EXCLI Journal*. 2009;8:155-81.
- Rickinson, A.B., Kieff, E., 2007, *Epstein-Barr virus*. In: *Fields BN, Knipe DM, Howley, editors. Fields virology*. 5th ed. Philadelphia: Lippincott Williams & Wilkins Publishers; 2007. p. 2655–700.
- Robinson, M.D., McCarthy, D.J., Smyth, G.K., 2010, edgeR: a Bioconductor package for differential expression analysis of digital gene expression data. *Bioinformatics*. 2010; 26:139–40.

- Rui-Hong, W., H.Y., Chu-Xia, D., 2004, A requirement for breast-cancer-associated gene 1 (BRCA1) in the spindle checkpoint. *Proc. Natl. Acad. Sci.* 101, 17108–17113.
- Schouest, K.R., Kurasawa Y., Furuta T., Hisamoto N., Matsumoto K., Schumacher J.M., 2009, The germinal center kinase GCK is negative regulator of MAP kinase activation and apoptosis in the *C. elegans* germline. *PLoS ONE.* 4(10): e7450.
- Scully, C., 1992, Oncogen, Onco-Suppressor, Carcinogenesis and Oral Cancer. *British Dental Journal.* 173. 53.
- Seccareccia, E., Brodt, P., 2012, The role of the insulin-like growth factor-I receptor in malignancy: an update. *Growth Horm IGF Res* 2012;22:193–9.
- Siddle, K., 2011, Signalling by insulin and IGF receptors: supporting acts and new players. *J Mol Endocrinol.* Aug 2011;47: 1-10.
- Simon, M.J., 2011, Nasopharyngeal as a paradigm of cancer genetics. *Chin J Cancer.* 30: 79-84.
- Soni, V., Cahir-McFarland, E., Kieff, E., 2007, LMP1 trafficking activates growth and survival pathways. *Adv Exp Med Biol.* 2007; 597: 173–87.
- Sonoshita, M., Itatani Y., Kakizaki F., Sakimura K., Terashima T., Katsuyama Y., 2015, Promotion of colorectal cancer invasion and metastasis through activation of NOTCH-DAB1-ABL-RHOGEF protein TRIO. *Cancer Discov.* 2015;5:198-211.
- Stevens, S.J., Verkuijlen, S.A., Hariwiyanto, B., Harijadi, Paramita, D.K., Fachiroh, J., Adham, M., Tan, I.B., Haryana, S.M., Middeldorp, J.M., 2006. Noninvasive diagnosis of nasopharyngeal carcinoma: nasopharyngeal brushings reveal high Epstein-Barr virus DNA load and carcinoma-specific viral BARP1 mRNA. *Int J Cancer.* 2006; 119(3): 608–14.
- Su, Z., Ning, B., Fang, H., Hong, H., Perkins, R., Tong, W., 2011, Next generation sequencing and its applications in molecular diagnostics. *Expert Rev Mol Diagn.* 2011 Apr;11(3):333–43.
- Sudigyo, D., 2019, Profil Transkriptom dari Data *Next-generation Sequencing* Terkait Inflamasi pada Kanker Nasofaring di Indonesia, Tesis: Universitas Gadjah Mada.
- Sudiono, J., Irma, H., 2013, DNA Epstein-Barr virus (EBV) sebagai biomarker diagnosis karsinoma nasofaring. *Dental Journal.* Vol 46, No 3, September 2013.
- Sudo, T., Nitta, M., Saya, H., Ueno, N.T., 2004, Dependence of paclitaxel sensitivity on a functional spindle assembly checkpoint. *Cancer Res.* 64, 2502–2508 (2004).
- Sudrajat, K., 2014, Hubungan Antara Peningkatan Ekspresi Laten Membrane Protein-1 dan p53 Terhadap Stadium Klinis Karsinoma Nasofaring. [Tesis]. Bandung: Universitas Padjajaran.
- Suharsono, Syarifin, F., Utut, W.S., 2008, Isolasi pengkolanan fragmen cDNA dari gen penyandi multidrug resistance associated protein dari Melastoma affine. *Jurnal Makara Sains.* 12(2) : 102-107.
- Sultan, M., Schulz, M.H., Richard, H., Magen A., Klingenhoff A., Scherf M., Seifert M., Borodina T., Soldatov A., Parkhomchuk D., Schmidt D., O'Keefe S., Haas S., Vingron M., Lehrach H., Yaspo M.L., 2008, A Global view of gene activity and alternative splicing by deep sequencing of the human transcriptome. *Science,* 321(5891): 956-960.
- Sun, H., Yang, W., Tian, Y., Zeng, X., Zhou, J., Mok, M.T.S., Tang, W., Feng, Y., Xu, L., Chan, A.W.H., Tong, J.H., Cheung, Y., Lai, P.B.S., Wang, H.K.W., Tsang, S., Chow, K., Hu, M., Liu, R., Huang, L., Yang, Wong, G.L.H., Wong, V.W.S.,

- Cheng, A.S.L., 2018, An inflammatory-CCRK circuitry drives mTORC1-dependent metabolic and immunosuppressive reprogramming in obesity-associated hepatocellular carcinoma. *Nat Commun.*2018;9(1): 5214.
- Szeto, C.Y., Lin, C.H., Choi, S.C., Yip, T.T.C., Ngan, R.K., Tsao, G.S., Lung, M.L., 2014, Integrated mRNA and microRNA transcriptome sequencing characterized sequence variants and mRNA-microRNA regulatory network in nasopharyngeal carcinoma model system. *FEBS OPEN Bio.* 4(2014): 128-140.
- Tamguney, T., Stokoe D., 2007, New insight into PTEN. *J Cell Sci.* 120(23); 4071-4079.
- Taniguchi, C.M., Emanuelli, B., Kahn, C.R., 2006, Critical nodes in signaling pathways: insights into insulin action. *Nat Rev Mol Cell Biol.* 2006;7:85e96.
- Taylor, S.S., McKeon, F., 1997, Kinetochore localization of murine bub1 is required for normal mitotic timing and checkpoint response to spindle damage. *Cell* 89:727–735.
- Terman, B.I., Stoletov, K.V., 2001, VEGF and tumor angiogenesis. *J Biol and Med.* 2001; 18: 59-66.
- Thippeswamy, G., Salimath, B.P., 2006, Cricia aromatic extract induces apoptosis and inhibits angiogenesis in ehrlich ascites tumour cells in vivo. *myScience.* 1(1): 79-92.
- Thomas, D.D., Wink, D.A., 2017, NOS2 as an emergent player in progression of cancer. *Antioxidants & Redox Signaling*, vol 26, no.17.
- Tulalamba, W., Noppadol, L., Ekaphop, S., Aunchalee, T., Tavan, J., 2015, Transcriptome meta-analysis reveals dysregulated pathways in nasopharyngeal carcinoma. *Tumor Biol.*
- Venkatachalam, P., Thulaseedharan, A., Raghothama, K., 2007, Identification of expression profiles of tapping panel dryness (TPD) associated genes from the latex of rubber tree (*Hevea brasiliensis* Muell. Arg.). *Planta.* 226: 499-515.
- Voelkerding, K.V., Dames, S.A., Durtschi, J.D., 2009, Next-generation sequencing: from basic research to diagnostics. – PubMed – NCBI. *Clinical Chemistry. American Association for Clinical Chemistry*; 2009 Mar 26;55(4):641–58
- Vogel, C, Kienitz A, Muller R, Bastians H. 2005. The mitotic spindle checkpoint is a critical determinant for topoisomerase-based chemotherapy. *J Biol Chem.* 280, 4025–4028.
- Wang, Z., Gerstein, M., Snyder, M., 2009, RNA-Seq: a revolutionary tool for transcriptomics. *Nature Review Genetics*, 10(1):57–63.
- Wei, W.I., Sham, J.S., 2005, Nasopharyngeal carcinoma. *Lancet.* 2005 Jun 11-17; 365(9476): 2041-2054.
- Wong, N., Ojo D., Yan J., Tang D., 2015, PKM2 contributes to cancer metabolism. *Cancer Lett.* 2015; 356(2 Pt A): 184-191.
- Wong, R., 2011, Apoptosis in cancer; From pathogenesis to treatment. *J Exp Clin Canc Res.* 2011; 30(87):1-14.
- Xu, B., Kim, S.T., Kastan, M.B., 2001, Involvement of Brca1 in S-Phase and G2-Phase checkpoints after ionizing irradiation. *Mol. Cell. Biol.* 21, 3445–3450.
- Yan, G., Chen., V., Lu, X., Lu., S., 2017. A signal-based method for finding driver modules of breast cancer metastasis to the lung. *Scientific Reports.* 7:10023.
- Yoshimoto, M., Toledo, S.R.C., Caran, E.M.M., Seixas, M.T., Lee, M.L.M., Abib, S.C.V., Vianna, S.M.R., Schetinni, S.T., Andrade, J.A.D., 1999, MYCN gene amplification. *Am J Pathol.* 1999 Nov; 155(5):1439-1443.

- Yoshioka, S., King M.L., Ran S., Okuda H., MacLean J.A., McAsey ME., Sugiono N., Brand L., Watabw K., Hayashi K., 2012, WNT7A regulates tumor growth and progression in ovarian cancer through the WNT/ β -catenin pathway. *Mol Cancer Res.* 2012 Mar; 10 (3): 469-82.
- Young, L.S., Rickinson, A.B., 2004, Epstein-Barr virus: 40 years on. *Nat Rev Cancer*, 2004, 4:757-768.
- Yu, H., Rohan, T., 2000, Role of the Insulin-like Growth Factor family in cancer development and progression. *JNCI: Journal of the National Cancer Institute.* 92(18): 1472-1489.
- Yu, J.S., Koujak S., Nagase S., Li, C., Su, T., Wang, X., Keniry, M., Memeo, L., Rojzman, A., Mansukhani, M., Hibshoosh, H., Tycko, B., Parsons, R., 2000, PCDH8, the human homolog of PAPC, is a candidate tumor suppressor of breast cancer. *Oncogene.* 27:4657-4665.
- Yu, M.C., Yuan, J.M., 2002, Epidemiology of nasopharyngeal carcinoma. *Semin Cancer Biol*, 12:421-429.
- Yu, Z., Zengguang, X., Gabriele, D., Jennifer, W., Richard, P., 2014, miR-17-20 sensitization of breast cancer cells to chemotherapy-induced apoptosis required Akt1. *Oncotarget.* 2014 Feb; 5(4): 1083-1090.
- Zha, J., Lackner, M.R., 2010, Targeting the insulin-like growth factor receptor-1R pathway for cancer therapy. *Clin Cancer Res: an official journal of the American Association for Cancer Research.* May 1 2010; 16: 2512-2517.
- Zhang, D., Zhao, W., Liao, X., Bi, T., Li, H., Che, X., 2012. Frequent silencing of protocadherin 8 by promoter methylation, a candidate tumor suppressor for human gastric cancer. *Oncology Reports.* Vol 28, issue 5: 1785-1791.
- Zhang, L., Deng, T., Li, X., Liu, H., Zhou, H., Ma, J., Wu, M., Zhou, M., Shen, S., Li, X., Niu, Z., Zhang, W., Shi, L., Xiang, B., Lu, J., Wang, L., Li, D., Tang, H., Li, G., 2010, microRNA-141 is involved in nasopharyngeal carcinoma-related genes network. *Carcinogenesis.* 2010. 31(4): 559-566
- Zhang, Z., Wang, J., Dong., X., 2018, Wnt2 contributes to the progression of gastric cancer by promoting cell migration and invasion. *Oncol Lett.* 2018 Sep; 16(3): 2857-2864.
- Zhou, Z., Gan, S., Liu, S., Li, R., Huang, J., 2019, Identification of differentially expressed genes in nasopharyngeal carcinoma by integrated bioinformatics analysis. *Oncology Letters.* Vol 18, issue 1: 916-926.