

DAFTAR PUSTAKA

- Agus, F., and Subiksa, I. 2008: *Lahan Gambut: Potensi Pertanian dan Aspek Lingkungan*, Bogor.
- Anderson, M. C., Norman, J. M., Kustas, W. P., Houborg, R., Starks, P. J., and Agam, N. 2008: A thermal-based remote sensing technique for routine mapping of land-surface carbon, water and energy fluxes from field to regional scales, *Remote Sensing of Environment*, **112**(12), 4227–4241. <https://doi.org/10.1016/j.rse.2008.07.009>
- Andriesse 1988: *Nature and Management of Tropical Peat Soils*, FAO Soils Bulletin, Rome, **59**.
- Avdan, U., and Jovanovska, G. 2016: Algorithm for automated mapping of land surface temperature using LANDSAT 8 satellite data, *Journal of Sensors*, **2016**. <https://doi.org/10.1155/2016/1480307>
- Banerjee, K., Krishnan, P., and Mridha, N. 2018: Application of thermal imaging of wheat crop canopy to estimate leaf area index under different moisture stress conditions, *Biosystems Engineering*, **166**, 13–27. <https://doi.org/10.1016/j.biosystemseng.2017.10.012>
- Bannari, A., Asalhi, H., and Teillet, P. M. 2002: Transformed difference vegetation index (TDVI) for vegetation cover mapping, *International Geoscience and Remote Sensing Symposium (IGARSS)*, **5**(February 2002), 3053–3055. <https://doi.org/10.1109/igarss.2002.1026867>
- Barchia, M. 2006: *Gambut: Agroekosistem dan Transformasi Karbon*, Gadjah Mada University Press, Yogyakarta, 196.
- Berglund, Ö., and Berglund, K. 2011: Influence of water table level and soil properties on emissions of greenhouse gases from cultivated peat soil, *Soil Biology and Biochemistry*, **43**(5), 923–931. <https://doi.org/10.1016/j.soilbio.2011.01.002>
- Berglund, Ö., Berglund, K., and Klemedtsson, L. 2010: A lysimeter study on the effect of temperature on CO₂ emission from cultivated peat soils, *Geoderma*, (154), 211–218.
- Brandyk, T., Szatyłowicz, J., Oleszczuk, R., and Gnatowski, T. 2002: Water-related physical attributes of organic soils, in *Organic Soils and Peat Materials for Sustainable Agriculture, Parent LE. and Lnicke P (Eds): CRC Press LLC*, 33–66.
- Bubier, J. L., Bhatia, G., Moore, T. R., Roulet, N. T., and Lafleur, P. M. 2003: Spatial and Temporal Variability in Growing-Season Net Ecosystem Carbon Dioxide Exchange at a Large Peatland in Ontario, Canada, *Ecosystems*, (6), 353–357. <https://doi.org/DOI: 10.1007/s10021-003-0125-0> ECOSYSTEMS
- Chejarla, V. R., Maheshuni, P. K., and Mandla, V. R. 2015: Quantification of LST and CO₂ levels using Landsat-8 thermal bands on urban environment, *Geocarto International*, 1–14. <https://doi.org/10.1080/10106049.2015.1094522>
- Chowdhury, S., Shipman, T., Chao, D., Elvidge, C. D. ., Zhizhin, M., and Hsu, F.-

- C. 2014: *Daytime gas flare detection using Landsat-8 multispectral data* (2014 IEEE International), Quebec City, 258–261.
- Connolly, J., Roulet, N. T., Seaquist, J. W., Holden, N. M., Humphreys, E. R., Heumann, B. W., Ward, S. M., Science, F., Environmental, G., and Analysis, E. 2009: Using MODIS derived f PAR with ground based ux tower measurements to derive the light use ef ciency for two Canadian peatlands, *Physical Geography*, **6**, 225–234. <https://doi.org/10.5194/bg-6-225-2009>
- Crichton, K. A., Anderson, K., Bennie, J. J., and Milton, E. J. 2015: Characterizing peatland carbon balance estimates using freely available Landsat ETM+ data, *Ecohydrology*, **8**(3), 493–503. <https://doi.org/10.1002/eco.1519>
- Danoedoro, P. 2012: *Pengantar Penginderaan Jauh Digital* (B. Rini W, Ed.), C. V. Andi Offeset, Yogyakarta, Indonesia, 1–385.
- Dekker, L. W., and Ritsema, C. J. 1995: Fingerlike wetting patterns in two water-repellent loam soils, *J. Environ. Qual*, **2**(24), 324–333. <https://doi.org/10.2134/jeq1995.00472425002400020016x>
- Dinsmore, K. J., Skiba, U. M., Billett, M. F., and Rees, R. M. 2009: Effect of water table on greenhouse gas emissions from peatland mesocosms, *Plant and Soil*, **318**(1–2), 229–242.
- Elsayed, S., Elhoweity, M., Ibrahim, H. H., Dewir, Y. H., Migdadi, H. M., and Schmidhalter, U. 2017: Thermal imaging and passive reflectance sensing to estimate the water status and grain yield of wheat under different irrigation regimes, *Agricultural Water Management*, **189**, 98–110. <https://doi.org/10.1016/j.agwat.2017.05.001>
- Fawzi, N. I., and Jatmiko, R. H. 2018: *Penginderaan Jauh Sistem Thermal dan Aplikasinya* (Pertama) (Y. Kumai, Ed.), Penerbit Ombak, Yogyakarta, 204.
- Fleischer, E., Khashimov, I., Hölzel, N., and Klemm, O. 2016: Carbon exchange fluxes over peatlands in Western Siberia: possible feedback between land use change and climate change, *Sci. Total Environ*, 545–546, 424–433.
- Gao, Y., Yu, G., Li, S., Yan, H., Zhu, X., Wang, Q., Shi, P., Zhao, L., Li, Y., Zhang, F., Wang, Y., and Zhang, J. 2015: Remote sensing model to estimate ecosystem respiration in Northern China and the Tibetan Plateau, *Ecosyst. Model*, **304**, 34–43.
- Gao, Yanni, Yu, G., Li, S., Yan, H., Zhu, X., Wang, Q., Shi, P., Zhao, L., Li, Y., Zhang, F., Wang, Y., and Zhang, J. 2015: A remote sensing model to estimate ecosystem respiration in Northern China and the Tibetan Plateau, *Ecological Modelling*, **304**, 34–43. <https://doi.org/10.1016/j.ecolmodel.2015.03.001>
- Hafni, D. A. F., Syaufina, L., Puspaningsih, N., and Prasasti, I. 2018: *Estimation of carbon emission from peatland fires using Landsat-8 OLI imagery in Siak District, Riau Province*, IOP Conference Series: Earth and Environmental Science, **149**, 1–10. <https://doi.org/10.1088/1755-1315/149/1/012040>
- Handayani, E. 2009: *Emisi karbon dioksida (CO₂) dan metan (CH₄) pada perkebunan kelapa sawit di lahan gambut yang memiliki keragaman dalam ketebalan gambut dan umur tanaman*, Institut Pertanian Bogor.
- Harris, A., Bryant, R. G., and Baird, A. J. 2005: Detecting near-surface moisture

- stress in *Sphagnum* spp., *Remote Sensing of Environment*, **97**(3), 371–381.
<https://doi.org/10.1016/j.rse.2005.05.001>
- Harris, A., Bryant, R. G., and Baird, A. J. 2006: Mapping the effects of water stress on *Sphagnum*: Preliminary observations using airborne remote sensing, *Remote Sensing of Environment*, **100**(3), 363–378.
<https://doi.org/10.1016/j.rse.2005.10.024>
- Hendriks, D., Schrier, A., and Kroon, P. 2007: The effects of vegetation and soil on methane emissions in a natural fen meadow in the Netherlands, *The First International Symposium on Carbon in Peatlands*, Wageningen, The Netherlands, 141.
- Hilker, T., Coops, N. C., Wulder, M. A., Black, T. A., and Guy, R. D. 2008: The use of remote sensing in light use efficiency based models of gross primary production: A review of current status and future requirements, *Science of the Total Environment*, **404**(2–3), 411–423.
<https://doi.org/10.1016/j.scitotenv.2007.11.007>
- Humphreys, E. R., Lafleur, P. M., Flanagan, L. B., Hedstrom, N., Syed, K. H., Glenn, A. J., and Granger, R. 2006: Summer carbon dioxide and water vapor fluxes across a range of northern peatlands, *Journal of Geophysical Research: Biogeosciences*, **111**(4). <https://doi.org/10.1029/2005JG000111>
- Jägermeyr, J., Gerten, D., Lucht, W., Hostert, P., Migliavacca, M., and Nemani, R. 2014: A high-resolution approach to estimating ecosystem respiration at continental scales using operational satellite data, *Global Change Biology*, **20**(4), 1191–1210. <https://doi.org/10.1111/gcb.12443>
- Kechavarzi, C., Dawson, Q., Bartlett, M., and Leeds-Harrison, P. B. 2010: The role of soil moisture, temperature and nutrient amendment on CO₂ efflux from agricultural peat soil microcosms, *Geoderma*, **154**(3–4), 203–210.
<https://doi.org/10.1016/j.geoderma.2009.02.018>
- Khanal, S., Fulton, J., and Shearer, S. 2017: An overview of current and potential applications of thermal remote sensing in precision agriculture, *Computers and Electronics in Agriculture*, **139**, 22–32.
<https://doi.org/10.1016/j.compag.2017.05.001>
- Kurnain, A. 2008: Potensi air tersedia tanah gambut tropika bagi kebutuhan tanaman, *Kalimantan Scientiae*, **71**(2), 39–46.
- Lafleur, P. M., Roulet, N. T., Bubier, J. L., Froking, S., and Moore, T. R. 2003: Interannual variability in the peatland-atmosphere carbon dioxide exchange at an ombrotrophic bog, *Global Biogeochemical Cycles*, **17**(2), n/a-n/a.
<https://doi.org/10.1029/2002GB001983>
- Lees, K. J., Quaipe, T., Artz, R. R. E., Khomik, M., and Clark, J. M. 2018: Potential for using remote sensing to estimate carbon fluxes across northern peatlands – A review, *Science of the Total Environment*, **615**, 857–874.
<https://doi.org/10.1016/j.scitotenv.2017.09.103>
- Lim, K., Lim, S., Parish, F., and Suharto, R. 2012: *RSPO Manual on Best Management Practices (BMPs) for Existing Oil Palm Cultivation on Peat*, RSPO, Kuala Lumpur.
- Lund, M., Christensen, T. R., Lindroth, A., and Schubert, P. 2012: Effects of drought conditions on the carbon dioxide dynamics in a temperate peatland,

Environmental Research Letters, **7**(4). <https://doi.org/10.1088/1748-9326/7/4/045704>

- Malenovský, Z., Turnbull, J. D., Lucieer, A., and Robinson, S. A. 2015: Antarctic moss stress assessment based on chlorophyll content and leaf density retrieved from imaging spectroscopy data, *New Phytologist*, **208**(2), 608–624. <https://doi.org/10.1111/nph.13524>
- Marushchak, M. E. E., Kiepe, I., Biasi, C., Elsakov, V., Friborg, T., Johansson, T., Soegaard, H., Virtanen, T., Martikainen, P. J., and Martikainen, P. J. 2013: Carbon dioxide balance of subarctic tundra from plot to regional scales, *Biogeosciences*, **10**(1), 437–452. <https://doi.org/10.5194/bg-10-437-2013>
- Marwanto, S., and Agus, F. 2014: Is CO₂ flux from oil palm plantations on peatland controlled by soil moisture and/or soil and air temperatures?, *Mitigation and Adaptation Strategies for Global Change*, **19**(6), 809–819. <https://doi.org/10.1007/s11027-013-9518-3>
- Othman, H., Mohammed, A. T., Darus, F. M., Harun, M. H., and Zambri, M. P. 2011: Best management practices for oil palm cultivation on peat: ground water table maintenance in relation to peat subsidence and estimation of CO₂ emissions at Sessang, Sarawak, *Journal of Oil Palm Research*, **23**(AUGUST), 1078–1086.
- Othman, H., Mohammed, A. T., Harun, M. H., and Darus, F. M. 2010: Best management practices for oil palm planting on peat: optimum ground water table, *MPOB Information Series, No. 472*, Kuala Lumpur.
- Reichstein, M., Rey, A., Freibauer, A., Tenhunen, J., Valentini, R., Banza, J., Casals, P., Cheng, Y., Grünsweig, J. M., Irvine, J., Joffre, R., Law, B. E., Loustau, D., Miglietta, F., Oechel, W., Ourcival, J. M., Pereira, J. S., Peressotti, A., Ponti, F., Qi, Y., Rambal, S., Rayment, M., Romanya, J., Rossi, F., Tedeschi, V., Tirone, G., Xu, M., and Yakir, D. 2003: Modeling temporal and large-scale spatial variability of soil respiration from soil water availability, temperature and vegetation productivity indices, *Glob. Biogeochem. Cycles*, **17**(4).
- Setyanto, P., Susilawati, H., Rahutomo, S., and Erningpraja, L. 2010: CO₂ emission from peat under oil palm plantation, *Proceeding of International Oil Palm Conference*, Indonesian Oil Palm Research Institute, Yogyakarta, Indonesia.
- Sims, D. A., Rahman, A. F., Cordova, V. D., El-Masri, B. Z., Baldocchi, D. D., Bolstad, P. V., Flanagan, L. B., Goldstein, A. H., Hollinger, D. Y., Misson, L., Monson, R. K., Oechel, W. C., Schmid, H. P., Wofsy, S. C., and Xu, L. 2008: A new model of gross primary productivity for North American ecosystems based solely on the enhanced vegetation index and land surface temperature from MODIS, *Remote Sensing of Environment*, **112**(4), 1633–1646. <https://doi.org/10.1016/j.rse.2007.08.004>
- Strachan, I. B., Pelletier, L., and Bonneville, M.-C. 2016: Inter-annual variability in water table depth controls net ecosystem carbon dioxide exchange in a boreal bog, *Biogeochemistry*, **127**(1), 99–111. <https://doi.org/10.1007/s10533-015-0170-8>
- Szajdak, L., and Szatylowicz, J. 2010: Impact of drainage on hydrophobicity of fen

- peatmoorsh soils, *Mires and Peat*, **6**, 58–174.
- USGS 2011: Hyperion, .
- USGS 2016: Landsat missions, .
- Utami, S. N. H. 2010: *Pemulihan gambut hidrofobik dengan surfaktan dan amelioran, serta pengaruhnya terhadap serapan P oleh jagung*, Universitas Gadjah Mada.
- Verbyla, D. . 1995: *Satellite Remote Sensing of Natural Resources*, Lewis Publishers, New York.
- Vermote, E. F., Tanré, D., Deuzé, J. L., Herman, M., and Morcrette, J. J. 1997: Second simulation of the satellite signal in the solar spectrum, 6s: an overview, *IEEE Transactions on Geoscience and Remote Sensing*, **35**(3), 675–686. <https://doi.org/10.1109/36.581987>
- Wahyunto, Ritung, S., Suparto, and Subagjo, H. 2005: *Sebaran Gambut dan Kandungan Karbon di Sumatera dan Kalimantan*, Bogor.
- Winarna 2015: *Pengaruh Kedalaman Muka Air Tanah dan Dosis Terak Baja terhadap Hidrofobitas Tanah Gambut, Emisi Karbon, dan Produksi Kelapa Sawit*, Institut Pertanian Bogor, 1–94.
- Wosten, J., Ismail, A., and van Wijk, A. 1997: Peat subsidence and its practical implications: a case study in Malaysia, *Geoderma.*, **78**(1), 25–36. [https://doi.org/10.1016/S0016-7061\(97\)00013-X](https://doi.org/10.1016/S0016-7061(97)00013-X)
- Wu, C 2012: Use of a vegetation index model to estimate gross primary production in open grassland, *J. Appl. Remote Sens.*, **6**(1), 63531–63532. <https://doi.org/10.1117/1.JRS.6.063532>
- Wu, Chaoyang, Gaumont-Guay, D., Andrew Black, T., Jassal, R. S., Xu, S., Chen, J. M., and Gonsamo, A. 2014: Soil respiration mapped by exclusively use of MODIS data for forest landscapes of Saskatchewan, Canada, *ISPRS Journal of Photogrammetry and Remote Sensing*, **94**, 80–90. <https://doi.org/10.1016/j.isprsjprs.2014.04.018>
- Yu, Z. C. 2012: Northern peatland carbon stocks and dynamics: A review, *Biogeosciences*, **9**(10), 4071–4085. <https://doi.org/10.5194/bg-9-4071-2012>
- Yuan, W., Liu, S., Yu, G., Bonnefond, J. M., Chen, J., Davis, K., Desai, A. R., Goldstein, A. H., Gianelle, D., Rossi, F., Suyker, A. E., and Verma, S. B. 2010: Global estimates of evapotranspiration and gross primary production based on MODIS and global meteorology data, *Remote Sensing of Environment*, **114**(7), 1416–1431. <https://doi.org/10.1016/j.rse.2010.01.022>
- Yulianti, N. 2009: *Cadangan Karbon Lahan Gambut Dari Agroekosistem Kelapa Sawit PTPN IV Ajamu, Kabupaten Labuhan Batu, Sumatera Utara*, Institut Pertanian Bogor.