

## DAFTAR PUSTAKA

- Almeida, O.J.G, A.A. Sartori-Paoli and L.A. de Souza. 2010. Flower morpho-anatomy in *Epiphyllum phyllanthus* (Cactaceae). *Revista Mexicana de Biodiversidad* 81: 65-80.
- Badgular, S.B., V.V. Patel and A.H. Bandivdekar. 2014. *Foeniculum vulgare* Mill: A Review of Its Botany, Phytochemistry, Pharmacology, Contemporary Application, and Toxicology. *BioMed Research International* 2014: 1-32.
- Bernath, J., and A. Mihalik. 2001. Regularities of the essential oil accumulation in developing fruits of fennel (*Foeniculum vulgare* Mill.) and its histological background. World Conference on Medicinal and Aromatic Plants, Budapest, Hungary, July 8–11, <http://www.diamond-congress.hu/map/mintaabstract.doc>
- Bhojwani, S.S. and P.K. Dantu. 2013. *Plant Tissue Culture : An Introductory Text*. Springer. New Delhi. Pp 39-40.
- Burt, B.L. 1988 A new Shrubby genus of African Umbelliferae. *Notes RBG Edinb.* 45: 493-501
- de Souza, L.A., I.S. Moscheta; K.S.M. Mourao and A. Silverio. 2001. Morphology and Anatomy of the Flowers of *Trichilia catigua* A. Juss., *T. elegans* A. Juss. and *T. pallida* Sw. (Meliaceae). *Braz. arch. biol. Technol.* 44(4): 383-394.
- Dresselhaus, T., P.K. Sprunck and G.M. Wessel. 2016. Fertilization Mechanism in Flowering Plants. *Current Biology* 26: 125-139.
- Eames, A.J. and L.H. MacDaniels. 1953. *An Introduction to Plant Anatomy*. McGraw-Hill, Inc. New York. Pp 341-343.
- Esau, K. 1953. *Plant Anatomy*: Second Edition. John Wiley and Sons, Inc. New York. pp.586-589, 607-617.
- \_\_\_\_\_. 1960. *Anatomy of Seed Plant*. John Wiley and Sons, Inc. New York. pp.316-317, 329.
- Gonzales, A.N., and J.L. Vesperini. 2010 Anatomy and fruit development in *Schinopsis balansae* (Anacardiaceae). *Anales del Jardín Botánico de Madrid*. 67(2): 103-112.

- Greenspan, M.D., H.R. Schultz and M.A. Matthews. 1996. Field evaluation of water transport in grape berries during water deficit. *Physiol Plant* 97: 55–62.
- Greenspan, M.D., K.A. Shackel and M.A. Matthews. 1994. Developmental changes in the diurnal water budget of the grape berry exposed to water deficit. *Plant Cell Environ* 17: 811–820.
- Guo, X., J. Chen, R.E. Brackett; L.R. Beuchat. 2001. Survival of Salmonellae on and in Tomato Plants from the Time of Inoculation at Flowering and Early Stages of Fruit Development through Fruit Ripening. *Applied dan Environmental Microbiologi* 67(10): 4670-4764.
- Kaur, G.J. and D.S. Arora. 2009. Antibacterial and phytochemical screening of *Anethum graveolens*, *Foeniculum vulgare* and *Trachyspermum ammi*. *BMC Complementary and Alternative Medicine* 9(30): 1-10.
- Khan, M. and D. S. Musharaf. 2014. *Foeniculum vulgare* Mill. A Medicinal Herb. *Medicinal Plant Research*. 4(6): 46-54.
- Knipfer, T.; J. Fei, G.A. Gambetta, A.J. McElrone, K.A. Shackel and M.A. Matthews. 2015. Water Transport Properties of the Grape Pedicel during Fruit Development: Insights into Xylem Anatomy and Function Using Microtomography. *Plant Physiology*. 168: 1590-1602.
- Kooti, E., M. Moradi, S. Ali-Akbar; N. Sharafi-Ahvazi and M. Asadi-Samani. 2015. Thrapeutic and pharmacological potential of *Foeniculum vulgare* Mill.: a review. *J HerbMed Pharmacol*. 4(1): 1-9.
- Leitao, C.A.E. and A.L.Cortelazzo. 2008. An Inexpensive Alternative Equipment for the Plant Material Embedding in the Paraffin under the Vacuum. *Braz. arch. biol. Technol*. 51(5): 1011-1014.
- Maheshwari, P. 1950. *An Introduction to the Embryology of Angiosperms*. McGraw-Hill Book Company, Inc. New York. Pp 84-88. Elsevier Academic Press, Burlington, VT, pp 181–197.
- Marchi, S., R. Togneti, A. Minocci, M. Bhorgi; L. Sebastian. 2008. Variation in mesophyll anatomy and photosynthetic capacity during leaf development in a deciduous mesophyte fruit tree (*Prunus persica*) and an evergreen sclerophyllous Mediterranean shrub (*Olea europaea*). *Trees*. 22: 559-571.
- Matthews, M.A., K.A. Shackel. 2005. *Growth and water transport in fleshy fruit*. In NM Holbrook, MA Zwieniecki, eds, *Vascular Transport in Plant*. Springer. London. pp. 45-49.

- Menglan, S., P. Fading, P. Zehui, M.F. Watson, J.M.F. Cannon, I. Holmes-Smith; E.V Kljuykov; L.R. Phillipe and M.G. Pimenov. 2005. Apiaceae (Umbiliferae). *Flora of China* 14: 1-205.
- Mourao, K.S.M. and C.M. Beltrati, C.M. 2001. Morphology and Anatomy of Developing Fruits and Seed of *Vismia guianensis* (Aubl.) Choisy (Clusiaceae). 2001. *Rev. Brasil. Biol* 61(1): 147-158.
- Pandey, A.K. 2006. *Structure, Development and Reproduction in Flowering Plant*. Bhalgalpur University. Bhalgapur. Pp 4-10.
- Plunkett, G.M., G.T Chandler, P.P. Lowry, S.M. Pinney and T.S. Sprenkle. 2004. Recent advances in understanding Apiales and a revised classification. *South African Journal of Botany* 10(3): 371-381.
- Pool, R.J. 1941. *Flowers and Flowering Plants*. McGraw-Hill Book Company, Inc. pp. 11-24, 268.
- Rancim, D., S.P. Quarrie and I. Pecinar. 2010. Anatomy of tomato fruit and fruit pedicel during fruit development. *FORMATEX* 2010: 851-861.
- Rather, M.A, B.A. Dar, S.N. Shofi, B.A. Bhat and M.A. Qurishi. 2016. *Foeniculum vulgare*: A comprehensive review of its traditional use, phytochemistry, pharmacology, and safety. *Arabian Journal of Chemistry* 9:S1574-S1583.
- Reiser, L. And R.L. Fischer. 1993. The Ovule and the ruang ovulum. *The Plant Cell* 5: 1291-1301.
- Rodriguez-Pontes, M. 2007. Development of megagametophyte, embryo, and seed in *Senna corymbosa* (Lam.) H.S. Irwin & Barneby (Leguminosae – Caesalpinioideae). *Botanical Journal of the Linnean Society* 153: 169-179.
- Senatore, F., F. Oliviero, E. Scandolera, O. Tagliatas-Scafati, G. Roscigno, M. Zaccardeli and E.D. Falco. 2013. Chemical composition, antimicrobial and antioxidant activities of anethole-rich oil from leaves of selected varieties of fennel [*Foeniculum vulgare* Mill. ssp. *vulgare* var. *azoricum* (Mill.) Thell]. *Fitoterapia* 90 (2013): 214-219.
- Seymour, G.B., L. Ostergaard, N.H. Chapman, S. Knapp, C. Martin. 2013. Fruit Development and Ripening. *Annu. Rev. Plant Biol.* 64:219–41.
- Stern, K.R., J.E. Bidlack and S.H. Jansky. 2008. *Introductory Plant Biology* 11th edition. McGraw-Hill. New York.
- Taskin, H., G. Baktemur; M. Kuruland and S. Buyukalaca. 2013. Use of Tissue Culture Techniques for Producing Virus-Free Plant in Garlic and Their

Identification through Real-Time PCR. *Hindawi Publishing Corporation* 2013: 1-5.

- Telci, I., I. Demitras and A. Sahin. 2009. Variation in plant properties and essential oil composition of sweet fennel (*Foeniculum vulgare* Mill.) fruits during stages of maturity. *Industrial Crops and Products* 30: 126-130.
- Urusak, E.A. and C. Kizilarslan. 2013. Fruit anatomy of some *Ferulago* (Apiaceae) species in Turkey. *Turk J Bot* 37: 343-445.
- Winter, P.J.D.; B.E. van Wyk and P.M. Tilney. 1993. The morphology and development of the fruit of *Heteromorpha* (Apiaceae). *S.Afr.J.Bot* 59(3): 336-341.
- Yadegari, R. And G.N. Drews. 2004. Female Gametophyte Development. *Plant Cell* 16: 133-141.
- Zoubiri, S., A. Baaliouamer; N. Seba and Chamouni. 2014. Chemical composition and larvicidal activity of Algerian *Foeniculum vulgare* seed essential oil. *Arabian Journal of Chemistry* 7: 480-485.