UNIVERSITAS
GADJAH MADA
EKSPLORASI GEN KETAHANAN (RPM1, RPS2) DAN BEBERAPA GEN BIOSINTESIS KATEKIN (PAL, DFR, ANS, LAR) PADA KLON TEH (Camellia sinensis) PAGILARAN YANG TERINFEKSI PENYAKIT BLISTER BLIGHT
NANANG WAHYU PRAJAKA, Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc ; Dr. Ir. Rachmad Gunadi, M.Si
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Baby, U. I., Balasubramanian, S., Ajay, D. & Premkumar, R. 2004. Effect of ergosterol biosynthesis inhibitors on blister blight disease, the tea plant and quality of made tea. *Crop Protection*, 23: 795–800

Dangi, J. L dan Jones, D. G. 2001. Plant patogen and integrated defence responses to infection. *Nature*, 411: 826 - 833

Direktorat Jenderal Perkebunan. 2016. Statistik Perkebunan Indonesia. Kementrian Pertanian Indonesia: 3-4

Debode, F., Marien, A., Janssen, E., Bragard, C., and Berben, G. 2017. The influence of amplicon length on real-time PCR result. *Biotechnology, Agronomy, Society and Environment Journal*, 21(1): 1-9

Gadd, C. H., & Loos, C. A. 1948. The basidiospores of Exobasidium vexans. *Transactions of the British Mycological Society*, 31(3): 229–233.

Graham, H.G. 1992. Green Tea Composition, Consumption, and Polyphenol Chemistry. *Preventive Medicine*, 21: 334-350

Grazebrook, J. 2005. Contrasting mechanisms of defense against biotrophic and necrotrophic patogens. *Annual review phytopathology*, 43: 205-227

Greenberg, J T. dan Yao, N. 2004. The role and regulation of programmed cell death in plant-patogen interaction. *Cellular Microbiology*, 6(3): 201-211

Jayaswall, K., Mahajan, P., Singh, G., Parmar, R., Seth, R., Raina, A., Swarnkar, M.K., Singh, A.K., Shankar, R., and Sharma, R.K. 2016. Transcriptome Analysis Reveals Candidate Genes involved in Blister Blight defense in Tea (*Camellia sinensis* (L) Kuntze). *Scientific Report*, 6: 1-14

Jiang, X., Liu, Y., Li, W., Zhao, L., Meng, F., Wang, Y., Tan, H., Yang, H., Wei, C., Wan, X., Gao, L., and Xia, T. 2013. Tissue-Specific, Development-Dependent Phenolic Compounds Accumulation Profile and Gene Expression Pattern in Tea Plant (*Camellia sinensis*). *PlosOne*, 8(4): 1-14

Jones, J. D. G dan Dangi J. L. 2006. The immune system. *Nature*, 444: 323-329

Khan, N dan Mukhtar, H. 2013. Tea and Health: Studies in Humans. *Current Pharmaceutical Design*, 19(34): 6141–6147.

Ku, K.M., Choi, J.M., Kim, J., Kim, J.K., Yoo, L.G. Lee, S.J., Hong, Y., and Lee, C.H. 2010. Metabolomics Analysis Reveals the Compositional Differences of Shade Grown Tea (*Camellia sinensis* L.). *Journal of Agricultural and Food Chemistry*, 58:418-426

UNIVERSITAS GADJAH MADA
EKSPLORASI GEN KETAHANAN (RPM1, RPS2) DAN BEBERAPA GEN BIOSINTESIS KATEKIN (PAL, DFR, ANS, LAR) PADA KLON TEH (Camellia sinensis) PAGILARAN YANG TERINFEKSI PENYAKIT BLISTER BLIGHT
NANANG WAHYU PRAJAKA, Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc ; Dr. Ir. Rachmad Gunadi, M.Si
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Kuang, J., Yan, X., Genders, A. J., Granata, C., and Bishop, D. J. 2018. An overview of technical considerations when using quantitative real-time PCR analysis of gene expression in human exercise research. *PlosOne*, 13(5): 1-27

Koetsier, G., and Cantor, E. 2019. A practical guide to analyzing nucleic acid concentration and purity with microvolume spectrophotometers. *New England Biolabs*: 1-8

Lancaster, V. A. and Keller, S. A review of composite sampling method. *Journal of the American Statistical Association*, 93(433): 1216-1230

Li, C., Zhu, Y., Yu, Y., Zhao, Q., Wang, S., Wang, X., Yao, M., Luo D., Li, X., Chen, L., and Yang, Y. 2015. Global transcriptome and gene regulation network for secondary metabolite biosynthesis of tea plant (*Camellia sinensis*). *BMC Genomics*, 16: 1-21

Li, Q., Li, J., Liu, S., Huang, J., Lin, H., Wang, K., Cheng, X., and Liu, Z. A. 2015. Comparative Proteomic Analysis of the Buds and the Young Expanding Leaves of the Tea Plant (*Camellia sinensis* L.). *International Journal of Molecular Sciences*, 16: 14007-14038

Liu, M., Tian, H., Wu, J., Cang, R., Wang, R., Qi, X., Xu, Q., and Chen X. 2015. Relationship between gene expression and the accumulation of catechin during spring and autumn in tea plants (*Camellia sinensis* L). *Horticulture Research*, 2:1-8

Livak, K.J. and Schmittgen, T.D., 2001. Analysis of relative gene expression data using real time quantitative PCR and the $2^{-\Delta\Delta Ct}$ method. *Methods*, 25:402-408

Manchester, K. L. 1996. Use of UV methods for measurement of protein and nucleic acid concentrations. *BioTechniques*, 20: 968-970

Nicot, N., Hausmen, J., Hoffmann, L and Evers, D. 2005. Housekeeping gene selection for real-time RT-PCR normalization in potato during biotic and abiotic stress. *Journal of Experimental Botany*, 56(421): 2907-2914

Nisha, S. M., Prabu, G., and Mandal, A. K. 2018. Biochemical and Molecular studies on the resistance mechanisms in tea (*Camellia sinensis*) against blister blight disease. *Physiology and Molecular Biology of Plants journal* : 1-14

Nonis, S., Scortegagna, M., Nonis, A., and Ruperti, B., 2011. Prato: A web-tool to select optimal primer pairs for qPCR. *Biochemical and Biophysical Research Communications*, 415: 707-708

UNIVERSITAS GADJAH MADA
EKSPLORASI GEN KETAHANAN (RPM1, RPS2) DAN BEBERAPA GEN BIOSINTESIS KATEKIN (PAL, DFR, ANS, LAR) PADA KLON TEH (Camellia sinensis) PAGILARAN YANG TERINFEKSI PENYAKIT BLISTER BLIGHT
NANANG WAHYU PRAJAKA, Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc ; Dr. Ir. Rachmad Gunadi, M.Si
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Punyasiri, P.A.N., Abeysinghe, I.S.B., Kumar, V., 2001. Chemical and biochemical basis of the resistance and susceptibility of Sri Lankan tea cultivars to blister blight leaf disease (*Exobasidium vexans*). In: Proceedings of International Symposium on Tea Culture, October 4–9, Shizuoka, Japan, pp. 94–97.

Punyasiri, P.A.N., Abeysinghe, I.S.B and Kumar, V. 2005. Preformed and induced chemical resistance of tea leaf against *Exobasidium vexans* infection. *Journal of Chemical Ecology,* 31(6): 1315-1324

Punyasiri, P.A., Tanner, G.J., Abeysinghe, S.B., Kumar, V., Campbell, P.M., and Pradeepa, N.H.L. 2004. *Exobasidium vexans* infection of *Camellia sinensis* increased 2,3-cis isomerisation and gallate esterification of proanthocyanidins. *Phytochemistry,* 65: 2987-2994.

Sambrook J & Russel DW. 1989. Molecular Cloning: A Laboratory Manual 3rd Ed. Volume 3. New York: Cold Spring Harbour.

Saravanakumar, D., Vijayakumar, C., Kumar, N. and Samiyappan, R. 2007. PGPR-induced defense responses in the tea plant against blister blight disease. *Crop Protection,* 26: 556–565

Shi, C., Yang, H., Wei, C., Yu, O., Zhang, Z., Jiang, C., Sun, J., Li, Y., Chen, Q., and Wan, X. 2011. Deep sequencing of the *Camellia sinensis* transcriptome revealed candidate genes for major metabolic pathways of tea-specific compounds. *BMC Genomics,* 12: 1-19

Singh, K., Rani, A., Kumar, S., Sood, P., Mahajan, M., Yadav, S.K., Singh, B., and Ahuja, P.S. 2008. An early gene of the flavonoid pathway, flavanone 3-hydroxylase, exhibits a positive relationship with the concentration of catechins in tea (*Camellia sinensis*). *Tree Physiology,* 28: 1349–1356

Sinniah, G.D., Kumara, K.L.W., Karunajeewa, D.G.N.P., and Ranatunga, M.A.B. 2016. Development of an assessment key and techniques for field screening of tea (*Camellia sinensis* L) cultivar for resistance to blister blight. *Crop Protection,* 79: 143-149

Sugiono. 2013. Metode penelitian kuantitatif, kualitatif dan R&D. *Alfabeta,* 19: 218-129

Wang, M., Li, Q., Xin, h., Chem, X., Zhu, X., and Li, X. 2017. Reliable reference genes for normalization of gene expression data in tea plants (*Camellia sinensis*) exposed to metal stresses. *PlosOne,* 12(4): 1-13

Wang, Y., Tang, L., Hou, Y., Wang, P., Yang, H., and Wei, C. 2016. Differential transcriptome analysis of leaves of tea plant (*Camellia sinensis*) provides comprehensive insights into the defense responses to Ectropis oblique attack using RNA-Seq. *Funct Integr Genomics,* 16:383–398

UNIVERSITAS
GADJAH MADA
EKSPLORASI GEN KETAHANAN (RPM1, RPS2) DAN BEBERAPA GEN BIOSINTESIS KATEKIN (PAL, DFR, ANS, LAR) PADA KLON TEH (Camellia sinensis) PAGILARAN YANG TERINFEKSI PENYAKIT BLISTER BLIGHT
NANANG WAHYU PRAJAKA, Prof. Dr. Ir. Siti Subandiyah, M.Agr.Sc ; Dr. Ir. Rachmad Gunadi, M.Si
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Wang, Y.S., Gao, L.P., Shan, Y. 2012. Influence of shade on flavonoid biosynthesis in tea (*Camellia sinensis* (L.) O.Kuntze). *Scientia Horticulturae*, 141: 7–16

Xiong, L., Li, J., Li, Y., Yuan, L., Liu, S., Huang, J., and Liu, Z. 2013. Dynamic changes in catechin levels and catechin biosynthesis-related gene expression in albino tea plants (*Camellia sinensis* L.). *Plant Physiology and Biochemistry*, 71: 132-143

Zhang, L., Wei, K., Cheng, H., Wang, L., and Zhang, C. 2016. Accumulation of catechins and expression of catechin synthetic genes in *Camellia sinensis* at different developmental stages. *Botanical Studies*, 57(31): 1-8

Zhang, Q., Liu, M., and Ruan, J. 2017. Metabolomics analysis reveals the metabolic and functional roles of flavonoids in light-sensitive tea leaves. *BMC Plant Biology*, 17(64): 1-10