

## DAFTAR PUSTAKA

- Abbaspour, M., Jalayer, N., dan Sharif Makhmalzadeh, B., 2014. Development and Evaluation of a Solid Self-Nanoemulsifying Drug Delivery System for Loratadin by Extrusion-Spheronization. *Advanced Pharmaceutical Bulletin*, **4**: 113–119.
- Adhikari, C., Mishra, A., Nayak, D., dan Chakraborty, A., 2018. Drug delivery system composed of mesoporous silica and hollow mesoporous silica nanospheres for chemotherapeutic drug delivery. *Journal of Drug Delivery Science and Technology*, **45**: 303–314.
- Agrawal, A.G., Kumar, A., dan Gide, P.S., 2015. Formulation of solid self-nanoemulsifying drug delivery systems using N-methyl pyrrolidone as cosolvent. *Drug Development and Industrial Pharmacy*, **41**: 594–604.
- Ainurofiq, A. dan Choiri, S., 2018. Development and optimization of a meloxicam/ $\beta$ -cyclodextrin complex for orally disintegrating tablet using statistical analysis. *Pharmaceutical Development and Technology*, **23**: 464–475.
- Al-Khattawi, A., Koner, J., Rue, P., Kirby, D., Perrie, Y., Rajabi-Siahboomi, A., dkk., 2015. A pragmatic approach for engineering porous mannitol and mechanistic evaluation of particle performance. *European Journal of Pharmaceutics and Biopharmaceutics*, **94**: 1–10.
- Anderson, Mark.J. dan Whitcomb, P.J., 2015. *DOE Simplified: Practical Tools for Effective Experimentation, Third Edition*, Third. ed. CRC Press, Taylor & Francis Group, New York.
- Armstrong, 2006. *Pharmaceutical Experimental Design and Interpretation, Second Edition*. CRC Press, New York.
- Badawy, M.E.I., Saad, A.-F.S.A., Tayeb, E.-S.H.M., Mohammed, S.A., dan Abd-Elnabi, A.D., 2017. Optimization and characterization of the formation of oil-in-water diazinon nanoemulsions: Modeling and influence of the oil phase, surfactant and sonication. *Journal of Environmental Science and Health, Part B*, **52**: 896–911.
- Badawy, S.I.F., Narang, A.S., LaMarche, K.R., Subramanian, G.A., Varia, S.A., Lin, J., dkk., 2016. Integrated Application of Quality-by-Design Principles to Drug Product Development: A Case Study of Brivanib Alaninate Film-Coated Tablets. *Journal of Pharmaceutical Sciences*, **105**: 168–181.
- Balakrishnan, P., Lee, B.-J., Oh, D.H., Kim, J.O., Lee, Y.-I., Kim, D.-D., dkk., 2009. Enhanced oral bioavailability of Coenzyme Q10 by self-emulsifying drug delivery systems. *International Journal of Pharmaceutics*, **374**: 66–72.
- Bali, V., Ali, M., dan Ali, J., 2010. Study of surfactant combinations and development of a novel nanoemulsion for minimising variations in bioavailability of ezetimibe. *Colloids and Surfaces B: Biointerfaces*, **76**: 410–420.
- Bali, V., Ali, M., dan Ali, J., 2011. Nanocarrier for the enhanced bioavailability of a cardiovascular agent: In vitro, pharmacodynamic, pharmacokinetic and stability assessment. *International Journal of Pharmaceutics*, **403**: 46–56.



- Bandyopadhyay, S., Katare, O.P., dan Singh, B., 2014. Development of optimized supersaturable self-nanoemulsifying systems of ezetimibe: effect of polymers and efflux transporters. *Expert Opinion on Drug Delivery*, **11**: 479–492.
- Bansal, T., Mustafa, G., Khan, Z.I., Ahmad, F.J., Khar, R.K., dan Talegaonkar, S., 2008. Solid self-nanoemulsifying delivery systems as a platform technology for formulation of poorly soluble drugs. *Critical Reviews in Therapeutic Drug Carrier Systems*, **25**: 63–116.
- Başpınar, Y., Gündoğdu, E., Köksal, Ç., dan Karasulu, E., 2015. Pitavastatin-containing nanoemulsions: Preparation, characterization and in vitro cytotoxicity. *Journal of Drug Delivery Science and Technology*, **29**: 117–124.
- Beg, S., Katare, O.P., dan Singh, B., 2017. Formulation by design approach for development of ultrafine self-nanoemulsifying systems of rosuvastatin calcium containing long-chain lipophiles for hyperlipidemia management. *Colloids and Surfaces B: Biointerfaces*, **159**: 869–879.
- Biswas, A., Das, P., dan Mandal, N.K., 2017. Factorial designs robust against the presence of an aberration. *Statistics & Probability Letters*, **129**: 326–334.
- Bolton, S. dan Bon, C., 2004. *Pharmaceutical Statistics: Practical and Clinical Application*, 4th ed. Marcel Dekker, New York.
- Cacua, K., Buitrago-Sierra, R., Herrera, B., Chejne, F., dan Pabón, E., 2017. Influence of different parameters and their coupled effects on the stability of alumina nanofluids by a fractional factorial design approach. *Advanced Powder Technology*, **28**: 2581–2588.
- Callender, S.P., Mathews, J.A., Kobernyk, K., dan Wettig, S.D., 2017. Microemulsion utility in pharmaceuticals: Implications for multi-drug delivery. *International Journal of Pharmaceutics*, **526**: 425–442.
- Chang, S.H., Teng, T.T., dan Ismail, N., 2011. Screening of factors influencing Cu(II) extraction by soybean oil-based organic solvents using fractional factorial design. *Journal of Environmental Management*, **92**: 2580–2585.
- Chavan, R.B., Modi, S.R., dan Bansal, A.K., 2015. Role of solid carriers in pharmaceutical performance of solid supersaturable SEDDS of celecoxib. *International Journal of Pharmaceutics*, **495**: 374–384.
- Chhabra, G., Chuttani, K., Mishra, A.K., dan Pathak, K., 2011. Design and development of nanoemulsion drug delivery system of amlodipine besilate for improvement of oral bioavailability. *Drug Development and Industrial Pharmacy*, **37**: 907–916.
- Choiri, S., Sulaiman, T.N.S., dan Kuncahyo, I., 2014. Optimization and assessing the influence of xanthan gum, effervescent components and hardness on floatation behavior and drug release of gastro-floating captopril tablet. *Indonesian Journal of Pharmacy*, **25**: 255–264.
- Chowdhury, I. dan Gortler, D., 2009. *Pitavastatin (Livalo)*. Center For Drug Evaluation And Research. NDA, USA.
- Christophersen, P.C., Christiansen, M.L., Holm, R., Kristensen, J., Jacobsen, J., Abrahamsson, B., dkk., 2014. Fed and fasted state gastro-intestinal in vitro

lipolysis: In vitro in vivo relations of a conventional tablet, a SNEDDS and a solidified SNEDDS. *European Journal of Pharmaceutical Sciences*, **57**: 232–239.

- Cirri, M., Roghi, A., Valleri, M., dan Mura, P., 2016. Development and characterization of fast-dissolving tablet formulations of glyburide based on solid self-microemulsifying systems. *European Journal of Pharmaceutics and Biopharmaceutics*, **104**: 19–29.
- Date, A.A. dan Nagarsenker, M.S., 2007. Design and evaluation of self-nanoemulsifying drug delivery systems (SNEDDS) for cefpodoxime proxetil. *International Journal of Pharmaceutics*, **329**: 166–172.
- Fahmy, U.A., Ahmed, O.A.A., dan Hosny, K.M., 2014. Development and Evaluation of Avanafil Self-nanoemulsifying Drug Delivery System with Rapid Onset of Action and Enhanced Bioavailability. *AAPS PharmSciTech*, **16**: 53–58.
- Fatharoni, A., 2014. *Formulasi Snedds Simvastatin Menggunakan Surfaktan Tween 80 Dan Ko-Surfaktan Peg 400*. Fakultas Farmasi, Universitas Gadjah Mada., Yogyakarta.
- Feeney, O.M., Crum, M.F., McEvoy, C.L., Trevaskis, N.L., Williams, H.D., Pouton, C.W., dkk., 2016. 50 years of oral lipid-based formulations: Provenance, progress and future perspectives. *Advanced Drug Delivery Reviews*, , Understanding the challenges of beyond-rule-of-5 compounds **101**: 167–194.
- Fernandez, S., Jannin, V., Rodier, J.-D., Ritter, N., Mahler, B., dan Carrière, F., 2007. Comparative study on digestive lipase activities on the self emulsifying excipient Labrasol, medium chain glycerides and PEG esters. *Biochimica Et Biophysica Acta*, **1771**: 633–640.
- Fudholi, A., 2013. *Disolusi Dan Pelepasan Obat In Vitro*. Pustaka Pelajar, Yogyakarta.
- Garcês, A., Amaral, M.H., Sousa Lobo, J.M., dan Silva, A.C., 2018. Formulations based on solid lipid nanoparticles (SLN) and nanostructured lipid carriers (NLC) for cutaneous use: A review. *European Journal of Pharmaceutical Sciences*, **112**: 159–167.
- Garg, V., Kaur, P., Singh, S.K., Kumar, B., Bawa, P., Gulati, M., dkk., 2017. Solid self-nanoemulsifying drug delivery systems for oral delivery of polypeptide-k: Formulation, optimization, in-vitro and in-vivo antidiabetic evaluation. *European Journal of Pharmaceutical Sciences*, **109**: 297–315.
- Griesser, J., Hetényi, G., Kadas, H., Demarne, F., Jannin, V., dan Bernkop-Schnürch, A., 2018. Self-emulsifying peptide drug delivery systems: How to make them highly mucus permeating. *International Journal of Pharmaceutics*, **538**: 159–166.
- Gundogdu, E., Baspinar, Y., Koksall, C., Ince, I., dan Karasulu, E., 2013. A Microemulsion for the Oral Drug Delivery of Pitavastatin. *Pharmaceutica Analytica Acta*, **4**: .
- Gupta, S., Chavhan, S., dan Sawant, K.K., 2011. Self-nanoemulsifying drug delivery system for adefovir dipivoxil: Design, characterization, in vitro and ex vivo evaluation. *Colloids and surfaces*, .
- Hashem, F.M., Al-Sawahli, M.M., Nasr, M., dan Ahmed, O.A., 2015. Custom fractional factorial designs to develop atorvastatin self-nanoemulsifying and nanosuspension

delivery systems – enhancement of oral bioavailability. *Drug Design, Development and Therapy*, **9**: 3141.

Hassan, T.H., Metz, H., dan Mäder, K., 2014. Novel semisolid SNEDDS based on PEG-30-dipolyhydroxystearate: Development and characterization. *International Journal of Pharmaceutics*, **477**: 506–518.

International Conference on Harmonisation, 1996. Guidance for Industry Q2B Validation of Analytical Procedures: Methodology.

Inugala, S., Eedara, B.B., Sunkavalli, S., Dhurke, R., Kandadi, P., Jukanti, R., dkk., 2015. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) of darunavir for improved dissolution and oral bioavailability: In vitro and in vivo evaluation. *European Journal of Pharmaceutical Sciences*, **74**: 1–10.

Jaiswal, M., Dudhe, R., dan Sharma, P.K., 2015. Nanoemulsion: an advanced mode of drug delivery system. *3 Biotech*, **5**: 123–127.

Jeevana, J.B. dan Sreelakshmi, K., 2011. Design and Evaluation of Self-Nanoemulsifying Drug Delivery System of Flutamide. *Journal of Young Pharmacists : JYP*, **3**: 4–8.

Jin, L., Huang, Q.-J., Zeng, H.-Y., Du, J.-Z., Xu, S., dan Chen, C.-R., 2019. Hydrotalcite-gated hollow mesoporous silica delivery system for controlled drug release. *Microporous and Mesoporous Materials*, **274**: 304–312.

Kalepu, S., Manthina, M., dan Padavala, V., 2013. Oral lipid-based drug delivery systems – an overview. *Acta Pharmaceutica Sinica B*, **3**: 361–372.

Kalepu, S. dan Nekkanti, V., 2016. Improved delivery of poorly soluble compounds using nanoparticle technology: a review. *Drug Delivery and Translational Research*, **6**: 319–332.

Kaneko, K., 1994. Determination of pore size and pore size distribution: 1. Adsorbents and catalysts. *Journal of Membrane Science*, **96**: 59–89.

Kang, J.H., Oh, D.H., Oh, Y.-K., Yong, C.S., dan Choi, H.-G., 2012. Effects of solid carriers on the crystalline properties, dissolution and bioavailability of flurbiprofen in solid self-nanoemulsifying drug delivery system (solid SNEDDS). *European Journal of Pharmaceutics and Biopharmaceutics*, **80**: 289–297.

Khan, A.W., Kotta, S., Ansari, S.H., Sharma, R.K., dan Ali, J., 2015. Self-nanoemulsifying drug delivery system (SNEDDS) of the poorly water-soluble grapefruit flavonoid Naringenin: design, characterization, in vitro and in vivo evaluation. *Drug Delivery*, **22**: 552–561.

Kovacevic, A., Savic, S., Vuleta, G., Müller, R.H., dan Keck, C.M., 2011. Polyhydroxy surfactants for the formulation of lipid nanoparticles (SLN and NLC): Effects on size, physical stability and particle matrix structure. *International Journal of Pharmaceutics*, **406**: 163–172.

Kuncahyo, I., Choiri, S., dan Fudholi, A., 2019. Solidification of meloxicam SNEDDS formulation incorporated into soluble and insoluble carriers using freeze drying method. *Article in Press*, .



Kurogi, K., Sugiyama, S., Sakamoto, K., Tayama, S., Nakamura, S., Biwa, T., dkk., 2013. Comparison of pitavastatin with atorvastatin in increasing HDL-cholesterol and adiponectin in patients with dyslipidemia and coronary artery disease: The COMPACT-CAD study. *Journal of Cardiology*, **62**: 87–94.

Lefebvre, G., Riou, J., Bastiat, G., Roger, E., Frombach, K., Gimel, J.-C., dkk., 2017. Spontaneous nano-emulsification: Process optimization and modeling for the prediction of the nanoemulsion's size and polydispersity. *International Journal of Pharmaceutics*, **534**: 220–228.

Littringer, E.M., Mescher, A., Schroettner, H., Achelis, L., Walzel, P., dan Urbanetz, N.A., 2012. Spray dried mannitol carrier particles with tailored surface properties – The influence of carrier surface roughness and shape. *European Journal of Pharmaceutics and Biopharmaceutics*, **82**: 194–204.

Livalo, 2013. *Livalo (Pitavastatin) Tablet 1 Mg, 2 Mg, and 4 Mg*. Kowa Pharmaceuticals America, USA.

Mahmoud, E.A., Bendas, E.R., dan Mohamed, M.I., 2009. Preparation and Evaluation of Self-nanoemulsifying Tablets of Carvedilol. *AAPS PharmSciTech*, **10**: 183–192.

Makadia, H.A., Bhatt, A.Y., Parmar, R.B., Paun, J.S., dan Tank, H.M., 2013. Self-nano Emulsifying Drug Delivery System (SNEDDS): Future Aspects. *Asian Journal of Pharmaceutical Research*, **3**: 21–27.

Mangal, S., Gengenbach, T., Millington-Smith, D., Armstrong, B., Morton, D.A.V., dan Larson, I., 2016. Relationship between the cohesion of guest particles on the flow behaviour of interactive mixtures. *European Journal of Pharmaceutics and Biopharmaceutics*, **102**: 168–177.

Masana, L., 2010. Pitavastatin - from clinical trials to clinical practice. *Atherosclerosis Supplements*, **11**: 15–22.

Montgomery, D.C., 2013. *Design and Analysis of Experiments*, 8th edition. ed. John Wiley & Sons, Inc, Hoboken, NJ.

Mu, H., Holm, R., dan Müllertz, A., 2013. Lipid-based formulations for oral administration of poorly water-soluble drugs. *International Journal of Pharmaceutics*, , Poorly Soluble Drugs **453**: 215–224.

Mukhtar, R., Reid, J., dan Reckless, J., 2005. Pitavastatin. *International Journal of Clinical Practice*, **59**: 239–252.

Mustapha, O., Kim, K.S., Shafique, S., Kim, D.S., Jin, S.G., Seo, Y.G., dkk., 2017. Development of novel cilostazol-loaded solid SNEDDS using a SPG membrane emulsification technique: Physicochemical characterization and in vivo evaluation. *Colloids and Surfaces B: Biointerfaces*, **150**: 216–222.

Nazari-Vanani, R., Azarpira, N., Heli, H., Karimian, K., dan Sattarahmady, N., 2017. A novel self-nanoemulsifying formulation for sunitinib: Evaluation of anticancer efficacy. *Colloids and Surfaces B: Biointerfaces*, **160**: 65–72.

Nejadmansouri, M., Hosseini, S.M.H., Niakosari, M., Yousefi, G.H., dan Golmakani, M.T., 2016. Physicochemical properties and oxidative stability of fish oil nanoemulsions as affected by hydrophilic lipophilic balance, surfactant to oil ratio

- Neslihan Gursoy, R. dan Benita, S., 2004. Self-emulsifying drug delivery systems (SEDDS) for improved oral delivery of lipophilic drugs. *Biomedicine & Pharmacotherapy*, **58**: 173–182.
- Oda, S., Nagahama, R., Nakano, K., Matoba, T., Kubo, M., Sunagawa, K., dkk., 2010. Nanoparticle-mediated endothelial cell-selective delivery of pitavastatin induces functional collateral arteries (therapeutic arteriogenesis) in a rabbit model of chronic hind limb ischemia. *Journal of Vascular Surgery*, **52**: 412–420.
- Oh, D.H., Balakrishnan, P., Oh, Y.-K., Kim, D.-D., Yong, C.S., dan Choi, H.-G., 2011a. Effect of process parameters on nanoemulsion globul size and distribution in SPG membrane emulsification. *International Journal of Pharmaceutics*, **404**: 191–197.
- Oh, D.H., Kang, J.H., Kim, D.W., Lee, B.-J., Kim, J.O., Yong, C.S., dkk., 2011b. Comparison of solid self-microemulsifying drug delivery system (solid SMEDDS) prepared with hydrophilic and hydrophobic solid carrier. *International Journal of Pharmaceutics*, **420**: 412–418.
- Parikh, A., Kathawala, K., Tan, C.C., Garg, S., dan Zhou, X.-F., 2016. Development of a novel oral delivery system of edaravone for enhancing bioavailability. *International Journal of Pharmaceutics*, **515**: 490–500.
- Parmar, K., Patel, J., dan Sheth, N., 2015. Self nano-emulsifying drug delivery system for Embelin: Design, characterization and in-vitro studies. *Asian Journal of Pharmaceutical Sciences*, **10**: 396–404.
- Parmar, N., Singla, N., Amin, S., dan Kohli, K., 2011. Study of cosurfactant effect on nanoemulsifying area and development of lercanidipine loaded (SNEDDS) self nanoemulsifying drug delivery system. *Colloids and Surfaces B: Biointerfaces*, **86**: 327–338.
- Patel, A.R. dan Vavia, P.R., 2007. Preparation and in vivo evaluation of SMEDDS (self-microemulsifying drug delivery system) containing fenofibrate. *The AAPS journal*, **9**: E344-352.
- Patel, R.B., Patel, M.R., Bhatt, K.K., dan Patel, B.G., 2013. Risperidone-Loaded Mucoadhesive Microemulsion for Intranasal Delivery: Formulation Development, Physicochemical Characterization and Ex Vivo Evaluation. *Journal of Drug Delivery Science and Technology*, **23**: 561–567.
- Patil, P., Patil, V., dan Paradkar, A., 2007. Formulation of a self-emulsifying system for oral delivery of simvastatin: in vitro and in vivo evaluation. *Acta Pharmaceutica (Zagreb, Croatia)*, **57**: 111–122.
- Peng, T., Zhang, X., Huang, Y., Zhao, Z., Liao, Q., Xu, J., dkk., 2017. Nanoporous mannitol carrier prepared by non-organic solvent spray drying technique to enhance the aerosolization performance for dry powder inhalation. *Scientific Reports*, **7**: 1–11.
- Pengon, S., Chinatangkul, N., Limmatvapirat, C., dan Limmatvapirat, S., 2018. The effect of surfactant on the physical properties of coconut oil nanoemulsions. *Asian*

- Pomázi, A., Ambrus, R., Sipos, P., dan Szabó-Révész, P., 2011. Analysis of co-spray-dried meloxicam–mannitol systems containing crystalline microcomposites. *Journal of Pharmaceutical and Biomedical Analysis*, **56**: 183–190.
- Pouton, C.W., 2000. Lipid formulations for oral administration of drugs: non-emulsifying, self-emulsifying and ‘self-microemulsifying’ drug delivery systems. *European Journal of Pharmaceutical Sciences*, , *Frontiers in Biopharmacy* **11**: S93–S98.
- Pouton, C.W., 2006. Formulation of poorly water-soluble drugs for oral administration: Physicochemical and physiological issues and the lipid formulation classification system. *European Journal of Pharmaceutical Sciences*, **29**: 278–287.
- Prabhu, S., Ortega, M., dan Ma, C., 2005. Novel lipid-based formulations enhancing the in vitro dissolution and permeability characteristics of a poorly water-soluble model drug, piroxicam. *International Journal of Pharmaceutics*, **301**: 209–216.
- Qian, J., Meng, H., Xin, L., Xia, M., Shen, H., Li, G., dkk., 2017. Self-nanoemulsifying drug delivery systems of myricetin: Formulation development, characterization, and in vitro and in vivo evaluation. *Colloids and Surfaces B: Biointerfaces*, **160**: 101–109.
- Rahman, M.A., Mujahid, M., Rahman, M.A., dan Mujahid, M., 2018. Development of self-nanoemulsifying tablet (SNET) for bioavailability enhancement of sertraline. *Brazilian Journal of Pharmaceutical Sciences*, **54**: e17232.
- Rehman, F.U., Shah, K.U., Shah, S.U., Khan, I.U., Khan, G.M., dan Khan, A., 2017. From nanoemulsions to self-nanoemulsions, with recent advances in self-nanoemulsifying drug delivery systems (SNEDDS). *Expert Opinion on Drug Delivery*, **14**: 1325–1340.
- Rowe, R., Sheskey, P., Cook, W., dan Quinn, M., 2009. *Handbook of Pharmaceutical Excipients*. Pharmaceutical Press and American Pharmacist Association., USA.
- Ruckmani, K. dan Sankar, V., 2010. Formulation and Optimization of Zidovudine Niosomes. *AAPS PharmSciTech*, **11**: 1119–1127.
- Saffari, M., Ebrahimi, A., dan Langrish, T., 2016a. Nano-confinement of acetaminophen into porous mannitol through adsorption method. *Microporous and Mesoporous Materials*, **227**: 95–103.
- Saffari, M., Ebrahimi, A., dan Langrish, T., 2016b. A novel formulation for solubility and content uniformity enhancement of poorly water-soluble drugs using highly-porous mannitol. *European Journal of Pharmaceutical Sciences*, **83**: 52–61.
- Salleh, E.M., Zuhailawati, H., Ramakrishnan, S., dan Gepreel, M.A.-H., 2015. A statistical prediction of density and hardness of biodegradable mechanically alloyed Mg–Zn alloy using fractional factorial design. *Journal of Alloys and Compounds*, **644**: 476–484.
- Shahba, A.A.-W., Mohsin, K., dan Alanazi, F.K., 2012. Novel Self-Nanoemulsifying Drug Delivery Systems (SNEDDS) for Oral Delivery of Cinnarizine: Design, Optimization, and In-Vitro Assessment. *AAPS PharmSciTech*, **13**: 967–977.



- Shakeel, F., Raish, M., Anwer, Md.K., dan Al-Shdefat, R., 2016. Self-nanoemulsifying drug delivery system of sinapic acid: In vitro and in vivo evaluation. *Journal of Molecular Liquids*, **224**: 351–358.
- Shanmugam, S., Baskaran, R., Balakrishnan, P., Thapa, P., Yong, C.S., dan Yoo, B.K., 2011. Solid self-nanoemulsifying drug delivery system (S-SNEDDS) containing phosphatidylcholine for enhanced bioavailability of highly lipophilic bioactive carotenoid lutein. *European Journal of Pharmaceutics and Biopharmaceutics*, **79**: 250–257.
- Sharma, P., Singh, S.K., Pandey, N.K., Rajesh, S.Y., Bawa, P., Kumar, B., dkk., 2018. Impact of solid carriers and spray drying on pre/post-compression properties, dissolution rate and bioavailability of solid self-nanoemulsifying drug delivery system loaded with simvastatin. *Powder Technology*, **338**: 836–846.
- Shen, J., He, Q., Gao, Y., Shi, J., dan Li, Y., 2011. Mesoporous silica nanoparticles loading doxorubicin reverse multidrug resistance: performance and mechanism. *Nanoscale*, **3**: 4314.
- Shrivastava, A.R., Ursekar, B., dan Kapadia, C.J., 2009. Design, optimization, preparation and evaluation of dispersion granules of valsartan and formulation into tablets. *Current Drug Delivery*, **6**: 28–37.
- Singh, A.K., Chaurasiya, A., Awasthi, A., Mishra, G., Asati, D., Khar, R.K., dkk., 2009. Oral bioavailability enhancement of exemestane from self-microemulsifying drug delivery system (SMEDDS). *AAPS PharmSciTech*, **10**: 906–916.
- Singh, S.K., Verma, P.R.P., dan Razdan, B., 2010. Development and characterization of a lovastatin-loaded self-microemulsifying drug delivery system. *Pharmaceutical Development and Technology*, **15**: 469–483.
- Singh, Y., Meher, J.G., Raval, K., Khan, F.A., Chaurasia, M., Jain, N.K., dkk., 2017. Nanoemulsion: Concepts, development and applications in drug delivery. *Journal of Controlled Release*, **252**: 28–49.
- Sinko, J.P., 2011. *Martin's Physical Pharmacy and Pharmaceutical Science: Physical Chemical and Biopharmaceutical Principles in the Pharmaceutical Science*, 6th ed. Lippincott Williams & Wilkins, a Wolters Kluwer, New York.
- Sman, R.G.M. van der, 2017. Predicting the solubility of mixtures of sugars and their replacers using the Flory–Huggins theory. *Food & Function*, **8**: 360–371.
- Solans, C., Morales, D., dan Homs, M., 2016. Spontaneous emulsification. *Current Opinion in Colloid & Interface Science*, **22**: 88–93.
- Solans, C. dan Sole, I., 2012. Nano-emulsions: Formation by low-energy methods. *Current Opinion in Colloid & Interface Science*, **17**: 246–254.
- StatEase, 2016. Design Expert Version 10: Tutorial.
- Sulhiyowati Soebagy, S. dan Stewart, P.J., 1985. The effect of cohesive and non-cohesive ternary components on the homogeneity and stability of a prednisolone interactive mixture. *International Journal of Pharmaceutics*, **25**: 225–236.



UNIVERSITAS  
GADJAH MADA

**SEDIAAN SOLID SELF NANO EMULSIFYING DRUG DELIVERY SYSTEM (S-SNEDDS) PITAVASTATIN  
TERINKOPORASI  
PEMBAWA MANITOL MESOPOROUS**

ILHAM KUNCAHYO, Prof.Dr. Achmad Fudholi, DEA., Apt

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

- Szegedi, A., Shestakova, P., Trendafilova, I., Mihayi, J., Tsacheva, I., Mitova, V., dkk., 2019. Modified mesoporous silica nanoparticles coated by polymer complex as novel curcumin delivery carriers. *Journal of Drug Delivery Science and Technology*, **49**: 700–712.
- Tang, B., Cheng, G., Gu, J.-C., dan Xu, C.-H., 2008. Development of solid self-emulsifying drug delivery systems: preparation techniques and dosage forms. *Drug Discovery Today*, **13**: 606–612.
- Tzankov, B., Voycheva, C., Aluani, D., Yordanov, Y., Avramova, K., Tzankova, V., dkk., 2019. Improvement of dissolution of poorly soluble glimepiride by loading on two types of mesoporous silica carriers. *Journal of Solid State Chemistry*, **271**: 253–259.
- USP, 2017. The Dissolution Procedure: Development and Validation, dalam: *United States Pharmacopoeia 40-National Formulary 35*. The United States Pharmacopoeial Convention, Rockville, Maryland, USA, hal. 1292–1316.
- Vallet-Regí, M., Balas, F., dan Arcos, D., 2007. Mesoporous Materials for Drug Delivery. *Angewandte Chemie International Edition*, **46**: 7548–7558.
- Vallet-Regí, M., Rámila, A., del Real, R.P., dan Pérez-Pariente, J., 2001. A New Property of MCM-41: Drug Delivery System. *Chemistry of Materials*, **13**: 308–311.
- Vasconcelos, T., Marques, S., dan Sarmiento, B., 2018. Measuring the emulsification dynamics and stability of self-emulsifying drug delivery systems. *European Journal of Pharmaceutics and Biopharmaceutics*, **123**: 1–8.
- Veber, D.F., Johnson, S.R., Cheng, H.-Y., Smith, B.R., Ward, K.W., dan Kopple, K.D., 2002. Molecular properties that influence the oral bioavailability of drug candidates. *Journal of Medicinal Chemistry*, **45**: 2615–2623.
- Vialpando, M., Albertini, B., Passerini, N., Bergers, D., Rombaut, P., Martens, J.A., dkk., 2013. Agglomeration of Mesoporous Silica by Melt and Steam Granulation. Part I: A Comparison Between Disordered and Ordered Mesoporous Silica. *Journal of Pharmaceutical Sciences*, **102**: 3966–3977.
- Villar, A.M.S., Naveros, B.C., Campmany, A.C.C., Trenchs, M.A., Rocabert, C.B., dan Bellowa, L.H., 2012. Design and optimization of self-nanoemulsifying drug delivery systems (SNEDDS) for enhanced dissolution of gemfibrozil. *International Journal of Pharmaceutics*, **431**: 161–175.
- Wang, Y., Wang, C., Zhao, J., Ding, Y., dan Li, L., 2017. A cost-effective method to prepare curcumin nanosuspensions with enhanced oral bioavailability. *Journal of Colloid and Interface Science*, **485**: 91–98.
- Weerapol, Y., Limmatvapirat, S., Nunthanid, J., dan Sriamornsak, P., 2014. Self-Nanoemulsifying Drug Delivery System of Nifedipine: Impact of Hydrophilic–Lipophilic Balance and Molecular Structure of Mixed Surfactants. *AAPS PharmSciTech*, **15**: 456–464.
- Younes, I., Ghorbel-Bellaaj, O., Chaabouni, M., Rinaudo, M., Souard, F., Vanhaverbeke, C., dkk., 2014. Use of a fractional factorial design to study the effects of experimental factors on the chitin deacetylation. *International Journal of Biological Macromolecules*, **70**: 385–390.



**SEDIAAN SOLID SELF NANO EMULSIFYING DRUG DELIVERY SYSTEM (S-SNEDDS) PITAVASTATIN  
TERINKOPORASI  
PEMBAWA MANITOL MESOPOROUS**

ILHAM KUNCAHYO, Prof.Dr. Achmad Fudholi, DEA., Apt

UNIVERSITAS  
GADJAH MADA

Universitas Gadjah Mada, 2019 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Yu, L.X., Amidon, G., Khan, M.A., Hoag, S.W., Polli, J., Raju, G.K., dkk., 2014.

Understanding Pharmaceutical Quality by Design. *The AAPS Journal*, **16**: 771–783.