POTENSI SENYAWA PENTAGAMAVUNON-0 (PGV-0), ANALOG KURKUMIN, SEBAGAI AGEN KEMOPREVENSI PADA SEL KANKER PAYUDARA HCC 1954 MODEL 3D DAN 2D
WULANDARI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. Muthi Ikawati, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Allahyari, H., Heidari, S., Ghamgosha, M., Saffarian, P., Amani, J., 2017. Immunotoxin: A New Tool for Cancer Therapy. Tumor Biology, 1-11.

Amalina, N.D., Nurhayati, I.P., Meiyanto, E., 2017. Doxorubicin Induces Lamellipodia Formation and Cell Migration. Indonesian Journal of Cancer Chemoprevention, 8(2): 61-66.

Angraini, S.M., Nugraheni, N., Meiyanto, E., Hermawan, A., 2019. Analog Curcumin, Pentagamavunone-0 (PGV-0), Induces Senescence and Increase Cytotoxic Effect of Doxorubicin on HCC 1954 Cells. Indonesian Journal of Cancer Chemoprevention,10(3): 114-121.

Baselga, J., 2001. The EGFR as A Target for Anticancer Therapy Focus on Cetuximab. Eu J Cancer, 4:S16-22.

Bashari, M., H., Huda, F., Tartila, T.S., Shabrina, S., Putri, T., Qomarilla, N., Atmaja, H., Subhan, B., Sudji, I.R., Meiyanto, E., 2019. Bioactive Compounds in The Ethanol Extract of Marine Sponge *Stylissa cateri* Demonstrates Potential Anti-Cancer Activity in Breast Cancer Cells. Asian Pac J Cancer Prev, 20(4): 1199-1206.

Boutin, M.E., Voss, T.C., Titus, S.A., Cruz-Gutierrez, K., Michael, S., Ferrer, M., 2018. A High-Throughput Imaging and Nuclear Segmentation Analysis Protocol for Cleared 3D Culture Models. Scientific Reports, 8: 11135.

Da'i, M., Meiyanto, E., Supardjan, A.M., 2004. Antiproliferative Effect of Pentagamavunone-0 on Myeloma Cells. Sains Kesehatan, 17(1).

Da'i, M., Margono, S.A., Meiyanto, E., Jenie, U.A., 2007. Geometric Isomers and Cytotoxic Effect on T47D Cells of Curcumin Analogues PGV-0 and PGV-1. Indonesian J. of Pharmacy, 18(1): 40-47.

Da'i, M., Suhendi, A., Meiyanto, E., Jenie, U.A., Kawaichi, M., 2017. Apoptosis Induction Effect of Curcumin and Its Analogues Pentagamavunone-0 and Pentagamavunone-1 on Cancer Cell Lines. Asian Journal of Pharmaceutical and Clinical Research, 10(3): 373-376.

Dai, X., Cheng, H., Bai, Z., Li, J., 2017. Breast Cancer Cell Line Clasification and Its Relevance with Breast Tumor Subtyping. Journal of Cancer, 8(16): 3131-3141.

Edmonson, R., Broglie, J.J., Adcock, A.F., Yang, L., 2014. Three-Dimensional Cell Culture Systems and Their Applications in Drug Discovery and Cell-Based Biosensors. Assay and Drug Development Technologies, 12(4).

Gonzales-Hernandez, J., Recinella, A.N., Kandlikar, S.G., Dabydeen, D., Medeiros, L., Phatak, P., 2019. Technology, Application and Potential of

UNIVERSITAS
GADJAH MADA
POTENSI SENYAWA PENTAGAMAVUNON-0 (PGV-0), ANALOG KURKUMIN, SEBAGAI AGEN KEMOPREVENSI PADA SEL KANKER PAYUDARA HCC 1954 MODEL 3D DAN 2D
WULANDARI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. Muthi Ikawati, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Dynamic Breast Thermography for The Detection of Breast Cancer. International Journal of Heat and Mass Tranfer, 131: 558-573.

Handayani, S., Susidarti, R.A., Udin, Z., Meiyanto, E., Jenie, R.I., 2016. Brazilein in Combination with Cisplatin Inhibit Proliferation and Migration on Highly Metastatic Cancer Cells, 4T1. Indonesian Journal of Biotechnology, 21(1): 38-47.

He, M., Wang, D., Zou, D., Wang, C., Lopes-Bastos, B., Jiang, W.G., Chester, J., Zhou, Q., Cai, J., 2016. Re-puposing of Curcumin as an Anti-Metastatic Agent for the Treatment of Epithelial Ovarian Cancer: In Vitro Model Using Cancer Stem Cell Enriched Ovarian Cancer Spheroids. Oncotarget, 7(52): pp 86374-86387.

Hermawan, A., Fitriasari, A., Junedi, S., Ikawati, M., Haryanti, S., Widaryanti, B., Da'i, M., Meiyanto, E., 2011. PGV-0 and PGV-1 Increased Apoptosis Induction of Doxorubicin on MCF-7 Breast Cancer Cells. Pharmacon, 12(2): 55-59.

Holliday, D.L., dan Speirs, V., 2011. Choosing The Right Cell Line for Breast Cancer Research. Breast Cancer Research, 13: 215.

Hsueh, S., Du, J., Hsu, W., Fang, C., Liu, H., Wang, W., 2012. SV40 T/t-Common Polypeptide Enhances The Sensitivity of HER2-Overexpressing Human Cancer Cells to Anticancer Drugs Cisplatin and Doxorubicin. Cancer Letters, 324:48-57.

Huang, R., Wang, Q., Zhang, X., Zhu, J., Sun, B., 2015. Transtuzumab-Cisplatin Conjugates for Targeted Delivery of Cisplatin to HER2-Overexpressing Cancer Cells. Biomedicine & Pharmacotherapy, 72: 17-23.

Ikawati, M. and Septisetyani, E.P., 2018. Pentagamavunone-0 (PGV-0), A Curcumin Analogue, Enhances Cytotoxicity of 5-Fluorouracil and Modulates Cell Cycle in WiDr Colon Cancer Cells. Indonesian Journal of Cancer Chemoprevention, 9(1): 23-31.

Jenie, R.I., Handayani, S., Susidarti, R.A., Udin, L.Z., Meiyanto, E., 2018. The Citotoxic and Antimigratory Activity of Brazilin-Doxorubicin on MCF-7/HER2 Cells. Advanced Pharmaceutical Bulletin, 8(3): 507-516.

Kim, T., Choi, J.H., Jun, Y., Lim, S.M., Park, S., Paek, J., Lee, S., Hwang, J., Kim, G.J., 2018. 3D-Cultured Human Placenta-Derived Mesenchymal Stem Cell Spheroids Enhance Ovary Function by Inducing Folliculogenesis. Scientific Reports, 8: 15313.

Kulkoyluoglu-Cotul, E., Arca, A., Madak-Erdogan, Z., 2019. Crosstalk between Estrogen Signaling and Breast Cancer Metabolism, 30: 25-38.

Kunati, S.R., Yang, S., William, B.M., Xu, Y., 2018. An LC-MS/MS Method for Simulatneous Determination of Curcumin, Curcumin Glucuronide and

POTENSI SENYAWA PENTAGAMAVUNON-0 (PGV-0), ANALOG KURKUMIN, SEBAGAI AGEN KEMOPREVENSI PADA SEL KANKER
PAYUDARA HCC 1954 MODEL 3D DAN 2D
WULANDARI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. Muthi Ikawati, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Curcumin Sulfate in A Phase II Clinical Trial. Journal of Pharmaceutical and Biomedical Analysis, 156: 189-198.

Larasati, Y.A., Yoneda-Kato, N., Nakamae, I., Yokoyama, T., Meiyanto, E., Kato, J., 2018. Curcumin Targets Multiple Enzymes Involved in The ROS Metabolic Pathway to Suppress Tumor Cell Growth. Scientific Report, 8, 2039.

Liu, H., dan Ho, Y., 2018. Anticancer Effect of Curcumin on Breast Cancer and Stem Cell. Food Science and Human Wellness, 7: 134-137.

Marbawati, D., Umniyati, S.R., Sardjiman, 2014. The Potential of Curcumin and Pentagamavunone-0 as Anti Viral Dengue-2. Buletin Penelitian Kesehatan, 43(2): 89-96.

Marbawati, D., and Sarjiman, 2015. Savety Concentration of Curcumin and PGV-0 to Vero Cells Base on Cytotoxic Test Results. Jurnal Kefarmasian Indonesia, 5(2): 67-73.

Markovitz-Bishitz, Y., Tauber, Y., Afrimzon, E., Zurgil, N., Sobolev, M., Shafran, Y., Deutsch, A., Howitz, S., Deutsch, M., 2010. A Polymer Microstructure Array for The Formation, Culturing, and High Throughput Drug Screening of Breast Cancer Spheroids. Biomaterials, 31: 8436-8444.

Meiyanto, E., 1999. Curcumin as A Cancer Drug: Explore The Mechanism of Its Action. Majalah Farmasi Indonesia, 10(4): 224-236.

Meiyanto, E., Margono, S.A., Da'i, M., 2003. Antiproliferative Effect of PGV-0 (A Curcumin Analogue) Against HeLa Cells. Gama Sains, 5(3): 200-206.

Meiyanto, E., Supardjan, D.M., Agustina, D., 2006. Antiproliferative Effect Pentagamavunone-0 (PGV-0) on Breast Cancer Cell Line T47D. Yarsi Medical J., 14(1): 11-15.

Meiyanto, E., Hermawan, A., Anindyajati, 2012. Natural Products for Cancer-Targeted Therapy: Citrus Flavonoids as Potent Chemopreventive Agents. Asian Pacific Journal Cancer Prev., 13: 427-436.

Meiyanto, E., Putri, D. D. P., Susidarti, R. A., Sardjiman, Fitriasari, A., Husnaa, U., Purnomo, H., Kawaichi, M., 2014. Curcumin and its Analogues (PGV-0 and PGV-1) Enhance Sensitivity of Resistant MCF-7 Cells to Doxorubicin through Inhibition of HER2 and NF-kB Activation. Asian Pac J Cancer Prev 15, 179–184.

Mohammadian, M., Salami, M., Momen, S., Alavi, F., Emam-Djomeh, Z., Moosavi-Movahedi, A.A., 2019. Enhancing The Aqueous Solubility of Curcumin at Acidic Condition Through The Complexation with Whey Protein Nanofibrils. Journal of Food Hydrocolloids, 87: 902-914.

Muflikhasari, H.A., Jenie, R.I., Susidarti, R.A., Meiyanto, E., 2019. Growth Inhibitory Property of Pentagamavunone-0 (PGV-0) on 4T1 Cells under

UNIVERSITAS
GADJAH MADA
POTENSI SENYAWA PENTAGAMAVUNON-0 (PGV-0), ANALOG KURKUMIN, SEBAGAI AGEN KEMOPREVENSI PADA SEL KANKER PAYUDARA HCC 1954 MODEL 3D DAN 2D
WULANDARI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. Muthi Ikawati, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Stress Condition: 2D and 3D Culture Model. Indonesian Journal of Cancer Chemoprevention, In Press.

Nath, S., dan Devi, G.R., 2016. Three-Dimensional Culture System in Cancer Research: Focus on Tumor Spheroid Model. Pharmacology & Therapeutics, 163: 94-108.

Nurulita, N.A., and Meiyanto, E., 2006. The Anticancer Effects of Pentagamavunone-0 (PGV-0) TO T47D Cell Line Induces by 17-b-estradiol Through Apoptosis Induction and Angiogenesis Suppression Mechanisms. Sains Kesehatan, 19(1): 109-117.

Pandey, K.U., Dalvi, S.V., 2018. Understanding Stability Relationships among Three Curcumin Polymorphs. Journal of Advanced Powder Technology,

Pérez-Treviño, P., Hernández-De la Cerda, H., Pérez-Treviño, J., Fajardo-Ramírez, O.R., García, N., Altamirano, J., 2018. 3D Imaging Detection of HER2 Based in The Use of Novel Affibody-Quantum Dots Probes and Ratiometric Analysis. Translational Oncology, 11: 672-685.

Pires B.R.B., Mencalha, A.L., Ferreira, G.M., de Souza W.F., Morgado-Diaz J.A., et al., 2017. NF-kappaB is Involved in the Regulation of EMT Genes in Breast Cancer Cells. PLOS ONE, 12(1): e0169622.

Pistollato, F., Iglesias, R.C., Ruiz, R., Aparicio, S., Crespo, J., Lopez, L.D., Giampieri, F., Battino, M., 2017. The Use of Natural Compounds for The Targeting and Chemoprevention of Ovarian Cancer. Cancer Letters, 411: 191-200.

Putri, H., Jenie, R.I., Handayani, S., Kastian, R.F., Meiyanto, E., 2016. Combination of Potassium Pentagamavunone-0 and Doxorubicin Induces Apoptosis and Cell Cycle Arrest and Inhibits Metastasis in Breast Cancer Cells. Asian Pacific Journal of Cancer Prevention, 17(5): 2683-2688.

Reksohadiprojo, M.S., Timmerman, H., Sardjiman, Margono, S.A., Martono, S., Hakim, L.R., Nurlaila, Hakim, A.R., Puspitasari, I., Nurrochmad, A., Purwantiningsih, Oetari, Yuwono, T., 2004. Derivatives of Benzyidene Cyclohexanone, Benzylidene Cyclopenatnone, and Benzylidene Acetone, and Therapeutic Uses Thereof, US 6,777,447 B2.

Robinson, T.P., Ehler, T., Hubbard, R.B., Bai, X., Arbiser, J.L., Goldsmith, D.J., Bowen, J.P., 2003. Design, Sinthesis and Biological Evolution of Aromatic Enones Related to Curcumin. Bioorg. Med. Chem. Let. 13, 115-117.

Sajjadi, S.E., Ghanadian, M., Haghighi, M., Mouhebat, L., 2015. Cytotoxic Effect of *Cousinia verbascifolia* Bunge Against OVCAR-3 and HT-29 Cancer Cells. Journal of HerbMed Pharmacology, 4(1): 15-19.

Sant, S., Jhonston, P.A., 2017. The Production of 3D Tumor Spheroids for Cancer Drug Discovery. Drug Discovery Today: Technologies, 23: 27-36.

UNIVERSITAS
GADJAH MADA
POTENSI SENYAWA PENTAGAMAVUNON-0 (PGV-0), ANALOG KURKUMIN, SEBAGAI AGEN KEMOPREVENSI PADA SEL KANKER PAYUDARA HCC 1954 MODEL 3D DAN 2D
WULANDARI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. Muthi Ikawati, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Sardjiman, S.S., Reksohadiprodjo, M.S., Hakim, L., van der Goot, H., dan Timmerman, H., 1997. 1,5-Diphenyl-1,4-pentadiene-3-ones and cyclic analogues as antioxidative agents. Synthesis and structure-activity relationship. *European Journal of Medicinal Chemistry* (32): 625–630

Septisetyani, E.P., Ikawati, M., Widaryanti, B., Meiyanto, E., 2008. Apoptosis Mediated Cytotoxicity of Curcumin Analogues PGV-0 and PGV-1 in WiDr Cell Line, Proceeding, Molecular Targeted Therapy Symposium, Faculty of Pharmacy Universitas Gadjah Mada, Yogyakarta, ISBN:978-979-95107-6-1, pp. 48-56, March 26.

Siddiqa, A., Long, L.M., Li, L., Marciniak, R.A., Kazhdan, I., 2008. Expression of HER2 in MCF-7 Breast Cancer Cells Modulates Anti-Apoptotic Proteins Survivin and Bcl-2 via The Extracellular Signal-Related Kinase (ERK) and Phosphoinositide-3 Kinase (PI3K) Signalling Pathways. BMC Cancer, 8: 129.

Steward, W.P., and Brown, K., 2013. Cancer Chemoprevention: A Rapidly Evolving Field. British Journal ofCancer, 109:1-7.

Sun, J., Chen, F., Braun, C., Zhou, Y., Rittner, H., Tian, Y., Cai, X., Ye, D., 2018. Role of Curcumin in The Management of Pathological Pain. Phytomedicine, 48: 129-140.

Tao, R., Zhang, F., Tang, Q., Xu, C., Ni, Z., Meng, X., 2019. Effects of Curcumin-Based Photodynamic Treatment on The Storage Quality of Fresh-Cut Apples. Journal of Food Chemistry, 274: 415-421.

Utomo, R.Y., Putri, H., Pudjono, Susidarti, R.A., Jenie, R., Meiyanto, E., 2017. Synthesis and Cytotoxic Activity of 2,5-Bis(4-Boronic Acid)Benzylidine Cyclopentanone on HER2 Overexpressed-Cancer Cells. Indonesian J. Pharm., 28:74-81.

Walczak, K., Marciniak, S., Rajtar, G., 2017. Cancer Chemoprevention – Selected Molecular Mechanism. Postepy Hig Med Dosw, 71: 149-161.

Wang, T., Yan, R., Xu, X., Li, X.,Cao, L., Gao, L., Liu, J., Zhou, X., Yu, H., Wang, X., Jiang, H., Yang, Y., 2019. Curcumin Represses Adipogenic Differentiation of Human Bone Marrow Mesenchymal Stem Cells Via Inhibiting Kruppel-Like Factor 15 Expression. Journal of Acta Histochemica,

Wilken, R., Veena, M.S., Wang, M.B., Srivatsan, E.S., 2011. Curcumin: A Review of Anti-Cancer Properties and Therapeutic Activity in Head and Neck Squamous Cell Carcinoma. Journal of Molecular Cancer, 10: 12.

Zanoni, M., Piccinini, F., Arienti, C., Zamagni, A., Santi, S., Polico, R., Bevilacqua, A., Tesei, A., 2016. 3D Tumor Spheroid Models for In Vitro Therapeutic Screening: A Systematic Approach to Enhance The Biological Relevance of Data Obtained. Scientific Reports, 6: 19103.

UNIVERSITAS
GADJAH MADA
POTENSI SENYAWA PENTAGAMAVUNON-0 (PGV-0), ANALOG KURKUMIN, SEBAGAI AGEN KEMOPREVENSI PADA SEL KANKER PAYUDARA HCC 1954 MODEL 3D DAN 2D
WULANDARI, Prof. Dr. Edy Meiyanto, M.Si., Apt.; Dr. Muthi Ikawati, M.Sc., Apt.
Universitas Gadjah Mada, 2019 | Diunduh dari http://etd.repository.ugm.ac.id/

Zhang, W., Li, C., Baguley, B.C., Zhou, F., Zhou, W., Shaw, J.P., Wang, Z., Wu, Z., Liu, J., 2016. Optimization of The Formation of Embedded Multicellular Spheroids of MCF-7 Cells: How to Reliably Produce A Biomimetic 3D Model. Analytical Biochemistry, 515: 47-54.