

## DAFTAR PUSTAKA

- Ables, G.P., Perrone, C.E., Orentreich, D. & Orentreich, N., 2012. Methionine-Restricted C57BL/6J Mice Are Resistant to Diet-Induced Obesity and Insulin Resistance but Have Low Bone Density C. Borrás, ed. *PLoS ONE*, 7(12), p.e51357.
- Angelis-Pereira, M.C. de, Barcelos, M. de F.P., Sousa, M.S.B. & Pereira, J. de A.R., 2013. Effects of the kefir and banana pulp and skin flours on hypercholesterolemic rats. *Acta Cirurgica Brasileira*, 28(7), pp.481–486.
- Anyasi, T.A., Jideani, A.I. & Mchau, G.A., 2015. Morphological, physicochemical, and antioxidant profile of noncommercial banana cultivars. *Food Science & Nutrition*, 3(3), pp.221–232.
- Arifin, W.N. & Zahiruddin, W.M., 2017. Sample Size Calculation in Animal Studies Using Resource Equation Approach. *Malaysian Journal of Medical Sciences*, 24(5), pp.101–105.
- Ashworth, A., 2001. Treatment of severe malnutrition. *Journal of Pediatric Gastroenterology and Nutrition*, 32(5), pp.516–518.
- Attia, S., Feenstra, M., Swain, N., Cuesta, M. & Bandsma, R.H.J., 2017. Starved Guts: Morphologic and Functional Intestinal Changes in Malnutrition. *Journal of Pediatric Gastroenterology and Nutrition*, 65(5), pp.491–495.
- Badman, M.K., Koester, A., Flier, J.S., Kharitonov, A. & Maratos-Flier, E., 2009. Fibroblast Growth Factor 21-Deficient Mice Demonstrate Impaired Adaptation to Ketosis. *Endocrinology*, 150(11), pp.4931–4940.
- Badman, M.K., Pissios, P., Kennedy, A.R., Koukos, G., Flier, J.S. & Maratos-Flier, E., 2007. Hepatic Fibroblast Growth Factor 21 Is Regulated by PPAR $\alpha$  and Is a Key Mediator of Hepatic Lipid Metabolism in Ketotic States. *Cell Metabolism*, 5(6), pp.426–437.
- Bartels, R.H., Bourdon, C., Potani, I., Mhango, B., van den Brink, D.A., Mponda, J.S., Muller Kobold, A.C., Bandsma, R.H., Boele van Hensbroek, M. & Voskuil, W.P., 2017. Pancreatic Enzyme Replacement Therapy in Children with Severe Acute Malnutrition: A Randomized Controlled Trial. *The Journal of Pediatrics*, 190, pp.85-92.e2.
- de Belchior, A.C.S., Angeli, J.K., de O. Faria, T., Siman, F.D.M., Silveira, E.A., Meira, E.F., da Costa, C.P., Vassallo, D.V. & Padilha, A.S., 2012. Post-Weaning Protein Malnutrition Increases Blood Pressure and Induces Endothelial Dysfunctions in Rats M. G. Frasch, ed. *PLoS ONE*, 7(4), p.e34876.
- Bhutta, Z.A., Berkley, J.A., Bandsma, R.H.J., Kerac, M., Trehan, I. & Briend, A., 2017. Severe childhood malnutrition. *Nature Reviews Disease Primers*, 3, p.17067.

- Borborah, K., Borthakur, S. & Tanti, B., 2016. *Musa balbisiana* Colla-Taxonomy, Traditional knowledge and economic potentialities of the plant in Assam, India. *Indian Journal of Traditional Knowledge*, 15(1), pp.116–120.
- Bourke, C.D., Berkley, J.A. & Prendergast, A.J., 2016. Immune Dysfunction as a Cause and Consequence of Malnutrition. *Trends in Immunology*, 37(6), pp.386–398.
- Cappelli, A.P.G., Zoppi, C.C., Silveira, L.R., Batista, T.M., Paula, F.M., da Silva, P.M.R., Rafacho, A., Barbosa-Sampaio, H.C., Boscherio, A.C. & Carneiro, E.M., 2018. Reduced glucose-induced insulin secretion in low-protein-fed rats is associated with altered pancreatic islets redox status. *Journal of Cellular Physiology*, 233(1), pp.486–496.
- Cesur, Y., Yordaman, N. & Doğan, M., 2009. Serum insulin-like growth factor-I and insulin-like growth factor binding protein-3 levels in children with zinc deficiency and the effect of zinc supplementation on these parameters. *Journal of pediatric endocrinology & metabolism: JPEM*, 22(12), pp.1137–1143.
- Chalvon-Demersay, T., Even, P.C., Tomé, D., Chaumontet, C., Piedcoq, J., Gaudichon, C. & Azzout-Marniche, D., 2016. Low-protein diet induces, whereas high-protein diet reduces hepatic FGF21 production in mice, but glucose and not amino acids up-regulate FGF21 in cultured hepatocytes. *The Journal of Nutritional Biochemistry*, 36, pp.60–67.
- Chang, S., Huang, Z., Ma, Y., Piao, J., Yang, X., Zeder, C., Hurrell, R.F. & Egli, I., 2012. Mixture of Ferric Sodium Ethylenediaminetetraacetate (NaFeEDTA) and Ferrous Sulfate: An Effective Iron Fortificant for Complementary Foods for Young Chinese Children. *Food and Nutrition Bulletin*, 33(2), pp.111–116.
- Chen, J.-J. & Perrine, S., 2013. Stressing HbF synthesis: role of translation? *Blood*, 122(4), pp.467–468.
- De Sousa-Coelho, A.L., Marrero, P.F. & Haro, D., 2012. Activating transcription factor 4-dependent induction of FGF21 during amino acid deprivation. *Biochemical Journal*, 443(1), pp.165–171.
- De Sousa-Coelho, A.L., Relat, J., Hondares, E., Pérez-Martí, A., Ribas, F., Villarroya, F., Marrero, P.F. & Haro, D., 2013. FGF21 mediates the lipid metabolism response to amino acid starvation. *Journal of Lipid Research*, 54(7), pp.1786–1797.
- Domouzoglou, E.M. & Maratos-Flier, E., 2011. Fibroblast growth factor 21 is a metabolic regulator that plays a role in the adaptation to ketosis. *The American Journal of Clinical Nutrition*, 93(4), pp.901S–905S.
- Domouzoglou, E.M., Naka, K.K., Vlahos, A.P., Papafaklis, M.I., Michalis, L.K., Tsatsoulis, A. & Maratos-Flier, E., 2015. Fibroblast growth factors in

cardiovascular disease: The emerging role of FGF21. *American Journal of Physiology-Heart and Circulatory Physiology*, 309(6), pp.H1029–H1038.

Dunn, S.E., Kari, F.W., French, J., Leininger, J.R., Travlos, G., Wilson, R. & Barrett, J.C., 1997. Dietary restriction reduces insulin-like growth factor I levels, which modulates apoptosis, cell proliferation, and tumor progression in p53-deficient mice. *Cancer Research*, 57(21), pp.4667–4672.

Endra, Y., 2006. Analisis proksimat dan komposisi asam amino buah pisang batu, *Musa balbisiana* Colla. *Institut Pertanian Bogor*. Terdapat di: <https://repository.ipb.ac.id/handle/123456789/46157> [Diakses pada 15 Januari 2019].

Farmawati, A., 2017. *Potensi Pangan Lokal Tepung Pisang Kluthuk (*Musa balbisiana* colla) Sebagai Terapi Gizi Pada Model Mencit Wistar Malnutrisi*, belum dipublikasikan.

Fazeli, P.K. & Klibanski, A., 2014. Determinants of GH resistance in malnutrition. *Journal of Endocrinology*, 220(3), pp.57–65.

Fisher, f. M., Chui, P.C., Antonellis, P.J., Bina, H.A., Kharitononkov, A., Flier, J.S. & Maratos-Flier, E., 2010. Obesity Is a Fibroblast Growth Factor 21 (FGF21)-Resistant State. *Diabetes*, 59(11), pp.2781–2789.

Fliesen, T., Maiter, D., Gerard, G., Underwood, L.E., Maes, M. & Ketelslegers, J.-M., 1989. Reduction of Serum Insulin-like Growth Factor-I by Dietary Protein Restriction Is Age Dependent. *Pediatric Research*, 26(5), pp.415–419.

Fournier, C., Rizzoli, R., Bouzakri, K. & Ammann, P., 2016. Selective protein depletion impairs bone growth and causes liver fatty infiltration in female rats: prevention by *Spirulina* alga. *Osteoporosis International*, 27(11), pp.3365–3376.

Freda, P.U., 2009. Monitoring of acromegaly: what should be performed when GH and IGF-1 levels are discrepant? *Clinical Endocrinology*, 71(2), pp.166–170.

Gälman, C., Lundåsen, T., Kharitononkov, A., Bina, H.A., Eriksson, M., Hafström, I., Dahlin, M., Åmark, P., Angelin, B. & Rudling, M., 2008. The Circulating Metabolic Regulator FGF21 Is Induced by Prolonged Fasting and PPAR $\alpha$  Activation in Man. *Cell Metabolism*, 8(2), pp.169–174.

García, O.P., Martínez, M., Romano, D., Camacho, M., de Moura, F.F., Abrams, S.A., Khanna, H.K., Dale, J.L. & Rosado, J.L., 2015. Iron absorption in raw and cooked bananas: a field study using stable isotopes in women. *Food & Nutrition Research*, 59(1), p.25976.

Gera, T., 2002. Effect of iron supplementation on incidence of infectious illness in children: systematic review. *British Medical Journal*, 325(7373), pp.1142–

1142.

- Goday, P., 2018. Malnutrition in children in resource-limited countries: Clinical assessment. *UpToDate*. Terdapat di: [https://www.uptodate.com/contents/malnutrition-in-children-in-resource-limited-countries-clinical-assessment?topicRef=5901&source=see\\_link](https://www.uptodate.com/contents/malnutrition-in-children-in-resource-limited-countries-clinical-assessment?topicRef=5901&source=see_link) [Diakses pada 15 Januari 2019].
- Gómez-Sámano, M.Á., Grajales-Gómez, M., Zuarth-Vázquez, J.M., Navarro-Flores, Ma.F., Martínez-Saavedra, M., Juárez-León, Ó.A., Morales-García, M.G., Enriquez-Estrada, V.M., Gómez-Pérez, F.J. & Cuevas-Ramos, D., 2017. Fibroblast growth factor 21 and its novel association with oxidative stress. *Redox Biology*, 11, pp.335–341.
- Han, A.-P., Yu, C., Lu, L., Fujiwara, Y., Browne, C., Chin, G., Fleming, M., Leboulch, P., Orkin, S.H. & Chen, J.-J., 2001. Heme-regulated eIF2 $\alpha$  kinase (HRI) is required for translational regulation and survival of erythroid precursors in iron deficiency. *The EMBO Journal*, 20(23), pp.6909–6918.
- Hoppe, C., Mølgaard, C., Dalum, C., Vaag, A. & Michaelsen, K.F., 2009. Differential effects of casein versus whey on fasting plasma levels of insulin, IGF-1 and IGF-1/IGFBP-3: results from a randomized 7-day supplementation study in prepubertal boys. *European Journal of Clinical Nutrition*, 63(9), pp.1076–1083.
- Inagaki, T., Dutchak, P., Zhao, G., Ding, X., Gautron, L., Parameswara, V., Li, Y., Goetz, R., Mohammadi, M., Esser, V., Elmquist, J.K., Gerard, R.D., Burgess, S.C., Hammer, R.E., Mangelsdorf, D.J. & Kliewer, S.A., 2007. Endocrine Regulation of the Fasting Response by PPAR $\alpha$ -Mediated Induction of Fibroblast Growth Factor 21. *Cell Metabolism*, 5(6), pp.415–425.
- Inagaki, T., Lin, V.Y., Goetz, R., Mohammadi, M., Mangelsdorf, D.J. & Kliewer, S.A., 2008. Inhibition of Growth Hormone Signaling by the Fasting-Induced Hormone FGF21. *Cell Metabolism*, 8(1), pp.77–83.
- Jaeggi, T., Kortman, G.A.M., Moretti, D., Chassard, C., Holding, P., Dostal, A., Boekhorst, J., Timmerman, H.M., Swinkels, D.W., Tjalsma, H., Njenga, J., Mwangi, A., Kvalsvig, J., Lacroix, C. & Zimmermann, M.B., 2015. Iron fortification adversely affects the gut microbiome, increases pathogen abundance and induces intestinal inflammation in Kenyan infants. *Gut*, 64(5), pp.731–742.
- Jansen, M., van Schaik, F.M., Ricker, A.T., Bullock, B., Woods, D.E., Gabbay, K.H., Nussbaum, A.L., Sussenbach, J.S. & Van den Brande, J.L., 1983. Sequence of cDNA encoding human insulin-like growth factor I precursor. *Nature*, 306(5943), pp.609–611.
- Janssen, P., Vanden Berghe, P., Verschueren, S., Lehmann, A., Depoortere, I. & Tack, J., 2011. Review article: the role of gastric motility in the control of food intake: Review: regulation of food intake by gastric motility. *Alimentary*

*Pharmacology & Therapeutics*, 33(8), pp.880–894.

Kaklamani, V.G., Linos, A., Kaklamani, E., Markaki, I., Koumantaki, Y. & Mantzoros, C.S., 1999. Dietary Fat and Carbohydrates Are Independently Associated With Circulating Insulin-Like Growth Factor 1 and Insulin-Like Growth Factor–Binding Protein 3 Concentrations in Healthy Adults. *Journal of Clinical Oncology*, 17(10), pp.3291–3298.

Kemenkes RI, 2017. *Petunjuk Teknis Pemberian Makanan Tambahan*, Kementerian Kesehatan RI.

Khare, M., Mohanty, C., Das, B.K., Jyoti, A., Mukhopadhyay, B. & Mishra, S.P., 2014. Free Radicals and Antioxidant Status in Protein Energy Malnutrition. *International Journal of Pediatrics*, 2014, pp.1–6.

Kim, K.H. et al., 2013. Autophagy deficiency leads to protection from obesity and insulin resistance by inducing Fgf21 as a mitokine. *Nature Medicine*, 19(1), pp.83–92.

Kliegman, R., Behrman, R.E. & Nelson, W.E. eds., 2016. *Nelson textbook of pediatrics* Edition 20., Philadelphia, PA: Elsevier.

Klotz, L.-O., Kröncke, K.-D., Buchczyk, D.P. & Sies, H., 2003. Role of Copper, Zinc, Selenium and Tellurium in the Cellular Defense against Oxidative and Nitrosative Stress. *The Journal of Nutrition*, 133(5), pp.1448S–1451S.

Kubicky, R.A., Wu, S., Kharitonov, A. & De Luca, F., 2012. Role of Fibroblast Growth Factor 21 (FGF21) in Undernutrition-Related Attenuation of Growth in Mice. *Endocrinology*, 153(5), pp.2287–2295.

Laeger, T., Albarado, D.C., Burke, S.J., Trosclair, L., Hedgepeth, J.W., Berthoud, H.-R., Gettys, T.W., Collier, J.J., Münzberg, H. & Morrison, C.D., 2016. Metabolic Responses to Dietary Protein Restriction Require an Increase in FGF21 that Is Delayed by the Absence of GCN2. *Cell Reports*, 16(3), pp.707–716.

Laeger, T., Henagan, T.M., Albarado, D.C., Redman, L.M., Bray, G.A., Noland, R.C., Münzberg, H., Hutson, S.M., Gettys, T.W., Schwartz, M.W. & Morrison, C.D., 2014. FGF21 is an endocrine signal of protein restriction. *Journal of Clinical Investigation*, 124(9), pp.3913–3922.

Laron, Z., 2001. Insulin-like growth factor 1 (IGF-1): a growth hormone. *Molecular pathology: MP*, 54(5), pp.311–316.

Larsson, S.C., Wolk, K., Brismar, K. & Wolk, A., 2005. Association of diet with serum insulin-like growth factor I in middle-aged and elderly men. *The American Journal of Clinical Nutrition*, 81(5), pp.1163–1167.

Lee, A.-H., Iwakoshi, N.N. & Glimcher, L.H., 2003. XBP-1 Regulates a Subset of Endoplasmic Reticulum Resident Chaperone Genes in the Unfolded Protein Response. *Molecular and Cellular Biology*, 23(21), pp.7448–7459.



- Lee, J.H., Giannikopoulos, P., Duncan, S.A., Wang, J., Johansen, C.T., Brown, J.D., Plutzky, J., Hegele, R.A., Glimcher, L.H. & Lee, A.-H., 2011. The transcription factor cyclic AMP-responsive element-binding protein H regulates triglyceride metabolism. *Nature Medicine*, 17(7), pp.812–815.
- Lees, E.K., Król, E., Grant, L., Shearer, K., Wyse, C., Moncur, E., Bykowska, A.S., Mody, N., Gettys, T.W. & Delibegovic, M., 2014. Methionine restriction restores a younger metabolic phenotype in adult mice with alterations in fibroblast growth factor 21. *Aging Cell*, 13(5), pp.817–827.
- Leite, S.N., Jordão Júnior, A.A., Andrade, T.A.M. de, Masson, D. dos S. & Frade, M.A.C., 2011. Experimental models of malnutrition and its effect on skin trophism. *Anais Brasileiros De Dermatologia*, 86(4), pp.681–688.
- LeRoith, D., Scheinman, E. & Bitton-Worms, K., 2011. The Role for Insulin and Insulin-like Growth Factors in the Increased Risk of Cancer in Diabetes. *Rambam Maimonides Medical Journal*, 2(2). Tersdapat di: <https://www.rmmj.org.il/issues/4/Articles/71> [Diakses pada 16 Desember 2019].
- Lewerenz, J. & Maher, P., 2011. Control of Redox State and Redox Signaling by Neural Antioxidant Systems. *Antioxidants & Redox Signaling*, 14(8), pp.1449–1465.
- Li, Y., Wong, K., Giles, A., Jiang, J., Lee, J.W., Adams, A.C., Kharitononkov, A., Yang, Q., Gao, B., Guarente, L. & Zang, M., 2014. Hepatic SIRT1 Attenuates Hepatic Steatosis and Controls Energy Balance in Mice by Inducing Fibroblast Growth Factor 21. *Gastroenterology*, 146(2), pp.539–549.
- Liang, Q., Zhong, L., Zhang, J., Wang, Y., Bornstein, S.R., Triggie, C.R., Ding, H., Lam, K.S.L. & Xu, A., 2014. FGF21 Maintains Glucose Homeostasis by Mediating the Cross Talk Between Liver and Brain During Prolonged Fasting. *Diabetes*, 63(12), pp.4064–4075.
- Lips, M.A., de Groot, G.H., Berends, F.J., Wiezer, R., van Wagenveld, B.A., Swank, D.J., Luijten, A., van Dijk, K.W., Pijl, H., Jansen, P.L.M. & Schaap, F.G., 2014. Calorie restriction and Roux-en-Y gastric bypass have opposing effects on circulating FGF21 in morbidly obese subjects. *Clinical Endocrinology*, 81(6), pp.862–870.
- Livak, K.J. & Schmittgen, T.D., 2001. Analysis of Relative Gene Expression Data Using Real-Time Quantitative PCR and the 2- $\Delta\Delta$ CT Method. *Methods*, 25(4), pp.402–408.
- Livingstone, C., 2012. The Insulin-Like Growth Factor System and Nutritional Assessment. *Scientifica*, 2012, pp.1–12.
- Lü, Y., Liu, J.-H., Zhang, L.-K., Du, J., Zeng, X.-J., Hao, G., Huang, J., Zhao, D.-H., Wang, G.-Z. & Zhang, Y.-C., 2010. Fibroblast growth factor 21 as a

possible endogenous factor inhibits apoptosis in cardiac endothelial cells. *Chinese Medical Journal*, 123(23), pp.3417–3421.

Maggio, M., De Vita, F., Lauretani, F., Buttò, V., Bondi, G., Cattabiani, C., Nouvenne, A., Meschi, T., Dall’Aglia, E. & Ceda, G., 2013. IGF-1, the Cross Road of the Nutritional, Inflammatory and Hormonal Pathways to Frailty. *Nutrients*, 5(10), pp.4184–4205.

Mai, K., Andres, J., Biedasek, K., Weicht, J., Bobbert, T., Sabath, M., Meinus, S., Reinecke, F., Mohlig, M., Weickert, M.O., Clemenz, M., Pfeiffer, A.F.H., Kintscher, U., Spuler, S. & Spranger, J., 2009. Free Fatty Acids Link Metabolism and Regulation of the Insulin-Sensitizing Fibroblast Growth Factor-21. *Diabetes*, 58(7), pp.1532–1538.

Marcadante, K.J. & Kliegman, R. eds., 2019. *Nelson essentials of pediatrics* Eighth edition., Philadelphia, PA: Elsevier.

Markan, K.R., Naber, M.C., Ameka, M.K., Anderegg, M.D., Mangelsdorf, D.J., Klierer, S.A., Mohammadi, M. & Potthoff, M.J., 2014. Circulating FGF21 Is Liver Derived and Enhances Glucose Uptake During Refeeding and Overfeeding. *Diabetes*, 63(12), pp.4057–4063.

Mehta, N.M., Corkins, M.R., Lyman, B., Malone, A., Goday, P.S., Carney, L. (Nieman), Monczka, J.L., Plogsted, S.W., Schwenk, W.F. & the American Society for Parenteral and Enteral Nutrition (A.S.P.E.N.) Board of Directors, 2013. Defining Pediatric Malnutrition: A Paradigm Shift Toward Etiology-Related Definitions. *Journal of Parenteral and Enteral Nutrition*, 37(4), pp.460–481.

Melnik, B.C. & Schmitz, G., 2009. Role of insulin, insulin-like growth factor-1, hyperglycaemic food and milk consumption in the pathogenesis of acne vulgaris. *Experimental Dermatology*, 18(10), pp.833–841.

Miñana-Solis, M. del C. & Escobar, C., 2008. Post-weaning protein malnutrition in the rat produces short and long term metabolic impairment, in contrast to earlier and later periods. *International Journal of Biological Sciences*, 4(6), pp.422–432.

Muise, E.S., Azzolina, B., Kuo, D.W., El-Sherbeini, M., Tan, Y., Yuan, X., Mu, J., Thompson, J.R., Berger, J.P. & Wong, K.K., 2008. Adipose Fibroblast Growth Factor 21 Is Up-Regulated by Peroxisome Proliferator-Activated Receptor and Altered Metabolic States. *Molecular Pharmacology*, 74(2), pp.403–412.

Muñoz, M., Villar, I. & García-Erce, J.A., 2009. An update on iron physiology. *World Journal of Gastroenterology*, 15(37), pp.4617–4626.

Musita, N., 2008. *Kajian dan Karakteristik Pati Resistensi dari Berbagai Jenis Pisang*. Universitas Lampung.

- Musita, N., 2014. Pemanfaatan Tepung Pisang Batu (*Musa balbisiana* Colla) pada Pembuatan Kue Brownies. *Journal of Industrial Research*, 8(3), pp.171–178.
- Navarro, S.D., Mauro, M.O., Pesarini, J.R., Ogo, F.M. & Oliveira, R.J., 2015. Resistant starch: a functional food that prevents DNA damage and chemical carcinogenesis. *Genetics and Molecular Research*, 14(1), pp.1679–1691.
- Nielsen, A., Tetens, I. & Meyer, A., 2013. Potential of Phytase-Mediated Iron Release from Cereal-Based Foods: A Quantitative View. *Nutrients*, 5(8), pp.3074–3098.
- Nishimura, T., Nakatake, Y., Konishi, M. & Itoh, N., 2000. Identification of a novel FGF, FGF-21, preferentially expressed in the liver. *Biochimica Et Biophysica Acta*, 1492(1), pp.203–206.
- Ozaki, Y., Saito, K., Nakazawa, K., Konishi, M., Itoh, N., Hakuno, F., Takahashi, S.-I., Kato, H. & Takenaka, A., 2015. Rapid increase in fibroblast growth factor 21 in protein malnutrition and its impact on growth and lipid metabolism. *British Journal of Nutrition*, 114(09), pp.1410–1418.
- Pérez-Martí, A., Marrero, P.F., Haro, D. & Relat, J., 2017. Lipid Response to Amino Acid Starvation in Fat Cells: Role of FGF21. In V. Preedy & V. B. Patel, eds. *Handbook of Famine, Starvation, and Nutrient Deprivation*. Cham: Springer International Publishing, pp. 1–17. Terdapat di: [http://link.springer.com/10.1007/978-3-319-40007-5\\_15-1](http://link.springer.com/10.1007/978-3-319-40007-5_15-1) [Diakses pada 22 November 2019].
- Pezeshki, A., Zapata, R.C., Singh, A., Yee, N.J. & Chelikani, P.K., 2016. Low protein diets produce divergent effects on energy balance. *Scientific Reports*, 6(1), p.25145.
- Pineda, C., Rios, R., Raya, A., Rodriguez, M., Aguilera-Tejero, E. & Lopez, I., 2018. Hypocaloric Diet Prevents the Decrease in FGF21 Elicited by High Phosphorus Intake. *Nutrients*, 10(10), p.1496.
- Potthoff, M.J., Inagaki, T., Satapati, S., Ding, X., He, T., Goetz, R., Mohammadi, M., Finck, B.N., Mangelsdorf, D.J., Kliewer, S.A. & Burgess, S.C., 2009. FGF21 induces PGC-1 and regulates carbohydrate and fatty acid metabolism during the adaptive starvation response. *Proceedings of the National Academy of Sciences*, 106(26), pp.10853–10858.
- Powell, S.R., 2000. The Antioxidant Properties of Zinc. *The Journal of Nutrition*, 130(5), pp.1447S–1454S.
- Royal Botanic Garden, 2018. *Musa balbisiana* Colla. *Kewscience - Plants of the World Online*. Terdapat di: <http://powo.science.kew.org/taxon/urn:lsid:ipni.org:names:797536-1> [Diakses pada 24 Desember 2018].
- Rytter, M.J.H., Kolte, L., Briend, A., Friis, H. & Christensen, V.B., 2014. The immune system in children with malnutrition--a systematic review. *PloS*



*One*, 9(8), p.e105017.

- Sádaba, M.C., Martín-Estal, I., Puche, J.E. & Castilla-Cortázar, I., 2016. Insulin-like growth factor 1 (IGF-1) therapy: Mitochondrial dysfunction and diseases. *Biochimica et Biophysica Acta (BBA) - Molecular Basis of Disease*, 1862(7), pp.1267–1278.
- Saka, A., Ojuawo, A., Saka, M., Abayomi Biliaminu, S. & Olatunbosun, L., 2019. Assessment of iron deficiency in malnutrition: the value of serum ferritin. *Tanta Medical Journal*, 47(1), p.39.
- Sani, 2015. *Identifikasi kandungan karbohidrat, protein, lemak, asam amino, dan asam lemak, serta estimasi umur simpan berdasarkan sifat fisik pada tepung pisang raja bandung, tepung pisang kluthuk, dan tepung pisang tanduk*. Yogyakarta: UGM.
- Scarminio, V., Fruet, A.C., Witaicenis, A., Rall, V.L.M. & Di Stasi, L.C., 2012. Dietary intervention with green dwarf banana flour (*Musa* sp AAA) prevents intestinal inflammation in a trinitrobenzenesulfonic acid model of rat colitis. *Nutrition Research*, 32(3), pp.202–209.
- Silva, F.C., de Menezes, R.C. & Chianca, D.A., 2015. The implication of protein malnutrition on cardiovascular control systems in rats. *Frontiers in Physiology*, 6. Terdapat di: <http://journal.frontiersin.org/Article/10.3389/fphys.2015.00246/abstract> [Diakses pada 3 April 2019].
- da Silva Lima, F., Rogero, M.M., Ramos, M.C., Borelli, P. & Fock, R.A., 2013. Modulation of the nuclear factor-kappa B (NF-κB) signalling pathway by glutamine in peritoneal macrophages of a murine model of protein malnutrition. *European Journal of Nutrition*, 52(4), pp.1343–1351.
- Solon-Biet, S.M. et al., 2016. Defining the Nutritional and Metabolic Context of FGF21 Using the Geometric Framework. *Cell Metabolism*, 24(4), pp.555–565.
- Sunandar, A., 2017. Short Communication: New record of wild banana (*Musa balbisiana* Colla) in West Kalimantan, Indonesia. *Biodiversitas*, 18(4), pp.1324–1330.
- Takahashi, S., Kajikawa, M., Umezawa, T., Takahashi, S., Kato, H., Miura, Y., Nam, T.J., Noguchi, T. & Naito, H., 1990. Effect of dietary proteins on the plasma immunoreactive insulin-like growth factor-1/somatomedin C concentration in the rat. *The British Journal of Nutrition*, 63(3), pp.521–534.
- Takenaka, A., Oki, N., Takahashi, S.-I. & Noguchi, T., 2000. Dietary Restriction of Single Essential Amino Acids Reduces Plasma Insulin-Like Growth Factor-I (IGF-I) but Does Not Affect Plasma IGF-Binding Protein-1 in Rats. *The Journal of Nutrition*, 130(12), pp.2910–2914.
- Tanaka, N., Takahashi, S., Zhang, Y., Krausz, K.W., Smith, P.B., Patterson, A.D.

- & Gonzalez, F.J., 2015. Role of fibroblast growth factor 21 in the early stage of NASH induced by methionine- and choline-deficient diet. *Biochimica et Biophysica Acta - Molecular Basis of Disease*, 1852(7), pp.1242–1252.
- Tavares da Silva, S., Araújo Dos Santos, C., Marvila Girondoli, Y., Mello de Azeredo, L., Fernando de Sousa Moraes, L., Keila Viana Gomes Schitini, J., Flávio C de Lima, M., Cristina Lopes Assis Coelho, R. & Bressan, J., 2014. Women with metabolic syndrome improve anthropometric and biochemical parameters with green banana flour consumption. *Nutricion Hospitalaria*, 29(5), pp.1070–1080.
- Taylor, A.K., Cao, W., Vora, K.P., Cruz, J.D.L., Shieh, W.-J., Zaki, S.R., Katz, J.M., Sambhara, S. & Gangappa, S., 2013. Protein Energy Malnutrition Decreases Immunity and Increases Susceptibility to Influenza Infection in Mice. *The Journal of Infectious Diseases*, 207(3), pp.501–510.
- Teshome, E.M., Andang'o, P.E.A., Osoti, V., Terwel, S.R., Otieno, W., Demir, A.Y., Prentice, A.M. & Verhoef, H., 2017. Daily home fortification with iron as ferrous fumarate versus NaFeEDTA: a randomised, placebo-controlled, non-inferiority trial in Kenyan children. *BMC Medicine*, 15(1). Terdapat di: <http://bmcmmedicine.biomedcentral.com/articles/10.1186/s12916-017-0839-z> [Diakses pada 31 Desember 2018].
- Thissen, J.-P., Underwood, L.E., Maiter, D., Maes, M., Clemmons, D.R. & Ketelslegers, J.-M., 1991. Failure of Insulin-Like Growth Factor-I (IGF-I) Infusion to Promote Growth in Protein-Restricted Rats Despite Normalization of Serum IGF-I Concentrations\*. *Endocrinology*, 128(2), pp.885–890.
- Tirapegui, J., 1999. Effect of insulin-like growth factor-1 (IGF-1) on muscle and bone growth in experimental models. *International Journal of Food Sciences and Nutrition*, 50(4), pp.231–236.
- Tomlin, J., Brown, N., Ellis, A., Carlsson, A., Bogentoft, C. & Read, N.W., 1993. The effect of liquid fibre on gastric emptying in the rat and humans and the distribution of small intestinal contents in the rat. *Gut*, 34(9), pp.1177–1181.
- Trinh, M.A. & Klann, E., 2013. Translational control by eIF2 $\alpha$  kinases in long-lasting synaptic plasticity and long-term memory. *Neurobiology of Learning and Memory*, 105, pp.93–99.
- Wang, Yu, Zhang, Floyd, Lian, Cefalu & Boudreau, 2012. Comparing the effects of nano-sized sugarcane fiber with cellulose and psyllium on hepatic cellular signaling in mice. *International Journal of Nanomedicine*, p.2999.
- Warwick, Z.S. & Schiffman, S.S., 1992. Role of dietary fat in calorie intake and weight gain. *Neuroscience and Biobehavioral Reviews*, 16(4), pp.585–596.
- Zhang, Y., Xie, Y., Berglund, E.D., Coate, K.C., He, T.T., Katafuchi, T., Xiao, G., Potthoff, M.J. & Wei, W., 2012. The starvation hormone, fibroblast

growth factor-21, extends lifespan in mice. *eLife*, 1, p.e00065.