UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

# DAFTAR PUSTAKA

Abeyrathne, E.D.N.S., H.Y. Lee, and D.U. Ahn. 2013. Egg white proteins and their potential use in food processing or as nutraceutical and pharmaceutical agents. Poult. Sci. 92(12): 3292-3299.

Adil, S., T. Banday, G.A. Bhat, M. S. Mir, and M. Rehman. 2010. Effect of dietary supplementation of organic acids on performance, intestinal histomorphology, and serum biochemistry of broiler chicken. Vet. Med. Int. 10: 4061-4067.

Akhirini, N. 2016. Pengaruh suplementasi probiotik bakteri asam lkatat terhadap jumlah bakteri asam laktat yang beraderensi dan histomorfologi usus ayam broiler. Skripsi. Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.

Aliakbarpour, H.R., M. Chamani, G. Rahimi, A.A. Sadeghi, and D. Qujeq. 2012. The *Bacillus subtilis* and lactic acid bacteria probiotics influences intestinal mucin gene expression, histomorphology and growth performance broiler. J. Anim. Sci. 25(9): 1285-1293.

Al-Kassie, G.A.M. 2009. Influence of two plant extracts derived from thyme and cinnamon on broiler performance. Pakistan Vet. J. 29(4): 169-173.

Anal, A.K. and H. Singh. 2007. Recent advances in microencapsulation of probiotics for industrial application and targeted delivery. Trends in Food Sci. Tech. 18(5): 240-251.

Anderson, N.V. 1980. Immunity of the gastrointestinal tract, in veterinary gastroenterology. Eds: N. V. Anderson, Lea and Feiber. Philadelphia: 208-215.

Anekella, K. and V. Orsat. 2013. Optimization of microencapsulation of probiotics in raspberry juice by spray drying. Food Sci. Technol. 50(1): 17-24.

Argenzio, R.A. 1980. Comparative Physiology of Gastrointestinal System, in Veterinary Gastroenterology. Eds.: N.V. Anderson. Lea and Febiger, Philadelphia.

Ariyadi, B. dan Sri-Harimurti. 2015. Effect of indigenous probiotics lactic acid on the intestinal histology structure and expression of mucins in the ileum of broiler chicken. Int. J. Poult. Sci. 5: 276-278.

Arslan, S., M. Erbasa, I. Tontul, and A. Topuz. 2015. Microencapsulation of probiotic *Saccharomyces cerevisiae* var. Boulardii with different wall materials by spray drying. Food Sci. Technol. 63(1): 685-690.

Audet, P., C. Paquin, and C. Lacroix. 1989. Sugar utilization and acid production by free and entrapped cells of *Streptococcus salivarius subsp. thermophilus*, *Lactobacillus delbrueckii subsp. bulgaricus*, and *Lactococcus lactis subsp*. *Lactis* in a whey permeate Medium. Appl. Environ. Microbiol. 55(1): 185-189.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Awad, W.A., J. Böhm, E. Razzazi-Fazeli, K. Ghareeb, and J. Zentek. 2006. Effect of addition of a probiotic microorganism to broiler diets contaminated with deoxynivalenol on performance and histological alterations of intestinal vili of broiler chickens. Poult. Sci. 85 (6): 974-979.

Babich , H. A.G. Schuck, J.H. Weisburg, and H.L. Zuckerbraun. 2011. Research strategies in the study of the pro-oxidant nature of polyphenol nutraceuticals. J. Toxicol. 2011: 1-12.

Bölükbaşi, Ş.C., Ö. Kaynar, M.K. Erhan, and H. Ürüþan. 2009. Effect of feeding *Nigella sativa* oil on laying hen performance, cholesterol and some proteins ratio of egg yolk and *Escherichia coli* count in feces. Arch. Geflügelk. 73 (3): 167–172.

Bondy, G.S. and J.J. Pestka. 1991. Dietary exposure to the trichothecene vomitoxin (deoxynivalenol) stimulates terminal differentiation of Peyer's patch B cells to IgA secreting plasma cells. Toxicol. Appl. Pharm. 108(3): 520-530.

Botsoglou, N.A., A.L. Yannakopoulos, D.J. Fletouris, and A.S.T.E. Psomas. 1998. Yolk fatty acid composition and cholesterol content in response to level and form of dietary flaxseed. J. Agric. Food Chem. 46: 4652−4656.

Burley R.W. and W.H. Cook. 1961. Isolation and composition of avian egg yolk granules and their constituents $\alpha$- and $\beta$-lipovitellins. Can. J. Biochem. Physiol. 39(2): 1295–1307.

Chandramouli, V., K. Kailasapathy, P. Peiris, and M. Jones. 2004. An improved method of microencapsulation and its evaluation to protect *Lactobacillus* spp. In simulated gastric conditions. J. Microbiol. Methods. 56(1): 27–35.

Chen, K.N., M. J. Chen, J. H. Liu, C. W. Lin, and H. Y. Chu. 2005. Optimization of incorporated prebiotics as coating materials for probiotic microencapsulation. J. Food Microbiol. Safety. 70(5): M260-M266.

Chim-anage, P., V. Hirunvong, P. Sirirote, W. Malaphan, B. Yongsmith, S. Isariyodom, C. Tirawattanawanich, W. Chitanont, and P. Talsook. 2008. Effect of feed supplementation of lactic acid bacteria on microbial changes in broiler intestine. Nat. Sci. 42(5):269-276.

Chronakis, I.S. 1998. On the molecular characteristics, compositional properties, and structural-functional mechanisms of maltodextrins: a review. Crit. Rev. Food Sci. Nutr. 38(7): 599-637.

Conrad, R.M. and R.E. Phillips. 1938. The formation of the chalazae and inner thin white in the hen’s egg. Poult. Sci. 17(2): 143–146.

Crittenden, R., A. Laitila, P. Forssell, J. Maottoo, M. Saarela, and T. Mattila-Sandholm. 2001. Adhesion of bifidobacteria to granular starch and its implications in probiotic technologies. Appl. Environ. Microbiol. 67: 3469-3475.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Desai, K.G.H. and H.J. Park. 2005. Recent developments in microencapsulation of food ingredients. Drying Technol. 23(7): 1361-1394.

Ding, W.K., and N.P. Shah. 2008. Survival of free and microencapsulated probiotic bacteria in orange and apple juices. Int. Food Res. J. 15(2): 219-232.

Doherty, S., M. Auty, C. Stanton, R. Ross, G. Fitzgerald, and A. Brodkorb. 2012. Survival of entrapped *Lactobacillus rhamnosus* GG in whey protein micro-beads during simulated *ex vivo* gastro-intestinal transit. Int. Dairy J. 22: 31–43.

Dugasani, S., M.R. Pichika, V.D. Nadarajah, M.K. Balijepalli, S. Tandra, J.N. Korlakunta. 2010. Comparative antioxidant and anti-inflammatory effects of [6]-gingerol, [8]-gingerol, [10]-gingerol and [6]-shogaol. J. Ethnopharmacol. 127: 515–520.

Duncan, D.B. (1955). Multiple range and multiple F tests. Biometrics. 11 (1): 1–41.

Ehrmann, M.A., P. Kurzak, J. Bauer, and R.F. Vogel. 2002. Characterization of *Lactobacilli* towards their use as probiotic adjuncts in poultry. J. App. Microbiol. 92: 966–975.

Elkin, R.G., M.B. Freed, S.A.H. Danetz, and C.A. Bidwell. 1995. Proteolysis of Japanese quail and chicken plasma apolipoprotein B and vitellogenin by cathepsin D: Similarity of the resulting protein fragments with egg yolk polypeptides. Comp. Biochem. Phys. B. 112(2): 191-196

Forstner, G. dan J.F. Forstner. 1994. Gastrointestinal mucus. In: Physiology of the Gastrointestinal Tract. 3rd ed. Johnson and P. Leonard (eds). Raven Press, New York.

Fu, N. and X.D. Chen. 2011. Towards a maximal cell survival in convective thermal drying processes. Food Res Int. 44(5):1127-1149.

Fuller, R. 1989. Probiotics in man and animals. J. App. Bacteriol. 66: 365-378.

Galdeano, C.M. and G. Perdigo´n. 2006. The probiotic bacterium *Lactobacillus casei* induces activation of the gut mucosal immune system through innate immunity. Clin. Vaccine. Immunol. 13(2): 219–226.

Galobart, J., A. C. Barroeta, M.D. Baucells, R. Codony, and W. Ternes. 2001. Effect of dietary supplementation with rosemary extract and α-tocopheryl acetate on lipid oxidation in eggs enriched with ω3-fatty acids. Poult. Sci. 80: 460–467.

Ghandi, A., I.B. Powell, X.D Chen, and B. Adhikari. 2012. The effect of dryer inlet and outlet air temperatures and protectant solids on the survival of *Lactococcus lactis* during spray drying. Drying Technol. 30(14): 1649-1657.

Gharsallaoui, A., G. Roudaut, O. Chambin, A. Voilley, and R. Saurel. 2007. Applications of spray-drying in microencapsulation of food ingredients. Food Res. Int. 40(9): 1107-1121.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Ghosh, S.K. 2006. Functional Coatings and Microencapsulation: A General Perspective. Functional Coatings. Edited by Swapan Kumar Ghosh. WILEY-VCH Verlag GmbH and Co. KGaA, Weinheim.

Girish, C.K. and T. K. Smith. 2008. Effects of feeding blends of grains naturally contaminated with fusarium mycotoxins on small intestinal morphology of turkeys. Poult. Sci. 87: 1075–1082

Gong, J., R. J. Forster, H. Yu, J. R. Chambers, R. Wheatcroft, P. M. Sabour, dan S. Chen. 2002. Diversity and phylogenetic analysis of bacteria in the mucosa of chicken ceca and comparison with bacteria in the cecal lumen. J. Microbiol. Ecol. 41:171-179.

Gordon, J. I., G. H. Schmidt, dan K. A. Roth. 1992. Studies of intestinal stem cells using normal, chimeric, and transgenic mice. FASEB J. 6: 3039-3050.

Gouin, S. 2004. Microencapsulation: industrial appraisal of existing technologies and trends. Trends Food Sci. Technol. 15(7-8): 330-347.

Green N.M. 1975. Avidin. Adv. Protein Chem. 29: 85–133.

Guerin, D., J.C. Vuillemard, and M. Subirade. 2003. Protection of bifidobacteria encapsulated in polysaccharide–protein gel beads against gastric juice and bile. J. Food Protection. 66: 2076–2084.

Gunal, M., G. Yalyi, O. Kaya, N. Karahan, and O. Sulak. 2006. The effect of antibiotics growth promotor, probiotic or organic acid supplementation on performance, intestinal microflora and tissue of broiler. Int. J. Poult. Sci. 5(2): 149-155.

Hall, B.G., H. Acar, A. Nandipati, and M. Barlow. 2013. Growth rates made easy. Mol. Biol. Evol. 31(1): 232–238.

Hamid, A.A., O.O. Aiyelaagbe, L.A. Usman, O.M. Ameen, and A. Lawal. 2010. Antioxidants: Its medicinal and pharmacological applications. Afr. J. Pure Appl. Chem. 4(8): 142-151.

Har, L.W. and I.S. Ismail. 2012. Antioxidant activity, total phenolics and total flavonoids of *Syzygium polyanthum* (Wight) Walp leaves. Int. J. Med. Arom. Plants. 2(2):219-228.

Hardewi, S. 2000. Potensi bakteri asam laktat sebagai agensia probiotik ayam: ketahanannya terhadap *bile salt* dan daya hambat terhadap patogen *Salmonella* sp. Skripsi Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Hassan, Z.H. 1999. *Lactobacillus* pada kotoran dan saluran pencernaan ayam sebagai agensia probiotik untuk ayam. Skripsi. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Heidebach, T., P. Forst, and U. Kulozik. 2009. Microencapsulation of probiotic cells by means of rennet-gelation of milkproteins. Food Hydrocolloid. 23(7): 1670-1677.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Hirazumi, A., Furusawa, E., Chou, S.C., Hokama, Y., 1994. Anticancer activityofMorinda citrifolia(noni) on intraperitoneally implanted Lewis lung car-cinoma in syngeneic mice. In: Proceedings of the Western Pharmacology Society.

Hossain, B.M.S. 2014. Performance of probiotic: an alternative to antibiotic in broiler. Int. J. Biosci. 1: 48-62.

Ichikawa, H., T. Kuroiwa, A. Inagaki, R. Shineha, T. Nishihira, S. Satomi, and T. Sakata. 1999. Probiotic bacteria stimulate gut epithelial cell proliferation in rat. J. Dig. Dis. Sci. 44:2119-2123.

Iskender, H., G. Yenice, E. Dokumacioglu, O. Kaynar, A. Hayirli and A. Kaya. 2017. Comparison of the effects of dietary supplementation of flavonoids on laying hen performance, egg quality and egg nutrient profile. Br. Poult. Sci. 58(5): 550-556.

Ito, Y. and T. Fujii. 1962. Chemical compositions of the egg yolk lipoproteins. J. Biochem. 52(3): 221–222.

Jamroz , D., T. Wertelecki, M. Houszka, C. Kamel. 2006. Influence of diet type on the inclusion of plant origin active substances on morphological and histochemical characteristics of the stomach and jejunum walls in chicken. J. Anim. Physiol. An. N. 90: 255–268.

Jin, L.Z., Y.W. Ho, N. Abdullah, and S. Jalaludin. 1998. Growth performance, intestinal microbial populations and serum cholesterol of broiler fed diets containing *Lactobacillus* cultures. Poult. Sci. 77(9): 259-1265.

Kagami, Y., S. Sugimura, N. Fujishima, K. Matsuda, T. Kometani, and Y. Matsumura. 2003. Oxidative stability, structure, and physical characteristics of microcapsules formed by spray drying of fish oil with protein and dextrin wall materials. J. Food Sci. 68(7): 2248-2255.

Kasiyati, Sumiati, D.R. Ekastuti, and W. Manalu. 2016a. Roles of curcumin and monochromatic light in optimizing liver function to support egg yolk biosynthesis in Magelang ducks. Int. J. Poult. Sci. 15(10): 414-424.

Kasiyati, W. Manalu, Sumiati, and D.R. Ekastuti. 2016b. Efficacy of curcumin and monochromatic light in improving liver functions of sexually mature Magelang ducks. J. Indonesian Trop. Anim. Agric. 41(3): 153-160.

Keith, M. H. 1972. The rate of passage of food through the digestive tract of the hen. J. Agric. Res. 34(8): 759-770.

Khalid, K. 2011. An overview of lactic acid bacteria. Int. J. Biosci. 1(3): 1-13.

Kiamahalleh, M.V., G.N. Darzi, M. Rahimnejad, A.A. Moghadamnia, and M.V. Kiamahalleh. 2016. High performance curcumin subcritical water extraction from turmeric (*Curcuma longa* L.). J. Chromatogr. B. 1022: 191–198.

Kim, J.J. and W.I. Khan. 2013. Goblet cells and mucins: role in innate defense in enteric infections. J. Pathol. 2: 55-70.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Kim, Y. S. and S.B. Ho. 2010. Intestinal goblet cells and mucins in health and disease: recent insights and progress. Curr. Gastroenterol. Rep. 12: 319-330.

Koroleva, N.S. 1991. Products prepared with lactic acid bacteria and yeasts. In Therapeutic Properties of Fermented Milks. Eds. Robinson, R.K. Elsevier Applied Science. London.

Krasaekoopt, W., B. Bhandari, and H. Deeth. 2004 The influence of coating materials on some properties of alginate beads and survivability of microencapsulated probiotic bacteria. Int. Dairy J. 14(8): 737–743.

Krause, E. L. and W. Ternes. 1999. Bioavailability of the antioxidative thyme compounds thymol and p-cymene-2,3-diol in eggs. Eur. Food. Res. Technol. 209: 140–144.

Kusuma, I.W., H. Kuspradini, E.T. Arung, F. Aryani, Y.H. Min, J.S. Kim, and Y.U. Kim. 2011. Biological activity and phytochemical analysis of three indonesian medicinal plants, *Murraya koenigii*, *Syzygium polyanthum*, and *Zingiber purpurea*. J. Acupunct. Meridian Stud. 4(1): 75−79.

Lacroix, C. dan S. Yildirim. 2007. Fermentation technologies for the production of probiotic with high viability and functionality. Current Opinion in Biotechnology. 18: 176- 183.

Lan, Y., M. W. A. Verstegen, S. Tamminga, and B. A. Williams. 2005. The role of the commensal gut microbial community in broiler chickens. Worlds Poult. Sci. J. 61: 95-104.

Ledezma-Torres, R., A. Posadas-Cantu, R. Espinosa-Leija, J.J. Hernandez-Escareno, H. Fimbres-Durazo, V.M. Riojas-Valdes, F.A. Santoyo de Estefano, and F.J. Picon-Rubio. 2014. Different levels of probiotics to broilers diet on gastrointestinal tract development and production performance. J. Microbiol. 9: 892-897.

Lee, K. and T. Heo. 2000. Survival of *Bifidobacterium longum* immobilized in calcium alginate beads in simulated gastric juices and bile salt solution. App. Environ. Microbiol. 66(2): 869–873.

Lee, K.W., H. Everts, H.J. Kappert, K.H. Yeom, and A.C. Beynen. 2003. Dietary carvacrol lowers body weight gain but improves feed conversion in female broiler chickens. J. Appl. Poult. Res. 12: 394-399.

Lehrer, S.B., W.E. Horner, and G. Reese. 1996. Why are some proteins allergenic. Crit. Rev. Food Sci. Nutr. 36(6): 553–564.

Lian, W.C., H.C. Hsiao, and C.C. Chou. 2002. Survival of bifidobacteria after spray drying. Int. J. Food Microbiol. 74(1-2): 79-86.

Loksuwan, J. 2007. Characteristics of microencapsulated β-carotene formed by spray drying with modified tapioca starch, native tapioca starch and maltodextrin. Food Hydrocolloids. 21: 928–935.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Mack, D.R., S. Michail, S. Wei, L. McDougall, and M.A. Hollingsworth. 1999. Probiotics inhibit enteropathogenic *Eschericia coli* adherence *in vitro* by inducing intestinal mucin gene expression. J. Physiol. 276: G941-G950

Maier. R.M. 2000. Bacterial Growth. In Environmental Microbiology. Eds. Maier, R.M., Pepper, I.L., Gerba, C.P. Elsevier Applied Science. London

Malekizadeh, M., M.M. Moeini, and S. Ghazi. 2012. The effects of different levels of ginger (*Zingiber officinale Rosc*) and Turmeric (*Curcuma longa Linn*) rhizomes powder on some blood metabolites and production performance characteristics of laying hens. J. Agr. Sci. Tech. 14: 127-134.

Martin W.G., J.E. Vandergaer, and W.H. Cook. 1957. Fractionation of livetin and the molecular weights of the alpha- and beta- components. J. Biochem. Physiol. 35(4): 241–250

Martin, W.G., J. Augustyniak, and W.H. Cook. 1964. Fractionation and characterization of the low-density lipoproteins of hen's egg yolk. Biochimica et Biophysica Acta. 84(6): 714–720.

Matsuda, T. and R. Nakamura. 1993. Molecular structure and immunological properties of food allergens. Trends Food Sci. Tech. 4(9): 289–293.

Meram, C. and J. Wu. 2017. Anti-inflammatory effects of egg yolk livetins (α, β, and γ-livetin) fraction and its enzymatic hydrolysates in lipopolysaccharide-induced RAW 264.7 macrophages. Food Res. Int. 100: 449–459.

Mishra, P.K., R.K. Singh, A. Gupta, A. Chaturvedi, R. Pandey, S. P. Tiwari, and T.M. Mohapatra. 2013. Antibacterial activity of *Andrographis paniculata* (Burm. f.) Wall ex Nees leaves against clinical pathogens. J. Pharm. Res. 7: 459-462.

Monaco, H.L. 1997. Crystal structure of chicken riboflavin-binding protein. EMBO J. 16(7): 1475–1483.

Moon, N.J. and G. W. Reinbold. 1976. Commensalism and competition in mixed cultures of *Lactobacillus bulgaricus* and *Streptococcus thermophilus*. J. Milk Food Technol. 39(5): 337-341.

Moorthy, M., S. Ravi, M. Ravikumar, K. Viswanathan, and S.C. Edwin. 2009. Ginger, pepper and curry leaf powder as feed additives in broiler diet. Int. J. Poult. Sci. 8: 779-782.

Moran, E.T. 1987. Protein requirement, egg formation and the hen's ovulatory cycle. J. Nutr. 117(3): 612–618.

Mortazavian, A., S.H. Razavi, M.R. Ehsani, and S. Sohrabvandi. 2007. Principles and methods of microencapsulation of probiotic microorganisms. Iran. J. Biotechnol. 5(1): 1–18.

Murray, D., A. Arbuzova, G. Hangyas-Mihalyne, A. Gambhir, N. Ben-Tal, B. Honig and S. McLaughlin. 1999. Electrostatic properties of membranes

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

containing acidic lipids and adsorbed basic peptides: theory and experiment. Biophys. J. 77: 3176–3188.

Muthukumarasamy, P., P. Allan-Wojtas, and R.A. Holley. 2006. Stability of *Lactobacillus reuteri* in different types of microcapsules. J. Food Sci. 71(1): 20-24.

Muttaqin, A. 2005. Mempelajari pembuatan pelet probiotik bakteri asam laktat untuk suplemen pakan ternak ayam. Skripsi. Fakultas Teknologi Pertanian. Universitas Gadjah Mada. Yogyakarta.

Mutukumira, A. N., J. Ang, and S.J. Lee. 2014. Viability and properties of spraydried *Lactobacillus casei*-01. Proceeding of the International Conference on Beneficial Microbes. Penang, Malaysia.

Nadia, R. L., R.A. Hassan, E.M. Qota, and H.M. Fayek. 2008. Effect of Natural antioxidant on oxidative stability of eggs and productive and reproductive performance of laying hens. Int. J. Poult. Sci. 7(2): 134-150

Nahashon, S. N., H. S. Nakaue, and L. W. Mirosh. 1994. Production variables and nutrient retention in Single Comb White Leghorn laying pullets fed diets supplemented with direct-fed microbials. Poult. Sci. 73:1699–1711.

Navidghasemizad, S., A. Acero-Lopez, J. Curtis, F. Temelli, and J. Wu. 2014. Destabilization of Egg Yolk Emulsion After IgY Removal Through Enzymatic Treatments. J. Am. Oil Chem. Soc. 91:1857–1866.

Nousiainen, J. and J. Setala. 1993. Lactic acid bacteria as animal probiotics. In Lactic Acid Bacteria. Eds. S. Salminen and A. von Wright. Marcel Dekker. New York.

Olano-Martin, E., K.C. Mountzouris, G.R. Gibson, and R.A. Rastall. 2000. *In vitro* fermentability of dextran, oligodextran and maltodextrin by human gut bacteria. Br. J. Nutr. 83: 247–255.

Oliveira, A.C., T.S. Moretti, C. Boschini, J.C.C. Baliero, O. Freitas, and C.S. Favaro-Trindade. 2007. Stability of microencapsulated *B. lactis* (BI 01) and *L. acidophilus* (LAC 4) by complex coacervation followed by spray drying. J. Microencapsul. 24(7): 685-693.

Omana, D.A., J. Wang, and J. Wu. 2010. Ovomucin-A glycoprotein with promising potential. Trends Food Sci. Technol. 21(9): 455-463.

Pandey, K.B. and S.I. Rizvi, 2009. Plant polyphenols as dietary antioxidants in human health and disease. Oxid. Med. Cell Longev. 2: 270-278.

Panpatil, V.V., S. Tattari, N. Kota, C. Nimgulkar, and K. Polasa. 2013. *In vitro* evaluation on antioxidant and antimicrobial activity of spice extracts of ginger, turmeric and garlic. J. Pharmacogn. Phytochem. 2(3): 143-148.

Perdigon, G., S. Alvarez, M.E. Nader de Macıas, M.E. Roux, A.P. de Ruiz Holgado. 1990. The oral administration of lactic acid bacteria increase the

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

mucosal intestinal immunity in response to enteropathogens. J. Food Protect. 53: 404–410.

Picot, A. and C. Lacroix. 2004. Encapsulation of *Bifidobacteria* in whey protein-based microcapsules and survival in simulated gastrointestinal conditions and in yoghurt. Int. Dairy J. 14(6): 505-515.

Pradipta, M.S.I. 2014. Pengaruh suplementasi mikrokapsul probiotik bakteri asam laktat indigenous unggas terhadap penampilan pertumbuhan ayam broiler fase *starter*. Tesis. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.

Pradipta, M.S.I., Sri-Harimurti, and Widodo. 2019. Feed supplementation with encapsulated indigenous probiotic lactic acid bacteria increased broiler chicken performance. ASEAN J. Sci. Technol. Develop. 36(1): 29-34.

Priyono, A. 2016. Pengaruh pemberian mikrokapsul probiotik bakteri asam laktat terhadap kepadatan sel goblet pada jejunum dan organ imun ayam broiler. Skripsi. Fakultas Peternakan Universitas Gadjah Mada. Yogyakarta.

Puspawati, N.N., L. Nuraida, and D.R. Adawiyah. 2010. Penggunaan berbagai jenis bahan pelindung untuk mempertahankan viabilitas bakteri asam laktat yang di isolasi dari air susu ibu. Jurnal Teknologi dan Industri Pangan. 21(1): 59-65.

Quirce, S., F. Maranon, A. Umpierrez, M. de las Heras, E. Fernandez-Caldas, and J. Sastre. 2001. Chicken serum albumin (Gal d 5*) is a partially heat-labile inhalant and food allergen implicated in the bird-egg syndrome Allergy. 56(8): 754–762.

Radwan, N.L., R.A. Hassan, E.M. Qota, and H.M. Fayek. 2008. Effect of natural antioxidant on oxidative stability of eggs and productive and reproductive performance of laying hens. International Journal of Poultry Science. 7: 134-150.

Radziejewska R.C., G. Leśnierowski, and J. Kijowski. 2008. Properties and application of egg white lysozyme and its modified preparations. Pol. J. Food Nutr. Sci. 58: 5-10.

Rahim, E.N.A.A., A. Ismail, M.N. Omar, U.N. Rahmat, and W.A.N.W. Ahmad. 2018. GC-MS analysis of phytochemical compounds in *Syzygium polyanthum* leaves extracted using Ultrasound-Assisted method. Pharmacogn. J. 10(1): 110-119.

Rao, Y.K., G. Vimalamma, C. V. Rao, and Y.M. Tzeng. 2004. Flavonoids and andrographolides from *Andrographis paniculata*. Phytochemistry. 65:2317–2321.

Reddy, A.C.P. and B.R. Lokesh. 1994. Effect of dietary turmeric (*Curcuma longa*) on iron-induced lipid peroxidation in the rat liver. Food Chem. Toxicol. 32(3): 279-283.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Rokka, S. and P. Rantamäki. 2010. Protecting probiotic bacteria by microencapsulation: challenges for industrial applications. Eur. Food Res. Technol. 231: 1–12.

Rose, M.E., E. Orlans, and N. Buttress. 1974. Immunoglobulin classes in the hen‘s egg: their segregation in yolk and white. Eur. J. Immunol. 1974(4): 521-523.

Sakata, T, T. Kojima, M. Fujieda, M. Miyakozawa, M Takahashi dan K. Ushida. 1999. Probiotic preparations dose-dependently increase net production rates of organic acids and decrease that of ammonia by pig cecal bacteria in batch culture. Digest. Dis. Sci. 44: 1485-1493.

Salminen, S., A. Wright, L. Morelli, P. Marteau, D.Brassart, W.M. de Vos, R. Fonden, M. Saxelin, K. Collins, G. Mogensen, S.E. Birkeland, and T. Sandholm. 1998. Demonstration of safety of probiotics. A review. Int. J. Food Microbiol. 44: 93–106.

Saraswati, T.R., W. Manalu, D.R. Ekastuti, and N. Kusumorini. 2013. Increased egg production of Japanese quail (*Cortunix japonica*) by improving liver function through turmeric powder supplementation. Int. J. Poult. Sci. 12(10): 601-614.

Sardjono, B. Haryono, dan D. Wibowo. 1999. Teknologi Fermentasi. Jurusan Teknologi Pengolahan Hasil Pertanian Fakultas Teknologi Hasil Pertanian UGM. Yogyakarta

Sasikumar, B., K.J. George, K.V. Saji and J.Zachariah. 2005 Two new high yielding, high 'curcumin, turme ric (*Curcuma IOllga L*.) varieties- 'IISR Kedaram' and 'IISR Alleppey Supreme'. J. Spices Aromat. Crops. 14 (1): 71- 74.

Sawale, G.K., R.C. Gosh, K. Ravikanth, S. Maini, and D.S. Rekhe. 2009. Experimental mycotoxicosis in layer induced by ochratoxin a and its amelioration with herbomineral toxin binder ‘toxiroak’. Int. J. Poult. Sci. 8: 798-803.

Seo, J., J. lee, Y. Lee, S. Lee, M. Kim, H. Yook, and M. Byun. 2004. Change of an egg allergen in a white layer cake containing gamma-irradiated egg white. J. Food Prot. 67(8): 1725–1730.

Serna-Cock, L. and V. Vallejo-Castillo. 2013. Probiotic encapsulation. Afr. J. Microbiol. Res. 7: 4743-4753.

Shah, N.P. and R.R. Ravula. 2000. Microencapsulation of probiotic bacteria and their survival in frozen fermented dairy desserts. Aust. J. Dairy Technol. 55(3): 139-144.

Singh, R.P. and D.A. Jain. 2012. Evaluation of antimicrobial activity of curcuminoids isolated from turmeric. Int. J. Pharm. Life Sci. 3(1): 1368-1367.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Smirnov, A, R. Perez, E. Ramit-Romach, D. Sklan, and Z. Uni. 2005. Mucin dynamics and microbial population in chicken small intestine are changed by dietary probiotic and antibiotic growth promotor supplementation. J. Nutr. 135: 187-192.

Sri-Harimurti dan Widodo-Hadisaputro. 2015. Probiotics in Poultry. Pages: 1-18 in: Beneficial Microorganisms in Agriculture, Aquaculture, and Other Areas. M-T, Liong and A. Steinbüchel, eds. Switzerland: Springer International Publishing.

Sri-Harimurti. 2011. Probiotik bakteri asam laktat *indigenous*: pengaruhnya terhadap ekspresi biologis pada ayam broiler. Disertasi. Program Pascasarjana, Fakultas Peternakan, Universitas Gadjah Mada, Yogyakarta.

Sri-Harimurti. and E.S. Rahayu. 2009. Morfologi usus ayam broiler yang disuplementasi dengan probiotik strain tunggal dan campuran. J. Agritech. 29(3): 179-183.

Stadelman, W.J. 1995. Egg production practices. In: Egg Science and Technology, Haworth Food Products Press. New York.

Stoilova, I., A. Krastanov, A. Stoyanova, P. Denev, and S. Gargova. 2007. Antioxidant activity of a ginger extract (*Zingiber officinale*). Food Chem. 102: 764–770.

Strixner, T. and U. Kulozik. 2013. Continuous centrifugal fractionation of egg yolk granules and plasma constituents influenced by process conditions and product characteristics. Journal of Food Engineering. 117: 89-98.

Sultana, K., G. Godward, N. Reynolds, R. Arumugaswamy, P. Peiris, and K. Kailasapathy. 2000. Encapsulation of probiotic bacteria with alginatestarch and evaluation of survival in simulated gastrointestinal conditions and in yoghurt. Int. J. Food Microbiol. 62(1-2): 47-55.

Sun, S., W. Mo, Y. Ji, and S. Liu. 2001. Preparation and mass spectrometric study of egg yolk antibody (IgY) against rabies virus. Rapid Commun. Mass Spectrom. 15(9): 708–712.

Sun, W. and M.W. Griffiths. 2000. Survival of bifidobacteria in yogurt and simulated gastric juice following immobilization in gellan–xanthan beads. Int. J. Food Microbiol. 61: 17–25.

Sunohara, H., T. Ohno, N. Shibata, and K. Seki. 1995. Process for producing capsule and capsule obtaned thereby. Patent Number: 5,478,570.

Surai, P.F. 2000. Effect of selenium and vitamin E content of the maternal diet on the antioxidant system of the yolk and the developing chick. Br. Poult. Sci. 41: 235-243.

Taklimi, S.M., H. Lotfollahian, A.Z. Shahne, F. Mirzaei, and A. Alinejad. 2012. Study on efficacy of probiotic in broiler chickens diet. J. Agric. Sci. 3: 5-8.

UNIVERSITAS
GADJAH MADA
**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

Tollba, A.A.H. and M.S.H. Hassan. 2003. Using some natural additives to improve physiological and productive performance of broiler chicks under high temperature conditions. 2. Black cumin (*Nigella sativa*) or garlic (*Allium sativum*). Poult. Sci. 23: 327-340.

Toussant, M.J. and J.D. Latshaw. 1999. Ovomucin content and composition in chicken eggs with different interior quality. J. Sci. Food Agric. 79(12): 1666–1670.

Usmiati, S. dan T. Mawarti. 2007. Seleksi dan optimasi proses produksi bakteriosin dari *Lactobacillus* sp. Jurnal Penelitian Pascapanen Pertanian, 4(1): 27-37.

Vidra, A., A.J. Tóth, and a. Németh. 2017. Lactic acid production from cane molasses. Liquid Waste Recovery. 2: 13–16.

Vijayameena, C., G. Subhashini, M. Loganayagi, and B. Ramesh. 2013. Phytochemical screening and assessment of antibacterial activity for the bioactive compounds in *Annona muricata*. Int. J. Curr. Microbiol. App. Sci. 2(1): 1-8.

Ward, D.J. and G.A. Somkuti. 1995. Characterization of a bacteriocin produce by *Streptococcus thermophilus* ST134. Appl. Microbiol. Biotechnol. 43(2): 330-335.

Warner, R. C. 1954. The proteins. Eds. Neurath, H. and K. Bailey. Academic Press. New York.

Watanabe, K., M. Shimoyamada, T. Onizuka, H. Akiyama, M. Niwa, T. Ido, and Y. Tsuge. 2004. Amino acid sequence of α-ovomucin in hen egg white ovomucin deduced from cloned cDNA. DNA Seq. 15(4): 251–261.

Watson, D.W. and W.A. Jr. Sodeman. 1974. The small intestine. In Pathologic Physiology Mechanism Disease. Eds. W.A.Jr.Sodeman and W.A. Sodeman. W.B. Saunders Company, Phyladelphia-London-Toronto, Igaku Shoin Ltd., Tokyo.

Williams, J. 1968. A comparison of glycopeptides from the ovotransferrin and serum transferrin of the hen. Biochem. J. 108(1): 57-67.

Williams. J. 1962. Serum proteins and the livetins in hen's-egg yolk. Biochem. J. 83(2): 346–355.

Winslow, L.C. and D.J. Krol. 1998. Herbs as medicines. Arch. Intern. Med. 158: 2192-2199.

Yang, Y., P.A. Iji, and M. Choct. 2009. Dietary modulation of gut microflora in broiler chickens: a review of role of six kinds of alternatives to in-feed antibiotics. World. Pout. Sci. J. 65(1): 97-114.

Young, A.C., R.F. Tilton, and J.C. Dewan. 1994. Thermal expansion of hen egg-white lysozyme: Comparison of the 1.9 Å resolution structures of the

UNIVERSITAS
GADJAH MADA

**Suplementasi Mikrokapsul Probiotik Bakteri Asam Laktat Indigenous dan Herbal Efeknya Terhadap Kesehatan Usus dan Profil Protein Telur Ayam**
NOVI AKHIRINI, Prof. Dr. Ir. Sri Harimurti S.U.; Prof. Dr. Ediati Sasmito S.E. Apt.
**Universitas Gadjah Mada, 2020 | Diunduh dari http://etd.repository.ugm.ac.id/**

tetragonal form of the enzyme at 100K and 298K. J. Mol. Biol. 235(1): 302-317.