

DAFTAR PUSTAKA

- Abdelkader, N.N., 2015, Modified Technique for Nonvital Tooth Bleaching: A Case Report, *Electronic Physician*, Vol 7(6) :1423-1426.
- Alqahtani, M.Q., 2014, Tooth Bleaching Procedures and Their Controversial Effects: a Literature Review, *The Saudi Dental Journal*, 26 : hal. 33-46.
- Al Hassani,A.A., Al Shama, A.M.W.,2018, Effect of Delayed Bonding and Antioxidants on Composite Restoration Microleakage of Internally Bleached Teeth, *Adv Den&Oral Health*, 9(3): 1-6.
- Alvarenga, F.A.D.,Pineli, C.,Loffredo, L.D.C.M., 2015, Realibility of Marginal Microleakage Assessment by Visual and Digital Methods, *European Journal of Dentistry*, 9(1):1-5.
- Anusavice, 2013, *Phillip's Sicence of Dental Materials 11th ed.* St. Louis, Saunders, hal. 399-418.
- Asheim, K.W.,dan Dale, B.G.,2001, *Esthetic Dentistry: Aclinical Approach to Technique and Materials*, 2nd Edition, Mosby,St. Louis, 275-295.
- Azarmi, R., Ashjaran, A., 2015, Review article: Type and application of some common surfactants, *J. Chem Pharm Res.*, Vol.7(2), 632-40.
- Bahuguna, N., 2013, Cervical root resorption and non vital bleaching, *Endodontology*, Vol: 25, Issue 2.
- Betancourt , D. E., Baldion , P. A. dan Castellanos, J.E., 2019, Review Article: Resin-Dentin Bonding Interface: Mechanisms of Degradation and Strategies for Stabilization of the Hybrid Layer, *International Journal of Biomaterials*, Vol.10.
- Beun Sebastien, Glorieux T, Devaux Jacques, Vreven J, Leloup G., 2007 Characterization of Nanofilled Compared to Universal and Microfilled Composites. *Elsevier*, 51-9.
- Briso, A.L.F., Toseto, R.M., Rahal, V., Santos, P.H., dan Ambrosano, G.M.B., 2012, Effect of Sodium Ascorbate on Tag Formation in Bleached Enamel. *J Adhes Dent*, 14 : hal. 19-23.
- Briso, A., Rahal,V., Sundfeld, R.,dos Santos, P., dan Alexandre, R., 2014, Effect of Sodium Ascorbate on Dentin Bonding After Two Bleaching Technique, *Oper Dent*, 39, 195-213.

- Camps, J., de Franceschi, H., Idir, F., Roland, C., dan About, I., 2007, Time-course diffusion of hydrogen peroxide through human dentin : clinical significance for young tooth internal bleaching, *J. Endod.*, 33(4): 455-59.
- Carey, C.M., 2014, Tooth Whitening : What We Know, *J Evid Based Dent Pract.* hal. 70-76.
- Cavalli, V., Shinohara, M.S., Ambrose, W., Malafaia, F.M., Pereira, P.N.R., dan Giannini, M., 2009, Influence of Intra Coronal Bleaching Agents on The Ultimate Strength and Ultrastructure Morphology of Dentine, *Int Endod J.*, 42:568-570.
- Costa, T.R.F., Ferreira, S.Q., Klein-Junior, C.A., Loguercio, A.D., Reis, A., 2010, Durability of Surface Treatments and Intermediate Agents Used for Repair of a Polished Composite, *Oper Dent*, 75-7.
- D'Souza, R., Qin, C., 2012, Development of the Pulpodentin Complex dalam *Selzer and Bender Pulp*, Diedit oleh Hargreaves, K.M. and Goods, H.E Quintessece Publishing Co.
- Dahl, J.E. dan Pallesen, U., 2003, Tooth Bleaching: A Critical Review of The Biological Aspect, *Crit. Rev. Oral Biol Med.*, 14:292-304.
- European Food Safety Authority, 2010, Scientific Opinion on Use of Sodium Ascorbate as a Food Additive in Vitamin D Preparations Intended to be Use in Formulae and Weaning Food for Infants and Young Children, *EFSA Journal*, 8(12) : 1942-1954.
- Federer, W., 1991, *Statistics and Society: Data Collection and Interpretation 2nd Edition*, Marcel Dekker, New York, hal.425.
- Freire, A., Souza, E.M., Caldas, D.B.M., Rosa, E.A.R., Bordin, C.F.W., Carvalho, R.M., Vieira, S., 2009, Reaction Kinetics of Sodium Ascorbate and Dental Bleaching Gel, *Journal of Dentistry*, 37: 932-6.
- Freire, A., Durski, M.T., Ingberman, M., Nakao, L.S., Souza, E.M., dan Vieira, S., 2011, Assessing the use of 35 percent sodium ascorbate for removal of residual hydrogen peroxide after in-office tooth bleaching, *JADA*, 142 (7) : hal.836-41.
- Furi TA., Coniwati, P., 2012, Pengaruh perbedaan ukuran partikel dari ampas tebu dan konsentrasi natrium bisulfit (NaHSO₃) pada proses pembuatan surfaktan, *Jurnal Teknik Kimia*, 18(4):49-58.
- Garg, N. dan Garg, A., 2013, *Textbook of Operative Dentistry 2nd Edition*, Jaypee Brothers, New Delhi, hal.298-328.

Greenwall, L., Fredman, G., dan Gordan, V.V., 2001, *Bleaching Technique in Restorative Dentistry: An Illustrated Guide*, Martin Dunitz.

Gopinath, S., James, V., Mahalaxmi, S., 2013, Effect of bleaching with two different concentrations of hydrogen peroxide containing sweet potato extract as an additive on human enamel: An in vitro spectrophotometric and scanning electron microscopy analysis, *J Conserv Dent*, V.16(1).

Grossman L.C, Oliet D., dan Rio E.D.,2013, *Ilmu Endodontik Dalam Praktek* Ed 11, EGC, Jakarta, hal. 297-300.

Han, Y., Mo, S., Jiang, L., Zhu, Y., 2014, Effects of antioxidants on the microleakage of composite resin restorations after external tooth bleaching, *Eur J Dent.* , Vol. 8(2): 147–153.

Hansen, J.R., Frick, K.J., dan Walker, M.P., 2014, Effect of 35% Sodium Ascorbate Treatment on Microtensile Bond Strength After Non Vital Bleaching, *JOE* : hal.1-3.

Istianah, Ekoningtyas AE., Benyamin B.,2015, Perbedaan Pengaruh Hidrogen Peroksida 35% Dan Karbamid Peroksida 35% Terhadap Microleakage Pada Resin Komposit *Nanohybrid*, *ODONTO Dental Journal*. Volume 2. No 1.

Izidoro, A.C., Martins, G.C., Higashi, C., Grande C.Z, Tay, L.Y, Gomes, J.C., Campanha, H.N ., dan Jorge, J.H., 2015, Combined Technique for Bleaching Non Vital with 6 Month Clinical Follow Up: Case Report, *Int.J.Oral.Dent.Health*, 1(2) : hal. 1-4.

Jacob, AS and Kumar, DNM., 2007, Effect of Pre and Post Operative Bleaching on Microleakage of Amalgam and Composite Restoration Using 10% Carbamide Peroxide – an Invitro Study. *J Conserv Dent*, 10: 33-7.

Jain, R.J., Jadhav, S.K., Hegde, V.S., 2013, Effect of Conventional and Laser Activated Intracoronal Bleaching Agents on Ultrastructure and Mineral Content of Dentin, *Journal of Dental Lasers*,1(7):2-8.

Kesumawardhany, B., Mita, S.R., 2016, Pengaruh Penambahan Tween 80 Sebagai Enhancer Dalam Sediaan Transdermal, *Farmaka Universitas Padjajaran*, Vol 14(2).

Kidd E.A.M., Smith B.G., Watson N., Timothy F., 2003, *Pickard's Manual of Operative Dentistry*, Oxford University Press, USA, 428-33.

- Kimyai, S., Valizadeh, H., 2006, The Effect of Hydrogel and Solution of Sodium Ascorbate on Bond Strength in Bleached Enamel, *Operative Dentistry*, 31-4, 496-499.
- Kunt, G.E., Yilmaz, N., Sen, S., Dede, D.O., 2011, Effect of Antioxidant Treatment on the Shear Bond Strength of Composite Resin to Bleached Dentin, *Acta Odontologica Scandinavica*, 69 : hal. 287-91.
- Lai, S.C.N., Mak, Y.F., Cheung, G.S.P., Osorio, R., Toledano, M., Carvalho, R.M., Tay, F.R., dan Pashley, D.H., 2001, Reversal of Compromise Bonding to Oxidized Etched Dentin, *J.Dent.Res*, 80 (10) : hal. 1919-24.
- Lima, A.F., Lessa, F.C.R., Hebling, J., Costa, C.A.D., dan Marchi, G.M., 2010, Protective Effect of Sodium Ascorbate on MDPC-23 Odontoblast Like Cell Exposed to Bleaching Agent, *European Journal of Dentistry*, 4 (3) : hal. 238-44.
- Llena C., Martinez-Galdon O., Gambini J., 2018, Hydrogen Peroxide Diffusion through Enamel and Dentin, *MDPI Materials* 2018, 11, 1694.
- Lokhande, N., Padmai, A.S., Rathore, V.P.S., Shingane, S., Jayashankar, D.N., Sharma, U., 2014, Effectiveness of Flowable Resin Composite in Reducing Microleakage- An In Vitro Study, *J Int Oral Health*, 6(3): 111-114.
- Lu, J.M., Lin, P.H., Yao, Q., Chen, C., 2010, Chemical and Molecular Mechanism of Antioxidant: Experimental Approaches and Model System, *J. Cell Mol. Med*, 14 (4); 840-860.
- McCabe, J.F., Walls, A.W.G., 2008, *Applied Dental Materials, 9th Edition*, Blackwell Munksgard, Oxford, h.196-203.
- Mehrotra, V., Sawhny, A., Gupta, I., Gupta, R., 2014, Tell Tale Shades of Discolored Teeth-A Review, *Indian Journal of Dental Sciences*, 2(6): 95-99.
- Moosavi, H., Moghaddas, M.J., Ghodduji, J., Rajabi, O., 2010, Effects of Two Antioxidants on the Microleakage of Resin-Based Composite Restorations after Nonvital Bleaching, *The Journal of Contemporary Dental Practice*, Vol. 11(6).
- Muraguchi, K., Shigenobu, S., Suzuki, S., Tanaka, T., 2007, Improvement of Bonding to Bleached Bovine Tooth Surfaces by Ascorbic Acid Treatment, *Dental Material Journal*, 26(6): 875-881.

- Nugraheni, T., Nuryono, N., Sunarintyas, S., Mulyawati, E., 2017, Composite resin shear bond strength on bleached dentin increased by 35% sodium ascorbate application, *Dental Journal (Majalah Kedokteran Gigi)*, Vol.50, p178-182.
- Nurhidayah, S., 2009, Perbandingan Aktivitas Antioksidan Ekstrak Pisang Raja (Musa AAB 'Pisang Raja') dengan Vitamin A, Vitamin C dan Katekin melalui Perhitungan Bilangan Peroksida. *Skripsi*. Fakultas Kedokteran Universitas Indonesia.
- Papachini, F., 2007, *A Study Into the Materials and Techniques for Improving the Composite-Repair Bond*, Thesis, University of Siena, Siena, 24-34,42
- Park, J.Y., Kwon, T.Y., Kim, Y.K., 2013, Effective Application Duration of Sodium Ascorbate Antioxidant in Reducing Microleakage of Bonded Composite Restoration in Intracoronally-bleached Teeth, *Restorative Dentistry & Endodontics*, 38 (1) : hal. 43-47.
- Pashley, D., 2012, Pulpodentin Complex dalam *Selzer and Bender Pulp*, Diedit oleh Hargreaves, K.M. and Goods, H.E Quintessece Publishing Co.
- Pavlenko, V., Ronsenqvist, L., Kochukhov, O., 2015, *Fluid Mechanics*, Department of Physics and Astronomy Uppsala University.
- Perchyonok, V.T., Grobler, S.R., 2015, Tooth-Bleaching : Mechanism, Biological Aspects, and Antioxidants, *Int Journal of Dentistry and Oral Health*, 1 (3) : hal. 1-8.
- Plotino, G., Buono, L., Grande, N.M., Pameijer, C.H., Somma, F., 2008, Nonvital Tooth Bleaching: A Review of The Literature and Clinical Procedure, *JOE*, 34, (4), h. 394-407.
- Powers, J.M. dan Sakaguchi, R.L., 2012, *Craig's Restorative Dental Materials 13th Edition*, Elsevier, Philadelphia, hal. 161-79.
- Prathap, S., 2013, Extrinsic Stains and Management: A New Insight. *J. Acad. Indus. Res.* 1(8):435-442.
- Roberson, TM., Heymann, HO., dan Swift, EJ., 2006, *Art and Science of Operative Dentistry*, 5 th ed. Mosby, St. Louis.
- Rokaya ME., Beshr K., Mahram AH., Pedir SS., Baroudi K., 2015, Evaluation of Extraradicular Diffusion of Hydrogen Peroxide during Intracoronary Bleaching Using Different Bleaching Agents, *International Journal of Dentistry*, Vol 2015, p1-7.

Sharafeddin, F., Zare, S., Javnardi, Z., 2013, Effect of Home Bleaching on Microleakage of Fiber-reinforced and Particle-filled Composite Resins, *JODDD*, 7(4): 211-217.

Sofan, E., Sofan, A., Palaia, G., Tenore, G., Romeo, U., Miglui, G., 2007, Classification Review of Dental Adhesive System: From The IV Generation to Universal Type, *Annal dl Stomatologia*, 7(1):1-17.

Summit, J.B., Robbins, J.W., Hilton, T.J., dan Schwatz, RS, 2006, *Fundamental of Operative Dentistry: A Contemporary Approach*, 3rd ed., Chicago: Quintessence Publishing Co.

Tarigan, R., 2006, Perawatan Pulpa Gigi, Buku Kedokteran, Jakarta.

Teixeira, E.C.N., Hara, A.T., Turssi, C.P., Serra, M.C., 2003, Effect of Non Vital Tooth Bleaching on Microleakage on Coronal amless Restoration, *J.Oral Rehab.*, 30:1123-1127.

Torabinejad, M., dan Walton, R., 2009, *Endodontics Principles and Practice 4th Edition*, Saunders Elsevier, hal. 391-404.

Torres, C. R.G., Koga, A.F., dan Borges, A.B., 2006, The Effect of Antioxidant Agents on Neutralizers of Bleaching Agents on Enamel Bond Strength, *Braz J. Oral Sci.*, 26(16):971-6.

Turkmen, C., Guleryuz, N., Atah, P.Y., 2016, Effect of Sodium Ascorbate and Delayed Treatment on the Shear Bond Strength of Composite Resin to Enamel Following Bleaching, *Nigerian Journal of Clinical Practice*, 19 (1) : hal. 91-98.

Turkun, M., dan Turkun, L.S., 2004, Effect of non-vital bleaching with 10% carbamide peroxide on sealing ability of resin composite restoration, *International Endodontic Journal*, 37: hal. 52-60.

Unlu, N., Cobankara, F.K., dan Ozer, F., 2008, Effect of Elapsed Time Following Bleaching on The Shear Bond Strength of Composite Resin to Enamel, *J.Biomed Mater Res B Appl Biomater*, 84:363-368.

Uysal, T., Er, O., Sagsen, B., Ustdal, A., dan Akdogan, G., 2009, Can Intracoronally Bleached Teeth be Bonded Safely?, *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(5) : hal. 690-694.

Walsh, L.J., 2008, Microleakage of Composite Resin Restoration, *Aust Dent.J.*, 45(4): 257-269.

Whang, H.J., dan Shin, D.H., 2015, Effect of Applying Antioxidants on Bond Strength of Bleached Bovine Dentin, *Restor Dent Endod*, 40(1): 37-43.

Widowati, K.A., Kristanti, Y., Nugraheni, T., 2015, Pengaruh Konsentrasi Dan Lama; Waktu Aplikasi Sodium Askorbat Terhadap Kebocoran Mikro Tumpatan Resin Komposit Kavitas Kelas I Pasca Bleaching Intrakoronar Dengan Hidrogen Peroksida 35%, *Jurnal Kedokteran Gigi UGM*, Vol 6, No. 2.

Yusri, Trilaksana, A.C., Rovani, C. A., 2016, Antioxidant effectivity to decrease coronal microleakage of composite resin restoration after intra-coronal bleaching, *J Dentomaxillofac Sci*, Vol 1(3): 158-162.