

D AFTAR PUSTAKA

- Al-Hassani, A.A., dan Al-Shamma, 2018, Effect of Delayed Bonding and Different Antioxidants on Composite Restoration Microleakage of Internally Bleached Teeth, *ADOH*, Vol. 9 (3) : hal. 001-006.
- Alqahtani, M.Q., 2014, Tooth Bleaching Procedures and Their Controversial Effects: a Literature Review, *The Saudi Dental Journal*, 26 : hal. 33-46.
- Anusavice, 2013, *Phillip's Science of Dental Materials 11th ed.* St. Louis, Saunders, hal. 399-418.
- Ariani, Ria., Hadriyanto, W., dan Kristanti, Y., 2014, Pengaruh Waktu Aplikasi Dan Bahan Pelarut Bonding Setelah Pemutihan Gigi Ekstrakoronal Terhadap Kekuatan Geser Pelekatan Resin Komposit Pada Email, *J Ked Gi* 5(2) : hal. 190-195.
- Arumugam, M.T., Nesamani, R., Kittappa, K., Sanjeev, K., Sekar, M., 2014, Effect of Various Antioxidants on the Shear Bond Strength of Composite Resin to Bleached Enamel : an In Vitro study, *J Conserv Dent*, 17 (1) : hal. 22-26.
- Avery, J. K. dan Chiego, D. J., 2002, *Essential of Oral Histology and Embryology*, 3rd edition, Mosby Elsevier, New York, hal. 98.
- Barszczewska-Rybarek, I.; Jurczyk, S. Comparative Study of Structure-Property Relationships in Polymer Networks Based on Bis-GMA, TEGDMA and Various Urethane-Dimethacrylates. *Materials* 2015, 8: hal. 1230–1248.
- Berger, S.B., Soares, L.E.S., Martin, A.A., Ambrosano, G.M.B., Tabchoury, C.P.M., Giannini, M., 2014, Effect of Various Hydrogen Peroxide Bleaching Concentration and Number of Applications on Enamel, *Braz J Oral Sci*, 13(1): hal. 22-27.
- Bertassoni, LE, Habelitz, S., Marshall, SJ., Marshall, GW., 2011, Mechanical Recovery of Dentin Following Remineralization in vitro- An Indentation Study, *Jbiomech* 44: hal. 176-181.
- Borges B, Vale M, Afonso F, Assuncao I., 2014, Can enhanced peroxides decrease the side effects of tooth bleaching? a systematic review of the literature. *IJDS* 3(2): 84-91.

- Briso, A.L.F., Toseto, R.M., Rahal, V., Santos, P.H., dan Ambrosano, G.M.B., 2012, Effect of Sodium Ascorbate on Tag Formation in Bleached Enamel. *J Adhes Dent*, 14 : hal. 19-23.
- Camps, J., de Franceschi, H., Idir, F., Roland, C., About, I., 2007, Time-course diffusion of hydrogen peroxide through human dentin: clinical significance for young tooth internal bleaching. *J Endod*, 33(4), 455-459.
- Carey, C.M., 2014, Tooth Whitening : What We Know, *J Evid Based Dent Pract*. hal. 70-76.
- Carvalho, L. D., Machado, R. G., Lopes, g. C., dk. 2012. Nanofilled Composite Restorations with Different Adhesives Strategies: Clinical Case. Case Report on Dentistry 10.1155/2012/969627.
- Castro, M. M. L.; Martins, M. K. F.; Fagudens, N. C. F.; Nogueira, B. C. L.; Da Silva, T. G. V.; De Oliveira, F. R.; De Souza-Rodrigues, R. D. & Lima, R. R., 2019, Ultrastructural alterations and physical changes on bovine dentin after internal bleaching with 35 % hydrogen peroxide, *Int. J. Odontostomat.*, 13(2):235-240.
- Chandki, R., Dan Kala, M., 2011, Total Etch Vs Self Etch: Still A Controversy In The Science Of Bonding, *AOSR* ; 1(1):38-42.
- Chandra, B.S., Krishna, V.G., 2010, *Grossman's Endodontic Practice*, 12th ed., Wolters Kluwer Health, New Delhi, hal. 16-33, 346-358
- Dabas, D., Patil, A.C., Uppin, V.M., 2011, Evaluation of The Effect of Concentration and Duration of Application of Sodium Ascorbate Hydrogel on The Bond Strength of Composite Resin to Bleached Enamel, *J Conserv Dent*, 14(4): 356-360.
- Dahl, J.E. dan Pallesen, U., 2003, Tooth Bleaching: A Critical Review of The Biological Aspect, *Crit. Rev. Oral Biol Med.*, 14:292-304.
- Farag, M.M., 2014, Material and Process Selection for Engineering Design, 3rd ed., CRC Press, Taylor and Francis Group, USA
- Fawzy, A.S., Beng, L.T., Lee,N.,2012, Characterization of the structural/properties correlation of crosslinked dentin collagen fibrils: AFM study , *FORMATEX*, hal. 533-539.

- Federer, W.T., 1983, Principles of Statistical Design with Special Reference to Experiment and Treatment Design, Biometrics Unit, Cornell University, BU-813-M.
- Feiz,A., Khoroushi,M., Ghwisarifar,M., 2011, Bond strength of Composite resin Bleached Dentin: Effect of Using antioxidant Versus Buffering Agent, *Journal of Dentistry*, 8(2): hal. 60-65.
- Freire, A., Souza, E.M., Caldas, D.B.M., Rosa, E.A.R., Bordin, C.F.W., Carvalho, R.M., Vieira, S., 2009, Reaction Kinetics of Sodium Ascorbate and Dental Bleaching Gel, *Journal of Dentistry*, 37: hal. 932-6.
- Freire, A., Durski, M.T., Ingberman, M., Nakao, L.S., Souza, E.M., dan Vieira, S., 2011, Assessing the use of 35 percent sodium ascorbate for removal of residual hydrogen peroxide after in-office tooth bleaching, *JADA*, 142 (7) : hal.836-41.
- Furi, T.A. dan Coniwanti, P., 2012, Pengaruh Perbedaan Ukuran Partikel Dari Ampas Tebu Dan Konsentrasi Natrium Bisulfit (Nahso₃) Pada Proses Pembuatan Surfaktan, *Jurnal Teknik Kimia*, 4(18): hal. 49-58.
- Garg, N. dan Garg, A., 2013, *Textbook of Operative Dentistry 2nd Edition*, Jaypee Brothers, New Delhi, hal.298-328.
- Gladwin, M., Bagby, M., 2013, *Clinical Aspects Of Dental Materials Theory, Practice,And Cases*. 4th Ed, Philadelphia, Lippincott Williams & Wilkins. Hal. 153-155.
- Goldberg M, Smith AJ., 2004. Cells and Extracellular Matrices of Dentin and Pulp: A Biological Basis for Repair and Tissue Engineering. *CROBM*; 15: 13-27.
- Gokce, B., Comlekoglu, M.E., Ozpinar, B., Turkun, M., dan Kaya, A.D., 2008, Effect of antioxidant treatment on bond strength of a luting resin to bleached enamel, *Journal of Dentistry*, 36 : hal. 780-785.
- Gönüloğlu N., Güler E., Özyılmaz Ö.Y., Yücel AÇ.,2013, Effect of sodium ascorbate on the bond strength of silorane and methacrylate composites after vital bleaching, *Braz Oral Res*, 27(4): hal. 299–304.
- Han, Y., Mo, S., Jiang, L., Zhu, Y., 2014, Effects of antioxidants on the microleakage of composite resin restorations after external tooth bleaching, *Eur J Dent.* , Vol. 8(2): hal. 147–153.

- Hansen, J.R., Frick, K.J., dan Walker, M.P., 2014, Effect of 35% Sodium Ascorbate Treatment on Microtensile Bond Strength After Non Vital Bleaching, *JOE* : hal.1-3.
- Hargreaves, K.M., Berman, L.H., 2016, *Cohen's Pathway of The Pulp 11th Edition*, Elsevier, Missouri, hal.e96-e112.
- Heymann, H.O., Swift, E.J., dan Ritter, A.V., 2012, *Sturdevant's Art and Science of Operative Dentistry 6th Edition*, St. Louis, Mosby, Elsevier, hal. 310-320.
- Ingle, J I., Leif K B., Baumgartner. 2008. *Ingle's Endodontics 6th Ed.* BC Decker : Ontario.
- Izidoro, A.C., Martins, G.C., Higashi, C., Grande C.Z, Tay, L.Y, Gomes, J.C., Campanha, H.N ., dan Jorge, J.H., 2015, Combined Technique for Bleaching Non Vital with 6 Month Clinical Follow Up: Case Report, *Int. J Oral Dent Health*, 1(2) : hal. 1-4.
- Jaya, F., dan Eriwati, Y. K., 2012, Effect of surface treatment on adhesion to dentin, *Jurnal PDGI*, 61(1), 35-42.
- Jain, R.J., Jadhav, S.K., Hegde, V.S., 2013, Effect of Conventional and Laser Activated Intracoronal Bleaching Agents on Ultrastructure and Mineral Content of Dentin, *Journal of Dental Lasers*,1(7):2-8.
- Kimyai, S., Valizadeh, H., 2006, The Effect of Hydrogel and Solution of Sodium Ascorbate on Bond Strength in Bleached Enamel, *Operative Dentistry*, 31-4, hal. 496-499.
- Kishen, A.,2006, Mechanisms and risk factors for fracture predilection in endodontically treated teeth, *Endodontics Topics*, 13: hal. 57-83.
- Khaled, A.N., 2011, *Physical Properties of Dental Resin Nanocomposites, Thesis, The Degree of Master of Philosophy (MPhil)* Faculty of Medical and Human Sciences, University of Manchester School of Dentistry, Manchester.
- Kunt, G.E., Yilmaz, N., Sen, S., Dede, D.O., 2011, Effect of Antioxidant Treatment on the Shear Bond Strength of Composite Resin to Bleached Dentin, *Acta Odontologica Scandinavica*, 69 : hal. 287-91.
- Lima, A.F., Lessa, F.C.R., Hebling, J., Costa, C.A.D., dan Marchi, G.M., 2011, Effect of Bleaching Treatment and Reduced Application Time of an Antioxidant Bond Strength to Bleached Enamel and Subjacent Dentin, *J Adhes Dent*: hal.1-6.

- Manuja, N., Nagpal, R., dan Pandit, I.K., 2012, Dental Adhesion: Mechanism, Techniques and Durability, *J Clin Pediatr Dent*, 36 (3) : hal. 223-231.
- McCabe, J.F., Walls, A.W.G., 2011, *Applied Dental Material* 9th ed. UK, Blackell Publishing Ltd.
- Mirmohammadi, H., Khosravi, K., Kashani, K., Kleverlaan, C., Feilzer, A., 2014, Influence of Filler Existence on Microleakage of a Self-etch Adhesive System, *J Conserv Dent*, 17(2) : 175 – 178.
- Moosavi, H.,Moghaddas, M.J., Ghoddusi, J., Rajabi, O.,2010, Effects of Two Antioxidants on the Microleakage of Resin-Based Composite Restorations after Nonvital Bleaching, *The Journal of Contemporary Dental Practice*, Vol. 11(6): hal. 1-8.
- Mortazavi, V., Fathi, M., Ataei, E., Askari, N., 2012, shear bond strengths and morphological evaluation of filled and unfilled adhesive interfaces to enamel and dentin, *Int J Dent*, 17(1) : hal. 23-32
- Murad, C.G., de Andrade, S.N., Disconzi, L.R., Munchow, E.A., Piva, E., Pascotto, R.C., Moura, S.K., 2016, Influence of 10% sodium ascorbate gel application time on composite bond strength to bleached enamel. *Acta Biomaterialia Odontologica Scandinavica*, 2, 49-54.
- Neelakantan, P., Jagannathan, N., 2012, Non Vital Bleaching – A Non Invasive Post Endodontic Treatment Option : A Case Report, *Journal of Clinical and Diagnostic Research*, 6 (3) : hal. 527-529.
- Nair, Manuja., Paul, Joseph et all., 2014, Comparative Evaluation of the Bonding Efficacy of sixth and Seventh Generation Bonding Agent : An In-vitro Study, *J Conserv Dent*, 17(1) : 27-30.
- Nugraheni, T.,Nuryono, N., Sunarintyas, S., Mulyawati, E., 2017, Composite resin shear bond strength on bleached dentin increased by 35% sodium ascorbate application, *Dental Journal (Majalah Kedokteran Gigi)*, Vol.50: hal.178-182.
- Park, J.Y., Kwon, T.Y., Kim, Y.K., 2013, Effective Application Duration of Sodium Ascorbate Antioxidant in Reducing Microleakage of Bonded Composite Restoration in Intracoronally-bleached Teeth, *Restorative Dentistry & Endodontics*, 38 (1) : hal. 43-47.
- Pashley, .H.,Pashley,E.L.,dan Carvalho,R.M.,2002, The Effects of Dentin Permeability on Restorative Dentistry, *Dent Clin North Am*, 46(2): hal. 211-45.

Patel, S., Hans, M.K., Chander, S., Ahluwalia, A.S., 2015, Antioxidant in Endodontics: a Strategic Review, *Journal of Clinical and Diagnostic Research*, 9 (5) : hal. 12-15.

Perchyonok, V.T., Grobler, S.R., 2015, Tooth-Bleaching : Mechanism, Biological Aspects, and Antioxidants, *Int Journal of Dentistry and Oral Health*, 1 (3) : hal. 1-8.

Plotino, G., Buono, L., Grande, N.M., Pameijer, C.H., Somma, F., 2008, Nonvital Tooth Bleaching: A Review of The Literature and Clinical Procedure, *JOE*, 34, (4): hal. 394-407.

Powers, J.M. dan Sakaguchi, R.L., 2012, *Craig's Restorative Dental Materials 13th Edition*, Elsevier, Philadelphia, hal. 161-79.

Priyanka.S.R dan Veronica, 2013, Tooth discolouration due to endodontic materials and Procedures, *IOSR Journal of Dental and Medical Sciences*, 9 (4) : hal. 32-36.

Rachim, P.F., Mirta, E.L., Thoha, M.Y., 2012, Pembuatan Surfaktan Natrium Lignosulfonat Dari Tandan Kosong Kelapa Sawit Dengan Sulfonasi Langsung, *Jurnal Teknik Kimia*, 1(18): hal. 41-6.

Roberson, T. M., Heymann, H. O., & Swift, E. J., 2006. *Sturdevant's: Art and Science of Operative Dentistry*, Missouri: Mosby Elseiver.

Rotstein I., Walton, R.E., 2009, *Bleaching Discolored Teeth : Internal and External*, Missouri : Saunders Elseviers.

Saggu, T.K., Masthan, K.M.K., Dudanakar, M.P., Nisa, S.U., Patil, S., 2012, Evaluation of Salivary Antioxidant Enzymes Among Smokers and Non Smokers, *World Journal of Dentistry*, 3 (1) : hal. 18-21.

Secilmis, A., Dilber, E., Gokmen, F., dan Oztruk, N., 2011, Effects of storage solutions on mineral contents of dentin, *Journal of Dental Sciences* 6: hal. 189-194.

Shah, Aakash, 2017, Tooth Discoloration - A Review, *International Journal of Advanced Research and Publications*, 1(3) : hal 99-100.

- Sheraz M.A., Khan M.F., Ahmed S., Kazi S.H., Khattak S.R. dan Ahmad, I., 2014. Factors Affecting Formulation Characteristics and Stability of Ascorbic Acid in Water-in-Oil Creams. *International Journal of Cosmetic Science*, 36, 494–504.
- Shinohara, M.S., Peris, A.R., Pimenta, L.A.F., dan Ambrosano, G.M.B., 2005, Shear Bond Strength Evaluation of Composite resin on Enamel and Dentin after Non Vital Bleaching, *J Esthet Restor Dent*, 17 : hal. 22-29.
- Soesilo, D., 2016, Perawatan Internal Bleaching Untuk Estetik Gigi Pasca Perawatan Endodotik, *Denta Jurnal Kedokteran Gigi*, 10 (2).
- Syahara, M.A. 2016, Pengukuran Sudut Kontak Untuk Mengetahui Polaritas Cairan Sebagai Bahan Modul Praktikum Tegangan Permukaan, Institut Teknologi Sepuluh November.
- Tredwin, C.J., Naik, S., Lewis, N.J., dan Scully, C., 2006, Hydrogen peroxide tooth-whitening (bleaching) products: Review of adverse effects and safety issues, *British Dental Journal*, 200(7): hal. 371-376.
- Thomaidis, S., Kakaboura, A., Mueller, W. D., & Zinelis, S., 2013, Mechanical properties of contemporary composite resins and their interrelations, *Dental Materials*, 29(8): hal. e132– e141.
- Torabinejad, M., dan Walton, R., 2009, *Endodontics Principles and Practice 4th Edition*, Saunders Elsevier, hal. 391-404.
- Turkun, M., dan Turkun, L.S., 2004, Effect of non-vital bleaching with 10% carbamide peroxide on sealing ability of resin composite restoration, *International Endodontic Journal*, 37: hal. 52-60.
- Uysal, T., Er, O., Sagsen, B., Ustdal, A., dan Akdogan, G., 2009, Can Intracoronally Bleached Teeth be Bonded Safely?, *American Journal of Orthodontics and Dentofacial Orthopedics*, 136(5) : hal. 690-694.
- Widowati, K.A., Kristanti, Y., Nugraheni, T., 2015, Pengaruh Konsentrasi Dan Lama; Waktu Aplikasi Sodium Askorbat Terhadap Kebocoran Mikro Tumpatan Resin Komposit Kavitas Kelas I Pasca Bleaching Intrakoronar Dengan Hidrogen Peroksida 35%, *Jurnal Kedokteran Gigi UGM*, 6(2).
- Yusri, Trilaksana, A.C., dan Rovani, C.A., 2016, Antioxidant effectivity to decrease coronal microleakage of composite resin restoration after intra-coronal bleaching, *J Dentomaxillofac Sci* 1(3) : hal. 158-162.