

## DAFTAR PUSTAKA

- Ahmed, S., 2017, Evaluation of Dentin Damage After Rotary NiTi Preparation, *Dissertation*, University of The Western Cape
- Aksoy, C., Keris, E. Y., Yaman, S. D., Ocak, M., Geneci, F., Celik, H. H., 2019, Evaluation of XP-Endo Shaper, Reciproc Blue, and Protaper Universal NiTi Systems on dentinal Microcrack Formation Using Micro-Computed Tomography, *JOE*, 45(3): 338-41
- Avery, J.K., Chiego, D.J., 2006, *Essentials of Oral Histology and Embryology: A Clinical Approach*, ed 3, St Louis, Mosby
- Aydinbelge, H. A., Yilmaz, M. O., 2018, Dentinal Crack Formation After Root Canal Preparation: Rotary Versus Reciprocal Instrumentation, *Selcuk Dent J*, 5: 111-6
- Badami, V., Ahuja, B., 2014, Biosmart Materials: Breaking New Ground in Dentistry, *The Scientific World Journal*, 1-7
- Bayram, H. M., Bayram, E., Ocak, M., uzuner, M. B., Geneci, F., Celik, H. H., 2017, Micro-Computed Tomographic Evaluation of Dentinal Microcrack Formation afret Using New Heat-treated Nickel-Titanium Systems, *J Endod*, 43(10): 1736-9
- Bier, C.A., Shemesh, H., Tanomaru-Filho, M., 2009, The Ability of Different Nickel-Titanium Rotary Instruments to Induce Dentinal Damage During Canal Preparation, *J Endod*, 35:236-8.
- Bürklein, S., Tsotsis, P., Schäfer, E., 2013, Incidence of Dentinal Defects After Root Canal Preparation: Reciprocating Versus Rotary Instrumentation, *Journal of Endodontics*, 39(4): 501-4.
- Butt, N., Talwar, S., 2013. In-vitro Evaluation of Various Solvents for Retrieval of Mineral Trioxide Aggregate and Their Effects on Microhardness of Dentine. *Journal of Conservative Dentistry*, 16(3): 199-202.
- Capar, I.D., Saygili, G., Ergun, H., Gok, T., Arslan, H., Ertas, H., 2014, Effects of Root Canal Preparation, Various Filling Techniques and Retreatment After Filling on Vertical Root Fracture and Crack Formation, *Dental Traumatology*, 1-6.
- Cassimiro, M., Romeiro, K., Gominho, L., Almeida, A, Silva, L., Albuquerque, D, 2018, Effects of Reciproc, Protaper Next and WaveOne Gold on Root Canal Walls: A Stereomicroscope Analysis, *Iranian Endodontic Journal*, 13(2): 228-33

- Chandra, B.S., Gopikrishna, V., 2014, *Grossmann's Endodontic Practice, 13<sup>th</sup> edition*, Wolter Kluwer
- Chong, B. S, 2017. *Harty's Endodontics in Clinical Practice. 7<sup>th</sup> edition*. Elsevier. London
- Çiçek, E., Koçak, M.M., Sağlam, B.C., Koçak, S., 2015, Evaluation of Microcrack Formation in Root Canals After Instrumentation with Different NiTi Rotary File Dystems: A Scanning Electron Microscopy Study, *Scanning*, 37(1): 49-53.
- Dane, A., Capar, I.D., Arslan, H., Akçay, M. and Uysal, B., 2016, Effect of Different Torque Settings on Crack Formation in Root Dentin, *Journal of Endodontics*, 42(2), 304- 306.
- De-Deus, G., Garcia-Filho, P., 2009, Influence of The NiTi Rotary System on The Debridement Quality of The Root Canal Space. *Oral Surgery, Oral Medicine, Oral Pathology, Radiology And Endodontics*, 108(4): e71-e6.
- De-Deus, G., Belladonna F.G., Souza E. M., Silva, E. J., Neves A.A., Alves H., 2015, Mixcro-Computed Tomographic Assessment on The Effect of Protaper Next and Twisted File Adaptive Systems on Dentinal Cracks, *J Endod*, 41: 1116-9
- El Nasr, H.M.A., El Kader, K.G.A., 2014, Dentinal Damage and Fracture Resistance of Oval Roots Prepared with Single-File Systems Using Different Kinematics, *Journal of Endodontics*, 40(6): 849-51.
- El Sayed M.A.A.M., Al amoud' M.O., M'gharfaoui M. R., 2015. Radicular Dentinal Defects Incidence After Using EDTA Gel with Different Root Canal Instrumentation Techniques., *Journal of Restorative Dentistry*, 3(1): 21-5.
- Ertas H., Sagsen B., Arslan H., Er O, Ertas E.T., 2014, Effects of Physical and Morphological Properties of Roots on Fracture Resistanfe, *Eur. J. Dent.*,8: 261-4
- Ferreira, M. A., Luersen, M. A., Borges, P. C., 2012, Nickel-Titanium Alloys: A Systematic Review, *Dental Press J. Orthod*, 17(3)
- Garg, A., Garg, N., 2014, *Textbook of Endodontics (Third Edition)*, Jaype Brothers Medical Publishers, India
- Garg, S., Mahajan, P., Thaman, D., Monga, P., 2015, Comparison of Dentinal Damage Induced by Different Nickel-Titanium Rotary Instruments During Canal Preparation: An *In Vitro* Study, *J Conserv Dent*, 18(4):302-5

- González-Chapela, J., Castelo-Baz, P., Ruíz-Piñón, M., 2017, Alternating Versus Continuous Rotation: Root canal Transportation and Centering Ratio with the ProTaper Next, *J Conserv Dent*, 20(4): 255-9
- Gutmann, J.L., Gao, Y, 2012, Alteration in The Inherent Metallic and Surface Properties of Nickel-Titanium Root Canal Instruments To Enhance Performance, Durability and Safety, *Int Endod J*, 45: 113-28.
- Hargreaves, K.M., Berman, L.H., 2016, *Cohen's Pathway of the Pulp, 11<sup>th</sup> Edition*, Elsevier, St. Louis.
- Hassan, B., Metska, M.E., Ozok, A.R., van der Stelt, P., Wesselink, P.R., 2009, Detection of Vertical Root Fractures in Endodontically Treated Teeth by Cone Beam Computed Tomography Scan, *Journal of Endodontics*, 35(5): 719-22.
- Hin, E.S., Wu, M.K., Wesselink, P.R., Shemesh, H., 2013. Effects of Self-Adjusting File, Mtwo and ProTaper on the root canal wall. *Journal of Endodontics*, 39 (2), 262-264.
- Hülsmann, M., Peters, O.A., Dummer, P.M.H., 2005, Mechanical Preparation of Root Canals: Shaping Goals, Techniques and Means, *Endodontic Topics*, 10(1): 30-76.
- Jordan, L., Sultan, A., Vermaut, P., 2015, Microstructural and Mechanical Characterizations of New Ni-Ti Endodontic Instruments, *Matec Web Conference*
- Karataş, E., Gündüz, H.A., Kırıcı, D.Ö. and Arslan, H., 2016, Incidence of Dentinal Cracks After Root Canal Preparation with ProTaper Gold, Profile Vortex, F360, Reciproc and ProTaper Universal Instruments. *International Endodontic Journal*, 49: 905-10.
- Khasnis, S.A., Kidiyoor, K.H., Patil, A.B., Kenganal, S.B., 2014, Vertical Root Fractures and Their Management, *Journal of Conservative Dentistry*, 17 (2): 103-10.
- Kim, H.C, Lee, M.H., Yum, J., 2010, Potential Relationship Between Design of Nickel Titanium Rotary Instruments and Vertical Root Fracture, *J Endod*, 36: 1195-9.
- Kim, H.C., Kwak, S.W., Cheung, G.S.P., Ko, D-H., Chung, S.M., Lee, W.C., 2012, Cyclic Fatigue and Torsional Resistance of Two New Nickel-Titanium Instruments Used in Reciprocation Motion: Reciproc Versus WaveOne. *Journal of Endodontics*, 38(4): 541-4.
- Kishen, A., Kumar, G. V., Chen, N. N., 2004, Stress-Strain Response in Human Dentine: Rethinking Fracture Predilection in Post Core Restored Teeth, *Dent Traumatol*, 20: 90-100

- Kishen, A, 2006, Mechanisms and Risk Factors for Fracture Predilection in Endodontically Treated Teeth, *Endodontic Topics*, 13:57-83.
- Koch, K., Brave, D., 2012, Real World Endo: Design Features of Rotary Files and How They Affect Clinical Performance, *Oral Health*:39-49.
- Lam, P.P.S., Palamara, J.E.A., Messer, H.H., 2005, Fracture Strength of Tooth Roots Following Canal Preparation by Hand and Rotary Instrumentation, *Journal of Endodontics*, 31(7): 529-32.
- Liu, R., Hou, B.X., Wesselink, P.R., Wu, M-K., Shemesh, H., 2013, The Incidence of Root Microcracks Caused by 3 Different Single-File Systems Versus The ProTaper System, *Journal of Endodontics*, 39 (8): 1054-6
- Lopes, H.P., Ferreira, A.A.P., Elias, C.N., Moreira, E.J.L., de Oliveira, J.C.M., Siqueira Jr, J.F., 2009, Influence of Rotational Speed on The Cyclic Fatigue of Rotary Nickel-Titanium Endodontic Instruments, *Journal of Endodontics*, 35 (7): 1013-6.
- McSpadden, J, 2006, *Section I: Mastering the Concepts. In: Mastering Endodontic Instrumentation*, Ramsey: 4-26
- Micro Mega, 2018, *One Curve Brochure*, didownload di <https://www.trycare.co.uk/files/ww/One-Curve%20Brochure.pdf>
- Mireku, A.S., Romberg, E., Fouad, A.F., Arola, D., 2010. Vertical fracture of root filled restored with posts: the effects of patient age and dentine thickness. *International Endodontic Journal*, 43 (3), 218-225.
- Mohammadi, Z., Soltani, M. K., Asgary, S., 2014, A Review of the Various Surface Treatments of NiTi Instruments, *Iranian Endodontic Journal*, 9(4): 235-40
- Musani, I., Goyal, V., Singh, A., Bhat, C., 2009, Evaluation and Comparison of Biological Cleaning Efficacy of Two Endofiles and Irrigants as Judged by Microbial Quantification in Primary Teeth-An *In vivo* Study, *Int J Clin Pediatr Dent.*, 2(3):15-22.
- Necchi, S., Taschieri, S., Petrini, L., Migliavacca, F., 2008. Mechanical Behaviour of Nickel-Titanium Rotary Instruments in Simulated Clinical Conditions: A Computational Study, *International Endodontic Journal*, 41 (11): 939-49.
- Pashley, D.H; Pashley, E. L., Carvalho, R.M., Tay, F.R., 2002, The Effects of Dentin Permeability on Restorative Dentistry, *Dent Clin North Am*, 46(2): 211-45.

- Pedulla, E., Genovesi, F., Rapisarda, S., La Rosa, G. R. M., Grande, N. M., Plotino, G., Adorno, C. G., 2017, Effect of 6 Single-File Systems on Dentinal Crack Formation, *JOE*, 43(3): 456-61
- Pereira, E.S.J., Gomes, R.O., Leroy, A.M.F., Singh, R., Peters, O.A., Bahia, M., 2013, Mechanical Behavior of M-Wire and Conventional NiTi Wire Used to Manufacture Rotary Endodontic Instruments, *Dent Mater*, 29: 318– 24.
- Ruddle, C.J., 2012, Endodontic Canal Preparation Rotation Vs. Reciprocation, *Endodontic Practice*, 5(1)
- Ruddle, C.J., Machtou, P., West, J.D., 2013, The Shaping Movement: Fifth-Generation Technology, *Dent Today*, 32: 22–4.
- Rzhanov, E.A., Belyaeva, T.S., 2012, Design Features of Rotary Root Canal Instruments, *Endo (Lond Engl)*, 6(1): 29-9
- Sakaguchi, R. L., Powers, J. M., 2012, *Craig's Restorative Dental Materials, Thirteenth Edition*, Philadelphia, Elsevier, 9-16
- Sathorn, C., Palamara, J.E.A., Palamara, D., Messer, H.H., 2005, Effect of Root Canal Size and External Root Surface Morphology on Fracture Susceptibility and Pattern: A Finite Element Analysis, *Journal of Endodontics*, 31 (4): 288-92.
- Schroeder S.N., 2016, The Incidence of Root Dentinal Micro-Cracks Caused by Reciprocating and Continuous Rotary Instrumentation, *Thesis*, Virgin Commonwealth University.
- Shantiaee, Y., Dianat, O., Mosayebi, G., Namdari, M., Tordik, P., 2019, Effects of Root Canal preparation, Techniques on Crack Formation in Root Dentin, *J Endod*: 1-6
- Sharma, P., Goel, M., Verma, S., Sachdeva, G.S., Sharma, N., Kunar, V., 2016, Entering A New Era in Endodontics with Revolutionary Single File Systems: A Comprehensive Review, *EC Dental Science*, 5(3): 1100-22.
- Shemesh, H., Bier, C.A.S., Wu M.K., Tanomaru-Filho, M., Wesselink, P.R., 2009. The Effects of Canal Preparation and Filling on The Incidence of Dentinal Defects, *International Endodontic Journal*, 42(3): 208-13.
- Shori, S. D., Shenoi, P. R., Pandey, S., 2015, Stereomicroscopic Evaluation of dentinal defects induced by new rotary system: “ProTaper NEXT”, *J Conserv Dent*, 18(3): 210-3
- Singh, V., Nikhil, V., Bansal, P., 2018, Induction of Dentinal Microcracks During Postspace Preparation: A Comparative Microcomputed Tomography Study, *J Conserv Dent*, 21(6): 646-50.

- Staffoli, S., Grande, N. M., Plotino, G., Özyürek, T., Gündoğar, M., Fortunato, L., Polimeni, A., 2019, Influence of environmental temperature, heat-treatment and design on the cyclic fatigue resistance of three generations of a single-file nickel–titanium rotary instrument, *Odontology*, 107: 301-7
- Slutzky-Goldberg, I., Hanut, A., Matalon, S., Baev, V., Slutzky, H., 2013, The Effect of Dentin on The Pulp Tissue Dissolution Capacity of Sodium Hypochlorite and Calcium Hydroxide. *Journal of Endodontics*, 39(8): 980-3
- Tac, M. D., Kaya, S., Falakaloglu, S., 2018, Evaluation of Dentinal Micro-Cracks Caused by The ProTaper Universal, ProtaTaper Next and Reciproc Rotary File Systems Used in Root Canal Preparation, *International Dental Research*, 8(3): 111-6
- Tamse, A., 2006, Vertical root fractures in endodontically treated teeth: diagnostic signs and clinical management, *Endodontic Topics*, (2)
- Tomer, A. K., Modinagar, Sahni, S., Goud, B. V., Pyasi, S. K., Bhatt, M., 2018, Comparative Evaluation of Dentinal Defects Caused by Different Rotary Ni-Ti Instruments - A In Vitor Study, *International Journal of Innovative Research and Advanced Studies (IJRAS)*, 5(7): 200-3
- Topçuoğlu, H. S., Düzgün, S., Akpek, F., Topçuoğlu, G., Akti, A., 2015, Influence of A Glide Path on Apical Extrusion of Debris During Canal Preparation Using Single-File Systems in Curved Canals, *International Endodontic Journal*: 1-5.
- Ustun Y., Aslan, T., Sagsen, B., Kesim, B., 2015, The Effects of Different Nickel-Titanium Instruments on dentinal Microcrack Formations During Root canal Preparations, *Eur J Dent.*, 9(1): 41-6.
- Versluis, A., Messer, H.H., Pintado, M.R., 2006, Chnages in Compaction Stress Distributions in Roots Resulting From Canal Preparation, *Int Endod J.*, 39(12): 931-9.
- Walia, H., Brantley, W., Gerstein, H., 1988, An Initial Investigation of The Bending and Torsional Properties of Nitinol Root Canal Files, *J Endod*, 14: 346– 51.
- Yared, G., 2008, Canal Preparation Using Only One Ni-Ti Rotary Instrument: Preliminary Observations, *Int Endod J.*, 41:339–44.
- Yoldas, O., Yilmaz, S., Atakan, G., Kuden, C., Kasan, Z., 2012, Dentinal Microcrack Formation During Root Canal Preparations by Different NiTi Rotary Instruments and the Self- Adjusting File, *Journal of Endodontics*, 38(2): 232-5.

You, S.Y., Kim, H.C., Baek, S.H., Kum, K.Y., Lee, W., 2011, Shaping Ability of Reciprocating Motion in Curved Root Canals: A Comparative Study with Micro-Computed Tomographic, *J Endod*, 37: 1296-300.

Young, G.R., Parashos, P., Messer, H.H., 2007, The Principles of Techniques for Cleaning Root Canals, *Australian Dental Journal*, 52(1): S52-63.