

DAFTAR PUSTAKA

- Alothmani, O.S., Chandler, N.P., Friedlander, L.T., 2013, The Anatomy of the Root Apex : A review and Clinical Consideration in Endodontics, *Saudi Endodontic Journal*, 3(1): (1-9)
- Anusavice, J.K, 2007, Philips : *Buku Ajar Ilmu Bahan Kedokteran Gigi*, EGC: Jakarta
- Bane K, Faye B, Sarr M, Niang S.O., Ndiaye D, Machtou P, 2015, Root Canal Shaping by Single File Systems and Rotary Instruments: a Laboratory Study, *Iran Endod J*, 10(2) : 135-139
- Basrani, B. 2015. *Endodontic Irrigation: Chemical Disinfection of the Root Canal System*. Springer. Swiss
- Bergmans L, Lambrechts P, 2010, *Textbook of Endodontology*. 2ed. Singapore: Wiley-Blackwell. p. 170-74
- Bertrand MF, Pizzardini, P., Muller M, 1999, Removal of Smear Layer Using The Quantec System : A Study Using Scanning Electron Microscope., *Int Endod J*, 32(3) : 217-224
- Berutti E, Chiandussu G, Paolino DS, Cantatore G, Castelucci A, Pasqualini D, 2012, Canal Shaping with Waveone Primary Reciprocating Files and Protaper System: A Comparative Study, *J Endod*, 38(9) : 505-9.
- Burklein S, Hinschitza K, Dammaschke T, Schafer E. 2012, Shaping Ability and Cleaning Effectiveness of Two Single File System in Severely Curved Root Canal of Extracted Teeth : Reciproc and Waveone Versus Mtwo and Protaper, *Int Endod J*, 45(5) : 449-61
- Burklein, S., Heck, R., Schafer, E., 2017, Evaluation of the Root Canal Anatomy of Maxillary and Mandibular Premolars in a Selected German Population Using Cone-beam Computed Tomographic Data, *J Endod*, 43(9):1448-1452
- Cahyadi, AR., Nugraheni, T., Hadiyanto, W., 2013, Tingkat Kebersihan Tiga Segmen Saluran Akar Pasca Preparasi Menggunakan Instrument Putar MTWO Single Length, Protaper Crown Down, dan Protaper Hybrid, *J Ked Gi.*, 4(2) : 31-38
- Cavalho F.M.A, Goncalves L.C.O, Marques A.A.E., Alves V, Bueno C.E.S., Martin A.E.S., 2016, Cleaning Effectiveness of a Reciprocating Single File

and A Conventional Rotary Instrumentation System, *The Open Dentistry Journal*, 10:704-713.

Chong, B. S. 2017. *Harty's Endodontics in Clinical Practice*. 7th edition. Elsevier, London

El-Barkouky, R,M., Moussa, S,M., El-Din, M,H., Lehet, N,A., 2016, Evaluation of Apical Extrusion of Debris and Irrigant Using Two Rotary Instrumentation System, *Alexandria Dental Journal*, 41: 99-104

Elnaghy, A,M., Elsaka S,E., 2014, Assessment of the Mechanical Properties of ProTaper Next Nickel-Titanium Rotary Files, *J Endod*, 40(11):1830-4.

Erickson TE, Johnson WT, 2002, *Color Atlas of Endodontics*. Philadelphia: W. B. Saunders Company, p. 79-88.

Estrella C,R,A., Estrella C., Reis, C., Bamman, LL., Pecora J,D., 2003, Control of Microorganism in vitro by Endodontics Irrigants, *Braz Dent J*. 14(3) : 187-192

Garg N., Garg A., 2014, *Textbook of Endodontics*, 3rd Ed., Jaypee Brothers Medical Publisher, New Delhi, h. 287-297.

Gavini, G., Dos Santos. M, Caldeira CL., Machado M.E.L., Freire L.G., Iglecias E.F., Peters O.A. Candeiro, G.T.M., 2018, Nickel-Titanium instruments in endodontics: A Concise Review of the State of The Art, *Braz Oral Res*, 32:44-65

Ghobashy A., Nagy MM., Obeid MF, 2016, Shaping Ability of Single Versus Multi File Rotary Ni-Ti System in Curved Canals, *Tanta Dental Journal*, 13(2):68-72.

Goel, A., Rastogi, R., Rajkumar, B., Choudary, T,M., Boruah, L., Gupta, V., Arora, R., Bhatt, A., 2015, An Overview of Modern Endodontic Niti System, *IJSR*, 4(4): 595-597.

Gonsalves, A. A, Araújo, C. R, Soares, N. A, Goulart, M. O, Abreu, F. C, 2013, Different strategies for crosslinking of chitosan. *Quim Nova*, 34: 1215-23

Gu, Y., Kum, K,Y., Pernpanayagam, H., Kim, C., Kum, D,J., Lim, S,M., Chang, S,W., Baek, S, H., Zhu, Q., Yoo, Y,J., 2017, Various Heat-Treated Nickel-Titanium Rotary Instruments Evaluated In S-Shaped Simulated Resin Canals, *J Dent Sci*, 12: 14-20.

Gulabivala K, Stock CJR, 2004, *Endodontics*. London: Elsevier Mosby; p. 150-55.

- Gundappa, M., Bansai, R., Khorriya, S., Mohan, R., 2014, Root Canal Centering Ability of Rotary Cutting Nickel Titanium Instrument: A Meta-Analysis, *J Conserv Dent*, 17(6):504-509.
- Gutmann, J. L., dan Lovdahl, P. E. 2011. *Problem Solving in Endodontics: Prevention, Identification, and Management. 5th edition*. Elsevier, Missouri
- Hargreaves, K. M., dan Berman, L. H. 2016. *Cohen's Pathway of the Pulp. 11th edition*. Elsevier. Philadelphia
- Hulsmann, M., Peters, O. A, Dummer, P.M.H., 2005, Mechanical Preparation of Root Canal: Shaping Goals, Techniques and Means, *Endodontic Topics*, 10:30-36.
- Ingle, J. I., Bakland, L. K., Baumgartner, J. C. 2008. *Ingle's Endodontics 6*. BC Decker. Ontario
- Jain A, Bahuguna R. 2011. Root Canal Morphology of Mandibular First Premolar In A Gujarati Population- An In Vitro Study. *Dent Res J*, 8(3): 118-122
- Jamleh, A., Alfadley, A., ALfauzan, K., 2018, Vertical Force Induced with Waveone and Waveone Gold System during Canal Shaping, *J Endod*, 44(9); 1412-1415.
- Kandil, H. E., Labib, A. H., Alhadainy, H. A. 2014. Effect of different irrigant solutions on microhardness and smear layer removal of root canal dentin. *Tanta Dental Journal*, 11 : 1-11
- Kataia, M.M., Kataia, E.M., 2016, Cutting Efficiency Of Different Cross Sectional Design Protaperrotary Instruments-In Vitro Study, *JIPBS*, 3(1):116-122.
- Kim H-C, Kwak S-W, Cheung GS-P, Ko D-H, Chung S-M, Lee W, 2012, Cyclic Fatigue and Torsional Resistance of Two New Nickel-Titanium Instruments Used in Reciprocation Motion: Reciproc versus Waveone. *J Endod*, 38:541-44.
- Kumar, S.R., Gade. V., 2015, Single file niti-rotary system, *IJDMS*, 4(1): 701-707
- Kurtzman, 2007, Simplifying Endodontics with EndoSequance Rotary Instrument, *J Calif Dent Assoc*, 35(9):625-8
- Kuzekanani, M., 2018, Nickel –Titanium Rotary Instrumens : Development of the Single File Systems, *JISPCD*, 8(5):386-90

- Metzger Z, Basrani B, Goodis HE. 2006, *Pathways of The Pulp*. 10th ed. St.Louis: Elsevier Mosby, p. 229-40
- Mittal A., Dadu S., Singh S., Gupta B., Abeaham A., Yenderembam B., Kumari S., 2017, Comparative Assesment of Canal Transportation and Centering Ability of Reciproc and One Shape File Sistems Using CBCT-An Invitro Study, *JCDR*, 11(4):31-34
- Micro Mega, 2018, One Curve Brochure, di download di https://js-davis.co.uk/wp-content/uploads/2018/02/MM_60301824-A_Brochure-One-Curve_EN_WEB.pdf
- Neelakantan, P., Romero, M., Vera, J., Daood, U., Khan, A.U., Yan, A., Cheung G.S.P. 2017. Biofilms in endodontics: Current status and future directions. *International Journal of Molecular Sciences*, 18 (8): 1-21
- Nevi Y., 2000, Biokompabilitas Larutan Irigasi Saluran Akar, *Dentika J*, 5(1):39-46
- Nurisawati, IM., Muryani, A., Nurdin, D, 2017., Perbedaan Kebersihan Sepertiga Apikal Saluran Akar yang Diirigasi dengan Sodium Hipoklorit 2,5% Dengan Teknik Non Agitasi dan Agitasi Manual Dinamik, *J Ked Gi Unpad*, 29(3); 184-188.
- Olivieri, J.G., Sindreu F, D., 2016, Effect of Manual Dynamic Activation with Citric Acid Solutions in Smear Layer Removal : A Scanning Electron Microscopic Evaluation, *J Dentl Sci*, 11(4):360-4.
- Parimoo, D., Gupta, R., Tomer, A., Rohilla, S., 2016, Single File Endodontics : Boon or Myth?, *Asian Pac.J Health Sci*, 3(2):102-105
- Patel, S., dan Barnes, J. J. 2016. *Prinsip Endodontik*. EGC. Jakarta
- Patnana A.K dan Chugh A, 2018, Endodontic management of curve root canals with protaper next : A case Series.Contemporary Clinical Dentistry 9(1) 168-172
- Paul, M. L., Mazumdar, D., Niyogi, A., Baranwal, A. K. 2013. Comparative evaluation of the efficacy of diffferent irrigants including MTAD under SEM. *J Conserv Dent*, 16: 336-41
- Pedro, F. L. M., Costa, L.M.A.S., Filho, G.S., Guedes, O.A., Pereira, T.M.P., Borges, A.H. 2017. Assessment of the amount of calcium ions released after the use of different chelating agents and agitation protocols. *The Open Dentistry Journal*, 11: 133-9

- Poggio, C, Dagna, A, Chisea, M, Scribante, A., Beltrami, R., Colombo, M., 2013, Effect of Niti Rotary and Reciprocating Instruments on Debris and Smear Layer Scores : An SEM Evaluation, *J Appl Biomater Funct Mater*, 1-7.
- Prati C., Foschi F, Nucci C., Montebugnoli L., Marchionni S., 2004, Appearance of the root canal walls after preparation with Niti rotary instruments: a comparative SEM investigation, *Clin Oral Invest*, 8:102-110.
- Ruddle, C. J. 2015. Endodontic triad for success: the role of minimally invasive technology. *Dent Today*, 34 (5): 76, 78-80
- Rüttermann S, Virtej A, Janda R, Raab W,H,M., 2007, Preparation of the Coronal and Middle Third of Oval Root Canals with A Rotary or an Oscillating System, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 104(6):852-56
- Rzhanov, E,A., Belyaeva, T,S., 2012, Design features of rotary root canal instruments, *Endo(Lond Engl)*, 6(1):29-39.
- Sandhya, R., Velmurugan, N., Kandaswamy, D., 2010, Assessment of Root Canal Morphology of Mandibular First Premolars in the Indian Population Using Spiral Computed Tomography: An In Vitro Study. *Indian J Dent Res* , 21:169-73.
- Sanghvi, Z., Mistry, K, 2011, Design Features of Rotary Instruments in endodontics,*JACDH*, 2(1):6-11.
- Santosh D., Devadathan A., Mathew J., Nair M., James B, 2019, Comparative Evaluation of Efficiency of Single File Rotary and Reciprocating Instrumenting Severely Curved Mesial Root Canals of Extracted Mandibula: A Morphometric Study Cone Beam Computed Tomography, *Saudi Endodontic Journal*, 9(2): 119-1125
- Schäfer E, Tepel J., 2001, Relationship Between Design Features of Endodontic Instruments and Their Properties. Part 3. Resistance to Bending and Fracture, *J Endod*, 27(4):299-303.
- Schinamblo MJ, 2015, The envelope of Motion and Protaper Next, *Endodontic Practice*, 39-43
- Silveira, L.F.M., Silveira, C.F., Martos, J., Castro, L.A.S. 2013. Evaluation of the different irrigation regimens with sodium hypochlorite and EDTA in removing the smear layer during root canal preparation. *Journal of Microscopy and Ultrastructure*, 1: 51-6

- Spadden, Mc., 2015, Evaluator series protaper next, di download : <http://www.nanoendo.com/eblasts/02-15/EvaluatorSeries/EvaluatorSeries%28ProTaperNextTip%29.pdf>
- Sroa R.B., Sidhu B., Aggarwal S., Chipra A., Bedi A., 2018, A comparison of One Shape and Protaper Next Rotary Systems for Elimination of *Enterococcus Faecalis* from Root Canal: Microbiological and SEM Evaluation, *American Journal of Internal Medicine*, 6(5): 126-131.
- Stadtlander H, 2007, Scanning electron microscopy and transmission electron microscopy of mollicutes and opportunities, *Modern Research and Educational Topics in Microscopy*, 122-31
- Suparna S.G., Poorvi S, Sandeep D, Shubham K, 2015, Comparison of Root Canal Cleaning Ability of Protaper Next and Waveone Rotary file system – A Scanning Electron Microscopic (SEM) study, *Endodontology*, 27(2) : 124-128
- Torabinejad, M., Walton, R.E., 2009, *Endodontics: Principle and Practice*, El Savier: Missouri
- Violich, D. R., dan Chandler, N. P. 2009. The smear layer in endodontics: a review.
- Walmsley AD, Walsh TF, Lumley PJ, Burke FJT, Shortall AC, Hayes-Hall R, et al, 2007, *Restorative Dentistry*. 2 ed. Philadelphia: Churchill Livingstone Elsevier, p. 92-95.
- Wan J.BS., Rasimick B.J., Musikant B.L, Deutchs A.S, 2010, Cutting efficiency of 3 different instrument design used in, *Oral Surg Oral Med Oral Pathol Oral Radiol Endod*, 109:e82-e85.
- Wan, M., Feng, J., Zhang WH., Yang, Y., Ma, YC., 2017, Working Mechanism of Helix Angle on Peak Cutting Force Together With Its Design Theory For Peripheral Milling Tools, *Journal of Material Processing Tech*, 249 : 570-580
- Winarsih, O., Partosoedarmo, M., Santoso, P., 2009, Kebocoran apikal pada irigasi dengan EDTA lebih kecil dibandingkan yang tanpa EDTA, *Jurnal PDGI* 58 (2): 14-19
- Wu, M.K., Wesselink, P.R., 2001, A primary Observation on the Preparation and Obturation of Oval Canals, *Int Endod J*, 34(2):137
- Yared G dan Ramli G.A., 2013, Single file Reciprocating : literature review, *Endo (Lond Engl)*, 7(3): 171-178.

Yoo Y, S., Cho, Y, B, 2012, A comparison of the shaping ability of reciprocating NiTi instruments in simulated curved canals, *Restor Dent Endod.*, 37(4) :220-227.

Zand, V. Bidar, M., Ghaziani, P., Rahimi, S., Shahi S., 2007, A Comparison SEM Investigation of Smear Layer Following Preparation of Root Canals Using Nickel Titanium Rotary and Hand Instrumen, *J Oral Sci*, 49(1): 47-52