

DAFTAR PUSTAKA

- Abbasi F. M., K. Akbar, M. U. Rehman, M. T. Khan, S. Iqbal, A. Fatima, Noshine, H. Ali & M. F. Abbasi. 2011. Cytological characterization of anther culture derived plants from the interspecific crosses between *Oryza sativa* x *Oryza australinesis* and *Oryza sativa* x *Oryza brachyantha*. African Journal of Biotechnology Vol. 10 (17)
- Aboulila A. A. 2015. Marker assisted selection for genetic improvement of drought tolerance in hybrid rice (*Oryza sativa* L.). International Journal of Biotechnology Research Vol. 3(3), pp. 045-054
- Allard R. W. 1999. Principles of plant breeding. 2nd ed. New York.p. 254.
- Anupam A., J. Imam, S. M. Quatadah, A. Siddaiah, S. Prasad Das, M. Variar, N. P. Mandal. 2017. Genetic Diversity Analysis of Rice Germplasm in Tripura State of Northeast India Using Drought and Blast Linked Markers. Rice Science, Vol. 24, No. 1.
- Atwell B. J., H. Wang and A. P. Scafaro. 2014. Could abiotic stress tolerance in wild relatives of rice be used to improve *Oryza sativa*? Plant Sci 215-216:48-58
- Azrai M. 2006. Sinergi teknologi marka molekuler dalam pemuliaan tanaman jagung. J. Litbang Pertanian, vol 25 (3): 81-89
- Babu R., S. K. Nair, B. M. Prasanna, H. S. Gupta. 2004. Integrating marker-assisted selection in crop breeding-Prospects and challenges (*Review*). *Cur Sci*. 87(5):607-619.
- Barik S. R., E. Pandit, S. K. Pradhan, S. Singh, P. Swain and T. Mohapatra. 2018. QTL mapping for relative water content trait at reproductive stage drought stress in rice. Indian J. Genet., 78(4): 401-408 (2018) DOI: 10.31742/IJGPB.78.4.1
- Carsono N., P. N. Lukman, F. Damayanti, U. Susanto, S. Sari. 2017. Identifikasi Polimorfis Marka-Marka Molekuler Yang Diduga Berkaitan Dengan Karakter Daya Hasil Tinggi Pada 30 Genotip Padi. *Chimica et Natura Acta* Vol.2 No.1 :91-95
- Choudhary S. S. 2017. Microsatellite markers based characterization of rice genotypes in relation to drought tolerance. Thesis. Department of agricultural biotechnology & molecular biology. Dr. Rajendra Prasad Central Agricultural University, Bihar, Pusa
- Collard B. C. Y., M. Z. Z. Jahufer, J. B. Brouwer dan E. C. K. Pang. 2005. An introduction to markers, quantitative traits loci (QTL) mapping and marker assisted selection for crop improvement. *Eupytica* 142: 9-196
- Djunaedy A. 2009. Ketahanan Padi (Way Apo Buru, Sinta Nur, Cihorang, Singkil dan 'IR64') Terhadap Serangan Penyakit Bercak Coklat (*Drechslera oryzae*) dan Produksinya. *Agrovigor* Volume 2 No. 1, ISSN 1979 5777
- Doi K. and Y. H. Yoshimura. 2008. Genetic variation in rice. *Curr Opin Plant Biol* 11:144-148.

- Doyle J. J. and J. L. Doyle. 1990. A rapid total DNA preparation procedure for fresh plant tissue. *Focus*. 12: 13-15.
- Fehr W. R. and H. H. Hadley. 1980. Hybridization of crop plants. Crop Science Society of America. Publisherss. Madison. Wisconsin. USA.
- Freeg H. A., G. B. Anis, A. A. Abo-Shousha, A. N. El-Banna and A. El-Sabagh. 2016. Genetic Diversity Among Some Rice Genotypes With Different Drought Tolerance Based On Ssr Markers. *Cercetări Agronomice în Moldova Vol. XLIX, No. 3 (167) / 2016: 39-50*
- Fukuta Y., K. Konisho, S. Senoo-namai and S. Yanagihara. 2012. Genetic characterization of rainfed upland New Rice for Africa (NERICA) varieties, 37, 27–37. <https://doi.org/10.1270/jsbbs.62.27>
- Govindaraj P., S. Arumugachamy, M. Maheswaran. 2005. Bulked segregant analysis to detect main effect QTL associated with grain quality parameters in Basmati 370/ASD 16 cross in rice (*Oryza sativa L.*) using SSR markers. *Euphytica* 144: 61-68.
- Griffing B. 1950. An analysis of quantitative gene action by constant parent regression and related techniques. *Genetics* 35: 303-321.
- Harahap Z. dan T.S. Silitonga. 1989. Perbaikan varietas padi. Dalam M. Ismunadji, M. Syam, dan Yuswadi (Ed) Padi Buku 2. Pusat Penelitian dan Pengembangan Tanaman Pangan Bogor. hlm. 335–362. Komisi Nasional Plasma Nutfah, 2003. Panduan sistem karakterisasi dan evaluasi tanaman padi. Departemen Pertanian, Badan Penelitian Dan Pengembangan Pertanian. Bogor. ISBN 979-8393-03-1
- Henry A., B. P. M. Swamy, S. Dixit, R. D. Torres, T. C. Batoto, M. Manalili, M. S. Anantha, N. P. Mandal, and A. Kumar. 2015. Physiological mechanisms contributing to the QTL- combination Effects on improved performance of 'IR64' rice NILs under drought. *Journal of Experimental Botany*, Vol. 66, No. 7 pp. 1787–1799
- Hue H. T., L. T. Nghia, H. T. Minh, L. H. Anh, L. T. T. Trang, T. D. Khanh. 2018. Evaluation of Genetic Diversity of Local-Colored Rice Landraces Using SSR Markers. *International Letters of Natural Sciences ISSN: 2300-9675, Vol. 67, pp 24-34. doi:10.18052*
- Jacquemin J, Bhatia D and S. K. Wing. 2013. The International *Oryza* Map Alignment Project: Development of a genus wide comparative genomics platform to help solve the 9 billion-people question. *Curr Opin Plant Biol* 16:1-10
- Krisnawati A. 2004. Perlindungan hukum varietas baru tanaman. Raj Grafindo Persada. Jakarta.
- Krupa, K. N., H. E. Shashidhar, N. Dalawai, M. Reddy and H. V. V. Swamy. 2017. Molecular Marker Based Genetic Diversity Analysis in Rice Genotypes (*Oryza sativa L.*) using SSR Markers. *Int. J. Pure App. Biosci.* 5 (2): 668-674 (2017)
- Kumar A., S. Dixit, T. Ram, R. B. Yadaw, K. K. Mishra dan N. P. Mandal. 2014. Breeding high-yielding drought-tolerant rice: genetic variations and conventional and molecular approaches *Journal of Experimental Botany*, Vol. 65, No. 21, pp. 6265–6278

- Kumar V., A. Singh, S. V. A. Mithra, S. L. Krishnamurthy, S. K. Parida, S. Jain and T. Mohapatra. 2015. Genome-wide association mapping of salinity tolerance in rice (*Oryza sativa* L.). *DNA Research*, 22(2), 133–145. <https://doi.org/10.1093/dnares/dsu046>
- Laosuwan P. dan R. E. Atkins. 1977. Estimates of combining ability and heterosis in converted exotic shorghum. *Crop. Sci.* 17 (1), 47 – 50.
- Lesmana O. S, H. M. Toha, I. Las dan B. Suprihatno. 2004. Deskripsi Varietas Unggul Baru Padi. Sukamandi, Subang. Badan Penelitian dan Pengembangan Pertanian Balai Penelitian Tanaman Padi.
- Lin, M.H., C.W. Lin, J.C. Chen, Y.C. Lin, S.Y. Cheng, T.H. Liu, F.J. Jan, Shu-Tu Wu2, F.S. Thseng dan H.M. Ku. 2007. Tagging Rice Drought-related QTL with SSR DNA Markers. *Crop, Environment and Bioinformatics* vol 4:65-76
- Luh B. S. 1991. Rice production. Volume 1. Van Nostrand Reinhold. New York.
- Makarim A. K. dan E. Shuhartatik. 2003. Morfologi dan fisiologi tanaman padi. Balai Penelitian Tanaman Padi. Sukamandi.
- McCouch S. R., L. Teytelman, Y. Xu, K.B. Lobos, K. Clare, M. Walton, B. Fu, R. Maghirang, Z. Li, Y. Xing. 2002. Development and mapping of 2240 new SSR markers for rice (*Oryza sativa* L.). *DNA Res.* 9: 199–207.
- Menguer P. K., A. S. Raul, and K. R. Felipe. 2017. A walk on the wild side: *Oryza* species as source for rice abiotic stress tolerance. *Genetics and Molecular Biology*, 40, 1(suppl), 238-252
- Mishra S. S., P. K. Behera, V. Kumar, S. K. Lenka, D. Panda. 2018. Physiological characterization and allelic diversity of selected drought tolerant traditional rice (*Oryza sativa* L.) landraces of Koraput, India. *Physiol Mol Biol Plants*. Vol, 24(6):1035–1046
- Moeljopawiro S. 2010. Marka mikrosatelit sebagai alternatif uji BUSS dalam perlindungan varietas tanaman padi. *Bul. Plasma Nutfah* 16(1):1-7.
- Mulsanti I. W., M. Surahman, S. Wahyuni dan D. W. Utami. 2013. Identifikasi Galur Tetua Padi Hibrida dengan Marka SSR Spesifik dan Pemanfaatannya dalam Uji Kemurnian Benih. *Penelitian Pertanian Tanaman Pangan* Vol. 32 No. 1
- Nguyen N. M. T., H. H. Long, N. Furuya, T. Kenichi and T.T. Nguyen. 2013. Quantitative Trait Loci (QTLs) Associated with Drought Tolerance in Vietnamese Local Rice (*Oryza sativa* L.). *J. Fac. Agr., Kyushu Univ.*, 58 (1), 1–6 (2013).
- Ni Luh P. R. S., I Ketut J., Eniek K., 2015. Analisa Keragaman Genetik Kelapa Rangka (*Cocos Nucifera* L.) Di Bali Berdasarkan Penanda DNA Mikrosatelit. *Jurnal Simbiosis Iii* (1): 334-337.
- Noorzuraini A. R. S., T. H. Borromeo, N. C. Nestor, G. M. Diaz and K. Arvind, Noorzuraini A. R. S., T. H. Borromeo, N. C. Nestor, G. M. Diaz and K. Arvind. 2013. Diversity assessment of Malaysian rice germplasm accessions for drought tolerant grain yield QTLs. *J. Trop. Agric. and Fd. Sc.* 41(1)(2013): 27–40
- Nunome T., K. Suwabe, H. Iketani, M. Hirai, and G. Wricke. 2003. Identification and characterization of microsatellites in eggplant. *Plant Breed.* 122(3):256-262.

- Pabendon M. B., M. J. Mejaya, Subandi dan M. Dahlan. 2005. Sidik jari 4 varietas jagung hibrida beserta tetuanya berdasarkan marka mikro satelit. *Zuriat* vol 16 (12) : 192-201.
- Paterson A. H. 1996. MAPPING GENES responsible for differences in phenotype, in A.H. Paterson (ed) *Genome mapping in plants*. R.G. Landes Company. San diego. California,. Academic press. Austin. Texas.
- Petr F. C. and K.C. Frey. 1966. Genotypic correlation dominans and heritability of quantitative character in oats. *Crops. Sci.* 6: 259 -262.
- Prasanth V. V., M. S. Babu, R. K. Basava, V. G. N.T. Venkata, S. K. Mangrauthia, S. R. Voleti and S. Neelamraju. 2017. Trait and Marker Associations in *Oryza nivara* and *O. rufipogon* Derived Rice Lines under Two Different Heat Stress Conditions. *Front. Plant Sci.* 8:1819. doi: 10.3389/fpls.2017.01819
- Prastini L. dan Damanhuri. 2017. Pengaruh perbedaan waktu emaskulasi terhadap keberhasilan persilangan tanaman padi hitam x padi putih (*Oryza sativa* L.). *Jurnal Produksi Tanaman.* 5(2):217-223
- Purugganan M. D. and D. Q. Fuller. 2009. The nature of selection during plant domestication. *Nature* 457: 843-848
- Rahmawati D. dan A. A. Gemaputri. 2017 Perakitan dan Pengembangan Padi Varietas Unggul Baru (VUB) Toleran Cekaman Lingkungan. Seminar Nasional Hasil Penelitian 2017, ISBN : 978-602-14917-5-1
- Ramadan E. A., A. M. Elmoghazy and H. F. El-Mowafi. 2015. Molecular Markers based Genetic Diversity Analysis for Drought Tolerance in Rice (*Oryza Sativa*, L.) Using SSR Markers. *International Journal of Scientific Research in Agricultural Sciences*, pp. 137-146
- Ramchander S., M. Raveendran dan S. Robin. 2016. Mapping qtls for physiological traits associated with drought tolerance in rice (*Oryza sativa* L.). *J Investig Genomics.* 2016;3(3):56–61.
- Rusdiansyah dan H. Aswidinnor. 2003. Evaluasi silang baling antar tujuh hybrid f1 interspesifik dengan tetua berulangpadi budidaya. *J. Zuriat.* 14:2.
- Sahoo J. P. and V. Sharma. 2018. Impact of LOD Score and Recombination Frequencies on the Microsatellite Marker Based Linkage Map for Drought Tolerance in Kharif Rice of Assam. *Int.J.Curr.Microbiol.App.Sci.* 7(08): 3299-3304.
- Sayyed H. H., A. M. M. Sayyed. A. N. Ghorban, and A. Ahmad. 2009. Identification of rice hybrids using microsatellite and RAPD markers. *African Journal of Biotechnology* Vol. 8 (10) : 2094-2101
- Shamsudin N. A. A., B. P. M. Swamy, R. Wickneswari, M. T. S. Cruz, Anitha R., dan A. Kumar. 2016. Marker assisted pyramiding of drought yield QTLs into a popular Malaysian rice cultivar, MR219. *BMC Genetics.* 17:30
- Shehata A. I., H. A. Al-Ghethar, A. A. Al-Homaidan. 2009. Application of simple sequence repeat (SSR) markers for molecular diversity and heterozygosity analysis in maize inbred lines. *Saudi J Biol Sci.* 16(2): 57-62
- Singh R. K. dan B. D. Chaudhary. 1979. *Biometrical method in quantitative genetic analysis*. New Delhi: Kalyani Publ.

- Siregar H. 1981. Budidaya tanaman padi di Indonesia. Sastra Budaya. Bogor.
- Soemartono B., Bahrinsamad dan R. Hardjono. 1981. Bercocok Tanam Padi. CV. Yasaguna. Jakarta.
- Soemartono B., dan R. Hardjono. 1980. Bercocok tanam padi. CV. Yasaguna. Jakarta.
- Sophea K. 2012. The Rice Situation in Cambodia. Asian Development Bank. Agriculture, Ministry of Agriculture, Forestry, and Fisheries, Cambodia.
- Sothy E., S. Sokcheng, C. Chhun and K. Pirom. 2017. Rice Policy Study: Implications of Rice Policy Changes in Vietnam for Cambodia's Rice Policy and Rice Producers in South-Eastern Cambodia. Cambodia Development Resource Institute. Phnom Penh. ISBN-13: 9789924500117
- Stansfield W. D. 1991. Genetic. Edisi kedua. Diterjemahkan oleh Machiding Apandi dan Lanny T. Hardy. Penerbit Erlangga. Jakarta.
- Suparyono dan A. Setyono. 1993. Padi. Penebar swadaya. Jakarta.
- Supriyanti A. 2015. Karakterisasi dua puluh padi (*Oryza sativa* L.) lokal di Daerah Istimewa Yogyakarta. Skripsi. Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta.
- Suryanugraha, W.A. 2017. Keragaman sepuluh kultivar padi lokal (*Oryza sativa* L.) Daerah Istimewa Yogyakarta. Skripsi. Fakultas Pertanian Universitas Gadjah Mada. Yogyakarta.
- Susanto U., A. A. Daradjat, dan B. Suprihatno. 2003. Perkembangan Pemuliaan Padi Sawah di Indonesia. Balai Penelitian Tanaman Padi, Sukamandi, Jurnal Litbang Pertanian. 22(3),
- Suwarto, Sunarto, Darjanto dan N. Farid, 1999. Studi Keragaman Genetik Galur-Galur Murni Toleran Aluminium pada Tanah Masam, dalam Rangka Perakitan Varietas Padi Gogo Toleran Tanah Masam. Fakultas Pertanian Unsoed, Purwokerto.
- Suwarto, Sunarto, Darjanto dan N. Farid. 1997. Studi Genetik Sifat Toleran Aluminium dan Studi Ketahanan Tetua terhadap Penyakit Blas dalam Rangka Perakitan Varietas Padi Gogo Toleran Tanah Masam. Fakultas Pertanian Unsoed, Purwokerto
- Syukur, M., S. Sujiprihati, dan R. Yuniarti. 2012. Teknik Pemuliaan Tanaman. Penebar Swadaya, Jakarta.
- Tasma I. M., A. Warsun and Asadi. 2008. Development and characterization of F2 population for molecular mapping of aluminum-toxicity tolerant QTL in soybean. J. AgroBiogen. 4 (1): 1-8
- Temnykh S., G. DeClerck , A. Lukashova, L. Lipovich, S. Cartinhour, S. McCouch. 2001. Computational and experimental analysis of microsatellites in rice (*Oryza sativa* L.): frequency, length variation, transposon associations, and genetic marker potential. Genome research 11:1441–1452.
- Teng S., Q. Qian, D.L. Zeng, K. Yasufumi, F. Kan, D. Huang and L. Zhu. 2002. Analysis of gene loci and epistasis for drought tolerance in seedling stage of rice (*Oryza sativa* L.). Acta Genetica Sinica 29:235–240

- Thomson M. J., E. M. Septiningsih, F. Suwardjo, T. J. Santoso, T. S. Silitonga and S. R. Mccouch. 2007. Genetic diversity analysis of traditional and improved Indonesian rice (*Oryza sativa* L.) germplasm using microsatellite markers Genetic diversity analysis of traditional and improved Indonesian rice (*Oryza sativa* L.) germplasm using microsatellite markers, 111(March). Theor Appl Genet, 114:559–568
- Totok A. D. H., Suwanto, dan Suprayogi. 2003. Studi Genetik Sifat Mutu Kimia Beras dan Pengaruh Lingkungan terhadap Mutu Beras dalam Rangka Perakitan Varietas Padi Gogo Bermutu Hasil Tinggi. Laporan Penelitian, Lembaga Penelitian Unsoed, Purwokerto.
- Trias S., R.H. Wening, A.T. Rakhmi, N. Yunani dan U. Susanto. 2013. Pemanfaatan plasma nutfah padi varietas local dalam perakitan varietas unggul. Balai Besar Penelitian Tanaman Padi. Subang.
- Ulma R.Z. dan A.L. Adiredjo. 2018. Uji keberhasilan persilangan antara varietas padi gogo dan padi sawah (*Oryza sativa* L.) untuk menghasilkan F1. Jurnal produksi tanaman. 6 (12).
- Vigouroux Y., J.S. Jaqueth, Y. Matsuoka, O.S. Smith, W.D. Beavis, J.S.C. Smith and J. Doebley. 2002. Rate and pattern of mutation at microsatellite loci in maize. Mol. Biol. Evol. 19(8):1251-1260.
- Vikram P., B.P. M. Swamy, S. Dixit, R. Singh, B. P. Singh, B. Miro, A. Kohli, A. Henry, N. K. Singh & A. Kumar. 2015. Drought susceptibility of modern rice varieties: an Effect of linkage of drought tolerance with undesirable traits. Scientific Reports. 5:14799. DOI: 10.1038/srep14799
- Virmani S.S., B.C. Viraktamath, C.L. Casal, R.S. Toledo, M.T. Lopez and J.O. Manalo. 1997. Hybrid Rice Breeding Manual. IRRI, Philippines
- Wenfu C., X. Zhenyin, Z. Longbu and Y. Shouren. 2001. Development of The New Rice Plant Type and Advances in Research on Breeding for Super High Yield. Rice Research for Food Security and Proverty Alleviation (Editors: Peng S. and Hardy B.) Proceeding of the International Rice Research Conference. Los Banos, 31 March - 3 April 2000. International Rice Research Institute, 692 p.
- Wet J. M. J. D., J. R. Harlan, and D. E. Brink. 1986. Reality of Intraspecific Taxonomic Units in Domesticated Cereals in Styles, B. T. (ed). Intraspecific Classification of Wild and Cultivated Plants. New York : Oxford University Press. pp: 210-222.
- Widodo I. 2003. Penggunaan marka molekuler pada seleksi tanaman [Tesis]. Bogor: Sekolah Pasca Sarjana, Fakultas Pertanian Institut Pertanian Bogor.
- Xu J., J. Li, X. Zheng, L. Zou dan L. Zhu. 2001. QTL mapping of the root traits in rice. Acta Genetica Sinica 28:433–438
- Yoshida S., M. Ikegami, J. Kuze, K. Sawada, Z. Hashimoto, T. Ishii, C. Nakamura, O. Kamijima. 2002. QTL analysis for plant and grain characters of Sake-brewing rice using a doubled haploid population. Breeding Sci 52: 309-317.
- Yoshida S. 1981. Fundamental of rice crop science. The international rice research institute. Philipines.

- Yuliani D. dan W. R. Rohaeni, 2017. Heritabilitas, Sumber Gen, Dan Durabilitas Ketahanan Varietas Padi Terhadap Penyakit Hawar Daun Bakteri. *Jurnal Litbang Pertanian* Vol. 36 No. 2 Desember 2017: 99-108 DOI: 10.21082/jp3.v36n2.2017.p99-10899
- Zhang P., X. Liu, H. Tong, Y. Lu, and J. Li. 2014. Association Mapping for Important Agronomic Traits in Core Collection of Rice (*Oryza sativa L.*) with SSR Markers. *PLoS ONE* 9 (10): e111508. doi:10.1371/journal.pone.0111508