

## REFERENCES

- Abbat, S., Dhaked, D., Arfeen, M., and Bharatam, P. V., 2015, Mechanism of the Paal-Knorr reaction: The importance of water mediated hemialcohol pathway, *RSC Adv.*, 5, 88353–88366.
- Aksöz, B.E. and Ertan, R., 2013, Chemical and Structural Properties of Chalcones I, *FABAD J. Pharm. Sci.*, 36, 223–242.
- Anuradha, K. and Raghavan, S., 2003, Solid-Phase Synthesis of Heterocycles from 1, 4-Diketone Synthons 1, *Synlett*, 5, 711–713.
- Arora, P., Arora, V., Lamba, H.S., and Wadha, D., 2012, Importance of Heterocyclic Chemistry: A Review, *Int. J. Pharm. Sci. Reserach*, 3, 2947–2954.
- Awasthi, S.K., Mishra, N., Dixit, S.K., Singh, A., Yadav, M., Yadav, S.S., and Rathaur, S., 2009, Short report: antifilarial activity of 1,3-diarylpropen-1-one: effect on glutathione-s-transferase, a phase ii detoxification enzyme, *Am. J. Trop. Med. Hyg.*, 80, 764–768.
- Baumann, M., Baxendale, I.R., Ley, S. V., and Nikbin, N., 2011, An overview of the key routes to the best selling 5-membered ring heterocyclic pharmaceuticals, *Beilstein J. Org. Chem.*, 7, 442–495.
- Biava, M., Porretta, G.C., Poce, G., De Logu, A., Meleddu, R., De Rossi, E., Manetti, F., and Botta, M., 2009, 1,5-Diaryl-2-ethyl pyrrole derivatives as antimycobacterial agents: Design, synthesis, and microbiological evaluation, *Eur. J. Med. Chem.*, 44, 4734–4738.
- Bonakdar, A.P.S., Vafaei, F., Farokhpour, M., Esfahani, M.H.N., and Massah, A.R., 2017, Synthesis and anticancer activity assay of novel chalcone-sulfonamide derivatives, *Iran. J. Pharm. Res.*, 16, 565–568.
- Carbone, A., Parrino, B., Barraja, P., Spanò, V., Cirrincione, G., and Diana, P., 2013, Synthesis and antiproliferative activity of 2,5-bis(3'-Indolyl) pyrroles, analogues of the marine alkaloid nortopsentin, *Mar. Drugs*, 11, 643–654.
- Chang, K.-L., 2015, The Complete Mechanism of Chalcone Formation,.
- Chiaradia, L.D., Martins, P.G.A., Cordeiro, M.N.S., Guido, R.V.C., Ecco, G., and Andricopulo, A.D., 2012, Synthesis, biological evaluation, and molecular modeling of chalcone derivatives as potent inhibitors of Mycobacterium tuberculosis protein tyrosine phosphatases (PtpA and PtpB), *J. Med. Chem.*, 55, 390–402.
- Coates, J., 2006, Interpretation of Infrared Spectra, A Practical Approach, In, *Encyclopedia of Analytical Chemistry*, pp. 1–23.

- Custar, D.W., Le, H., and Morken, J.P., 2010, Pd-catalyzed carbonylative conjugate addition of dialkylzinc reagents to unsaturated carbonyls, *Org. Lett.*, 12, 3760–3763.
- Desai, N.C., Rajpara, K.M., and Joshi, V. V., 2012, Synthesis and characterization of some new quinoline based derivatives endowed with broad spectrum antimicrobial potency, *Bioorganic Med. Chem. Lett.*, 22, 6871–6875.
- Diaz, E., Nava, J.L., Barrios, H., Quiroz, B., Guzman, A., León G, L., and Fuentes B, A., 1998, 2D 1H and 13C NMR evidence for stereoselective formation of a new bond C-N, C-S or C-C in the reaction of ivalin acetate with substituted pyrimidines, *Spectrochim. Acta - Part A Mol. Biomol. Spectrosc.*, 54, 567–574.
- Enders, D., Han, J., and Henseler, A., 2008, Asymmetric intermolecular Stetter reactions catalyzed by a novel triazolium derived N-heterocyclic carbene, *Chem. Commun.*, 3989–3991.
- Gao, G.L., Niu, Y.N., Yan, Z.Y., Wang, H.L., Wang, G.W., Shaukat, A., and Liang, Y.M., 2010, Unexpected domino reaction via Pd-catalyzed Sonogashira coupling of benzimidoyl chlorides with 1,6-enynes and cyclization to synthesize quinoline derivatives, *J. Org. Chem.*, 75, 1305–1308.
- Gaonkar, S.L. and Vignesh, U.N., 2017, Synthesis and pharmacological properties of chalcones: a review, *Res. Chem. Intermed.*, 43, 6043–6077.
- Ghosh, A.K. and Brindisi, M., 2015, Organic Carbamates in Drug Design and Medicinal Chemistry, *J. Med. Chem.*, 58, 2895–2940.
- Golden, E.B., Cho, H., Hofman, F.M., Louie, S.G., Schöenthal, A.H., and Chen, T.C., 2015, Quinoline-based antimalarial drugs: a novel class of autophagy inhibitors, *Neurosurg. Focus*, 38, 1–9.
- Gomes, M.N., Muratov, E.N., Pereira, M., Peixoto, J.C., Rosseto, L.P., and Cravo, P.V.L., 2017, Chalcone derivatives: Promising starting points for drug design, *Molecules*, 22, 1210.
- Hamdy, R., Elseginy, S.A., Ziedan, N.I., Jones, A.T., and Westwell, A.D., 2019, New quinoline-based heterocycles as anticancer agents targeting Bcl-2, *Molecules*, 24, 1–13.
- Hossain, M., 2018, A Review on Heterocyclic: Synthesis and Their Application in Medicinal Chemistry of Imidazole Moiety, *Sci. J. Chem.*, 6, 83.
- Hsieh, C.T., Hsieh, T.J., El-Shazly, M., Chuang, D.W., Tsai, Y.H., and Yen, C.T., 2012, Synthesis of chalcone derivatives as potential anti-diabetic agents, *Bioorganic Med. Chem. Lett.*, 22, 3912–3915.

- Jung, J.C., Lee, Y., Min, D., Jung, M., and Oh, S., 2017, Practical synthesis of chalcone derivatives and their biological activities, *Molecules*, 22, 1–11.
- Katoh, T., Ikura, M., and Hikichi, K., 1988, Novel determination of 1, 4-polybutadiene isomers by use of j-coupling constant between two olefinic protons, *Polym. J.*, 20, 185–187.
- Kumar, N., Gavit, V.R., Singh, M., and Bisai, A., 2017, Synthesis of 3-hydroxy 2-oxindoles via deacylative oxygenation (DaO): Total synthesis of CPC-I, *J. Indian Chem. Soc.*, 94, 1371–1378.
- Liu, Y., Li, Y., Qi, Y., and Wan, J., 2010, Samarium-promoted michael addition between aroyl chlorides and chalcones, *Synthesis (Stuttg.)*, 4188–4192.
- Luo, J., Jiang, C., Wang, H., Xu, L.W., and Lu, Y., 2013, Direct asymmetric Michael addition of phthalide derivatives to chalcones, *Tetrahedron Lett.*, 54, 5261–5265.
- Luo, J., Jiang, Q., Chen, H., and Tang, Q., 2015, Catalyst-free formation of 1,4-diketones by addition of silyl enolates to oxyallyl zwitterions in situ generated from  $\alpha$ -haloketones, *RSC Adv.*, 5, 67901–67908.
- Mahapatra, D.K., Bharti, S.K., and Asati, V., 2015, Chalcone scaffolds as anti-infective agents: Structural and molecular target perspectives, *Eur. J. Med. Chem.*, 101, 496–524.
- Mao, S., Gao, Y.R., Zhang, S.L., Guo, D.D., and Wang, Y.Q., 2015, Copper(II)-promoted C-C bond formation by oxidative coupling of two C(sp<sup>3</sup>)-H bonds adjacent to carbonyl group to construct 1,4-diketones and tetrasubstituted furans, *European J. Org. Chem.*, 2015, 876–885.
- Mao, Z., Zheng, X., Qi, Y., Zhang, M., Huang, Y., Wan, C., and Rao, G., 2016, Synthesis and biological evaluation of novel hybrid compounds between chalcone and piperazine as potential antitumor agents, *RSC Adv.*, 6, 7723–7727.
- Marella, A., Tanwar, O.P., Saha, R., Ali, M.R., Srivastava, S., Akhter, M., and Shaquiquzzaman, M., 2013, Quinoline: A versatile heterocyclic, *Saudi Pharm. J.*, 21, 1–12.
- Martins, P., Jesus, J., Santos, S., Raposo, L.R., Roma-Rodrigues, C., Baptista, P.V., and Fernandes, A.R., 2015, Heterocyclic anticancer compounds: Recent advances and the paradigm shift towards the use of nanomedicine's tool Box, *Molecules*, 20, 16852–16891.
- Miao, C.B., Zeng, Y.M., Shi, T., Liu, R., Wei, P.F., Sun, X.Q., and Yang, H.T., 2016, 2-Oxindole Acts as a Synthone of 2-Aminobenzoyl Anion in the K<sub>2</sub>CO<sub>3</sub>-Catalyzed Reaction with Enones: Preparation of 1,4-Diketones Bearing an

- Amino Group and Their Further Transformations, *J. Org. Chem.*, 81, 43–50.
- Mikołajczyk, M., 2019, Phosphonate reagents and building blocks in the synthesis of bioactive compounds, natural products and medicines, *Pure Appl. Chem.*, 91, 811–838.
- Mostafa, B., Habibi-Khorassani, S.M., and Shahraki, M., 2016, An experimental investigation of substituent effects on the formation of 2,3-dihydroquinazolin-4(1H)-ones: a kinetic study, *J. Phys. Org. Chem.*, 30, 1–11.
- Musiol, R., Serda, M., and Polanski, J., 2010, Quinoline-Based Antifungals, *Curr. Med. Chem.*, 17, 1960–1973.
- Nayak, S., Chakroborty, S., Bhakta, S., Panda, P., and Mohapatra, S., 2016, Recent advances of organocatalytic enantioselective Michael-addition to chalcone, *Res. Chem. Intermed.*, 42, 2731–2747.
- Parida, B.B., Das, P.P., Niocel, M., and Cha, J.K., 2013, Acylation of Cyclopropanols : Preparation of Functionalized, *Org. Lett.*, 15, 1780–1783.
- Prasad, Y.R., Rani, V.J., and Rao, A.S., 2013, In vitro antioxidant activity and scavenging effects of some synthesized 4-Aminochalcones, *Asian J. Chem.*, 25, 52–58.
- Rao, H.S.P. and Jothilingam, S., 2003, Facile microwave-mediated transformations of 2-butene-1,4-diones and 2-butyne-1,4-diones to furan derivatives, *J. Org. Chem.*, 68, 5392–5394.
- Romagnoli, R., Baraldi, P.G., Carrion, M.D., Cara, C.L., Cruz-Lopez, O., and Preti, D., 2008, Design, synthesis, and biological evaluation of thiophene analogues of chalcones, *Bioorganic Med. Chem.*, 16, 5367–5376.
- Sagyam, R.R., Buchikonda, R., Pitta, J.P., Vurimidi, H., Padi, P.R., and Ghanta, M.R., 2009, An expedient and new synthesis of pyrrolo[1,2-b]pyridazine derivatives, *Beilstein J. Org. Chem.*, 5, 2–8.
- Sagyam, R.R., Vurimidi, H., Padi, P.R., and Ghanta, M.R., 2009, An efficient synthesis of highly substituted pyrrole and bis pyrrole derivatives, *J. Heterocycl. Chem.*, 44, 923–926.
- Shukla, P., Verma, A., and Mishra, P., 2017, Significance of nitrogen heterocyclic nuclei in the search of pharmacological active compounds,. In, *New Perspective in Agriculture and Human Health.*, pp. 100–126.
- Sulpizio, C., Roller, A., Giester, G., and Rompel, A., 2016, Synthesis, structure, and antioxidant activity of methoxy- and hydroxyl-substituted 2'-aminochalcones, *Monatshefte fur Chemie*, 147, 1747–1757.

- Suthiwangcharoen, N. and Stephens, C.E., 2006, A new synthesis of 2,5-bis(4-cyanophenyl) furan, *Ark. Arch. Org. Chem.*, 122–127.
- Syahri, J., Yuanita, E., Nurohmah, B.A., Armunanto, R., and Purwono, B., 2017, Chalcone analogue as potent anti-malarial compounds against *Plasmodium falciparum*: Synthesis, biological evaluation, and docking simulation study, *Asian Pac. J. Trop. Biomed.*, 7, 675–679.
- Tzankova, D., Vladimirova, S., Peikova, L., and Georgieva, M., 2018, Synthesis of pyrrole and substituted pyrroles (Review), *J. Chem. Technol. Metall.*, 53, 451–464.
- Ur-Rashid, H., Xu, Y., Ahmad, N., Muhammad, Y., and Wang, L., 2019, Promising anti-inflammatory effects of chalcones via inhibition of cyclooxygenase, prostaglandin E<sub>2</sub>, inducible NO synthase and nuclear factor  $\kappa$ B activities, *Bioorg. Chem.*, 87, 335–365.
- Xu, M., Wu, P., Shen, F., Ji, J., and Rakesh, K.P., 2019, Chalcone derivatives and their antibacterial activities: Current development, *Bioorg. Chem.*, 91, 103133.
- Yang, J., Mei, F., Fu, S., and Gu, Y., 2018, Facile synthesis of 1,4-diketones: Via three-component reactions of  $\alpha$ -ketoaldehyde, 1,3-dicarbonyl compound, and a nucleophile in water, *Green Chem.*, 20, 1367–1374.
- Yetra, S.R., Patra, A., and Biju, A.T., 2015, Recent advances in the n-heterocyclic carbene (NHC)-organocatalyzed Stetter reaction and related chemistry, *Synth.*, 47, 1357–1378.
- Zhang, Y., Shao, Y.L., Xu, H. Sen, and Wang, W., 2011, Organocatalytic direct asymmetric vinylogous Michael reaction of an  $\alpha,\beta$ -unsaturated  $\gamma$ -butyrolactam with enones, *J. Org. Chem.*, 76, 1472–1474.
- Zhuang, C., Zhang, Wen, Sheng, C., Zhang, Wannian, Xing, C., and Miao, Z., 2017, Chalcone: A Privileged Structure in Medicinal Chemistry, *Chem. Rev.*, 117, 7762–7810.