

- Abbas, P., Hashim, Z.Y.Z.H. dan Salleh, H. 2018. *Uninfected Agarwood Branch Extract Possess Cytotoxic and Inhibitory Effects on Mcf-7 Breast Cancer Cells*. Journal of Research in Pharmacy. Volume 23 No.1 Hal:120-129. Sumber:<https://doi.org/10.12991/jrp.2018.116>
- Adegeye, A.O., Ogunsanwo, O.Y. dan Olajuyigbe, O.Y. 2009. *Antifungal Activities of Heart Wood Extract of Teak (*Tectona grandis*) Against Two White Rots In Woods of *Gmelina Arborea* and *Triplochiton Scleroxylon**. Academic Journal of Plant Sciences Volume 2 No.4 Hal:279-285
- Adi, D.S., Risanto, L., Wahyuni, I, Fitria., Kusumah, S.S., Dwiyanto, W. dan Hayashi, T. 2011. *Fiber and Chemical Characteristics of Branchwoods of Three Meranti Species*. Jurnal Ilmu dan Teknologi Kayu Tropis Volume. 9 No. 2 Hal:166-167..
- Amin, Y., Adi, D.S., Wahyuni, I., Kusumah, S. dan Damayanti, R. 2013. *Anatomical Characteristics and Chemical Properties of the Branch-Wood of *Schizolobium amazonicum* Ducke Species and Its Potential Uses*. Journal of Forestry Research Volume 10 No. 2 Hal:123-129.
- Anonim. 2013. Badan Pusat Statistik Republik Indonesia
- Arryati, H. 2006. *Analisis Kimia Kayu Batang, Cabang dan Kulit Kayu Jenis Kayu Leda (*Eucalyptus deglupta* Blume)*. Jurnal Hutan Tropis Borneo Volume 7 No.18 Hal:81-84.
- Backlund, I., Arshadi, M., Hunt, A. J., Mcelroy, C. R., Attard, T.M. dan Bergsten, U. 2014. *Extractive Profiles of Different Lodgepole Pine (*Pinus contorta*) Fractions Grown under A Direct Seeding-based Silvicultural Regime*. Industrial Crops and Products Volume 58 Hal:220-229.
- Bhat, K.M. dan Florence, M.E.J. 2005. *Natural Decay Resistance of Juvenile Teakwood Grown in High Input Plantations*. Holzforsch Volume 57 Hal:453-455.
- Brocco, V.F., Paes, J.B., da Costa, L.G., Brazolin, S. dan Arantes, M.D. 2016. *Potential of Teak Heartwood Extracts as A Natural Wood Preservative*. Journal of Cleaner Production Volume 30 Hal:1-7
- Budiaman, A. dan Komalasari, P. 2012. *Waste of Felling and On-Site Production of Teak Squarewood of the Community Forest*. Jurnal Manajemen Hutan Tropika Volume 18 No.3 Hal:164-169.
- Casey, J.P. 1980. *Pulp and Paper Chemistry and Chemical Technology Vol. I : Pulping and Bleaching. Third Edition*. Wild Interscience Publication. New. York..
- Da Costa, E.W.B, Rudman, P. dan Gay, F.J. 1958. *Investigations on the Durability of *Tectona grandis**. Emp. For. Revised Volume 37 Hal:102-105.



UNIVERSITAS  
GADJAH MADA

**KADAR EKSTRAKTIF DAN AKTIVITAS ANTIRAYAP PADA EKSTRAK KAYU JATI (*Tectona grandis* L.f) BAGIAN CABANG DARI HUTAN RAKYAT WONOGIRI**

INNEKE MONICA, Dr. Budiadi, S.Hut., M.Agr.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

David, N.S.H. dan Nubuo, S. 2000. *Chemical Characterization of Wood and Its Components. Dalam wood and Cellulosic Chemistry Second edition, Revised and Expanded.* Madison Avenue: Marcel Dekker Inc.

Dewick, P.M. 2001. *Medicinal Natural Products, A Biosynthetic Approach. 2nd Edition.* John Wiley & Sons.

Dungani, R., Bhat, I. H., Khalil H.P. S.A., Naif, A. dan Hermawan, D. 2012. *Evaluation of Antitermitic Activity of Different Extracts Obtained from Indonesian Teakwood (*Tectona grandis* L.f).* BioResources Volume 7 No.2 Hal:1425-1461.

Eaton, R.A. dan Hale, M.D.C. 1993. *Wood, Decay, Pest and Protection.* Chapman and Hal. London.

Febrianto, F., Syafii, W. dan Barata, A. 2000. *Keawetan Alami Kayu Jati (*Tectona grandis* L.f.) pada Berbagai Kelas Umur.* Jurnal Teknologi Hasil Hutan Volume 8 No.2 Hal: 6-33.

Fengel, D. dan G, Wegener. 1995. *Kayu: Kimia, Ultrastruktur, Reaksi – reaksi.* Universitas Gajah Mada Press. Yogyakarta.

Ganapaty, S., Thomas, P.S., Fotso, S. dan Laatsch, H. 2004. *Antitermitic Quinones from *Disopyros sylvatica*.* Phytochemistry Volume 65 Hal:1265-1271.

Handerson, F.Y. 1956. *A Handbook of Hardwoods.* Departement of Scientific and Industrial Research, Forest Product Research. Her Majesty's Stationery Office. London.

Harborne, J.B. 1987. *Metode Fitokimia, Penuntun Cara Modern Menganalisis Tumbuhan.* diterjemahkan oleh Panduwinata & I. Soediro, Penerbit ITB, Bandung.

Hikmah, S. dan Yunianti, A.D. 2007. *Kandungan Kimia dan Dimensi Serat Akar, Cabang dan Batang Bagian Atas Kayu Gmelina dan Kayu Jati Di Hutan Rakyat Sulawesi Selatan.* Jurnal Perenial Volume 3 No.1 Hal::11-14.

Hillis, W.E. 1987. *Heartwood and Tree Exudates.* Springer. Verlag.

Hassan, B., Ahmed, S., Kirker, G., Mankowski, M.E. dan Ul-Haq, M.M. 2018. *Antioxidant Effects on Four Heartwood Extractive on Midgut Enzyme Activity in *Heterotermes indicola* (Blattodea: Rhinotermitidae).* Environment Entomology Volume 20 No.10. Hal:1-8.

Haupt, M., Leithoff, H., Meier, D., Puls, J., Richter, H.G. dan Faix, O. 2003. *Heartwood Extractives and Natural Durability of Plantation-grown Teakwood (*Tectona grandis* L.f) A Case Study.* Holz als Roh und Werkst Volume 61 Hal:473-474.

Higuchi, T. 1997. *Pharmaceutical Analysis.* New York : Interscience Publisher

Hunt, G.M. dan A.G, Garrat. 1986. *Pengawetan Kayu.* Akademika Pressindo. Jakarta.

Indrayani, Y. 2012. *Aktivitas Makan Rayap Kayu Kering *Cryptotermes cynocephalus* pada Berbagai Suhu dan Kelembaban.* Seminar MAPEKI ke-XV Hal:474-477.



UNIVERSITAS  
GADJAH MADA

**KADAR EKSTRAKTIF DAN AKTIVITAS ANTIRAYAP PADA EKSTRAK KAYU JATI (*Tectona grandis* L.f) BAGIAN CABANG DARI HUTAN RAKYAT WONOGIRI**

INNEKE MONICA, Dr. Budiadi, S.Hut., M.Agr.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Ismayati, M., Izumi A.N. dan Kamaluddin, N.N. 2016. *Toxicity and Feeding Deterrent Effect of 2-Methylantraquinone from the Wood Extractives of Tectona grandis on the Subterranean Termites Coptotermes formosanus and Reticulitermes speratus*. Insect Volume 7 No.63 Hal:1-11.

Jasni dan Rulliaty, S. 2015. *Ketahanan 20 Jenis Kayu terhadap Serangan Rayap Tanah dan Rayap Kayu Kering*. Jurnal Penelitian Hasil Hutan Vol 33 No.2 Hal 15-133.

Kafuku, K. Dan Sebe, K. 1932. *On Tectoquinone, The Volatile Principle of The Teakwood*. Jurnal Chemical Society Volume 51 Hal:114-127

Kaosa-ard, A. 1989. *Gains from Provenance Selection*. In: Enters, T. and Nair, C.T.S. (eds.). *Site, Technology and Productivity of Teak Plantations*. FORPA Pub. No. 24/2000, TEAKNET Pub. No.3.

Khan, R.M. dan Mlungwana, S.M. 1999. *5-Hydroxylapachol: A Cytotoxic Agent from Tectona grandis*. Phytochemistry Volume 50 Hal:439-442.

Sumber: doi: [http://dx.doi.org/10.1016/S0031-9422\(98\)00478-6](http://dx.doi.org/10.1016/S0031-9422(98)00478-6)

Kiaei, M., Tajik, M. dan Vaysi, R. 2014. *Chemical and Biometrical Properties of Plum Wood and Its Application in Pulp and Paper Production*. Maderas. Ciencia Y Tecnología Volume 16 issue 3 Hal:313-322.

Sumber: doi:10.4067/s0718-221x2014005000024

Kokutse, A.D., Baille, H., Stokesa, A. dan Koko, K. 2004. *Proportion and Quality of Heartwood in Togolese Teak (Tectona grandis L.f.)* Forest Ecology and Management Volume 189 Hal:37-48.

Korulkin, D.Y dan Muzychkina, R.A. 2014. *Biosynthesis and Metabolism of Anthraquinone Derivatives*. World Academy of Science, Engineering and Technology, Volume 8 No:7 Hal:454-457.

Kumar, S. dan Purohit, C.S. 2015. *Conservative of Threatned Desert Plants*. Scientific Publisher. India.

Lestari, E., Pramasari, D.A., Amin, Y., Adi, S.D., Bahanawan, A., dan Dwianto, W. 2016. *The Chemical Components Changes of Platinum Teak Wood*. The 6<sup>th</sup> International Symposium for Sustainable Humanosphere Science School 2016 Hal:165-171.

Lima, N.M.F., Correia, C.S, Leon, J.L., Machado, G.M.C. dan Goulart, M. 2004. *Antileishmanial Activity of Lapachol Analogues*. Mem Inst Oswaldo Cruz Volume 99 No.7 Hal:757-761.

Lukmandaru, G. 2013. *The Natural Termite Resistance of Teak Wood Grown in Community Forest*. Jurnal Ilmu dan Teknologi Kayu Tropis Volume 11 No.2 Hal:131-139.

Lukmandaru, G. dan Sayudha, I.G.N. 2011. *Komposisi Ekstraktif pada Kayu Jati Juvenil*. Prosiding Seminar Nasional Masyarakat Peneliti Kayu Indonesia (MAPEKI) ke XIV Hal:361-366.



UNIVERSITAS  
GADJAH MADA

**KADAR EKSTRAKTIF DAN AKTIVITAS ANTIRAYAP PADA EKSTRAK KAYU JATI (*Tectona grandis* L.f) BAGIAN CABANG DARI HUTAN RAKYAT WONOGIRI**

INNEKE MONICA, Dr. Budiadi, S.Hut., M.Agr.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Lukmandaru, G. dan Takahashi, K. 2008. *Variation in the Natural Termite Resistance of Teak (*tectona grandis* Linn.fil) Wood as a Function of Tree Age*. Annals of Forest Science Volume 65 Hal:708p1-p8.

ManManwiller, 1974 dalam Shmulsky, Rubin and Jones, P. David. 2019. *Forest Product and Wood Science An Introduction 7th edition*. John Wiley and Sons. USA.

Marsoem, S.N. 2005. *Pulp dan Kertas*. Yogyakarta: Jurusan Teknologi Hasil Hutan Fakultas Kehutanan Universitas Gadjah Mada.

Martawijaya, A., Kartasujana, I., Kadir, K. dan Prawira, S.A. 1981. *Atlas Kayu Indonesia Jilid 1*. Pusat Penelitian dan Pengembangan Kehutanan. Bogor

Martawijaya, A., Kartasujana, I., Kadir, K dan Prawira,S.A. 1989. *Atlas Kayu Indonesia Jilid I*. Departemen Kehutanan Badan Penelitian dan Pengembangan Kehutanan. Bogor.

McMurry, J. 2008. *Organic Chemistry*. Thomson Learning Inc. U.S. America.

Miller, R.B. 1999. *Structure of Wood dalam Wood Handbook -Wood as an Engeenering Material*. Wisconsin: Forest Product Laboratory.

Morikawa,T., Ashitani, .T, Sekine, N., Kusumoto, N. dan Takahashi, K. 2012. *Bioactivities of Extracts from *Chamaecyparis obtusa* Branch Heartwood*. The Japan Wood Research Society Volume 58 Hal: 544-549.

Morikawa,T., Ashitani, .T, Sekin,e N., Kusumoto, N., Takahashi, K. 2014. *Antitermitic Activity of Extracts from *Chamaecyparis obtusa* Branch Heartwood*. Journal Wood Product Volume 72 Hal: 651-657.

Nandika, D., Yudi, R., Farah, D. 2003. *Rayap: Biologi dan Pengendaliannya*. Surakarta: Muhammadiyah University Press.

Niamké, F.B., Amusant, N., Charpentier, J.P., Chaix, G., Baissac, Y., Boutahar, N., Adima AA, Coulibaly, S.K., dan Allemand, C.J. 2011. *Relationships between Biochemical Attributes (Non-structural Carbohydrates and Phenolics) and Natural Durability against Fungi in Dry Teakwood (*Tectona grandis* L. f.)*. Annals of Forest Science Volume 68 Hal:201-211.

Nidavani, Ramesh.B., dan A.M., Malakshmi. 2014. *Teak (*Tectona grandis* Linn): A Renowed Timber Plant with Potential Medicinal Values*. International Jurnal of Pharmacy and Pharmaceutical Science Volume 6 Issue 1 Hal: 48-54.

Obst, J. 2014. *Forest Product Biotechnology. Special Secondary Metabolites from Wood*. Taylor and Francis. UK.

**Pandey, D and Brown C. 2000. *Teak: A Global Overview*. UnasyIva 201 Volume 51 Hal:3-13.**

Polato, R., Laming, P.B., dan Alvarez, Sierra. 2005. *Assesment of Some Wood Characteristics of Teak of Brazilian Origin. Jurnal Quality Timber product of Teak from Sustainable Forest Management*. Kerala Forest Research Institue International Tropical Timber Organization.

Premrasmi, T dan Dietrich, H. 1967. *Nature and Distribution of Extractive in Teak (Tectona grandis Linn) from Thailand*.

Roitto, M., Siwale, W., Tanner, J., Ilvesniemi, H., Julkunen-Tiitto, R. dan Verkasalo, E. 2016. *Characterization of Extractives in Tree Biomass and By-Products of Plywood and Saw Mills from Finnish Birch in Different Climatic Regions for Value-Added Chemical Products. 5th International Scientific Conference on Hardwood Processing* Quebec City, Canada.

Rudman, P., Da Costa, E.W.B. dan Gay, F.J. 1967. *Wood quality in Plus Trees of Teak (Tectona grandis L.f.): An Assessment of Decay and Termite Resistance*. Sylvae Genetic Volume 16 Hal:102–105.

Salem, M.Z., Zayed, M.Z., Ali, H.M., dan El-Kareem, M.S. 2016. *Chemical Composition, Antioxidant and Antibacterial Activities of Extracts from Schinus molle Wood Branch Growing in Egypt*. Journal Wood Science Volume 62: Hal: 548–561.

DOI 10.1007/s10086-016-1583-2

Samariha, A. dan Kiaei, Majid. 2011. *Chemical Composition Properties of Stem and Branch in Alianthus altissima Wood*. Middle-East Journal of Scientific Research 8 Volume 5 Hal:967-970.

Sanchez, A. dan Nehlin, L., Grebt. 2011. *From Thin to Thick: Major Transitions during Stem Development*. Trends in Plant Science Volume 17 No. 2 Hal:113-121 Sumber: doi:10.1016/j.tplants.2011.11.004

Sandermann, W. dan Simatupang, M.H. 1968. *Terpenoid Compounds in Teak and their Metabolism*. Bull. National Institute Science India Volume 37 Hal:158-167.

Sari, R.K., Syafii, W., Achmadi, S., Hanafi, M., dan Laksana, Y.T. 2012. *Aktivitas Antikanker dan Kandungan Kimia Ekstrak Kayu Teras Suren (Toona sureni)*. Jurnal Ilmu dan Teknologi Kayu Tropis Volume 10 No. 1 Hal:82-93.

Senga, P.M., Prado, M., Khasa D. dan Stevanovic, T.J. 2016. *Contribution to Chemical Study of Stem and Branches of Trema orientalis L. (Blum) and Leucaena leucocephala (Lam.) De Wit*. Natural Products Chemistry & Research Volume 4 Issue 6 Hal:4-6.

Sumber: doi: 10.4172/2329-6836.1000238.

Sjostrom, E. 1995. *Wood Chemistry, Fundamental and Applications*. New York: Academic Press.

Si, C.L., Jiang, J. Z., Liu, S. C., Hu, HY., Ren, X.D., Yu, G.J., dan Xu, G.H. 2013. *A New Lignan Glycoside and Phenolics from The Branch Wood of Pinus banksiana Lambert*. Holzforschung Volume 67 Issue 4 Hal:537-363.

Sumber: doi: 10.1515/hf-2012-0137

Siregar, E.B.M. 2005. *Potensi Budidaya Jati*. e-USU Repository. Universitas Sumatera Utara.



UNIVERSITAS  
GADJAH MADA  
Simatupang

**KADAR EKSTRAKTIF DAN AKTIVITAS ANTIRAYAP PADA EKSTRAK KAYU JATI (*Tectona grandis* L.f) BAGIAN CABANG DARI HUTAN RAKYAT WONOGIRI**

INNEKE MONICA, Dr. Budiadi, S.Hut., M.Agr.Sc.

Universitas Gadjah Mada, 2020 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Simatupang, M.H., Rosamah, E., dan Yamamoto, K. 1996. *Importance of Teakwood Extractives on Wood Properties and for Tree Breeding*. CFFPR. .

Solomon, G.T.W., dan Fryhle, C.B. 2011. *Organics Chemistry*. John Wiley and Sons Inc. U.S. America.

Subyanto. 1985. *Kepekaan Beberapa Jenis Kayu Bangunan non Jati terhadap Serangan Rayap Tanah dan Usaha Mengatasinya*. Lembaga Penelitian Universitas Gadjah Mada. Yogyakarta.

Sumarna, Y. 2007. *Budi Daya Jati*. Penebar Swadaya. Jakarta, Indonesia.

Sumarni dan Muslich. 2008. *Kelas Awet Jati Cepat Tumbuh dan Lokal pada berbagai Umur Pohon*. Pusat Litbang Hasil Hutan Hal:1-14.

Supriana, N. 1983. *Hubungan antara Aktivitas Makan pada Rayap dengan Sifat- sifat Kayu*. Pusat Penelitian dan Pengembangan Hasil. Jakarta.

Sumthong, P.2007. *Antimicrobial Compounds as Side Products from the Agricultural Processing Industry*. Amsterdam, The Netherlands.

Stenius, P. 2000. *Papermaking Science and Technology, Book 3, Forest Products Chemistry*. Fapet, Helsinki, 2000.

Tarumingkeng, R.C. 2001. *Biologi dan Perilaku Rayap*. Sumber: [http://tumou.net/biologi\\_dan\\_perilaku\\_rayap.html](http://tumou.net/biologi_dan_perilaku_rayap.html).

Tsoumis.1991. *Science and Technology of Wood*. Van Nostrand Reinhold, New York.

Thomson, R.H. 1971. *Naturally Occurring Quinones (2nd Edition)*. New York : Academic Press.

Tung, Y.T., dan Chang, S.T. 2010. *Variation in Antioxidant Activity of Extracts of *Acacia confusa* of Different Ages*. Natural Product Communications Volume 5 No. 1 Hal:73-76.

Wetwitayaklunga, P., Phaechamudb, T dan Keokitichai, S. 2005. *The Anti-oxidant Activity of *Caesalpinia sappan* L. Heartwood in Various Ages*. Naresuan Univesity Journal Volume 13 No.2 Hal:43-52.

Windeisen, E., Klassen A. dan Wegener, G. 2003. *On the Chemical Characterization of Plantation Teakwood from Panama*. Holz Roh- Werkst Volume 61 Hal:394-397.

Yahya, R. 2004. *Chemical Composition of Branchwood Including Bark of Willd as Raw Material for Pulp and Paper Manufacture*. Prosiding Seminar Nasional Mapeki XVII, Makassar

Yêvide, A.S., Goudégnon, E.O.A., Ganglo, J.C., Oumoro, M., Tchêhouali, A. dan Carnnière, C.D. *Does Heartwood Formation Early Process In Beninese Coppice Teak Stands?*. International Journal of Science and Technology Volume 4 No. 6 Hal 118-123

Zobel, dan J, Bruce. 1989. *Wood Variation: Its Causes and Control*. Springer-Verlag.