

DAFTAR PUSTAKA

- Aba, L. *et al.* (2012) 'Selectivity Improvement of Gas Sensor Based on Poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) Thin Film by Using Imprinting Method', *Journal of Modern Physics*, 03(07), pp. 529–533. doi: 10.4236/jmp.2012.37072.
- Alshammari, A. S. *et al.* (2017) 'Inkjet printing of polymer functionalized CNT gas sensor with enhanced sensing properties', *Materials Letters*, 189, pp. 299–302. doi: 10.1016/j.matlet.2016.11.033.
- Anju, V. P., Jithesh, P. R. and Narayanankutty, S. K. (2019) 'A novel humidity and ammonia sensor based on nanofibers/polyaniline/polyvinyl alcohol', *Sensors and Actuators, A: Physical*. Elsevier B.V., 285, pp. 35–44. doi: 10.1016/j.sna.2018.10.037.
- Chen, C., Torrents, A., Kulinsky, L., Nelson, R. D., Madou, M., Valdevit, L., dan Larue, J. C., (2011) 'Mechanical characterizations of cast Alcohol thin films', *Synthetic Metals*. Elsevier B.V., 161(21–22), pp. 2259–2267. doi: 10.1016/j.synthmet.2011.08.031.
- Choi, Jaewon *et al.* (2010) 'Electrospun PEDOT:PSS/PVP nanofibers as the chemiresistor in chemical vapour sensing', *Synthetic Metals*, 160(13–14), pp. 1415–1421. doi: 10.1016/j.synthmet.2010.04.021.
- Chotimah, (2014) Peningkatan Konduktivitas Listrik *Nanofiber* Polyvinyl Alcohol (PVA) dengan Penambahan PEDOT:PSS dan DMSO, *Disertasi*, (Gadjah Mada, 2016)
- Crispin, X., Jakobsson, F. L. E., Crispin, A., Grim, P. C. M., Anderson, P., Volodin, A., van Haesendock, C., Van der Auweraer, M., Salaneck, W. R., dan Berggren, (2006) The Origin of the High Conductivity of (PEDOT-PSS) Plastic Electrodes, *Chemistry of Materials*, (18), pp. 4354–4360. doi: 10.1504/IJFIP.2013.058610.
- Dai, L. (2004) 'Chapter 2 Conducting Polymers', *Materials Synthesis to Device Applications*, 16, pp. 41–80. doi: 10.1007/b97517.
- Endo, R., Amiya, S., Takahashi, H., dan Shimizu, E., (2007) 'Preparation and characterization of new type PAN/CuxS nano composite conductive fiber', *Proceedings - International Symposium on Wearable Computers, ISWC*, (3), pp. 125–126. doi: 10.1109/ISWC.2007.4373799.
- Gao, J. *et al.* (2020) 'Flexible, superhydrophobic, and electrically conductive polymer nanofiber composite for multifunctional sensing applications', *Chemical Engineering Journal*, 381(June 2019). doi: 10.1016/j.cej.2019.122778.
- Garcia, I. A., (2017) Pengaruh Konsentrasi Larutan pada Morfologi, Sifat Optik, dan Konsuktivitas *Nanofiber* PEO Blend PEDOT:PSS, *Skripsi*, (Gadjah Mada, 2017)
- Huang, Y. C. *et al.* (2015) 'Electrospinning of magnesium-ion linked binder-less

- PEDOT:PSS nanofibers for sensing organic gases', *Sensors and Actuators, B: Chemical*, 216, pp. 603–607. doi: 10.1016/j.snb.2015.03.081.
- Kumar, S., Rai, P., Sharma, J. G., Sharma, A., dan Malhotra, B., D., (2016) 'PEDOT:PSS/PAN-Nanofibers-Decorated Conducting Paper for Cancer Diagnostics', *Advanced Materials Technologies*, 1(4). doi: 10.1002/admt.201600056.
- Kwak, D., Lei, Y. and Maric, R. (2019) 'Ammonia gas sensors: A comprehensive review', *Talanta*, 204(June), pp. 713–730. doi: 10.1016/j.talanta.2019.06.034.
- Lang, U., Rust, P. dan Dual, J. (2008) 'Towards fully polymeric MEMS: Fabrication and testing of PEDOT/PSS strain gauges', *Microelectronic Engineering*, 85(5–6), pp. 1050–1053. doi: 10.1016/j.mee.2008.01.051.
- Li, S. *et al.* (2017) 'Flexible ammonia sensor based on PEDOT:PSS/silver nanowire composite film for meat freshness monitoring', *IEEE Electron Device Letters*. IEEE, 38(7), pp. 975–978. doi: 10.1109/LED.2017.2701879.
- Li, S. *et al.* (2018) 'Achieving humidity-insensitive ammonia sensor based on Poly(3,4-ethylene dioxythiophene): Poly(styrenesulfonate)', *Organic Electronics*. Elsevier, 62(May), pp. 234–240. doi: 10.1016/j.orgel.2018.07.031.
- Lv, D. *et al.* (2019) 'Enhanced flexible room temperature ammonia sensor based on PEDOT: PSS thin film with FeCl₃ additives prepared by inkjet printing', *Sensors and Actuators, B: Chemical*. Elsevier, 298(July), p. 126890. doi: 10.1016/j.snb.2019.126890
- Martínez, O., Bravos, A. G., dan Pinto, N. J. (2009) 'Fabrication of poly(vinylidene fluoride-trifluoroethylene)/ poly(3,4-ethylenedioxythiophene) -polystyrene sulfonate composite *nanofibers* via electro spinning', *Macromolecules*, 42(20), pp. 7924–7929. doi: 10.1021/ma901365c.
- Pirsa, S. (2017) 'Chemiresistive gas sensors based on conducting polymers', *Materials Science and Engineering: Concepts, Methodologies, Tools, and Applications*, 1–3, pp. 543–574. doi: 10.4018/978-1-5225-1798-6.ch022.
- Ramakrishna, S., Fujihara, K., Teo, W. E., Lim, T., dan Ma, Z., 2005., 'An Introduction to *Electrospinning and Nanofibers*'. (Wold Scientific Publishing Co. Pte. Ltd.). doi:10.1142/5894
- Rianjanu, A. 2014, Karakterisasi *Nanofiber* PEDOT:PSS/PAN yang Berpotensi Digunakan Sebagai Lapisan Penyangga Pada Sel Surya Organik Bulk-Heterojunction menggunakan Metode *Electrospinning*, *Skripsi*, (Gadjah Mada, 2014)
- Satoh, N. *et al.* (2018) 'Organic π -type thermoelectric module supported by photolithographic mold: a working hypothesis of sticky thermoelectric materials', *Science and Technology of Advanced Materials*, pp. 517–525. doi: 10.1080/14686996.2018.1487239.
- Staudinger, U. *et al.* (2017) 'Properties of thin layers of electrically conductive polymer/MWCNT composites prepared by spray coating', *Composites Science and Technology*, 138, pp. 134–143. doi: 10.1016/j.compscitech.2016.11.015.
- Takano, T. *dkk.* (2012) 'PEDOT nanocrystal in highly conductive PEDOT:PSS polymer films', *Macromolecules*, 45(9), pp. 3859–3865. doi: 10.1021/ma300120g.

- Thompson, B. dan Sik Yoon, H., (2013) 'Aerosol-printed strain sensor using PEDOT:PSS', *Sensors and Actuators, A: Physical*. Elsevier B.V., 243(11), pp. 4256–4263. doi: 10.1109/JSEN.2013.2264482.
- Timparano, S., Kemerink, M., Touwslager, F.J., De Kok, M. M., dan Schrader, S., 2004, Morphologi and Conductivity of PEDOT/PSS film studied by scanning-tunneling microscopy. *Chemical Physics Letters*, 394(4-6), 339-343.
- Triyana, K. (2013) 'Studi Pembuatan PAN Nano Fiber dengan *Electrospinning*', *Prosiding Pertemuan Ilmiah XXVII HFI Jateng & DIY*, pp. 16–19.
- Zarrin, N. *et al.* (2018) 'An investigation on the fabrication of conductive *polyethylene dioxythiophene* (PEDOT) nanofibers through *electrospinning*', *Synthetic Metals*, 244(August), pp. 143–149. doi: 10.1016/j.synthmet.2018.07.013.
- Ziadan, K. M. (2012) 'InTech-Conducting polymers application', pp. 3–24 doi: 10.5772/76437.