

DAFTAR PUSTAKA

- Aarts, M., Okrainec, A., Wood, T., Pearsall, E., & McLeod, R. (2013). *Enhanced Recovery after Surgery Guideline*. 30. Retrieved from http://anesthesiology.queensu.ca/assets/iERAS_GUIDELINE_April_2013.pdf
- Abola, R. E., & Gan, T. J. (2017). Preoperative Fasting Guidelines: Why Are We Not Following Them? *Anesthesia & Analgesia*, *124*(4), 1041–1043. <https://doi.org/10.1213/ANE.0000000000001964>
- Adamina, M., Kehlet, H., Tomlinson, G. A., Senagore, A. J., & Delaney, C. P. (2011). Enhanced recovery pathways optimize health outcomes and resource utilization: A meta-analysis of randomized controlled trials in colorectal surgery. *Surgery*, *149*(6), 830–840. <https://doi.org/10.1016/j.surg.2010.11.003>
- Afiatin, T., Sonjaya, J.A., & Pertiwi, Y. (2013). *Mudah dan sukses menyelenggarakan pelatihan: Melejitkan potensi diri*. Yogyakarta: Kanisius.
- Alawadi, Z. M., Leal, I., Phatak, U. R., Flores-Gonzalez, J. R., Holihan, J. L., Karanjawala, B. E., ... Kao, L. S. (2016). Facilitators and barriers of implementing enhanced recovery in colorectal surgery at a safety net hospital: A provider and patient perspective. *Surgery*, *159*(3), 700–712. <https://doi.org/10.1016/j.surg.2015.08.025>
- Ament, S. M. C., Gillissen, F., Moser, A., Maessen, J. M. C., Dirksen, C. D., von Meyenfeldt, M. F., & van der Weijden, T. (2014). Identification of promising strategies to sustain improvements in hospital practice: A qualitative case study. *BMC Health Services Research*, *14*, 641. <https://doi.org/10.1186/s12913-014-0641-y>
- American Association of Nurse Anesthetists (AANA). (2017). Enhanced recovery after surgery considerations for pathway development and implementation. Retrieved from [https://www.aana.com/docs/default-source/practice-aana-com-web-documents-\(all\)/enhanced-recovery-after-surgery.pdf?sfvrsn=6d184ab1_6](https://www.aana.com/docs/default-source/practice-aana-com-web-documents-(all)/enhanced-recovery-after-surgery.pdf?sfvrsn=6d184ab1_6)
- American Society of Anesthesiologist's Committee. (2011). Practice Guidelines for Preoperative Fasting and the Use of Pharmacologic Agents to Reduce the Risk of Pulmonary Aspiration: Application to Healthy Patients Undergoing Elective Procedures. *Anesthesiology*, *114*(3), 495–511. doi:10.1097/aln.0b013e3181fcbfd9
- Andriani, R., Effendy, C., & Nurhesti, P. O. Y. (2016). Perbedaan Tingkat Pengetahuan Perawat Pre dan Post Pemberian Booklet Diagnosa Keperawatan dan Masalah Kolaboratif pada Pasien Stroke. *Jurnal Ilmu Keperawatan*, *4*(3), 160–165.
- Arikunto, S. (2014). *Prosedur Penelitian Suatu Pendekatan Praktik*. Jakarta: Rineka Cipta.
- Arsyad, A. (2010). *Media Pengajaran*. Jakarta: Raja Grafindo Persada.
- Ashaver, D., & Igvuye, S.M. (2013). The use of audio-visual materials in the teaching and learning processes in colleges of education in Benue State-

- Nigeria. *IOSR Journal of Research & Method in Education*, 1(6), 44-55. Retrieved from <http://www.iosrjournals.org/iosr-jrme/papers/Vol-1%20Issue-6/G0164455.pdf>
- Badan Pusat Statistik (BPS). (2016). *Angka Beban Tanggungan*. Available from https://www.bps.go.id/istilah/index.html?Istilah_page=4
- Bakker, N., Cakir, H., Doodeman, H. J., & Houdijk, A. P. J. (2015). Eight years of experience with Enhanced Recovery After Surgery in patients with colon cancer: Impact of measures to improve adherence. *Surgery*, 157(6), 1130–1136. <https://doi.org/10.1016/j.surg.2015.01.016>
- Baldini, G., & Fawcett, W. J. (2015). Anesthesia for Colorectal Surgery. *Anesthesiology Clinics*, 33(1), 93–123. <https://doi.org/10.1016/j.anclin.2014.11.007>
- Barber, E. L., & Van Le, L. (2015). Enhanced Recovery Pathways in Gynecology and Gynecologic Oncology: *Obstetrical & Gynecological Survey*, 70(12), 780–792. <https://doi.org/10.1097/OGX.0000000000000259>
- Bernard, H. (2013). Patient warming in surgery and the enhanced recovery. *British Journal of Nursing*, 22(6), 319–325. <https://doi.org/10.12968/bjon.2013.22.6.319>
- Billeter, A. T., Hohmann, S. F., Druen, D., Cannon, R., & Polk, H. C. (2014). Unintentional perioperative hypothermia is associated with severe complications and high mortality in elective operations. *Surgery*, 156(5), 1245–1252. <https://doi.org/10.1016/j.surg.2014.04.024>
- Bliss, L. A., Maguire, L. H., Chau, Z., Yang, C. J., Nagle, D. A., Chan, A. T., & Tseng, J. F. (2015). Readmission After Resections of the Colon and Rectum: Predictors of a Costly and Common Outcome. *Diseases of the Colon & Rectum*, 58(12), 1164–1173. <https://doi.org/10.1097/DCR.0000000000000433>
- Brady, K. M., Keller, D. S., & Delaney, C. P. (2015). Successful Implementation of an Enhanced Recovery Pathway: The Nurse's Role. *AORN Journal*, 102(5), 469–481. <https://doi.org/10.1016/j.aorn.2015.08.015>
- Brandstrup, B., Tønnesen, H., Beier-Holgersen, R., Hjortsø, E., Ørding, H., Lindorff-Larsen, K., ... Danish Study Group on Perioperative Fluid Therapy. (2003). Effects of intravenous fluid restriction on postoperative complications: Comparison of two perioperative fluid regimens: a randomized assessor-blinded multicenter trial. *Annals of Surgery*, 238(5), 641–648. <https://doi.org/10.1097/01.sla.0000094387.50865.23>
- Budiman & Riyanto, A. (2013). *Kapita selekta kuesioner: Pengetahuan dan sikap dalam penelitian kesehatan*. Jakarta: Salemba Medika
- Carli, F., Charlebois, P., Baldini, G., Cachero, O., & Stein, B. (2009). An integrated multidisciplinary approach to implementation of a fast-track program for laparoscopic colorectal surgery. *Canadian Journal of Anesthesia/Journal Canadien d'anesthésie*, 56(11), 837–842. <https://doi.org/10.1007/s12630-009-9159-x>
- Chacko, T., & Fernandes, P. (2012). *Effectiveness Of An Information Booklet On Knowledge Regarding The Importance Of Birth Spacing*. 2, 5. Retrieved from

http://nitte.edu.in/journal/juneSplit/Nitte%20University%20Journal%20June%202012_43_47.pdf

- Collins, A. (2013). Effect of Continuing Nursing Education on Nurses' Attitude Toward and Accuracy of Nursing Diagnosis: Attitude and Accuracy. *International Journal of Nursing Knowledge*, n/a-n/a. <https://doi.org/10.1111/j.2047-3095.2013.01237.x>
- Contant, C. M. E., Hop, W. C. J., van, H. P., Idenburg, F. J., Dijkhuis, C. M., Heres, P., & van Tets, W. F. (2007). *Mechanical bowel preparation for elective colorectal surgery: A multicentre randomised trial*. 370, 6.
- Continuing Nursing Education: Breaking the Barriers. (n.d.). Retrieved September 12, 2019, from POLHN website: <https://polhn.org/blog/continuing-nursing-education-breaking-barriers>
- Daro, Y.A. (2015). *Pengaruh Edukasi terhadap Pengetahuan dan Sikap Perawat tentang Pemberian Dukungan selama Hospitalisasi di Ruang Perawatan Anak RSUD Sumbawa* (tesis). Universitas Gadjah Mada, Yogyakarta.
- Departemen Kesehatan RI (Depkes). (2009). *Profil Kesehatan Indonesia Tahun 2009*. Kementerian Kesehatan RI.
- Dai, J., Jiang, Y., & Fu, D. (2017). Reducing postoperative complications and improving clinical outcome: Enhanced recovery after surgery in pancreaticoduodenectomy – A retrospective cohort study. *International Journal of Surgery*, 39, 176–181. <https://doi.org/10.1016/j.ijssu.2017.01.089>
- de Silva, S., Ma, C., Proulx, M., Crespín, M., Kaplan, B. S., Hubbard, J., ... Kaplan, G. G. (2011). Postoperative Complications and Mortality Following Colectomy for Ulcerative Colitis. *Clinical Gastroenterology and Hepatology*, 9(11), 972–980. <https://doi.org/10.1016/j.cgh.2011.07.016>
- El Nakeeb, A., Fikry, A., El Metwally, T., Fouda, E., Youssef, M., Ghazy, H., ... Farid, M. (2009). Early oral feeding in patients undergoing elective colonic anastomosis. *International Journal of Surgery*, 7(3), 206–209. <https://doi.org/10.1016/j.ijssu.2009.03.003>
- Eskicioglu, C., Forbes, S. S., Aarts, M.-A., Okrainec, A., & McLeod, R. S. (2009). Enhanced Recovery after Surgery (ERAS) Programs for Patients Having Colorectal Surgery: A Meta-analysis of Randomized Trials. *Journal of Gastrointestinal Surgery*, 13(12), 2321–2329. <https://doi.org/10.1007/s11605-009-0927-2>
- Fearon, K. C. H., Ljungqvist, O., Von Meyenfeldt, M., Revhaug, A., Dejong, C. H. C., Lassen, K., ... Kehlet, H. (2005). Enhanced recovery after surgery: A consensus review of clinical care for patients undergoing colonic resection. *Clinical Nutrition*, 24(3), 466–477. <https://doi.org/10.1016/j.clnu.2005.02.002>
- Foss, M., & Bernard, H. (2012). Enhanced recovery after surgery: Implications for nurses. *British Journal of Nursing*, 21(4), 221–223. <https://doi.org/10.12968/bjon.2012.21.4.221>
- Fujii, T., Morita, H., Sutoh, T., Yajima, R., Yamaguchi, S., Tsutsumi, S., ... Kuwano, H. (2014). Benefit of Oral Feeding as Early as One Day After

- Elective Surgery for Colorectal Cancer: Oral Feeding on First Versus Second Postoperative Day. *International Surgery*, 99(3), 211–215. <https://doi.org/10.9738/INTSURG-D-13-00146.1>
- Gallagher, L. (2007). Continuing education in nursing: A concept analysis. *Nurse Education Today*, 27(5), 466–473. <https://doi.org/10.1016/j.nedt.2006.08.007>
- Gouvas, N., Tan, E., Windsor, A., Xynos, E., & Tekkis, P. P. (2009). Fast-track vs standard care in colorectal surgery: A meta-analysis update. *International Journal of Colorectal Disease*, 24(10), 1119–1131. <https://doi.org/10.1007/s00384-009-0703-5>
- Greco, M., Capretti, G., Beretta, L., Gemma, M., Pecorelli, N., & Braga, M. (2014). Enhanced Recovery Program in Colorectal Surgery: A Meta-analysis of Randomized Controlled Trials. *World Journal of Surgery*, 38(6), 1531–1541. <https://doi.org/10.1007/s00268-013-2416-8>
- Greenblatt, D. Y., Weber, S. M., O'Connor, E. S., LoConte, N. K., Liou, J.-I., & Smith, M. A. (2010). Readmission After Colectomy for Cancer Predicts One-Year Mortality. *Annals of Surgery*, 251(4), 659–669. <https://doi.org/10.1097/SLA.0b013e3181d3d27c>
- Guay, J., Nishimori, M., & Kopp, S. L. (2016). Epidural Local Anesthetics Versus Opioid-Based Analgesic Regimens for Postoperative Gastrointestinal Paralysis, Vomiting, and Pain After Abdominal Surgery: A Cochrane Review. *Anesthesia and Analgesia*, 123(6), 1591–1602. <https://doi.org/10.1213/ANE.0000000000001628>
- Gustafsson, U. O., Scott, M. J., Schwenk, W., Demartines, N., Roulin, D., Francis, N., ... Ljungqvist, O. (2013). Guidelines for Perioperative Care in Elective Colonic Surgery: Enhanced Recovery After Surgery (ERAS®) Society Recommendations. *World Journal of Surgery*, 37(2), 259–284. <https://doi.org/10.1007/s00268-012-1772-0>
- Gustaning, G. (2014). *Pengembangan media booklet menggambar macam-macam celana pada kompetensi dasar menggambar celana siswa SMK N 1 Jenar* (skripsi). Universitas Negeri Yogyakarta, Yogyakarta.
- Habib, A. S., White, W. D., Eubanks, S., Pappas, T. N., & Gan, T. J. (2004). A randomized comparison of a multimodal management strategy versus combination antiemetics for the prevention of postoperative nausea and vomiting. *Anesthesia and Analgesia*, 99(1), 77–81. <https://doi.org/10.1213/01.ane.0000120161.30788.04>
- Halaszynski, T. M., Juda, R., & Silverman, D. G. (2004). Optimizing postoperative outcomes with efficient preoperative assessment and management: *Critical Care Medicine*, 32(Supplement), S76–S86. <https://doi.org/10.1097/01.CCM.0000122046.30687.5C>
- Hamalik, O. (2005). *Pengembangan sumber daya manusia manajemen pelatihan ketenagakerjaan: Pendekatan terpadu*. Jakarta: Bumi Aksara
- Hanzlik, T. P., Tevis, S. E., Suwanabol, P. A., Carchman, E. H., Harms, B. A., Heise, C. P., ... Kennedy, G. D. (2015). Characterizing Readmission in Ulcerative Colitis Patients Undergoing Restorative Proctocolectomy.

- Journal of Gastrointestinal Surgery*, 19(3), 564–569.
<https://doi.org/10.1007/s11605-014-2734-7>
- Henriksen, M. G., Jensen, M. B., Hansen, H. V., Jespersen, T. W., & Hessov, I. (2002). Enforced mobilization, early oral feeding, and balanced analgesia improve convalescence after colorectal surgery. *Nutrition*, 18(2), 147–152.
[https://doi.org/10.1016/S0899-9007\(01\)00748-1](https://doi.org/10.1016/S0899-9007(01)00748-1)
- Herbert, G., Sutton, E., Burden, S., Lewis, S., Thomas, S., Ness, A., & Atkinson, C. (2017). Healthcare professionals' views of the enhanced recovery after surgery programme: A qualitative investigation. *BMC Health Services Research*, 17. <https://doi.org/10.1186/s12913-017-2547-y>
- Hill, R. P., Lubarsky, D. A., Phillips-Bute, B., Fortney, J. T., Creed, M. R., Glass, P. S., & Gan, T. J. (2000). Cost-effectiveness of prophylactic antiemetic therapy with ondansetron, droperidol, or placebo. *Anesthesiology*, 92(4), 958–967. <https://doi.org/10.1097/0000542-200004000-00012>
- Ho, V. P., Stein, S. L., Trencheva, K., Barie, P. S., Milsom, J. W., Lee, S. W., & Sonoda, T. (2011). Differing Risk Factors for Incisional and Organ/Space Surgical Site Infections Following Abdominal Colorectal Surgery: *Diseases of the Colon & Rectum*, 54(7), 818–825.
<https://doi.org/10.1007/DCR.0b013e3182138d47>
- Hübner, M., Addor, V., Sliker, J., Griesser, A.-C., Lécureux, E., Blanc, C., & Demartines, N. (2015). The impact of an enhanced recovery pathway on nursing workload: A retrospective cohort study. *International Journal of Surgery*, 24, 45–50. <https://doi.org/10.1016/j.ijssu.2015.10.025>
- Jakobson, T., Karjagin, J., Vipp, L., Padar, M., Parik, A.-H., Starkopf, L., ... Starkopf, J. (2014). Postoperative complications and mortality after major gastrointestinal surgery. *Medicina*, 50(2), 111–117.
<https://doi.org/10.1016/j.medici.2014.06.002>
- Jesus, E. C., Karliczek, A., Matos, D., Castro, A. A., & Atallah, A. N. (2004). Prophylactic anastomotic drainage for colorectal surgery. *The Cochrane Database of Systematic Reviews*, (4), CD002100.
<https://doi.org/10.1002/14651858.CD002100.pub2>
- Jung, B., Lannerstad, O., Pählman, L., Arodell, M., Unosson, M., & Nilsson, E. (2007). Preoperative mechanical preparation of the colon: The patient's experience. *BMC Surgery*, 7(1). <https://doi.org/10.1186/1471-2482-7-5>
- Kahokehr, A. A., Thompson, L., Thompson, M., Soop, M., & Hill, A. G. (2012). Enhanced Recovery after Surgery (ERAS) Workshop: Effect on Attitudes of the Perioperative Care Team. *Journal of Perioperative Practice*, 22(7), 237–241. <https://doi.org/10.1177/175045891202200705>
- Kementrian Kesehatan RI (Kemenkes). (2017). *InfoDATIN Situasi Tenaga Keperawatan Indonesia*. Retrieved from <https://www.depkes.go.id/resources/download/pusdatin/infodatin/infodatin%20perawat%202017.pdf>
- Kementrian Kesehatan RI (Kemenkes). (2019). *Peraturan Menteri Kesehatan Republik Indonesia Nomor 26 Tahun 2019 tentang Peraturan Pelaksanaan Undang-Undang Nomor 38 Tahun 2014 tentang Keperawatan*. Retrieved from

http://hukor.kemkes.go.id/uploads/produk_hukum/PMK_No__26_Th_219__ttg_Peraturan_Pelaksanaan_UU_Nomor_38_Tahun_2014_tentang_Keperawatan.pdf

- Kaswan, M. M. (2016). *Pelatihan dan pengembangan untuk meningkatkan kinerja SDM*. Bandung: CV Alfabeta.
- Kirchhoff, P., Clavien, P.-A., & Hahnloser, D. (2010). Complications in colorectal surgery: Risk factors and preventive strategies. *Patient Safety in Surgery*, 4(1), 5. <https://doi.org/10.1186/1754-9493-4-5>
- Kronberg, U., Kiran, R. P., Soliman, M. S. M., Hammel, J. P., Galway, U., Coffey, J. C., & Fazio, V. W. (2011). A Characterization of Factors Determining Postoperative Ileus After Laparoscopic Colectomy Enables the Generation of a Novel Predictive Score: *Annals of Surgery*, 253(1), 78–81. <https://doi.org/10.1097/SLA.0b013e3181fcb83e>
- Lassen, K., Coolsen, M. M. E., Slim, K., Carli, F., de Aguilar-Nascimento, J. E., Schäfer, M., ... Dejong, C. H. C. (2013). Guidelines for Perioperative Care for Pancreaticoduodenectomy: Enhanced Recovery After Surgery (ERAS®) Society Recommendations. *World Journal of Surgery*, 37(2), 240–258. <https://doi.org/10.1007/s00268-012-1771-1>
- Lassen, K., Soop, M., Nygren, J., Cox, P. B. W., Hendry, P. O., Spies, C., ... Enhanced Recovery After Surgery (ERAS) Group. (2009). Consensus review of optimal perioperative care in colorectal surgery: Enhanced Recovery After Surgery (ERAS) Group recommendations. *Archives of Surgery (Chicago, Ill.: 1960)*, 144(10), 961–969. <https://doi.org/10.1001/archsurg.2009.170>
- Lee, T.-G., Kang, S.-B., Kim, D.-W., Hong, S., Heo, S. C., & Park, K. J. (2011). Comparison of Early Mobilization and Diet Rehabilitation Program With Conventional Care After Laparoscopic Colon Surgery: A Prospective Randomized Controlled Trial: *Diseases of the Colon & Rectum*, 54(1), 21–28. <https://doi.org/10.1007/DCR.0b013e3181fcd3e>
- Lewis, S. J., Andersen, H. K., & Thomas, S. (2009). Early enteral nutrition within 24 h of intestinal surgery versus later commencement of feeding: A systematic review and meta-analysis. *Journal of Gastrointestinal Surgery: Official Journal of the Society for Surgery of the Alimentary Tract*, 13(3), 569–575. <https://doi.org/10.1007/s11605-008-0592-x>
- Li, S., Liu, Y., Peng, Q., Xie, L., Wang, J., & Qin, X. (2013). Chewing gum reduces postoperative ileus following abdominal surgery: A meta-analysis of 17 randomized controlled trials. *Journal of Gastroenterology and Hepatology*, 28(7), 1122–1132. <https://doi.org/10.1111/jgh.12206>
- Ljungqvist, O., Scott, M., & Fearon, K. C. (2017). Enhanced Recovery After Surgery: A Review. *JAMA Surgery*, 152(3), 292. <https://doi.org/10.1001/jamasurg.2016.4952>
- Ljungqvist, O., Young-Fadok, T., & Demartines, N. (2017). The History of Enhanced Recovery After Surgery and the ERAS Society. *Journal of Laparoendoscopic & Advanced Surgical Techniques*, 27(9), 860–862. <https://doi.org/10.1089/lap.2017.0350>

- Lobo, D. N., Bostock, K. A., Neal, K. R., Perkins, A. C., Rowlands, B. J., & Allison, S. P. (2002). Effect of salt and water balance on recovery of gastrointestinal function after elective colonic resection: A randomised controlled trial. *The Lancet*, 359(9320), 1812–1818. [https://doi.org/10.1016/S0140-6736\(02\)08711-1](https://doi.org/10.1016/S0140-6736(02)08711-1)
- Lohsiriwat, V. (2014). Enhanced recovery after surgery vs conventional care in emergency colorectal surgery. *World Journal of Gastroenterology: WJG*, 20(38), 13950–13955. <https://doi.org/10.3748/wjg.v20.i38.13950>
- Makaryus, R., Miller, T. E., & Gan, T. J. (2018). Current concepts of fluid management in enhanced recovery pathways. *British Journal of Anaesthesia*, 120(2), 376–383. <https://doi.org/10.1016/j.bja.2017.10.011>
- Malik, D.I.H. (2014). Hubungan Tingkat Pendidikan Perawat dengan Mutu Pelayanan Keperawatan pada Pasien di Rumah Sakit Daerah Kalisat Jember. Retrieved from <http://digilib.unmuhjember.ac.id/files/disk1/67/umj-1x-hubunganti-3329-1-manuskrip.pdf>
- Massey, R. L. (2010). A randomized trial of rocking-chair motion on the effect of postoperative ileus duration in patients with cancer recovering from abdominal surgery. *Applied Nursing Research*, 23(2), 59–64. <https://doi.org/10.1016/j.apnr.2008.06.001>
- Mayasari, M. L., & Wahyono, B. (2016). Efektivitas Penyuluhan Kesehatan Dengan Metode Ceramah Disertai Pemanfaatan Media Booklet Dalam Upaya Meningkatkan Pengetahuan Ibu Tentang Penyakit Pneumonia Pada Balita Di Kelurahan Bandarharjo Kecamatan Semarang Utara Kota Semarang Tahun 2014. *Unnes Journal of Public Health*, 5(1), 29. <https://doi.org/10.15294/ujph.v5i1.9701>
- Maziah, M., Hassan, H., Wichaikhum, O., & Nantsupawat, R. (2012). Continuing Nursing Education: Best Practice Initiative in Nursing Practice Environment. *Procedia - Social and Behavioral Sciences*, 60, 450–455. <https://doi.org/10.1016/j.sbspro.2012.09.405>
- Mei, B., Wang, W., Cui, F., Wen, Z., & Shen, M. (2017). Chewing Gum for Intestinal Function Recovery after Colorectal Cancer Surgery: A Systematic Review and Meta-Analysis. *Gastroenterology Research and Practice*, 2017, 3087904. <https://doi.org/10.1155/2017/3087904>
- Melnyk, M., Casey, R. G., Black, P., & Koupparis, A. J. (2011). Enhanced recovery after surgery (ERAS) protocols: Time to change practice? *Canadian Urological Association Journal*, 342–348. <https://doi.org/10.5489/cuaj.11002>
- Miller, T. E., Gan, T. J., & Thacker, J. K. (2014). Enhanced recovery pathways for major abdominal surgery. Retrieved from https://www.anesthesiologynews.com/download/SR1422_McMahon_WM.pdf.
- Montgomery, R., & McNamara, S. A. (2016). Multimodal Pain Management for Enhanced Recovery: Reinforcing the Shift From Traditional Pathways Through Nurse-Led Interventions. *AORN Journal*, 104(6), S9–S16. <https://doi.org/10.1016/j.aorn.2016.10.012>

- Morris, A. M., Baldwin, L.-M., Matthews, B., Dominitz, J. A., Barlow, W. E., Dobie, S. A., & Billingsley, K. G. (2007). Reoperation as a Quality Indicator in Colorectal Surgery: A Population-Based Analysis. *Annals of Surgery*, 245(1), 73–79. <https://doi.org/10.1097/01.sla.0000231797.37743.9f>
- Mujiman, H. (2011). *Manajemen pelatihan berbasis belajar mandiri*. Yogyakarta: Pustaka Pelajar.
- Munadi, Y. (2010). *Media pembelajaran: Sebuah pendekatan baru*. Jakarta: Gaung Persada Press.
- Nelson, G., Kiyang, L. N., Crumley, E. T., Chuck, A., Nguyen, T., Faris, P., ... Gramlich, L. M. (2016). Implementation of Enhanced Recovery After Surgery (ERAS) Across a Provincial Healthcare System: The ERAS Alberta Colorectal Surgery Experience. *World Journal of Surgery*, 40(5), 1092–1103. <https://doi.org/10.1007/s00268-016-3472-7>
- Nelson, R. L., Gladman, E., & Barbateskovic, M. (2014). Antimicrobial prophylaxis for colorectal surgery. *The Cochrane Database of Systematic Reviews*, (5), CD001181. <https://doi.org/10.1002/14651858.CD001181.pub4>
- Nisanevich, V., Felsenstein, I., Almogy, G., Weissman, C., Einav, S., & Matot, I. (2005). Effect of intraoperative fluid management on outcome after intraabdominal surgery. *Anesthesiology*, 103(1), 25–32. <https://doi.org/10.1097/00000542-200507000-00008>
- Noblett, S. E., Watson, D. S., Huong, H., Davison, B., Hainsworth, P. J., & Horgan, A. F. (2006). Pre-operative oral carbohydrate loading in colorectal surgery: A randomized controlled trial. *Colorectal Disease: The Official Journal of the Association of Coloproctology of Great Britain and Ireland*, 8(7), 563–569. <https://doi.org/10.1111/j.1463-1318.2006.00965.x>
- Notoatmodjo, S. (2007). *Pendidikan dan Perilaku Kesehatan*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2010). *Promosi kesehatan teori & aplikasi*. Jakarta: Rineka Cipta.
- Notoatmodjo, S. (2012). *Metodologi Penelitian Kesehatan (Edisi Revisi)*. Jakarta: Rineka Cipta.
- Pambudi, P. S., & Wijayanti, D. Y. (2012). Hubungan Konsep Diri dengan Prestasi Akademik pada Mahasiswa Keperawatan. *Jurnal Keperawatan Diponegoro*, 1(1), 149–156.
- Pearsall, E. A., Meghji, Z., Pitzul, K. B., Aarts, M.-A., McKenzie, M., McLeod, R. S., & Okrainec, A. (2015). A qualitative study to understand the barriers and enablers in implementing an enhanced recovery after surgery program. *Annals of Surgery*, 261(1), 92–96. <https://doi.org/10.1097/SLA.0000000000000604>
- Pędziwiatr, M., Mavrikis, J., Witowski, J., Adamos, A., Major, P., Nowakowski, M., & Budzyński, A. (2018). Current status of enhanced recovery after surgery (ERAS) protocol in gastrointestinal surgery. *Medical Oncology*, 35(6). <https://doi.org/10.1007/s12032-018-1153-0>

- Polit, D. F., Beck, C. T., & Owen, S. V. (2007). Is the CVI an acceptable indicator of content validity? Appraisal and recommendations. *Research in Nursing & Health*, 30(4), 459–467. <https://doi.org/10.1002/nur.20199>
- Potter, P.A & Perry, A.G. (2010). *Fundamentals of Nursing*. Singapura; Elsevier.
- Pribadi, B. A. (2017). *Media dan teknologi dalam pembelajaran*. Jakarta: Kencana.
- Radzisz, K., Wilkinson, C., King, L., Eller, M. (2019). Evaluating The Impact Of Improving Nursing Knowledge of Enhanced Recovery After Surgery (ERAS) With Core Courses. Diakses pada tanggal 25 Oktober 2019 di <https://erasusa.org/congress/Program/2019/8.cgi>
- Ripollés-Melchor, J., Fuenmayor-Varela, M. L. de, Criado Camargo, S., Jerez Fernández, P., Contreras del Barrio, Á., Martínez-Hurtado, E., ... Calvo-Vecino, J. M. (2018). Enhanced recovery after surgery protocol versus conventional perioperative care in colorectal surgery. A single center cohort study. *Brazilian Journal of Anesthesiology (English Edition)*, 68(4), 358–368. <https://doi.org/10.1016/j.bjane.2018.01.007>
- Roberts, J., & Fenech, T. (2010). Optimising patient management before and after surgery: Janine Roberts and Teresa Fenech explain the principles of the enhanced recovery programme and the cost and care benefits in taking this approach. *Nursing Management*, 17(6), 22–24. <https://doi.org/10.7748/nm2010.10.17.6.22.c8005>
- Rose, J., Weiser, T. G., Hider, P., Wilson, L., Gruen, R. L., & Bickler, S. W. (2015). Estimated need for surgery worldwide based on prevalence of diseases: A modelling strategy for the WHO Global Health Estimate. *The Lancet Global Health*, 3, S13–S20. [https://doi.org/10.1016/S2214-109X\(15\)70087-2](https://doi.org/10.1016/S2214-109X(15)70087-2)
- Scott, E. M., & Buckland, R. (2006). A systematic review of intraoperative warming to prevent postoperative complications. *AORN Journal*, 83(5), 1090–1104, 1107–1113. [https://doi.org/10.1016/s0001-2092\(06\)60120-8](https://doi.org/10.1016/s0001-2092(06)60120-8)
- Scott, M. J., Baldini, G., Fearon, K. C. H., Feldheiser, A., Feldman, L. S., Gan, T. J., ... Carli, F. (2015). Enhanced Recovery After Surgery (ERAS) for gastrointestinal surgery, part 1: Pathophysiological considerations. *Acta Anaesthesiologica Scandinavica*, 59(10), 1212–1231. <https://doi.org/10.1111/aas.12601>
- Shi, J., Mo, X., & Sun, Z. (2012). [Content validity index in scale development]. *Zhong Nan Da Xue Xue Bao. Yi Xue Ban = Journal of Central South University. Medical Sciences*, 37(2), 152–155. <https://doi.org/10.3969/j.issn.1672-7347.2012.02.007>
- Sjetne, I. S., Krogstad, U., Odegard, S., & Engh, M. E. (2009). Improving quality by introducing enhanced recovery after surgery in a gynaecological department: Consequences for ward nursing practice. *Quality and Safety in Health Care*, 18(3), 236–240. <https://doi.org/10.1136/qshc.2007.023382>
- Smith, I., Kranke, P., Murat, I., Smith, A., O’Sullivan, G., Søreide, E., ... European Society of Anaesthesiology. (2011). Perioperative fasting in adults and children: Guidelines from the European Society of

- Anaesthesiology. *European Journal of Anaesthesiology*, 28(8), 556–569. <https://doi.org/10.1097/EJA.0b013e3283495ba1>
- Spalding, N. J. (2003). Reducing anxiety by pre-operative education: Make the future familiar. *Occupational Therapy International*, 10(4), 278–293. <https://doi.org/10.1002/oti.191>
- Spalding, N. J., Mary Poland, F., Gregory, S., McCulloch, J., Sargen, K., & Vicary, P. (2013). Addressing patients' colorectal cancer needs in preoperative education. *Health Education*, 113(6), 502–516. <https://doi.org/10.1108/HE-11-2012-0052>
- Sudarsih, S., & Hariyanto, A. (2018). *Hubungan Pengalaman Kerja Dan Pelatihan Pengembangan Dengan Kompetensi Perawat Di Ugd Rumah Sakit Islam Surabaya*. 10(02), 7.
- Sudjana, N. & Rivai, A. (2011). *Media pengajaran: Penggunaan dan pembuatannya*. Bandung: Sinar Baru Algensindo.
- Sugiyono. (2007). *Metode Penelitian Kuantitatif Kualitatif dan R&D*. Bandung: Alfabeta.
- Tan, M., Law, L. S.-C., & Gan, T. J. (2015). Optimizing pain management to facilitate Enhanced Recovery After Surgery pathways. *Canadian Journal of Anesthesia/Journal Canadien d'anesthésie*, 62(2), 203–218. <https://doi.org/10.1007/s12630-014-0275-x>
- Tanius, M. K., Ljungqvist, O., & Urman, R. D. (2017). Enhanced Recovery After Surgery: History, Evolution, Guidelines, and Future Directions. *International Anesthesiology Clinics*, 55(4), 1–11. <https://doi.org/10.1097/AIA.0000000000000167>
- Teeuwen, P. H. E., Bleichrodt, R. P., Strik, C., Groenewoud, J. J. M., Brinkert, W., van Laarhoven, C. J. H. M., ... Bremers, A. J. A. (2010). Enhanced Recovery After Surgery (ERAS) Versus Conventional Postoperative Care in Colorectal Surgery. *Journal of Gastrointestinal Surgery*, 14(1), 88–95. <https://doi.org/10.1007/s11605-009-1037-x>
- Tevis, S. E., & Kennedy, G. D. (2013). Postoperative complications and implications on patient-centered outcomes. *Journal of Surgical Research*, 181(1), 106–113. <https://doi.org/10.1016/j.jss.2013.01.032>
- Tevis, S., & Kennedy, G. (2016). Postoperative Complications: Looking Forward to a Safer Future. *Clinics in Colon and Rectal Surgery*, 29(03), 246–252. <https://doi.org/10.1055/s-0036-1584501>
- Varadhan, K. K., Lobo, D. N., & Ljungqvist, O. (2010). Enhanced recovery after surgery: The future of improving surgical care. *Critical Care Clinics*, 26(3), 527–547, x. <https://doi.org/10.1016/j.ccc.2010.04.003>
- Verma, R., & Nelson, R. L. (2007). Prophylactic nasogastric decompression after abdominal surgery. *Cochrane Database of Systematic Reviews*, (3). <https://doi.org/10.1002/14651858.CD004929.pub3>
- Wallenborn, J., Gelbrich, G., Bulst, D., Behrends, K., Wallenborn, H., Rohrbach, A., ... Olthoff, D. (2006). Prevention of postoperative nausea and vomiting by metoclopramide combined with dexamethasone: Randomised double blind multicentre trial. *BMJ (Clinical Research Ed.)*, 333(7563), 324. <https://doi.org/10.1136/bmj.38903.419549.80>

- Weiser, T. G., Haynes, A. B., Molina, G., Lipsitz, S. R., Esquivel, M. M., Uribe-Leitz, T., ... Gawande, A. A. (2016). Size and distribution of the global volume of surgery in 2012. *Bulletin of the World Health Organization*, 94(3), 201-209F. <https://doi.org/10.2471/BLT.15.159293>
- Wibowo, A. (2019). Pengaruh Pelatihan *Palliative Care* terhadap Tingkat Pengetahuan Perawat di IRNA III Pav. Cendrawasih RSUP Dr. Sardjito Yogyakarta. Retrieved from http://digilib.unisayogya.ac.id/4587/1/NASKAH%20PUBLIKASI_ARIEF%20WIBOWO.pdf
- Wright, G. P., Koehler, T. J., Davis, A. T., & Chung, M. H. (2014). The drowning whipple: Perioperative fluid balance and outcomes following pancreaticoduodenectomy. *Journal of Surgical Oncology*, 110(4), 407–411. <https://doi.org/10.1002/jso.23662>
- Yilmaz, N., Çekmen, N., Bilgin, F., Erten, E., Özhan, M. Ö., & Coşar, A. (2013). Preoperative carbohydrate nutrition reduces postoperative nausea and vomiting compared to preoperative fasting. *Journal of Research in Medical Sciences: The Official Journal of Isfahan University of Medical Sciences*, 18(10), 827–832.
- Yunita, L. (2016). Efektifitas pendidikan kesehatan dengan metode ceramah terhadap tingkat pengetahuan ibu dalam penanganan diare balita di sekitar UPT TPA Cipayung Depok. Retrieved from <http://repository.uinjkt.ac.id/dspace/bitstream/123456789/32422/1/LULU%20YUNITA-FKIK.pdf>
- Zamanzadeh, V., Ghahramanian, A., Rassouli, M., Abbaszadeh, A., Alavi-Majd, H., & Nikanfar, A.-R. (2015). Design and Implementation Content Validity Study: Development of an instrument for measuring Patient-Centered Communication. *Journal of Caring Sciences*, 4(2), 165–178. <https://doi.org/10.15171/jcs.2015.017>
- Zaouter, C., Kaneva, P., & Carli, F. (2009). Less Urinary Tract Infection by Earlier Removal of Bladder Catheter in Surgical Patients Receiving Thoracic Epidural Analgesia: *Regional Anesthesia and Pain Medicine*, 34(6), 542–548. <https://doi.org/10.1097/AAP.0b013e3181ae9fac>
- Zhuang, C.-L., Ye, X.-Z., Zhang, C.-J., Dong, Q.-T., Chen, B.-C., & Yu, Z. (2013). Early versus Traditional Postoperative Oral Feeding in Patients Undergoing Elective Colorectal Surgery: A Meta-Analysis of Randomized Clinical Trials. *Digestive Surgery*, 30(3), 225–232. <https://doi.org/10.1159/000353136>