

DAFTAR PUSTAKA

- [1] R. Hartley and A. Zisserman, *Multiple View Geometry in Computer Vision*, 2nd ed. Cambridge: Cambridge University Press, 2004. [Online]. Available: <http://ebooks.cambridge.org/ref/id/CBO9780511811685>
- [2] D. Scaramuzza and F. Fraundorfer, “Tutorial: Visual odometry,” *IEEE Robot. Autom. Mag.*, vol. 18, no. 4, pp. 80–92, dec 2011. [Online]. Available: <http://ieeexplore.ieee.org/document/6096039/http://ieeexplore.ieee.org/document/6153423/>
- [3] J. Fuentes-Pacheco, J. Ruiz-Ascencio, and J. M. Rendón-Mancha, “Visual simultaneous localization and mapping: a survey,” *Artif. Intell. Rev.*, vol. 43, no. 1, pp. 55–81, 2012.
- [4] B. Williams, M. Cummins, J. Neira, P. Newman, I. Reid, and J. Tardós, “A comparison of loop closing techniques in monocular SLAM,” *Rob. Auton. Syst.*, vol. 57, no. 12, pp. 1188–1197, 2009.
- [5] E. Rublee, V. Rabaud, K. Konolige, and G. Bradski, “ORB: An efficient alternative to SIFT or SURF,” in *Proc. IEEE Int. Conf. Comput. Vis.*, vol. 2008, no. 2. IEEE, nov 2011, pp. 2564–2571. [Online]. Available: <http://ieeexplore.ieee.org/document/6126544/>
- [6] D. Nistér, O. Naroditsky, and J. Bergen, “Visual odometry,” in *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 1, 2004, pp. I–I. [Online]. Available: http://ieeexplore.ieee.org/xpls/abs/_all.jsp?arnumber=1315094
- [7] M. He, C. Zhu, Q. Huang, B. Ren, and J. Liu, “A review of monocular visual odometry,” *Vis. Comput.*, 2019. [Online]. Available: <https://doi.org/10.1007/s00371-019-01714-6>
- [8] A. J. Davison, “Real-time simultaneous localisation and mapping with a single camera,” in *Proc. IEEE Int. Conf. Comput. Vis.*, vol. 2, 2003, pp. 1403–1410.
- [9] A. J. Davison, I. D. Reid, N. D. Molton, and O. Stasse, “MonoSLAM: Real-time single camera SLAM,” *IEEE Trans. Pattern Anal. Mach. Intell.*, vol. 29, no. 6, pp. 1052–1067, 2007.

- [10] R. Mur-Artal and J. D. Tardos, “Fast relocalisation and loop closing in keyframe-based SLAM,” in *2014 IEEE Int. Conf. Robot. Autom.* IEEE, may 2014, pp. 846–853. [Online]. Available: <http://ieeexplore.ieee.org/document/6906953/>
- [11] D. Nistér and H. Stewénius, “Scalable recognition with a vocabulary tree,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, vol. 2, pp. 2161–2168, 2006.
- [12] D. Gálvez-López and J. D. Tardós, “Bags of binary words for fast place recognition in image sequences,” *IEEE Trans. Robot.*, vol. 28, no. 5, pp. 1188–1197, 2012.
- [13] M. Calonder, V. Lepetit, C. Strecha, and P. Fua, “BRIEF: Binary robust independent elementary features,” in *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, 2010, vol. 6314 LNCS, no. PART 4, pp. 778–792. [Online]. Available: http://link.springer.com/10.1007/978-3-642-15561-1_{_}56
- [14] E. Rosten and T. Drummond, “Machine Learning for High-Speed Corner Detection,” pp. 430–443, 2006.
- [15] H. Bay, T. Tuytelaars, and L. Van Gool, “SURF: Speeded up robust features,” in *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif. Intell. Lect. Notes Bioinformatics)*, 2006, vol. 3951 LNCS, pp. 404–417. [Online]. Available: http://link.springer.com/10.1007/11744023_{_}32
- [16] D. G. Lowe, “Distinctive image features from scale-invariant keypoints,” *Int. J. Comput. Vis.*, vol. 60, no. 2, pp. 91–110, 2004.
- [17] R. Mur-Artal, J. M. Montiel, and J. D. Tardos, “ORB-SLAM: A Versatile and Accurate Monocular SLAM System,” *IEEE Trans. Robot.*, vol. 31, no. 5, pp. 1147–1163, 2015.
- [18] J. Civera, A. J. Davison, and J. M. Montiel, “Inverse depth parametrization for monocular SLAM,” *IEEE Trans. Robot.*, vol. 24, no. 5, pp. 932–945, 2008.
- [19] J. Engel, T. Schöps, and D. Cremers, “LSD-SLAM: Large-Scale Direct monocular SLAM,” *Lect. Notes Comput. Sci. (including Subser. Lect. Notes Artif.*

- Intell. Lect. Notes Bioinformatics*), vol. 8690 LNCS, no. PART 2, pp. 834–849, 2014.
- [20] O. Faugeras and F. Lustman, “Motion and Structure from Motion in A Piecewise Planar Environment,” *Int. J. Pattern Recognit. Artif. Intell.*, vol. 02, no. 03, pp. 485–508, sep 1988. [Online]. Available: <https://www.worldscientific.com/doi/abs/10.1142/S0218001488000285>
- [21] A. Geiger, P. Lenz, and R. Urtasun, “Are we ready for autonomous driving? the KITTI vision benchmark suite,” *Proc. IEEE Comput. Soc. Conf. Comput. Vis. Pattern Recognit.*, pp. 3354–3361, 2012.
- [22] R. Mur-Artal and J. D. Tardos, “ORB-SLAM2: An Open-Source SLAM System for Monocular, Stereo, and RGB-D Cameras,” *IEEE Trans. Robot.*, vol. 33, no. 5, pp. 1255–1262, oct 2017. [Online]. Available: <http://ieeexplore.ieee.org/document/7946260/>
- [23] A. Geiger, P. Lenz, C. Stiller, and R. Urtasun, “Vision meets robotics: The KITTI dataset. The International Journal of Robotics Research,” *Int. J. Rob. Res.*, no. October, pp. 1–6, 2013.
- [24] M. Smith, I. Baldwin, W. Churchill, R. Paul, and P. Newman, “The new college vision and laser data set,” *Int. J. Rob. Res.*, 2009.
- [25] J. L. Blanco, F. A. Moreno, and J. Gonzalez, “A collection of outdoor robotic datasets with centimeter-accuracy ground truth,” *Auton. Robots*, 2009.
- [26] G. Pandey, J. R. McBride, and R. M. Eustice, “Ford Campus vision and lidar data set,” *Int. J. Rob. Res.*, 2011.
- [27] H. Strasdat, A. J. Davison, J. M. Montiel, and K. Konolige, “Double window optimisation for constant time visual SLAM,” *Proc. IEEE Int. Conf. Comput. Vis.*, pp. 2352–2359, 2011.
- [28] H. Strasdat, J. M. Montiel, and A. J. Davison, “Scale drift-aware large scale monocular SLAM,” *Robot. Sci. Syst.*, vol. 6, pp. 73–80, 2011.
- [29] R. Mur-Artal and J. D. Tardós, “ORB-SLAM: Tracking and Mapping Recognizable,” *Work. Multi View Geom. Robot. - RSS 2014*, 2014. [Online].

Available: <http://vindelman.technion.ac.il/events/mvigro/MurArtal14rss{ }ws.pdf>

- [30] H. Lim, J. Lim, and H. J. Kim, "Real-time 6-DOF monocular visual SLAM in a large-scale environment," in *Proc. - IEEE Int. Conf. Robot. Autom.*, 2014.