

TABLE OF CONTENT

TITLE SHEET	i
APPROVAL PAGE	ii
PERNYATAAN BEBAS PLAGIASI	iii
ACKNOWLEDGEMENT	iv
TABLE OF CONTENT	vi
LIST OF TABLES	viii
LIST OF FIGURE	ix
LIST OF APPENDIX	x
INTISARI	xi
ABSTRACT	xii
CHAPTER 1 INTRODUCTION	1
1.1. Background	1
1.2. Objectives	4
1.3. Benefits	5
CHAPTER 2 LITERATURE REVIEW	6
2.1. <i>Spirulina platensis</i>	6
2.2. Sugar and Polyalcohol	9
2.3. Microwave-Assisted Extraction (MAE)	13
2.4. Box-Behnken Design (BBD)	21
2.5. Response Surface Methodology (RSM)	22
2.6. Method Validation	24
CHAPTER 3 MATERIALS AND METHOD	29
3.1. Time and Place	29
3.2. Materials and Chemicals	29
3.3. Samples	29
3.4. Instrumentations	30
3.5. Microwave Extraction Procedure	32
3.6. Method Optimization and Validation	33
3.6.1. Design of Experiment (DOE) and statistical analysis	33
3.6.2. Kinetic Study	36
3.6.3. Limit of Detection (LOD) and Limit of Quantification (LOQ)	36

3.6.4.	Linearity	36
3.6.5.	Precision	36
3.6.6.	Accuracy	37
3.6.7.	Real Sample Application	37
CHAPTER 4 MATERIALS AND METHOD		39
4.1.	Identification of Sugar and Polyalcohol	39
4.2.	Performance of The Chromatographic Method	40
4.3.	Effect of The Extraction Factors	41
4.4.	Response Optimization	44
4.5.	Kinetic Study	45
4.6.	Method Validation	46
4.7.	Real Sample Application	48
CHAPTER 5 CONCLUSIONS		51
REFERENCES		54
APPENDIX		60

LIST OF TABLES

Table 1. Comparison of some sugars composition in <i>Spirulina</i> extract in several studies	8
Table 2. Sugar alcohol	12
Table 3. Dielectric properties and boiling points used in MAE	15
Table 4. Comparison of traditional and recent extraction techniques	18
Table 5. Selected factors and their levels	33
Table 6. Box–Behnken design for three factors with their observed responses	34
Table 7. Comparison of retention time of standards and sample	40
Table 8. Analytical characteristic for the determination of sugar and polyalcohol in the chromatogram system	41
Table 9. Repeatability and intermediate precision of MAE method	47
Table 10. Accuracy of MAE method	47
Table 11. Concentration of two commercial <i>Spirulina</i> and five sample differ in salinity cultivation	51

LIST OF FIGURES

Figure 1. <i>Spirulina platensis</i> powder	7
Figure 2. Box-Behnken Design with Three Factors	22
Figure 3. Microwave-assisted extraction (MAE)	31
Figure 4. Extraction vials made of polytetrafluoroethylene (PTFE-TFM)	32
Figure 5. Ion Chromatography-PAD	31
Figure 6. Extraction Procedures	32
Figure 7. Pareto Chart for Standardize Effects	42
Figure 8. A 3D Mesh of Response Plot of The Studied Factors	44
Figure 9. Extraction Kinetic of Sugar and Polyalcohol from <i>Spirulina platensis</i>	46

LIST OF APPENDIX

APPENDIX 1: OPTIMIZATION	60
APPENDIX 2: STANDARD SOLUTION CALIBRATION CURVE	64
APPENDIX 3: KINETICS	73
APPENDIX 3: VALIDATION	75