

DAFTAR PUSTAKA

- Alaimo, G., Marconi, S., Costato, L., & Auricchio, F. (2017). Influence of meso-structure and chemical composition on FDM 3D-printed parts. *Composites Part B: Engineering*, 113, 371–380. <https://doi.org/10.1016/j.compositesb.2017.01.019>
- Ang, K. C., Leong, K. F., Chua, C. K., & Chandrasekaran, M. (2006). Investigation of the mechanical properties and porosity relationships in fused deposition modelling-fabricated porous structures. *Rapid Prototyping Journal*, 12(2), 100–105. <https://doi.org/10.1108/13552540610652447>
- ASTM-D638-14. (2014). Standard Test Method for Tensile Properties of Plastics. *ASTM Standards*.
- ASTM D695-15. (2008). Standard Test Method for Compressive Properties of Rigid Plastics. *ASTM International*. <https://doi.org/10.1520/D0695-10.2>
- Azmi, A. (2016). *Pemodelan dan Analisis Finite Element Tulang Belakang Lumbar L1-L5 Manusia Berdasarkan Data Hasil CT Scan Dengan Menggunakan Software Point Clouds Processing dan Software FEA*. Universitas Gadjah Mada.
- Bellehumeur, C., Li, L., Sun, Q., & Gu, P. (2004). Modeling of bond formation between polymer filaments in the fused deposition modeling process. *Journal of Manufacturing Processes*, 6(2), 170–178. [https://doi.org/10.1016/S1526-6125\(04\)70071-7](https://doi.org/10.1016/S1526-6125(04)70071-7)
- Cengel, Y. (2013). Heat Transfer: A Practical Approach. *Journal of Chemical Information and Modeling*. <https://doi.org/10.1017/CBO9781107415324.004>
- Coogan, T. J., & Kazmer, D. O. (2017). Healing simulation for bond strength prediction of FDM. *Rapid Prototyping Journal*, 23(3), 551–561. <https://doi.org/10.1108/RPJ-03-2016-0051>

FDA. (2004). *Summary of Safety and Effectiveness : Intervertebral Disc Prosthesis*
Device Trade Name : CHARLITE. Raynham.

FDA. (2006). *Summary of Safety and Effectiveness : Intervertebral Disc Prosthesis*
Device Trade Name : CHARLITE. West Chester.

Ferguson, S. (2008). Biomechanics of the Spine. In N. Boos & M. Aebi (Eds.),
Spinal Disorders: Fundamentals of Diagnosis and Treatment (pp. 41–66).
https://doi.org/10.1007/978-3-540-69091-7_2

Fitrina, R. (2018). LOW BACK PAIN (LBP). Retrieved December 12, 2019, from
Kementrian Kesehatan Republik Indonesia, Direktorat Jenderal Pelayanan
Kesehatan website: <http://www.yankes.kemkes.go.id/read-low-back-pain-lbp-5012.html>

Frick, A., & Rochman, A. (2004). Characterization of TPU-elastomers by thermal
analysis (DSC). *Polymer Testing*, 23(4), 413–417.
<https://doi.org/10.1016/j.polymertesting.2003.09.013>

Gregory, C., & Susan, D. (2013). *Clinical Anatomy of the Spine, Spinal Cord, and
ANS* (3rd ed.). Elsevier.

Hasdiansah, & Herianto. (2018). Pengaruh Parameter Proses 3D Printing Terhadap
Elastisitas Produk Yang Dihasilkan. *Seminar Nasional Inovasi Teknologi UN
PGRI Kediri*, 187–192. Kediri: UN PGRI Kediri.

Hibbeler, R. C. (2001). *Mechanics of Materials* Eighth Edition. In *Pearson Prentice
Hall*. <https://doi.org/10.1017/CBO9781107415324.004>

Himarosa, R. A. (2017). *Desain, Pembuatan, dan Pengujian Prototipe Total
Lumbar Disc Replacement*. Universitas Gadjah Mada.

Huang, B., & Singamneni, S. (2015). Raster angle mechanics in fused deposition
modelling. *Journal of Composite Materials*, 49(3), 363–383.
<https://doi.org/10.1177/0021998313519153>

Jonathan, T., Torres, J., Cole, M., Owji, A., DeMastry, Z., & Gordon, A. P. (2016).

- An approach for mechanical property optimization of fused deposition modeling with polylactic acid via design of experiments. *Rapid Prototyping Journal*, 22(2), 387–404. <https://doi.org/10.1108/RPJ-07-2014-0083>
- Liu, X., Zhang, M., Li, S., Si, L., Peng, J., & Hu, Y. (2017). Mechanical property parametric appraisal of fused deposition modeling parts based on the gray Taguchi method. *International Journal of Advanced Manufacturing Technology*, 89(5–8), 2387–2397. <https://doi.org/10.1007/s00170-016-9263-3>
- Marzec, M., Kucińska-Lipka, J., Kalaszczyńska, I., & Janik, H. (2017). Development of polyurethanes for bone repair. *Materials Science and Engineering C*, 80(July), 736–747. <https://doi.org/10.1016/j.msec.2017.07.047>
- Mi, H. Y., Palumbo, S. M., Jing, X., Turng, L. S., Li, W. J., & Peng, X. F. (2014). Thermoplastic polyurethane/hydroxyapatite electrospun scaffolds for bone tissue engineering: Effects of polymer properties and particle size. *Journal of Biomedical Materials Research - Part B Applied Biomaterials*, 102(7), 1434–1444. <https://doi.org/10.1002/jbm.b.33122>
- Mi, H. Y., Salick, M. R., Jing, X., Jacques, B. R., Crone, W. C., Peng, X. F., & Turng, L. S. (2013). Characterization of thermoplastic polyurethane/polylactic acid (TPU/PLA) tissue engineering scaffolds fabricated by microcellular injection molding. *Materials Science and Engineering C*, 33(8), 4767–4776. <https://doi.org/10.1016/j.msec.2013.07.037>
- Ngo, T. D., Kashani, A., Imbalzano, G., Nguyen, K. T. Q., & Hui, D. (2018). Additive manufacturing (3D printing): A review of materials, methods, applications and challenges. *Composites Part B: Engineering*, 143(December 2017), 172–196. <https://doi.org/10.1016/j.compositesb.2018.02.012>
- Öktenoğlu, T. (2012). *Biomechanics of Lumbar Spine and Lumbar Disc*.
- Olabisi, O., & Adewale, K. (2015). *Handbook of Thermoplastics, Second Edition*. <https://doi.org/10.13140/RG.2.1.2068.4881>

- Parandoush, P., & Lin, D. (2017). A review on additive manufacturing of polymer-fiber composites. *Composite Structures*, 182, 36–53. <https://doi.org/10.1016/j.compstruct.2017.08.088>
- Popescu, D., Zapciu, A., Amza, C., Baci, F., & Marinescu, R. (2018). FDM process parameters influence over the mechanical properties of polymer specimens: A review. *Polymer Testing*, 69(April), 157–166. <https://doi.org/10.1016/j.polymertesting.2018.05.020>
- Qi, H. J., & Boyce, M. C. (2005). Stress-strain behavior of thermoplastic polyurethanes. *Mechanics of Materials*, 37(8), 817–839. <https://doi.org/10.1016/j.mechmat.2004.08.001>
- Raj, P. P. (2008). World Institute of Pain. *Intervertebral Disc: Anatomy-Physiology- Pathophysiology-Treatment*, 8(1), 18–44.
- Rawls, A., & Fisher, R. E. (2018). Developmental and Functional Anatomy of the Spine. In K. Kusumi & S. L. Dunwoodie (Eds.), *The Genetics and Development of Scoliosis* (pp. 1–29). https://doi.org/10.1007/978-3-319-90149-7_1
- Reeks, J., & Liang, H. (2015). Materials and their failure mechanisms in total disc replacement. *Lubricants*, 3(2), 346–364. <https://doi.org/10.3390/lubricants3020346>
- Serra, T., Capelli, C., Toumpaniari, R., Orriss, I. R., Leong, J. J. H., Dalgarno, K., & Kalaskar, D. M. (2016). Design and fabrication of 3D-printed anatomically shaped lumbar cage for intervertebral disc (IVD) degeneration treatment. *Biofabrication*, 8(3). <https://doi.org/10.1088/1758-5090/8/3/035001>
- Sonnenschein, M., & Koonce, W. (2011). Encyclopedia Of Polymer Science and Technology. In *Journal of Macromolecular Science-polymer Reviews - J MACROMOL SCI-POLYM REV* (Vol. 1). <https://doi.org/10.1002/0471440264.pst295.pub2>
- Sun, Q., Rizvi, G. M., Bellehumeur, C. T., & Gu, P. (2008). Effect of processing

conditions on the bonding quality of FDM polymer filaments. *Rapid Prototyping Journal*, 14(2), 72–80.
<https://doi.org/10.1108/13552540810862028>

Too, M. H., Leong, K. F., Chua, C. K., Du, Z. H., Yang, S. F., Cheah, C. M., & Ho, S. L. (2002). Investigation of 3D non-random porous structures by fused deposition modelling. *International Journal of Advanced Manufacturing Technology*, 19(3), 217–223. <https://doi.org/10.1007/s001700200016>

Ultimaker. (2017). *Technical Datasheet TPU 95A*.

Vital, J. M., & Boissière, L. (2014). Total disc replacement. *Orthopaedics and Traumatology: Surgery and Research*, 100(1 S), S1.
<https://doi.org/10.1016/j.otsr.2013.06.018>

Whatley, B. R., Kuo, J., Shuai, C., Damon, B. J., & Wen, X. (2011). Fabrication of a biomimetic elastic intervertebral disk scaffold using additive manufacturing. *Biofabrication*, 3(1). <https://doi.org/10.1088/1758-5082/3/1/015004>

William D. Callister, J., & Rethwisch, D. G. (2012). Fundamental of Material Science and Engineering-An Integrated Approach. In *Orbit An International Journal On Orbital Disorders And Facial Reconstructive Surgery*.
[https://doi.org/10.1016/0005-1098\(86\)90018-X](https://doi.org/10.1016/0005-1098(86)90018-X)

Wirawan, Y. B. (2019). *Pengaruh Temperatur Ekstrusi dan Orientasi Raster Terhadap Sifat Mekanis dan Perambatan Retak Lelah Material Polylactic-Acid (PLA) yang Difabrikasi dengan Fused Deposition Modelling (FDM)*. Universitas Gadjah Mada.

Xiao, J., & Gao, Y. (2017). The manufacture of 3D printing of medical grade TPU. *Progress in Additive Manufacturing*, 2(3), 117–123.
<https://doi.org/10.1007/s40964-017-0023-1>

Yuan, Q., Zhou, T., Li, L., Zhang, J., Liu, X., Ke, X., ... Tassaing, T. (2015). Hydrogen bond breaking of TPU upon heating: understanding from the viewpoints of molecular movements and enthalpy. *RSC Adv.*, 5(39).