

DAFTAR PUSTAKA

- Anderson, D.L., Sedgley, M., Short, J.R.T., and Allwood, A.J. 1982. Insect pollination of mango in Northern Australia. *Aust J Agric Res.* 33(1): 41-48.
- Andiswara, P. 2018. Keragaman Sumber Pakan and Perilaku Mencari Pakan Lebah *Trigona* sp. (Hymenoptera: Apidae) di Kawasan Gunung Merapi Sleman Yogyakarta. [Skripsi]. Universitas Gadjah Mada, Yogyakarta.
- Apriliyanto, V., dan Sembiring, L. 2016. *Filogenetika Molekuler, Teori dan Aplikasi*. Innosain: Yogyakarta.
- Baharuddin, H., Jajuli, R., Jaapar, M.F., and Ali, M.S.M. 2014. Molecular phylogeny of Malaysian stingless bee (Hymenoptera: Apidae: Meliponini) revealed using partial 16s rRNA mitochondrial gene. *Technical Report.* 1-6.
- Bintarto. 1977. *Geografi Sosial*. U.P Spring. Yogyakarta.
- Bookhout, T.A. 1996. *Research And Management Techniques For Wildlife And Habitats*. Kansas (US): Allen Press Inc.
- Boongird, S. 2011. Aspects of culturing, reproductive behavior, and colony formation in the stingless bees *Tetragonula fuscobalteata* (Hymenoptera: Apidae: Meliponini). *J Kans Entomol Soc.* 84(3): 190–196.
- Boontop, Y., Malaipan, S., Chareansom, K., and Wiwatwittaya, D. 2008. Diversity of stingless bees (Apidae: Meliponini) in Thong Pha Phum district, Kanchanaburi province, Thailand. *Kas J Nat Sc.* 42: 444-456.
- Cockerell, T.D.A. 1911. Descriptions and records of bees – LXXX. *Annals and Magazine of Natural History.* 2: 384-390.
- Daniswara, P. 2018. Keragaman Sumber Pakan dan Perilaku Mencari Pakan Lebah *Trigona* sp. (Hymenoptera: Apidae) di Kawasan Gunung Merapi Sleman Yogyakarta. [Skripsi]. Universitas Gadjah Mada, Yogyakarta.
- Degewione, A., Alamerew, S., and Tabor, G. 2011. Genetic variability and association of bulb yield and related traits in shallot (*Allium cepa* var *aggregatum* DON.) in Ethiopia. *Inter. J. Agri.* 21: 1-20.
- DeWalt, R.E. 2011. DNA barcoding: a taxonomic point of view. The North American Benthological Society. *Journal of the North American Benthological Society.* 30(1): 174-181.

- Djajasaputra, M.R.S. 2010. Potensi Budidaya Lebah Trigona dan Pemanfaatan Propolis Sebagai Antibiotik Alami Untuk Sapi Po. [*Skripsi*]. Departemen Ilmu Produksi Dan Teknologi Peternakan, Fakultas Peternakan, Institut Pertanian Bogor.
- Dollin, A.E.L., Dollin, J., and Sakagami, S.F. 1997. Australian stingless bees of the genus *Trigona* (Hymenoptera: Apidae). *Invertebrate Taxonomy*. 11: 861–896.
- Efin, A., Atmowidi, T., and Prawasti, T.S. 2019. Morphological characteristics and morphometric of Stingless Bee (Apidae: Hymenoptera) from Banten Province, Indonesia. *Biodiversitas*. 20: 1693-1698.
- Eltz, T. 2001. Ecology of stingless bee (Apidae: Meliponini) in lowland dipterocarp forest in Sabah, Malaysia, and an evaluation of logging impact on populations and communities. [*Disertasi*]. Munchen (GMN): Universitaet Wuerzburg.
- Erniwati. 2013. Kajian biologi lebah tak bersengat (Apidae: Trigona) di Indonesia. *MZI*. 12: 29-34.
- Francoy, T.M. 2009. Gender Identification of Five Genera of Stingless Bees (Apidae, Meliponini) based on Wing Morphology. *Genet Mol Res*. 8(1): 207-214.
- Free, J.B. 1982. *Bees and Mankind*. London (GB): George Allen & Unwin.
- Gonzalez, V.H., and Engel, M.S. 2012. A new species of Geotrigona Moure from the Caribbean coast of Colombia (Hymenoptera: Apidae). *Zookeys*. 172: 77-87.
- Hadisoesilo, S. 2001. Keanekaragaman spesies lebah madu asli Indonesia pusat penelitian dan pengembangan hutan dan konservasi alam, Bogor. *Biodiversitas*. 2: 123-128.
- Hambali, G.G. 1979. Potensi Lebah Getah Trigona. Dalam Kongres Nasional Biologi IV. Indonesia Bandung: *Perhimpunan Biologi*. 1-10.
- Hebert, P.D.N., Cywinska, A., and Ball, S.L. 2003. Biological identifications through DNA barcodes. *Proceedings of the Royal Society of London. Series B: Biological Sciences*. 270(151): 313-321.
- Hillis, D.M. 1987. Molecular versus morphological approaches to systematics. *Ann. Rev. Ecol. Syst.* 18:23-42.

- Hillis, D.M., and Wiens, J.J. 2000. *Molecular Versus Morphology in Systematics: Phylogenetic Analysis of Morphological Data*. Philadelphia (US): Smithsonian Inst Pr.
- Inoue T., Salamah, S., Abbas, I., and Yusuf, E. 1985. Foraging behavior of individual workers and foraging dynamics of colonies of three sumatran stingless bees. *Res Popul Ecol.* 27: 373-392.
- Irmawati. 2003. Perubahan Keragaman Genetik Ikan Kerapu Tikus Generasi Pertama Pada Stok Hatchery. [*Thesis*]. IPB.Bogor
- Jaapar, M.F., Halim, M., Mispan, M.R., Jaluli, R., Saranum, M.M., Zainuddin, M.Y., Ghazi, R., and Ghani, I.A. 2016. The diversity and abundance of Stingless bee (Hymenoptera: Meliponini) in Peninsular Malaysia. *AENSI Journal.* 10: 1-7.
- Kahono, S.P., Chantawannakul, & Engel, M.S. 2018. Social bees and the current status of beekeeping in Indonesia. In P. Chantawannakul, G. Williams & P. Neumann, eds. *Asian Beekeeping in the 21st Century*. Springer Verlag: 287–306.
- Kahono, S., Chantawannakul, P., and Engel, M.S. 2018. Social bees and the current status of beekeeping in Indonesia. In P. Chantawannakul, G. Williams & P. Neumann, eds. *Asian Beekeeping in the 21st Century*. Springer Verlag: 287–306.
- Kahono, S., Lupiyaningdyah, P., Erniwati, dan Nugroho, H. 2012. Potensi dan pemanfaatan serangga penyerbuk untuk meningkatkan produksi kelapa sawit di perkebunan kelapa sawit desa Api-Api, kecamatan Waru, kabupaten Penajam Paser Utara, Kalimantan Timur. *Zoo Indonesia.* 21(2): 23-34.
- Karimah, K.N. 2017. Morfologi dan struktur sarang *Tetragonula laeviceps* (Apidae: Meliponinae) asal Subang dan Sukabumi, Jawa Barat [*Hon. Thesis*]. Institut Pertanian Bogor, Bogor.
- Kartikasari, S.N., Marshall, A.J., and Beehler, B.M. 2012. *Ekologi Indonesia Jilid VI*. Jakarta: Periplus Editions and Conservation International.
- Karunaratne, W.A.I.P., and Edirisinghe, J.P. 2008. Keys for the identification bees of Srilanka. *J Natn Sci Foundation.* 36: 69-89.
- Kelly, N., Farisyah, M.S.N., Kumara, T.K., and Marcela, P. 2014. Species diversity and external nest characteristics of stingless bees in meliponiculture. *Per J Trop Agric Sc.* 37(3): 293 – 298.

- Klaskasikorn, A., Wongsiri, S., Deowanish, S., and Duangphakdee, O. 2005. New record of stingless bees (Meliponini: Trigona) in Thailand. *Nat Hist J Chulalongk Univ.* 5(1): 1-7.
- Kumar, M.S., Singh, A.J.A.R., and Alagumuthu, G. 2012. Traditional beeskeeping of stingless bees (*Trigona* sp.) by kani tribes of Western Ghats, Tamil Nadu, India. *Indian J Tradit Knowledge.* 11(12): 342-345.
- Kusmana, C., and Hikmat, A. 2015. The Biodiversity of Flora in Indonesia. *Jurnal Pengelolaan Sumberdaya Alam dan Lingkungan.* 5(2): 187-198.
- Kusumaningrum, E.N.K., dan Prasetyo, B. 2018. *Ulasan Kritis Tentang Teori Biogeografi Pulau.* Program Studi Biologi, Fakultas Matematika dan Ilmu Pengetahuan Alam, Universitas Terbuka.
- Leys, M., Keller, I., Räsänen, K., Gattolliat, J.L., and Robinson, C.T. (2016). Distribution and population genetic variation of cryptic species of the Alpine mayfly *Baetis alpinus* (Ephemeroptera: Baetidae) in the Central Alps. *BMC evolutionary biology.* 16: 77.
- Lourino, M.C., Fonseca, V.L.I., Roubik, D.W., Dollin, A., Heard, T., Aguilar, I.B., Venturieri, G.C., Eardley, C., and Neto, P.N. 2006. Global meliponiculture: challenges and opportunities. *Apidologie.* 37: 1-18.
- Magurran, A.E. 2004. *Ecological diversity and its measurement.* Princeton University Press, New Jersey.
- Mahendran, B., Ghosh, S.K., & Kundu, S.C. 2006. Molecular phylogeny of silk-producing insects based on 16S ribosomal RNA and cytochrome oxidase subunit I genes. *Journal of Genetics.* 85(1): 31-38.
- Manarudin, M.F. 2019. Morfologi dan morfometri lebah tanpa sengat (Apidae: Meliponinae) asal Pandeglang, Banten. [*Hon. Thesis*]. Institut Pertanian Bogor, Bogor.
- Mathew, K.P, and Mathew, S. 1988. *The red bees of Sabah.* *International Bee Res.* 10-12.
- Michener, C.D, and Boongird, S. 2004. A new species of *Trigona* from Peninsular Thailand (Hymenoptera: Apidae: Meliponini). *J Kans Entomol Soc.* 77(2): 143-146.
- Michener, C.D. 2000. *The Bees of The World.* Baltimore: The John Hopkins Univ Pr.

- Michener, C.D. 2007. *The Bees of The World. Second Edition*. Baltimore (US): The Johns Hopkins Univ. Pr.
- Moure, J.S. 1961. A preliminary supra specific classification of the Old World meliponine bees (Hymenoptera, Apoidea). *Studia Entomologica*. 4: 181-242.
- Muladno. 2010. *Teknologi Rekayasa Genetika, Edisi Kedua*. Bogor: IPB Press.
- Munshi, J.S, Dutta, H.M. 1996. *Fish Morphology: Horizon of New Research*. New York (US): Science Publishers Inc.
- Nagamitsu, T., and Inoue, T. 1998. Interspecific morphological variation in Lebah tak bersengat (Hymenoptera: Apidae, meliponinae) associated with floral shape and location in an Asian tropical rainforest. *Entomological Science*. 1: 189-194.
- Nagamitsu., T., Momose K., Inoue T., and Roubik D.W. 1999. Preference in flower visits and partitioning in pollen diets of stingless bee in an Asian tropical rain forest. *Res Popul Ecol*. 41: 195-202.
- Na-nokorn, U., Sriphairoj, K., Sukmanomon, S., Poompuang, S., Kamonrat, W. 2006. Polymorphic microsatellite from DNA of the endangered Mekong giant catfish, *Pangasianodon gigas* (Chevey) and cross-species amplification in three species of *Pangasius*. *Mol. Ecol. Notes* 6, 1174-1176.
- Norowi, M., Sajab, H.A.S, Rozliza, J., Fahmiae, M., and Suri, R. 2010. Conservation and sustainable utilization of stingless bees for pollination services in agricultural ecosystems in Malaysia: *Proceeding of International Seminar on Enhancement of Functional Biodiversity Relevant to Sustainable Food Production in ASPAC*. ed NIES, Tsukuba, Japan.
- Nugroho, R.B. 2013. Keragaman Sumber Pakan dan Perilaku Mencari Pakan Lebah *Trigona iridipennis* (Hymenoptera: Apidae) di Gunung Kidul. [*Tesis*]. Universitas Gadjah Mada, Yogyakarta.
- Purnamasari, L., Farajallah, A., and D. Wowor. 2016. Application Of Dna Barcode In Determination Of Shrimp Species Of Fresh Water From The Province Of Jambi. *BioCONCETTA*. 2 (1).
- Radulovici, A., Marie, B.R., and Dufresn, F. 2009. Barcoding Arthropods: Dna barcoding of marine crustaceans from the Estuary and Gulf of St Lawrence: a regional-scale approach. *Molecular Ecology Resources (Suppl. 1)*. 181–187.

- Rahman, A., Das, P.K., Rajkumari, P., Saikia, J., and Sharmah, D. 2015. Stingless bees (Hymenoptera: Apidae: Meliponini) diversity and distribution in India. *Inter J Sc Res.* 4(1): 77-81.
- Rasmussen, C. 2008. Catalog of the Indo-Malayan/Australasian stingless bees (Hymenoptera: Apidae: Meliponini). *Zootaxa.* 1935:1–80.
- Rasmussen, C. 2013. Stingless bees (Hymenoptera: Apidae: Meliponini) of the Indian subcontinent: diversity, taxonomy and current status of knowledge. *Zootaxa.* 3647(3): 401–428.
- Rasmussen, C., and Cameron, S.A. 2007. A molecular phylogeny of the old world Lebah tak bersengat (Hymenoptera: Apidae: Meliponini) and the non-monophyly of the large genus *Trigona*. *Systematic Entomology.* 32:26-39.
- Rasmussen, C., and Cameron, S.A. 2010. Global stingless bee phylogeny supports ancient divergence, vicariance, and long distance dispersal. *Biological Journal of the Linnean Society.* 99:206-232.
- Rasmussen, C., and Michener, C.D. 2010. The identity and neotype of *Trigona laeviceps* Smith (Hymenoptera: Apidae). *J Kans Entomol Soc.* 83: 129–133.
- Rizka. 2016. Habitat dan Deskripsi Pintu Masuk Sarang Lebah (*Trigona* Sp.) di Desa Purwosari, Kec Torue, Kab Parigi Moutong Provinsi Sulawesi Tengah. [*Skripsi*]. Palu: Program Studi Pendidikan Biologi FKIP Universitas Tadulako.
- Roopa, A.N., Eswarrapa, G., Sanganna, M., Sajjanar, and Gowda, G. 2015. Study on nesting characteristics and biology of stingless bees (*Trigona iridipennis* Smith.). *IOSR-JAVS.* 8(10): 34-36.
- Roubik, D.W. 1989. Stingless bee nesting biology. *Apidologie.* 37: 124-143.
- Roubik, D.W., and Ackerman, J.D. 1987. Long-term ecology of euglossine orchid-bees (Apidae: Euglossini) in Panama. *Oecologia.* 73: 321-333.
- Ruttner, F. 1987. *Biogeography and taxonomy of honey bees*. Springer-Verlag Berlin Heidelberg GmbH.
- Sakagami, F. 1982. *Stingless Bees Social Insect*. New York: Academic Press.
- Sakagami, S.F, Inoue, T., Yamane, S., dan Salmah, S. 1983. Nest architecture and colony composition of the Sumatran stingless bees *Trigona (Tetragonula) laeviceps*. *Kontyû.* 51(1): 100-111.

- Sakagami, S.F, Salmah, S., Abbas, I., and Yusuf, I. 1985. Foraging behavior of individual workers and foraging dynamics of colonies of three Sumatran stingless bees. *Res Popul Ecol.* 27: 373-392.
- Sakagami, S.F. 1978. *Tetragonula* stingless bee of the ontinental Asia and Sri Lanka (Hymenoptera: Apidae). *Journal of The Faculty of Agriculture Hokkaido University.* 21(2): 165-247.
- Sakagami, S.F., and Inoue, T. 1987. Stingless Bee of The Genus *Trigona* (Subgenus *Trigonella*) with notes on the reduction of Spatha in male genitalia of the subgenus *Tetragonula* (Hymenoptera: Apidae). *Kontyu.* 55(4): 610-627.
- Sakagami, S.F., Inoue, T., and Salmah, S. 1990. *Stingless bees of Central Sumatra.* Sakagami, S.F., Ohgushi, R., dan Roubik, D.W. Editor. Sapporo (JP): Hokkaido Univ. Pr. 125-137.
- Salim, H.M.W., Dzulkiply, A.D., Harrison, R.D., Fletcher, C., Kassim, A.R., and Potts, M.D. 2012. Stingless bee (Hymenoptera: Apidae: Meliponini) diversity in dipterocarp forest reserves in Peninsular Malaysia. *Raffl Bull Zool.* 60(1): 213–219.
- Schwarz, H.F. 1939. The Indo-Malayan species of *Trigona*. *Bull AMNH.* 76: 83–141.
- Singh, R., Kour, D.N., Ahmad, F., and Sahi, D.N. 2013. Species diversity, relative abundance and habitat of bird communities of Tehsil Chenani, District Udhampur, Jammu and Kashmir, India. *Indian Journal of Life Science.* 2(2): 81-90.
- Smith, D.R. 2012. Key to workers of Indo-Malayan stingless bees. *For use in the Stingless Bees Workshop.* 1(1): 1-42.
- Smith, D.R., and Hagen, R.H. 1996. The biogeography of *Apis cerana* as revealed by mitochondrial DNA sequence data. *Journal of the Kansas Entomological Society.* 69: 294-310.
- Solihin, D.D. 1994. Peran DNA mitokondria (mtDNA) dalam studi keragaman genetik dan biopopulasi pada hewan. *Hayati.* 1: 1-4.
- Strauss, R.E., and Bond, C.E. 1990. *Taxonomic Methods: Morphology.* Sherck CB, Moyle PB. Editor. Maryland (USA).
- Sung, I.H., Yamane, S., Ho, K.K., Wu, W.J., and Chen, Y.W. 2004. Morphological caste and sex differences in the Taiwanese stingless bee

Trigona ventralis hoozana (Hymenoptera: Apidae). *Entomological Science*. 7: 263-269.

Supriatna, J., dan Wahyono, E.H. 2000. *Panduan Lapangan Primata Indonesia*. Jakarta: Yayasan Obor Indonesia.

Suriawanto, N., Atmowidi, T., and Kahono, S. 2017. Nesting sites characteristics of stingless bees (Hymenoptera: Apidae) in Central Sulawesi, Indonesia. *Journal of Insect Biodiversity*. 5(10): 1-9.

Suriawanto. 2016. Keanekaragaman dan Tempat Bersarang Lebah Tak Bersengat (Hymenoptera: Apidae) di Sulawesi Tengah. [*Tesis*]. Institut Pertanian Bogor, Bogor.

Syafrizal, D., Tarigan, and Yusuf, R. 2014. Biodiversity and habitat of *Trigona* at secondary tropical rain forest of Lempake education forest, Samarinda, Kalimantan Timur. *JTP*. 9(1): 34-38.

Tej, M.K., Srinivasan, K., Vijayakumar, N., Natarajan, and Kumar, S.M. 2017. Morphometry analysis of stingless bee *Tetragonula iridipennis* Smith. *Int. J.Curr.Microbiol.App.Sci*. 6: 2963-2970.

Thompson, J.D. 1994. CLUSTAL W: improving the sensitivity of progressive multiple sequence alignment through sequence weighting, position-specific gap penalties and weight matrix choice. *Nucleic Acids Res*. 22: 4673-4680.

Thummajitsakul, S., Klinbunga, S., and Sittipraneed. 2011. Genetic differentiation of the stingless bee *Tetragonula pagdeni* in Thailand using SSCP analysis of a large subunit of mitochondrial ribosomal DNA. *Biochemical Genetics*. 49(7-8): 499-510.

Thummajitsakul, S., Silprasit, K., Klinbunga, S., & Sittipraneed, S. 2013. The partial mitochondrial sequence of the Old World stingless bee, *Tetragonula pagdeni*. *Journal of Genetics*. 92(2): 1-5.

Tingek, S.M., Mardan, T.E., Rinderer, N., Koeniger, and Koeniger, G. 1988. Rediscovery of *Apis vechti* the Saban honeybee. *Apidologie*. 19: 97-102.

Trontelj, P., and Fiser, C. 2009. Perspectives: Cryptic species diversity should not be trivialised. *Systematics and Biodiversity*. 7: 1-3.

Vijayakumar, K., and Jeyaraaj, R. 2014. Taxonomic notes on stingless bee *Trigona* (*Tetragonula*) *iridipennis* Smith (Hymenoptera: Apidae) from India. *J Threat Taxa*. 6: 6480-6484.

- Whitmore, T.C. 1975. *Tropical Rain Forest of The Far East*. Oxford: Clarendon Press.
- Wiens, J.J. 2004. The Role of Morphological Data in Phylogeny Reconstruction. *Syst. Biol.* 53:653-661.
- Whitfield J.B., and Cameron S.A. 1998. Hierarchical Analysis of Variation in the Mitochondrial 16S rRNA Gene Among Hymenoptera. *Mol. Biol. Evol.* 1728-1743.
- Wu, J.G.D., Buyantuyev, A., and Redman, C.L. 2011. Quantifying spatiotemporal patterns of urbanization: The case of the two fastest growing metropolitan regions in the United States. *Ecological Complexity*. 8: 1–8.
- Zemlak, T.S., Ward, R.D., Connel, A.D., Holmes, B.H., and Hebert, P.D.N. 2009. DNA barcoding reveals overlooked marine fisher. *Molecular Ecology Resources*. 9: 237-242.